



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

PRICED VOCABULARY OF STORES
USED IN
HER MAJESTY'S SERVICE
1882.

MILITARY BOOKS.

Published by



Authority.

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY

W. CLOWES & SONS, Limited, 13, Charing Cross; HARRISON & SONS, 59, Pall Mall;
W. H. ALLEN & Co., 13, Waterloo Place; W. MITCHELL, 39, Charing Cross;
LONGMANS & Co., Paternoster Row; TRUBNER & Co., 57 & 59, Ludgate Hill;
STANFORD, Charing Cross; and KEGAN PAUL, TRENCH & Co., 1, Paternoster Sq.;

Also by

GRIFFIN & Co., The Hard, Portsea;

A. & C. BLACK, Edinburgh;

ALEX. THOM & Co., Abbey Street, and E. POWSON & Co., Grafton Street, Dublin.

PAY, PROMOTION, AND NON-EFFECTIVE PAY OF THE ARMY: Royal Warrant for: Parts I. and II. Pay and Non-effective Pay. Dated 25th June, 1881, to take effect from the 1st July, 1881. (Revised Army Regulations, Vol. 1.) *Octavo Edition.* Price, in paper, 2s.; in cloth, 3s. *Pocket Edition.* Price 1s. 6d.

ALLOWANCES, ARMY. Regulations relating to the Issue of. (Army Regulations, Vol. 1, Part III.) Dated 24th June, 1881. *Octavo Edition.* Price, in paper, 1s.; in cloth, 2s. *Pocket Edition.* Price 1s.

QUEEN'S REGULATIONS AND ORDERS FOR THE ARMY. New Edition, corrected to 1881. (Revised Army Regulations, Vol. 2.) 8vo. Price 3s. 6d.; interleaved, 5s. 6d. *Pocket Edition.* Price 1s. 6d.

EQUIPMENT OF HER MAJESTY'S ARMY: Royal Warrant and Regulations for, 1881. (Revised Army Regulations, Vol. 3.) Price 15s.

Do. Abridged Edition. Price 7s. 6d.

Do. Appendix V. Price 2s. 6d.

Do. Appendix XVIII. Price 6d.

COMMISSARIAT AND TRANSPORT STAFF: Regulations for. War Office, 14th February, 1881. (Revised Army Regulations, Vol. 4, Part I.) Price 3s. 6d. *(Out of print.)*

ORDNANCE STORE DEPARTMENT: Regulations for. War Office, 20th March, 1879. (Revised Army Regulations, Vol. 4, Part II.) Price 1s.

ENGINEER DEPARTMENT, ROYAL: Regulations for, with Appendix. War Office, 4th December, 1873. (Revised Army Regulations, Vol. 5.) Price 3s. *(Out of print.)*

MEDICAL DEPARTMENT OF THE ARMY: Regulations for. War Office, 1st November, 1878. (Revised Army Regulations, Vol. 6.) Price 3s.

DRESS REGULATIONS FOR OFFICERS OF THE ARMY. Horse Guards, War Office, 1st November, 1874. (Revised Army Regulations, Vol. 7.) Price 1s. 6d. *(Out of print.)*

MILITIA: REGULATIONS FOR. 1880. (Revised Army Regulations, Vol. 8.) Price 3s. 6d.

VOLUNTEER FORCE: Regulations for. (Revised Army Regulations, Vol. 9.) 1881. Price 2s. 6d.

CLOTHING AND NECESSARIES: Regulations for the Supply of, to the Regular Forces. War Office, 1881. (Revised Army Regulations, Vol. 11.) Price 3s. 6d.

Do. do. Alterations and Additions. 1881.

Price 2d.

SUPPLY OF STORES TO AN ARMY IN THE FIELD BY THE ORDNANCE STORE DEPARTMENT. Regulations for, and for the Organization of Services in connection therewith. (Issued with Army Circular, November, 1881.) Price, stitched, 9d.; cloth, 1s. 2d.

ROYAL MILITARY COLLEGE, ADMISSION TO, AND FIRST APPOINTMENTS THEREFROM TO THE ARMY: Regulations for. War Office, August, 1880. Issued with General Order No. 113 of 1880. Price 1s. *(Reprinting.)*

MILITARY BOOKS, published by Authority—continued.

ROYAL MILITARY COLLEGE: Synopsis of Course of Instruction &c. 1881. Price 6d.

MILITARY EXAMINATION PAPERS, viz.—

Royal Military Academy, Woolwich, and Royal Marine Artillery, November and December, 1881. Price 1s.

Royal Military College, Sandhurst, and Royal Marine Light Infantry, November and December, 1881. Price 1s.

Staff College, Report of the Examination for admission to the, held in June, 1881; with copies of the Examination Papers. 1881. Price 1s.

Staff College, Report on the Final Examination, December, 1881; with copies of Examination Papers. Price 1s.

Militia Subalterns: Report on the Examination of, in Military Subjects for Commissions in the Line. September, 1881. With copies of the Examination Papers. Price 9d.

(Papers of earlier dates are still in hand.)

STATUTE LAW RELATING TO THE ARMY. Selected and arranged by C. M. GOSSE, Esq., Legal Secretary. 1877. Price 1s. 8d.

STATUTORY POWERS OF HER MAJESTY'S PRINCIPAL SECRETARY OF STATE FOR THE WAR DEPARTMENT—Ordnance Branch, 1879. Price 1s.

STATUTES RELATING TO WAR OFFICE AND TO THE ARMY. Selected and arranged by C. M. GOSSE, Esq., Legal Secretary. 1880. Price 6s.

ARMY ACT, 1881, AND CERTAIN OTHER STATUTES RELATING TO THE ARMY. TOGETHER WITH RULES OF PROCEDURE, 1881, AND RULES FOR SUMMARY PUNISHMENT. Second Edition, 1882. Price 2s.

INFANTRY, FIELD EXERCISE AND EVOLUTIONS OF. Pocket Edition, Price 1s. 1875. (Reprinted.)

RIFLE AND CARBINE EXERCISES AND MUSKETRY INSTRUCTION. Horse Guards, July, 1879. Pocket size. Price 1s.

RIFLE EXERCISES AND MUSKETRY INSTRUCTION; Supplement to. For the Use of Troops Armed with the Snider Rifle. July, 1879. Revised May, 1881. Price 3d.

RIFLE EXERCISES AND MUSKETRY INSTRUCTION; Alterations made by General Orders in, since date of first issue in July, 1879. (1881.) Price 3d.

INFANTRY BUGLE SOUNDS. 1877. (Reprinted 1882.) Price 6d.

INFANTRY SWORD AND CARBINE SWORD-BAYONET EXERCISES. December 1st, 1880. Price 6d.

MARTINI-HENRY RIFLE AND CARBINE (Cavalry and Artillery): Manual and Firing Exercises for. 1881. Price 6d.

VALISE EQUIPMENT FOR INFANTRY REGIMENTS, INSTRUCTIONS FOR FITTING. New Edition, 1878. Price 1d.

TRANSPORT, REGIMENTAL (Infantry): Manual for. 1877. Price 3d.

MILITARY CARRIAGES and other MANUFACTURES OF THE ROYAL CARRIAGE DEPARTMENT: Treatise on. 2nd Edition. 1880. Price 8s.

SWORD, CARBINE, PISTOL, AND LANCE EXERCISE; Instructions for; together with FIELD GUN DRILL. For the Use of the Cavalry. Adjutant-General's Office, Horse Guards, June, 1871. Pocket Size. Price 1s. (Out of print.)

CAVALRY, INSTRUCTION AND MOVEMENTS OF; Regulations for. 1876. Price, 8vo., 4s. 6d. Pocket Edition, 3s. 6d. (Pocket Edition out of print.)

CAVALRY RECONNOITRING AN ENEMY; Instructions in the Duties of: Marches, Outposts, &c. For the Use of Auxiliary Cavalry. 1876. Price 1s. 6d.

CAVALRY CARBINE, SNIDER; Manual and Firing Exercises for. Horse Guards, 1874. Price 1d. (Out of print.)

TRANSPORT, REGIMENTAL (Cavalry): Manual for. 1878. Price 3d.

TRUMPET AND BUGLE SOUNDS for Mounted Services and Garrison Artillery, with Instructions for the Training of Trumpeters. Horse Guards, 1st May, 1879. Price 2s.

MILITARY BOOKS, published by Authority—continued.

- ARTILLERY, ROYAL REGIMENT OF:** Standing Orders of. 1876. Price 3s. (Out of print.)
- ARTILLERY EXERCISES, Siege and Garrison:** Manual of. 1879. 8vo. Price 5s.
- ARTILLERY EXERCISES:** Siege and Garrison, Manual of. 1879. Errata (1880). Price 1d.
- ARTILLERY EXERCISES:** Siege and Garrison, Manual of. 1879. Pocket Edition. Vols. 1 and 2, Parts I-IV., corrected to March 5, 1880. Price 1s. 9d. each.
- ARTILLERY EXERCISES, Field:** Manual of. 1881. Price 3s. Interleaved, 4s. (Reprinting.)
- ARTILLERY, Siege. Engaged in Active Operations.** Instructions for the Service of; together with details of Stores to be supplied in connexion therewith. (1880.) Price 4s. 6d.
- ARTILLERY CARBINE, SNIDER:** Manual and Firing Exercises for. 1879. (Revised November, 1881.) Price 2d.
- GUNS:** Handbooks for, viz. 1—
- 64-PR. R.M.L. Converted, of 59 and 71 cwt. L.S. (1880). Price 1s.
 - 40-PR. " of 35 cwt. (1880). Price 1s.
 - 25-PR. " of 18 cwt. (1880). Price 1s.
 - 16-PR. " of 12 cwt. (1880). Price 1s.
 - 9-PR. " Land Service (1880). Price 1s.
 - 7-PR. " Steel, of 200 lbs. (1878). Price 1s. 6d.
 - 10-inch " of 18 tons (1876). (Out of print.)
 - 9-inch " of 12 tons (1876). Price 6d.
 - 12 and 11-inch R.M.L. of 25 tons. (1879.) Price 1s. 6d.
 - 0-45-inch GATLING for LAND SERVICE. 3rd Edition. (1880.) Price 6d.
 - 0-45-inch GATLING for NAVAL SERVICE. (1880.) Price 6d.
- RANGE-FINDER, NOLAN, MARK I.:** Handbook for. For use of Garrison Artillery. 1882. Price 1s.
- ARTIFICERS, MILITARY:** Handbook for. By Serjeant-Major J. ARMSTRONG, R.A. Third Edition. 1878. Price 3s.
- ARMY SIGNALLING:** Manual of Instruction in. Horse Guards, War Office, 1882. Price 3d.
- ARMY HOSPITAL CORPS:** Regulations for. (Out of print.)
- ARMY HOSPITAL CORPS:** Manual of Instruction for Non-commissioned Officers of. War Office, 1st July, 1875. (Reprinted 1882.) Price 2s.
- STRETCHER-BEARERS AND BEARER COMPANIES:** Manual of Exercises for. Horse Guards, February, 1878. Price 1s.
- CLUBS, REGULATION:** A Series of Exercises for. Horse Guards, July, 1863. 20 pp. demy 12mo. Price 3d., or
- GYMNASTIC EXERCISES, SYSTEM OF FENCING, AND EXERCISES FOR THE REGULATION CLUBS.** 1877. In One Book. Price 2s.
- ENCAMPMENTS:** Regulations and Instructions for. 3rd April, 1877. Reprinted 1880. Price 6d.
- VOLUNTEERS IN REGIMENTAL CAMPS, or WHEN ENCAMPED WITH THE REGULAR FORCES.** Orders and Instructions for. (1880.) Price 1d.
- MILITARY COOKS:** Instructions to, in the Preparation of Dinners at the Instructional Kitchen, Aldershot. 1878. Price 3d.
- MILITARY TRANSPORT.** By Lt.-Col. G. A. FURSE, D.A.A.G. (In the press.)
- MILITIA ORDERS, 1878.** Issued under the Authority of the Secretary of State for War. Price 6d.
- MILITIA (VOLUNTARY ENLISTMENT) ACT, 1875.** With an Introduction and Notes, by CHARLES M. CLODE, of the Inner Temple, Barrister-at-Law, and Solicitor to the War Department. Price 1s. 6d.
- THE PENETRATION OF IRON ARMOUR PLATES BY STEEL SHOT:** Report on various Experiments carried out under the Direction of the Ordnance Select Committee relative to. By Captain W. H. NORRIS, M.A., Royal Artillery, Associate Member Ordnance Select Committee. To which is added a Memorandum on the Penetration of Iron-Clad Ships by Steel and other Projectiles. Folio, with Plans. Price 2s.


PRICED VOCABULARY OF STORES

USED IN

HER MAJESTY'S SERVICE.

WAR OFFICE, PALL MALL,

1st October, 1882.



LONDON :

Printed under the Superintendence of Her Majesty's Stationery Office,

AND SOLD BY

W. CLOWES & SONS, LIMITED, 13, Charing Cross ; HARRISON & SONS,
59, Pall Mall ;

W. H. ALLEN & Co., 13, Waterloo Place ; W. MITCHELL, 89, Charing Cross ;
LONGMANS & Co., Paternoster Row ; TRÜBNER & Co., 57 & 59, Ludgate Hill ;
STANFORD, Charing Cross ; and KEGAN PAUL, TRENCH & Co.,

1 Paternoster Square ;

Also by

GRIFFIN & Co., The Hard, PORTSEA ; A. & C. BLACK, EDINBURGH ;
ALEX. THOM & Co., Abbey Street ; and E. PONSONBY, Grafton Street, DUBLIN.

1882.

Price Six Shillings.

MEMORANDUM.

[Extract from Clause 177, Army Circulars, 1882.]

241. Stores issued on repayment or prepayment, and stores lost, damaged, or destroyed by neglect, will be charged for according to the rates specified in the Vocabulary as follows:—

- (a) Services provided for in Imperial Estimates, charges against the Regular and Auxiliary Forces for Stores lost, damaged or destroyed, and against Store Accountants for deficiencies:—

No. 1 Balance Sheet or Contract Rates, as applicable, without addition for departmental expenses.

- (b) All other services—

No. 2 Balance Sheet or Contract Rates, as applicable, with departmental expenses, as specified in paragraph 3.

242. The charges for departmental expenses will be calculated as follows:—

At foreign stations, 15 per cent. on the total value.

At home stations, 5 „ „ „

243. These departmental charges include all expenses incidental to receipt, inspection, storage, ordinary packing, issue, and clerical labour at the store depôts and head-quarters, but not the cost of packing cases, special packing, or any freight or carriage beyond the store depôt from which the articles are issued.

244. The above percentages will be added to claims without reference to the condition of the stores issued, but will not be assessed on charges for repairs, washing and other labour, nor on the value of stores sold by auction or tender.

245. Articles which have been issued on payment will, as far as practicable, be marked with the sale marks of the department, thus ∇ , and articles so marked will on no account be received back into store.

246. Calculations connected with returns of the value of articles in store, or for general average in the case of vessels carrying stores, will be made on No. 1 Balance Sheet, or on Contract Rates, as may be applicable.

247. In all repayment and other vouchers of account, store ledger headings, reports of issue and demands, the names, arrangement, and descriptions given in the Vocabulary will be strictly adhered to.

248. In regard to stores now in possession and on ledger charge, any necessary corrections of nomenclature will be made by means of transfer vouchers (Army Form G. 1049).

Memorandum.

249. In cases where it is necessary to issue stores in parts or detail, and not in a complete state as received from the Tower or Woolwich, the items will be charged in the ledgers in detail as "spare," or "parts of," as the case may be, in accordance with the Vocabulary; transfer vouchers being used in support of such transactions.

249a. In cases where No. 2 Balance Sheet or Contract prices are charged, the original repayment voucher will also show the total value of the stores supplied, calculated by No. 1 Balance Sheet or Contract prices, but without the departmental expenses. This information will not, however, be inserted in the duplicate voucher.

249b. Repayment vouchers sent to the War Office for the recovery of the amount due will be made on Army Form G. 1018, and will in all cases be supported by priced receipts on Army Form G. 1024.

249c. Store Accountants will enter all articles as far as possible under the head and section of their store ledgers corresponding with those under which the items appear in the Vocabulary.

249d. Stores belonging to more than one branch of equipment will be accounted for in one section only of store ledgers, though shown for convenience of reference in several sections of the Vocabulary. Wherever stores appear in sections under which they should not be accounted for, reference is made to the page of the section wherein they should be shown in store ledgers.

CONTENTS.

SECTION I.

	PAGES
ACCOUTREMENTS	1-1-
APPOINTMENTS AND TOOLS, PIONEERS	18-21
SMALL ARMS	22-46
PACKAGES, SMALL ARM	47-51
FORGE, FIELD, ARMOURERS, MARTINI-HENRY ARMS	52-55
FORGE, FIELD, ARMOURERS, SNIDER ARMS	56-59
TOOLS, ARMOURERS, AT FIXED STATIONS, IN ADDITION TO THE TOOLS IN THE FIELD FORGES	60-61
TOOLS, REPAIRING METAL WORK OF ACCOUTREMENTS AND SADDLERY	62

SECTION II.

CAMP AND FIELD EQUIPMENT	63-75
TOOLS AND IMPLEMENTS FOR INTRENCHING	76-79
TOOLS, EARTH-BORING	80-81
SADDLERY, OFFICERS	82-83
SADDLERY, HOUSEHOLD CAVALRY	83-84
HARNESS, GENERAL SERVICE, AND SADDLERY, UNIVERSAL	85-88
MISCELLANEOUS ARTICLES OF HARNESS AND STABLE NECESSARIES	88-89
MATERIALS FOR REPAIRING HARNESS AND SADDLERY	89-91
PACK-SADDLES AND APPURTENANCES	92-93
SADDLETREES, AND PARTS OF.. .. .	93-95
INSTRUMENTS, SCIENTIFIC (DRAWING, MATHEMATICAL, METEOROLOGICAL, AND SURVEYING)	96-100
INSTRUMENTS, MUSICAL	101-102

SECTION III.

TOOLS, ARTIFICERS	103-131
---------------------------	---------

SECTION IV.

MISCELLANEOUS STORES	132-174
------------------------------	---------

SECTION V.

GUN-CARRIAGES, PLATFORMS, CARTS AND WAGONS, AND THEIR APPUR- TENANCES	175-459
ORDNANCE AND APPURTENANCES, AND TOOLS, ORDNANCE	
GUNPOWDER AND MATERIALS	
GUN AND SMALL ARM AMMUNITION, SHOT AND SHELL, AND OTHER ARTICLES MANUFACTURED IN THE ROYAL LABORATORY	

Contents.

SECTION VI.

	PAGES
BARRACK, HOSPITAL, AND MILITARY PRISON STORES, GARDEN TOOLS, EQUITATION ARTICLES, AND STORES FOR GYMNASIA AND RECREATION ROOMS	460—498

SECTION VII.

APPARATUS, INSTRUMENTS AND STORES FOR SUBMARINE MINING, TELEGRAPHY, AND VISUAL SIGNALLING	499—523
DIVING APPARATUS AND STORES	524—525
MINERS TOOLS AND STORES AND ENGINEER EQUIPMENT.. .. .	526—533
PLATELAYERS TOOLS	533
PHOTOGRAPHIC IMPLEMENTS AND MATERIALS FORMING THE EQUIPMENT OF A PHOTOGRAPHIC WAGON	534—537
LITHOGRAPHIC IMPLEMENTS AND MATERIALS FORMING THE EQUIPMENT OF A LITHOGRAPHIC WAGON	538—540
PRINTING IMPLEMENTS AND MATERIALS FORMING THE EQUIPMENT OF A PRINTING WAGON	541—543
PONTOON EQUIPMENT AND STORES	544—546
NAVAL ELECTRIC, TORPEDO, AND OTHER STORES	547—577

INDEX.

NOTE.—When the same article occurs in different places in the book the Section or Sub-section indicated in black letter in the index is that in which the article should as a rule be held on charge in the Ordnance Store Accounts.

A.		PAGES
Acids	132, 520, 534, 538	
Actions, small-arm	22	
Adapters, brace, artificers	105	
Adapters, shell	175	
Adzes	105, 460	
Alcohol	534	
Altars	460	
Alms dishes	470	
Alum	132, 534	
Ammonia—		
Carbonate of, and liquor	132	
Liquid	132, 534	
Ammonium	534	
Anchors—		
Boat { Berthon	544	
{ Ordinary	132	
Floating target	415, 416	
Pontoon	544	
Anemometers	96	
Antimony	132, 538	
Anvils—		
Armourers	52, 56	
Farriers, and smiths	105	
Marking clothing, 5 lbs.	132	
Proving detonators	177	
Apparatus, buoyancy	554	
Apparatus, circuit breaking	547	
Apparatus, circuit closing—		
Naval	547	
Submarine	499	
Apparatus, cutting wet gun-cotton—		
Submarine mining	499	
Royal Engineer equipment	526	
Apparatus, diving	524	
Apparatus, drying guncotton	175, 499	
Apparatus, earth boring	499	
Apparatus, electric light	499	
Apparatus, filling, cartridges	175	
Apparatus, flint and steel	18	
Apparatus, hydraulic	502	
Apparatus, lifting guns	175	
Apparatus, lime light	501	
Apparatus, mercurial	547	
Apparatus, paying out, &c.	502	
Apparatus, primer and relay	502	
Apparatus, proving—		
Detonators	177	
Tubes and primers	176	
Apparatus, repairing, field telegraph	502	
Apparatus, soldering & shutter	502	
Apparatus, winding	502	
Aprons—		
Baile	132	
Cloak-himber	178	
Fencing	483	
Leg, side-drum	1	
Litter	92	
Ordnance	177	
Printers	541	
Wagon { ambulance	178	
{ bread and meat	177	
Arches, saddletree—		
Iron	94	
Wood	95	
Arms—		
Elevating	178	
Graduated	179	
Segment	180	
Arcs, intersectional, firing		PAGES
Argentometers		502
Arms—		534
Military stand	460, 491	
Telegraph poles	502	
Torpedo gear	570, 574	
Wagon wheel	180	
Arrow-heads, torpedo	564, 567, 570, 574	
Arrows, or pins, wire	485	
Arrows, point, torpedo	559, 561	
Arsenic	132	
Asbestos, packing, torpedo	561, 564, 567	
Ash, pearl	132	
Attachments, packsaddle	526	
Augers—		
Screw	18, 20, 105, 526	
Shell	105	
Augers, earth-boring	80	
Awls—		
Spoon, armourers	54	
Tinmans	105	
Axes—		
Boarding	22	
Brick	105	
Broad, coopers, wheelers, and masons	103	
Felling	20, 63, 460, 472	
Fire brigade	472	
Hand, or hatchets	18, 20, 63, 68	
Axes, pick—		
Miners	526	
Ordinary	20, 63, 76, 460	
Axes, pole, butchers	460	
Axis, revolver	32	
Axles, barrow—		
Intrenching	70	
Stable	460	
Axles, carriage, platform, and slide	180	
Axles, torpedo carriage	552	
Axletrees—		
Carriage, cart, drag, and travelling	184, 526	
Transporting { bed	417	
{ platform	417, 418	
{ slide	418, 419	
Axletrees, wagon—		
Pontoon	544	
Royal Engineers	502, 526	
B.		
Backgammon men	460	
Bags—		
Chair	460	
Forge	183	
Bags—		
Ammunition, and ball	1	
Ammunition cases	189	
Bedding	63, 460	
Blowing charges { calico	183	
{ shalloon	183	
Burst, shell	189	
Camp kettle, flag, and tent pin	43	
Cartridge, and bursting charges	188	
Clothes, and pudding	460	
Corn, and nose	88	
Cylinder { canvas	189	
{ flannel	189	
Earth, armourers	52, 56	
Extracting instrument, and small store	189	
Fuze and shell implements	283	

	PAGES		PAGES
Bags—		Bases, tent pole	63
Guncotton	18, 502	Basils, repairing harness and saddlery ...	89
Hand charges, guncotton	547	Basins—	
Letter { field	63	Barrack and hospital services ...	461, 492
ordinary	460	Camp and Field services	63
Lime Light	501	Baskets—	
Marine Glue	544	Barrack and Hospital services ...	461
Powder { flannel	189	Common, bottle, and storehouse ...	133
India rubber and leather	76	Knapsack	63
Primer	190	Pool	494
Sand	76, 460	Tool	106
Squad	132	Baths, air tight, photographic ...	534
Tool	106	Baths, hospital	462
Water, photographic	534	Battens—	
Ballers—		Arm chest	47
Boat	132	Bayonet packing cases	48
Pontoon	544	Boat, pontoon	544
Balances, spring	461	Sighting, S.B. guns	461
Balls—		Batteries, voltaic or galvanic—	
Bagatelle	493	Submarine mining and telegraph services	503
Billiard	493	Naval service	547
Inking	541	Baulks, pontoon	544
Military stand	461, 491	Bayonets	24
Pool	494	Beams—	
Pyramids	494	Pontoon	544
Skittle, and solitaire	461	Scale	133, 462, 488
Balls, light, and smoke	190	Beaters—	
Balls, signal, Caisins and vessels ...	132	Breech and carriage lifting, cartridge	
Bandages, calico	1	cylinder, and rockstaff	194
Bands—		Hospital	63, 462, 492
Axletree, and ammunition boxes, axle-		Shot and shell	193
trees, and friction	190	Trace, harness	88
Back and belly	85	Type, printing	541
Crosstree	88	Bearings—	
Derrick	190	Bastier pump	77
Elevating	190	Platform	194
Gabion	76	Beaters, platelayers	533
Le Clanché cells	503	Beckets, sword	1
Hammer staves	191	Beds—	
Small arms	22	Axletree	195
Bands, bridge, Gatling gun	274	Bagatelle table	493
Bands, wrist, divers	524	Bed	195
Bands, or irons, ammunition wagon ...	191	Carriage { cast iron	194
Barometers	96	wrought iron	195
Barrels—		wood	195
Ammunition, budge, cartridge, and powder	191	mountain	195
Dry earth	480	Cork	63
Tar	132	Gun, and howitzer	195
Water	63	Hair, and water	462
Barrels, small arms	23, 461	Mortar { cast iron	194
Barrels, machine guns—		wood	196
Gardner	271	Bedsteads	462
Gatling	273	Belhows—	
Barricades or breakers	132	Barrack and Hospital	463
Barrows—		Forge { armourers	52, 56
Ammunition, charge, magazine lamps ...	191	artificers, portable	106
Hand	76, 132, 461	smiths, and tinmans	106
Hand with legs	132, 461	Ventilating mine	527
Magazine	132, 192	Bell-pulls	463
Powder, and tool sighting gun	192	Bells, alarum	504
Telegraph	502	Bells—	
Truck or sack, and wheel	133, 461	Dumb	463
Turf, and stable	461	Hand	464
Wheel, intrenching	63, 76	Belts—	
Barrows, or trucks, transporting pro-		Accoutrements { pouch	1, 96, 504
jectiles	192	shoulder	2
Bars—		waist	2, 504
Bastier pump	77	Divers	524
Boring and tamping miners	526	Gymnasia, and restraint	464
Compressor	192	Jointers	519
Connecting and crab-capstan	192	Belts and gloves, lunatics	464
{ artificers	106	Benzole	133
Crow { fire engine	76, 461, 472	Bevels	106
intrenching	76	Bevils, arm chest	48
and twisting, platelayers	533	Biers, hospital	464
Directing	193	Billets—	
Furnace, and hatches	133	Accoutrements	3
Gyn	276, 277	Rein	87
Inner, radius, shifting, and splinter ...	193	Bills (see Hooks)	20, 68
Jumping { miners	527	Binding—	
telegraph	502	Cocoa-nut matting	464
Leaping, and trapeze	461, 491	Tent	63
Finching { pioneers	20	Binoculars	96
miners	526	Bins, meal	464
Range finder	340	Bismuth	133
Setting, masons	106	Bits—	
Shaft	502, 544	Armourers	52, 56, 60, 62
Side, saddle-tree	95	Boring-bars, miners	521
Splinter, R. K. wagon	502, 526, 544		
Venting ordnance	454		

	PAGES		PAGES
Bits—		Boards—	
Brace	106	Scale, weighing	135, 488
Bridoon and portmouth—		Tool, miners	527
Saddlery { Household cavalry	83	Wetting, printing wagon	541
{ officers	82, 83	Boats, Berthon	544
General service, and universal	85, 87	Bobs, plumb	108
Bridoon, packsaddle	92	Bodies—	
Coopers	107	Martini-Henry	25
Fuze and shell	283	Or bottoms, bedstead	462, 463
Vent	196, 442, 444	Bodkins, printers	541
Black, lamp, photographic	534	Boilers—	
Bladders, ox	133	Coffee, tea, and 4 gallons	465
Blades—		Drying gun-cotton	175
Awl { armourers	52, 56	Soyers stoves	72
{ artificers	107, 460, 495	Boilers, electric light	504
Foil	24, 474	Bollards—	
Saw	63, 107	Carriage, and slide	199
Scythe	489	Platform	199
Blankets—		Bolsters, hair	465
Field, and general service	64, 464	Bolts—	
Horse	64	Apparatus cutting guncotton	526
Hospital, and Life Guards	464	Bayonet, breech-block, and stock	25
Printers	541	Bedstead	462, 463
Blanks, key	133	Boss head, cheese head, clip plate, counter-	
Blocks—		sunk head, and hexagon head	200
Admiralty	133	Bracket	200
Ammunition pouch	4	Drop, fighting, flange, gear, elevating, and	
Anvil	108, 198	guide	200
Armourers	52, 56	Elevating eye	199
Bothways	134	Exploding torpedo	576
Breech, bush, facing and vent piece—		Eye, trunnion	199
7 inch	446	Gablon	76
40 pounder	447	Galvanized iron, with washers	504
20	447	Gyn	276, 277
12 or 9 pounder	448	Lifting apparatus	175
6 pounder	448	Mantlet, and leaping bar	465, 491
Chopping, cutting, and shot	464	Mooring target	415
Cutting guncotton	526	Nave	201
Depression, and pivot	197	Pivot	201
Dismounting	197, 198	Pontoon	544
Earth-boring	80	Revolver	30
Examining ordnance	442, 444	Soldiers { forms	477
Fuze and shell implements	283, 284	{ tables	478
Lanyard	197	Submarine mining	504
Le Clanché cell	503	Target	495
Lifting apparatus	175	Telegraph posts	504
Miners tools	527	Tire	201, 527
Muzzle derrick	197	{ carriage	552
Platform, and snatch	198	{ gear	567
Preserving sight	197	{ stores	555
Proving detonators	177	Vent	199
Recoppering tools	449, 450	Wheel	201
Repairing scabbard	54	Bolts or pins, deck (see Pins)	322
Representing guncotton	504	Bones, hollow	108
Saw, printing wagon	541	Books—	
Small-arm	24	Blotting	465
Snatch	133, 135, 198	Instructions, divers	524
Snider barrel	61	Kriegspiel	478
Swage, smiths	107	Signalling	504
Tackle	133, 197, 276, 277, 278	Boots—	
Tangent scale	198	Divers	524
Tent	64	Magazine	201
Torpedo	555	Borax	52, 56, 135
Transporting, bed and platform	417	Borers—	
Trestle, bridging pontoon	546	Bung	108, 465
Trunnion	198	Gimlet, fuze and shell	234
Type-holder	135	Bosses—	
Venting ordnance	454	Plumbers	108
Winch gear and slides	198	Saddlery { Household cavalry	84
Wire rope strapped	135	{ Officers, and universal	89
Blocks or cleats, ship carriage	198	Bottles—	
Blowers, forge—		Acid, muriatic	520, 544
Root's	527	Ink { surveying	96
Rotary	527	{ telegraph	504
Boards—		Lime light	501
Arm chest	48	Lithographic	538
Auger, earth-boring	80	Methylated spirits	547
Barrack and hospital services	464	Naphtha { copper	519
Bed	64, 462	{ tin	544
Cacolet	92	Oil { earthenware	135
Dough	64	{ tin	136, 504, 538, 541
Drawing	96	{ zinc	4
Glaze, and mill, lithographic	538	Oil, hospital canteen	64
Lumber, and wagon, range, and scale		Ordinary { glass	135
raising projectiles	198	{ stone	136
Marking { bagatelle	493	Photographic	534
{ billiard	493	Priming composition	547
Model knots	76	Repairing instruments	513
Pool	494	Sal-ammoniac	53, 56, 136

	PAGES		PAGES
Bottles—		Braces—	
Spirits of wine ...	520	Armourers 53, 56, 62, 108, 442, 444, 451, 454	
Soldering solution { joiners ...	519	Barrel pier, pontoon ...	544
Water ...	547	Carpenters, smiths, and slaters ...	108
Veterinary chest ...	64	Drilling { sighting ordnance ...	451
Water ...	4	{ venting ...	454
Bottoms—		Mortar, fuze and shell ...	284
Diet tray ...	496	{ artificers ...	108
Drying guncotton ...	175	{ platelayers ...	533
Hospital bearers ...	63, 462, 465	Batchet { tools, ordnance 108, 442, 450, 452, 454	
Marquee and tent ...	64	Sea service, and valise equipment ...	4
Shell or shot ...	201	Side drum ...	101
Stretchers, field ...	73	Brackets—	
Bouches, platform, traversing	202	Bastier pump ...	77
Bowls, shaving, and $\frac{1}{2}$ gallon	405	Block, snatch, handspike, retaining, and sidearm ...	210
Bows, drill—		Elevating ...	209
Armourers ...	53, 57	Fore and trunnion sight ...	209
Smiths ...	108	Insulator ...	505
Box beams, lifting guns	175	Lever and winch gear ...	209
Boxes—		Side drum ...	101
Ammunition { small arm ...	203	Transporting R.M.L. { bed and platform ...	417
{ limber ...	204	{ slides ...	418, 419
{ wagon ...	205	Turret sight, elevating, and socket ...	209
Artificers ...	108	Braid, cartridge ...	210
Auger, and saw ...	108, 544	Brakes—	
Axletree ...	206	Allen's ...	211
Barrack and hospital services ...	465	Torpedo ...	576
Boat batteries ...	547	Brass ...	137
Borax, guncotton yarn, resin, spelter, tape, wick, and scissors ...	505	Brasses, Bastier pump ...	77
Candle, colour, guncotton, sal-ammoniac, safety fuze, screws and nails, and wallets ...	527	Brass, sheet ...	506
Cart, vice, forge ...	209	Brayers, printing wagon ...	541
Cartridge, fuze, nail horse shoe, and plug and wad ...	203	Breakers or barricoes ...	132
Communication ...	470	Breast-pieces ...	85
Connecting, joint, and junction ...	504	Breast-plates—	
Diving apparatus ...	524	Officers ...	82
Drill, armourers ...	53, 57, 108	General service, and universal ...	85
Dubbing ...	136, 203	Household cavalry ...	83
Electric light accessories ...	409	Breechings—	
Exploding bolt, detonator and primer, and drill stores, torpedo ...	576	Harness and saddlery ...	85, 87
Flux, and naphtha jointers ...	519	Pack saddle ...	92
Field hospital, medical comforts, and stationery ...	64	Bricks, Bath ...	137
Grease 203, 209, 505, 527, 534, 538, 541, 544		Bridges—	
Gun cartridge, and life-saving ...	207	Bagatelle table ...	493
Horse shoe ...	136, 209	Extractor ...	510, 550
Instantaneous fuze, and school materials ...	136	Gatling gun ...	274
Jointers ...	505, 519, 520	Platinum, test table ...	610
Lanterns { camp and field ...	64	Bridles, lock, small arms ...	25
{ forge wagon ...	207	Bridles—	
Limber, section of fuze, pack transport, pound shot, and rocket ...	207	Harness and saddlery ...	85
Match ...	18	Mouthing, and snaffle ...	88
Mountain service ...	202, 207	Saddlery { Household cavalry ...	83
Nail, horseshoe ...	136	{ officers ...	82
Percussion caps ...	209	Brimstone (see Sulphur).	
Pit saw ...	108	Broaches, armourers—	
Photographic ...	534	Martini-Henry ...	53
Pipe wheel ...	202	Snider ...	56
Primer { tin ...	203	Brooms, bass and birch ...	466
{ zinc ...	209	Brushes—	
Range-finder ...	340	Armourers ...	60
Resisting and testing ...	505	Badger, and sable hair, photographic ...	535
Riding equipment ...	83	Barrack and hospital services ...	466
Rocket machine ...	262	Billiard ...	493
Scale marquois ...	96	Boat, marking, stencil, tar, and water carriage ...	137
Screw plates and taps, torpedo ...	557, 538	Camels hair ...	108, 137, 446
Shell and shot ...	207	Electric light ...	499, 500
Side forge, and stationery ...	208	Glue ...	108, 137, 446
Skeleton cylinder, ink bottle, sulphate of copper, and station stores ...	505	Gun ...	211
Store wagon, and tool forge cart, and platform wagon ...	209	Gun { examining ordnance ...	442, 444, 445
Stars, incendiary ...	209	{ venting ordnance ...	454
Taps, wood screws ...	108	Hand, scrubbing ...	466, 541
Telegraph tools ...	520	Harness { hard ...	88
Test ...	505	{ soft ...	466
Testing { base-pieces and cases ...	502	Hogs hair ...	211, 547
{ plugs, insulating ...	175	Horse ...	88
Thermometer, drying guncotton ...	175	Ley and pick, printing wagon ...	541
Tinder ...	136, 505, 527	Marine glue, and solution ...	528, 545
Transporting torpedoes ...	505	Paint ...	108, 137
Tube ...	202, 209	Pencil, jointers ...	520
Veterinary stores ...	209	Sable, and whitewash ...	108
Wagon { ammunition and vice, forge ...	209	Watchmakers, and whalebone ...	506
{ forge ...	108, 209	Brushwood for fascines, gabions, &c. ...	77
Wax ...	136, 203	Buckets—	
		Butchers, and stable ...	404
		Carbine, and lance ...	85
		Fire engine ...	466, 472
		Latrine, soil ...	480

Chains—	PAGES	Chisels—	PAGES
Check, connecting, and draghose ...	240	Brick ...	109
Collar, Household cavalry (see Reins chain) ...	83	Chipping ...	109
Curb { officers ...	82	Cross-cut ...	109, 452, 453
Household cavalry ...	83	Farrlers ...	109
universal ...	87	Firmer, and coachmakers ...	57, 109
Draught and endless ...	240	Hand, cold ...	20, 62, 110, 496
Floating target ...	415	Masons ...	110
Loading, pole, and sheers ...	241	Mortice ...	110
Measuring { musketry instruction ...	468	Ordinance { sighting ...	451
with arrows ...	95	special R.B.L. { land service ...	452
Military prison ...	468	venting ...	453
Scale ...	139, 468, 488	Platelayers ...	455
Short link ...	507	Ripping ...	533
Skid ...	241	Smiths rod ...	110, 469, 495
Snap cap ...	26	Splatter ...	110
Stadiometer, and well bucket ...	468	Socket ...	20, 110, 469, 495
Trace ...	90	Tampeon ...	241
Transporting, shoe-drag ...	417	Tinmans ...	111
Trestle, bridging ...	546	Chisels, earth boring ...	80
Chairs—		Chives ...	111
Barrack and hospital services ...	468	Chloride—	
Camp, folding ...	65	Gold (see Gold, chloride) ...	535
Chalfices ...	470	Of lime (see Lime, chloride of) ...	148
Chalk—		Of zinc (see Solution, soldering) ...	519
Photographic ...	535	Chocks, carriage ...	241
Red, and white ...	139	Chokers, fascine ...	77
White, musketry instruction ...	139, 468	Choppers ...	469
Chalks, prepared ...	96, 468	Chromium, sulphate of ...	140
Chapes—		Circuit closer (see Apparatus, circuit closing) ...	499, 547
Nose bag ...	90	Circumferencers ...	96
Pouch ...	8	Clamps—	
Saddletree ...	93	Corner, soldiers tables ...	478
Tent ...	66	Electric light ...	499
Valise and waist-belt ...	8	Garrison carriage ...	242
Charcoal ...	140	Guncotton bag ...	508
Charges, torpedo—		Holding, torpedo tools ...	569, 572
Dummy ...	556	Joint (torpedo tools) ...	560, 563, 568, 569, 572
Guncotton ...	556	Locking, torpedo tools ...	568, 569, 572
Chases, printing wagon ...	541	Naval carriage ...	242
Check, for dusters ...	468	Removing, elevating pivots ...	241
Checks, gym ...	276, 277	Table, drawing ...	96
Chess { boards and boxes ...	468	Tangent sight ...	241
men ...	468, 469	Wood scales ...	241
Chesses, pontoon ...	545	Clamps or Rod-Rests ...	80
Chests—		Clams—	
Arm ...	49	Armourers { copper ...	61
Army signalling ...	507	gun metal ...	53, 57
Book, and Royal Artillery records ...	140	wood ...	53
Buoyancy apparatus ...	554	Collarmakers or saddlers ...	111
Butchery implements ...	66, 469	Clams or rests, earth-boring ...	80
Candle ...	469	Claws—	
Drying guncotton ...	175	Nail ...	111
Diving apparatus ...	524	Steering-rod, torpedo ...	569, 572
Gatling gun, and laboratory stores ...	241	Clay, China ...	508
Instruments and drawing materials ...	96, 528	Clearers, auger ...	80
Money ...	469	Cleats—	
Office wagon ...	528	Arm chest ...	49
Packsaddle ...	528	Sheers, and sling wagon ...	242
Pontoon equipment ...	545	Cleavers ...	66, 469
Tool—		Climbers, pole ...	508
Armourers—		Clinometers ...	242
Field forge { Martini-Henry ...	52	Clippers, portfire ...	242
Snider ...	56	Clips—	
Ordinary ...	103	American, and water pipe (photographic wagon) ...	535
Artificers and tradesmens—		Guide ropes of rammers, and lifting projectiles ...	243
Complete with tools ...	103	Platelayers, lifting ...	533
Empty ...	104	Retaining ...	243
Forge wagon, smiths, and wheeler fitters ...	241	Transporting, bed, and platform ...	417
Miners ...	528	Winding gear ...	508
Ordinance—		Clips or bands, for jointing poles ...	508
Special R.B.L. { land service ...	452	Clocks—	
sea service ...	453	Bracket, spring dial, and tell tale ...	469
Venting ...	455	Office wagon, telegraph equipment ...	508
Rifle rests ...	342	Clogs—	
Torpedo { spare gear, and tools ...	558, 560, 563, 566, 569, 572	Laundry ...	469
stores and electric ...	548	Stokers ...	140
Veterinary medicines ...	66	Cloth—	
Chevaux-de-frise ...	77	Collar ...	90
Chimneys, lamp—		Emery ...	52, 56, 140, 519, 520
Barrack, hospital and military prison ...	469	Glass ...	52, 56, 140
Magazine, wall and passage ...	140	Ornament ...	8
Reflecting galvanometer ...	507	Cloths—	
Chisels—		Airing powder ...	244
Armourers, cold ...	53		
Boxing ...	109		

Cloths—	PAGES	Cord—	PAGES
Altar, communion, hair sieve, table, and wiping, butchers	469	Page, printing wagon	541
Bagatelle, and billiard table	493	Whip, harness	90
Focussing, and glass, photographic	535	Cordage—	
Magazine	140	Coir	140
Sponge	140, 538, 541	Tarred	141, 519
Stone	243	White	142
Clouts, carriage	469	Cordage, signal halyard—	
Clubs, practice		Tarred	141, 470
Clutches—		White	142, 470
Expanding, and traversing	243	Cordage, stable lantern and lap-	
Torpedo gear	574	ping furze	141, 470
Winding, telegraph wagon	508	Cordovan	90
Coatings, sponge	243	Cords—	
Cooking-pieces, Nordenfolt gun	275	Bedstead	470
Cooks—		Bell-pull	463
Bib, driving, for beer	140, 469	Flask	8
Stop (see Stopcocks)	502	Forage	66, 88
Water barrel	66	Range-finder { Nolan	340
Coils—		measuring { Watkin, metallic	341
Resistance	508	Side drum	101
Test	548	Tying-up	66
Coins	243	Cords, forage or heel rope	66
Coir fibre (see Yarn)	498	Corks—	
Colanders	469	Assorted, { photographic	535
Collar-headstalls—		{ veterinary	142
Packsaddle	92	Clam	53
Saddlery { household cavalry	83	Holster	8
{ officers	82	Jar	(see Bungs or Corks)
{ universal	86	Oil bottle	248
Collars—		Shell	576
Extractor	510, 550	Torpedo	470
False	83	Corkscrews	470
Lamp, office, wagon	528	Corrosive sublimate	142
Neck, horse	86	Corticine	470
{ capstan-head	244	Cotton, darning	470
{ cast-iron	244	Cotton, repairing flags	508
{ facing tools	447	Cotton waste	142, 519
Ordnance { leather	245	Cotton wool	535
{ steel	245	Counter-gear, torpedo	567
{ venting tools	455	Counterpanes	470
{ wrought-iron	245	Counters—	
Packsaddle	92	Electric light	500
Spindle, revolving, Gatling gun	273	Torpedo	550, 561, 564, 570, 574
Collars or bands, submarine mining	508	Countersinks, armourers	57
Collodion	535	Counterweights	248
Colours—		Couples, trace	88
Boxes of	96	Couplings, Bastier pump	77
Camp, shallow	66, 67	Covers—	
Combs—		Backsight	26
Curry	88	Blanket, saddle, and close-stool pan	66
Hair, and small tooth	470	Cart	249, 528
Communism service	470	Cartridge { paper	249
Computators, electric light		{ waterproof	250
generator	500	Dish, dripstone, and easy chair	470
Compasses—		Gear	251
Beam, drawing, magnetic, prismatic, and proportional	97	Hose reel, fire engine	470
Binnacle with lamp	140	Lamp, office wagon	528
Common	111	Leather, rack, Royal Engineer, waterproof	528
Musketry instruction	470	Litter	92
Wing	111, 443	Loft	88
Composition—		Morse recorder, telegraph equipment	508
Antifouling	508, 548	Naval, for reels, and insulated wire	548
Canvas	140	Packsaddle { general service	92
Priming	548	{ mountain	93
Printing	541	Plane iron	111
Waterproof, miners	523	Sail cloth	142
Compound, Chatterton's	520	Screwjack, and unpainted box	249
Compressors, carriage	247	Soil tub, latrine	480
Condensers	508	Spring, small arm	26
Cones—		Steam engine	508
Friction, carriage and platform	248	Table { bagatelle	493
Gatling gun	273	{ billiard	493
Connections—		Vent	259
Bolt and slot	548	Wagon	249, 508, 528
For rams, turret carriage	248	Coyias (see Cattles)	139, 468
Connectors—		Crabs—	
Daniel's battery	503	Hand	142, 508
Electric light	499	Holting guns	142, 252
Telegraph equipment	508	Cradles, camp kettle	66
Copper—		Cradles, torpedo carriage	533
Bar, bolt, hoop, &c.	140	Cradles, vent	282
Sulphate of	140, 588	Cramps—	
Copperas	140	Armourers	57
Copying-front, photographic	530	Brake, carriage, and slide	232

	PAGES		PAGES
Cramps—		Cylinders—	
Gatling gun	274	Paint	143
Platelayers	538	Percussion caps	253
Torpedo	576	Primer, guncotton { 2 oz. 18, 254, 509	
Cramps or dogs, flooring	111	{ 1 " 18, 254, 529	
Cranes—		{ Whitehead 556	
Hand, and whip	508	{ Harvey 576	
Steam, portable	142	Priming	255, 509
Cranks, retaining gear	252	Revolver, Adams	31
Crates, packing	143	Safety fuze	254, 549
Creases	111	Solution	256, 509
Creepers, ice	143	Tallow	257, 509
Cringles	143	Tape, copper tinned	253, 509 , 549
Crinoline, diving apparatus	524	Tubes	254, 549
Crocks, dripstone	470	Tubing, copper tinned	253, 509 , 549
Crooks, bugle	101	Veterinary chest	67
Cross-head, extractor	510, 550	Washer { exploding bolt 256	
Crosspieces, foil	26, 474	{ india-rubber 253, 509 , 549	
Crosstrees	68	{ plug 255, 509	
Cruppers—		{ torpedo 556, 576	
Crosstree	88		
Harness, and universal	86		
Household cavalry	83		
Officers	82		
Packsaddle	92		
Crutches—			
For B.L. guns	252		
Mining	528		
Crutch-gear, Gatling gun	273		
Cues—			
Bagatelle	493		
Billiard	493		
Cuirasses	8		
Cupboards—			
Barrack service	470		
Photographic wagon	535		
Cups—			
Bagatelle table... ..	493		
B.L. guns { Obturating 252			
{ Tin 253			
Developing, photographic	535		
Drinking, egg, spitting, and tea	470		
Hospital canteen	66		
Le Clanché cell	503		
Side, small arms	26		
Curtains—			
Chapel school, and Royal Military Academy	470		
Marquee	67		
Curves, drawing	97		
Cushions—			
Billiard table	493		
Cacolet	92		
Cart	253		
Communion	470		
Powder barrel	143, 253		
Wagon	67, 253		
Cutters—			
Anvil, and flat smiths	62, 111		
Armourers { chamber 53, 57			
{ nose 69			
Diving apparatus	524		
Lead (see Swords)	492		
Platelayers	533		
Venting ordnance	455, 456		
Cylinders—			
Ammunition, and axletree box	253		
Armourers	57		
Beeswax	254, 556 , 576		
Cards, platinum silver wire	256, 549		
Cartridge { paper 253			
{ tin 257, 549			
{ zinc 258			
{ naval 256, 257, 549			
{ ordnance 255, 257			
{ pioneers 18, 256			
Detonators { B. E. equipment 255, 256, 529			
{ submarine 256, 509			
{ torpedo { Harvey 255, 576			
{ Whitehead 256, 556			
Disca, paper	255, 549		
Fuze and shell implements	284		
Fuze { electric 254, 509, 529			
{ percussion, and time 254			
Guide, venting ordnance	456		
Guncotton yarn	257, 529		
Lights, and portfire	254		
Packing, hemp, exploding bolt	255, 576		
		D.	
		Decks, octagonal, mortar	258
		Dees—	
		Harness	90
		Pouch and sabretache	8
		Saddlery { Household cavalry 84	
		{ officers 90	
		Saddletree	94
		Shackle, and tent	67
		Derricks—	
		Loading, wrought iron	259
		Mooring, submarine mining	509
		Muzzle, bronze	258
		Desks—	
		Field telegraph	509
		Office and reading	471
		School, and schoolmasters	471
		Detonators—	
		Buoyancy apparatus	554
		Nos. 5, 8 and 13, Engineer equipment	529
		Nos. 8, pioneers	19
		Nos. 9 and 15, naval	549
		Nos. 12 and 15, submarine	509
		Torpedo { Harvey 577	
		{ Whitehead 557	
		Devils	111
		Dextrine	143
		Dials, tell-tale clock	471
		Diamonds	111, 535
		Dibbles	471
		Dice or cubes	471
		Dies—	
		Gas, and Whitworth (see Stocks)	129
		Torpedo	558
		Dippers, photographic	535
		Dirks	26
		Disconnectors, electro-contact mine	509
		Disca—	
		B.L. gun, and traversing platform... ..	259
		Buoyancy apparatus	554
		Marking	471
		Range-finders	341
		Signalling target	495
		Test table	510
		Testing measures	143
		Torpedo 557, 559, 562, 564, 567, 571, 574	
		Tubes	550
		Disca or balls, signal (see Balls)	132
		Dishes—	
		Alms, communion	470
		Baking, field ovens	67
		Barrack and hospital services	471
		Photographic	535
		Dishes or shapes, pudding (see Shapes)	489
		Dividers, spring—	
		Artificers	111
		Mathematical	97
		Dogs—	
		Earth-boring	80
		Fire	471
		Sawyers, and shoving wheel... ..	111
		Dominoes	471
		Double-backs, photographic	535

Dowels—		PAGES
Platform	...	259
Soldiers table	...	478
Dowells, turners or wheelers	111, 143,	496
Dowlas	...	90
Drags or worms, mining	...	529
Drainers, laundry	...	471
Draughtsmen	...	471
Drawers, divers	...	524
Drawings, buoyancy apparatus	...	554
Drays	...	259
Dredgers	...	471
Dressers	...	111
Dresses, divers	...	524
Driers	...	143
Drifts—		
Armourers { Martini-Henry	...	53
Snider	...	57
Artificers, steel	...	111
Fuze and shell	...	284
Nordenfolt gun	...	275
Proving detonators	...	177
Recoppering tools	...	449, 450
Square, repairing ordnance	...	450
Upsetting, special tools, B.L. gun	...	452
Vent	...	259
Venting ordnance	...	456
Drill and equitation articles		471
Drill-posts, venting		456
Drills—		
Armourers	...	53, 57, 112
Artificers	...	112, 452
Fixing screws	...	451
Platelayers	...	538
Repairing ordnance	...	450
Sight	...	442
Special tools, B.L. gun	...	452
Vent, examining ordnance	...	445
Venting ordnance	...	456
Drivers, coopers		112, 471, 496
Drivers, pile		77
Drivers, screw—		
Armourers	...	53, 57
Artificers	...	112, 471, 496, 535, 538
Diving	...	524
Earth-boring	...	80
Electrical instruments	...	518
Fire engine	...	472
Fuze and shell	...	284
Gardner gun	...	272
Gatling gun	...	274
Magazine	...	112
Naval	...	550
Nordenfolt gun	...	275
Primer	...	557
Revolver	...	31
Rifle rests	...	341
Submarine mining, &c.	...	509
Table, form, and tell-tale clock	...	471
Tools, special, ordnance	...	452, 453
Torpedo	...	558, 560, 563, 566, 569, 572
Drugs		259
Drums—		
Cable, and wire	...	510
Gatling gun	...	273
Oil, and soap	...	143
Platform	...	259
Side, and silent	...	101
Dubbing		143, 471
Duck—		
Harness and saddlery	...	90
Tent	...	67
Dust, bone, and oil stone		52, 56, 143
E.		
Ear-drops, H. C. saddlery		84
Earth, fullers		143
Earth-plates and lead		519
Easels		472
Ebonite		510, 529
Elbows, Soyer's stoves		72
Ellipses, packsaddle		92
Emery—		
Cloth	...	52, 56, 140
Paper	...	499
Powder	...	52, 56, 157, 535
Ends—		PAGES
Tamping bar	...	529
Electric light	...	500
Engines, fire		472
Engines, steam, electric light, and hoisting		510
Envelopes, countermining case		548
Equitation and drill articles		473
Erasers		538
Ether, sulphuric		143, 535
Expanders, cuff, divers		524
Exploders, dynamo-electric—		
Quantity	...	510
Tension	...	529
Extractor-pins, Gardner gun		272
Extractors—		
Fuze	...	284
Machine guns { Gardner	...	271
Gatling	...	273
Nordenfolt	...	275
Pistol, instantaneous fuze	...	550
Revolver	...	32
Small arm	...	27
Submarine mines	...	510, 550
Tin cup	...	259
Torpedo	...	577
Eyebolts, torpedo—		
Buoyancy apparatus	...	554
Tools	...	569, 572
Eyelets—		
Guard	...	27
Nose bag	...	90
Stock, revolver	...	31
Tent, and sheet	...	67
Eye preservers (see Goggles)		475
Eyes—		
Elevating	...	259
Perch, and trail	...	260
Side drum	...	101
Tackle	...	413
Tent	...	67
F.		
Facers, armourers		53
Facings, lambskin		90
Falls—		
Gyn	...	260
Tackle	...	412, 413
Fascines, model		77
Fearnought		524
Feeders		473
Feet or double legs, bedstead		462, 463
Felloes		260, 510
Fencing and gymnasia articles		473
Fenders—		
Electro-contact mine	...	510
Gentlemen cadets, officers, kitchen, and soldiers	...	473
Ship, and boat	...	143
Ferrules, practice post		473, 491
Fiddles, oakum teasing		471
Fids—		
Gun	...	261
Howitzer	...	262
Mortar	...	262
Files—		
Armourers, smooth, bent, and back	54, 58	
Bastard { Artificers	53, 57, 62, 112, 452,	
Venting ordnance	453, 496, 520	
Dead smooth	...	54, 58, 116
Electric light	...	499
Fish back and taper, repairing ordnance	...	450
Lancashire, jointers	...	518
Rough	...	54, 57, 62, 114, 519
Saw	...	19, 20, 115, 474
Second cut	...	115, 453
Smooth	...	54, 58, 62, 117, 453, 496
Special tools B. L. guns	...	452, 453
Files, document		474
Fillets, arm chest—		
Bridge	...	48
Corner	...	90

	PAGES		PAGES
Filters—		Frogs, accoutrements	9
Carbon { portable Atkins, and silicated	143	Frogs, hand axe	20
{ Silicated hospital, canteen	67	Fulcrums	264
Crease's	262	Fullers	118
Hydraulic jack	535	Funnels—	
Lipscombe's	474	Barrack and hospital, tin	144, 474
Stoneware, in wicker	272	Battery cell	571
Firing-pins, Gardner gun	272	Billiard	493
Fittings—		Cartridge and shell, boat magazine and	
Countermining case	548	water cart	264
Test table	510	Fuze and shell	284
Flagons, communion	470	Jointers, telegraph	520
Flags—		Miscellaneous, copper and tin	144
Commercial code, and naval	511	Photographic	535
Distinguishing, camp	67	Furnaces, jointers, telegraph	520
Ensign	144	Furniture, printing	541
Floating target	416	Futchells	264, 511, 530, 545
Lance	27	Fuze—	
Musketry instruction	474	Instantaneous	144, 530, 550
Range-finder	341	Safety	144
Royal Artillery	262	Fuzes—	
Royal Standard, and Union	144, 474, 511	Electric { Field, and siege	530
Visual signalling	511	{ Submarine	511
Flags or bulrushes, coopers	143	Percussion, and time { Complete	264
Flanges—		{ Section	265
Platform, traversing	262	Rocket	264
Torpedo gear	571		
Flannel—			
Bandage	144, 474		
Divers	524		
Hospital canteen	67		
Rubber	144, 474		
Flaps—			
Carriage of wire coils	511		
Directing bar, and slides	262		
Intrenching tools	262		
Pouch and sabretache	8		
Saddle { Household cavalry	84		
{ harness, officers, and universal	93		
Torpedo carriage	552		
Flaps or joints, bed, naval	287		
Flasks, lime light	501		
Flasks, oxygen mixture	501		
Flatters, smiths	118		
Flax	144		
Floats—			
Armourers	54, 58, 61		
Floating target	416		
Flock saddlery	84, 90		
Flour, wheaten (or white)	90, 144		
Flutes—			
Armourers	58		
Musical	101		
Flux (see Solution, soldering)	519		
Focus observers, electric light	500		
Foils, fencing	27, 474		
Fonts, for lamps	474		
Footsteps, turret sight	263		
Forges—			
Armourers { Martini-Henry	52		
{ Snider	56		
Field	263		
Packsaddle	263, 529		
Smiths	104		
Forks—			
Agricultural, carving, dinner, flesh, hay,			
stable, and toasting	474		
Sap	77		
Tightening chain	263		
Tuning	101		
Formers, wad	263		
Forms	474		
Form-tops (see Tops form and table)	496		
Frames—			
Close-stool, and lifting ovens	67		
Crab	264		
Dripstone	474		
Fyfe's pail and pan	492		
Helmet, divers	524		
Lifting apparatus	175		
Mining	529		
Printing, photographic	535		
Roller, printing	541		
Shutter	264		
Venting, ordnance	457		
Frocks, divers	524		
Froes, or splitting knives	118		
		Gabions	77
		Gads, mining	530
		Galleys, printing	541
		Galls, bruised	153, 539
		Galvanometers	512
		Gambles	474
		Garlands, shot or shell	265
		Gaschecks	266
		Gauges—	
		Cylinder	60
		Armourers { Field forge { Martini-Henry	54
		{ Snider	58
		{ Plug, sheet steel, and sight	60
		Breech-screw, examining ordnance	443
		Buoyancy apparatus	555
		Cutting, marking, mortice, saddle, and	
		trade	119
		Filled cartridge { Brass, ring	266
		{ Wood, lengths	267
		Fuze hole	264
		Platelayers	533
		Pressure { Diving apparatus	524
		{ Testing apparatus	502
		Rain	97
		Shot or shell { R.B.L. ring	267
		{ cylinder	267
		{ R.M.L.	268
		{ Spherical	268
		Stonebreaking	474
		Torpedo	559, 562, 571, 574
		{ Sets of 9	269
		Vent { Tools, ordnance { Examining 443, 445	
		{ Venting	457
		Gauntlets, fencing	475
		Gear—	
		Gun, carriage, platform, and slide	269
		Horse, for Bastier pump	77
		{ safety	553
		Torpedo { spare 553, 559, 561, 564, 567, 570, 574	
		{ starting	553, 554
		{ training	554
		Geese	269
		Gelatine	535
		Generators, electric light	499, 500
		Gimlets—	
		Nail	54, 58, 118, 475, 496
		Screw, and spike	54, 58, 118, 524
		Girdles, lancers	9
		Girthing, press	542
		Girths—	
		Cart, Maltese, water, and watering	269
		{ Large, and small	92
		Packsaddle { Royal Engineers	92, 530

(v.s.)

b

	PAGES		PAGES
Dowels—		Ends—	
Platform	259	Tamping bar	529
Soldiers table	478	Electric light	500
Dowels, turners or wheelers	111, 143, 496	Engines, fire	472
Dowels	90	Engines, steam, electric light, and	
Drags or worms, mining	529	hoisting	510
Drainers, laundry	471	Envelopes, countermining case	548
Draughtsmen	471	Equitation and drill articles	473
Drawers, divers	524	Erasers	538
Drawings, buoyancy apparatus	554	Ether, sulphuric	143, 535
Drays	259	Expanders, cuff, divers	524
Dredgers	471	Exploders, dynamo-electric—	
Dressers	111	Quantity	510
Dresses, divers	524	Tension	529
Driers	143	Extractor-pins, Gardner gun	272
Drifts—		Extractors—	
Armourers { Martini-Henry	53	Fuze	284
Artificers { Snider	57	Machine guns { Gardner	271
Fuze and shell	111	Gatling	273
Nordenfelt gun	284	Nordenfelt	275
Proving detonators	275	Pistol, instantaneuous fuze	550
Recoppering tools	419, 450	Revolver	32
Square, repairing ordnance	450	Small arm	27
Upsetting, special tools, B.L. gun	452	Submarine mines	510, 550
Vent	259	Tin cup	259
Venting ordnance	456	Torpedo	577
Drill and equitation articles	471	Eyebolts, torpedo—	
Drill-posts, venting	456	Buoyancy apparatus	554
Drills—		Tools	569, 572
Armourers	53, 57, 112	Eyelets—	
Artificers	112, 452	Guard	27
Fixing screws	451	Nose bag	90
Platelayers	533	Stock, revolver	31
Repairing ordnance	450	Tent, and sheet	67
Sight	442	Eye preservers (see Goggles)	475
Special tools, B.L. gun	452	Eyes—	
Vent, examining ordnance	445	Elevating	259
Venting ordnance	456	Perch, and trail	260
Drivers, coopers	112, 471, 496	Side drum	101
Drivers, pile	77	Tackle	413
Drivers, screw—		Tent	67
Armourers	53, 57		
Artificers	112, 471, 496, 535, 538		
Diving	524		
Earth-boring	80		
Electrical instruments	518		
Fire engine	472		
Fuze and shell	284		
Gardner gun	272		
Gatling gun	274		
Magazine	112		
Naval	550		
Nordenfelt gun	275		
Primer	557		
Revolver	31		
Rifle rests	341		
Submarine mining, &c.	509		
Table, form, and tell-tale clock	471		
Tools, special, ordnance	452, 453		
Torpedo	558, 560, 563, 565, 569, 572		
Drugs	259		
Drums—			
Cable, and wire	510		
Gatling gun	273		
Oil, and soap	143		
Platform	259		
Side, and silent	101		
Dubbing	143, 471		
Duck—			
Harness and saddlery	90		
Tent	67		
Dust, bone, and oil stone	52, 56, 143		
E.			
Ear-drops, H. C. saddlery	84		
Earth, fullers	143		
Earth-plates and lead	519		
Easels	472		
Ebonite	510, 529		
Elbows, Soyer's stoves	72		
Ellipses, packsaddle	92		
Emery—			
Cloth	52, 56, 140		
Paper	499		
Powder	52, 56, 157, 535		
		F.	
		Facers, armourers	53
		Facings, lambskin	90
		Falls—	
		Gyn	260
		Tackle	412, 413
		Fascines, model	77
		Fearnought	524
		Feeders	473
		Feet or double legs, bedstead	462, 463
		Felloes	260, 510
		Fencing and gymnasia articles	473
		Fenders—	
		Electro-contact mine	510
		Gentlemen cadets, officers, kitchen, and	473
		soldiers	143
		Ship, and boat	473, 491
		Ferrules, practice post	471
		Fiddies, oakum teasing	471
		Fids—	
		Gun	261
		Howitzer	262
		Mortar	262
		Files—	
		Armourers, smooth, bent, and back	54, 58
		Artificers	53, 57, 62, 112, 452,
		Bastard { Venting ordnance	453, 496, 520
		Dead smooth	54, 58, 116
		Electric light	499
		Fish back and taper, repairing ordnance	450
		Lancashire, jointers	518
		Rough	54, 57, 62, 114, 519
		Saw	19, 20, 115, 474
		Second cut	115, 453
		Smooth	54, 58, 62, 117, 453, 496
		Special tools B. L. guns	452, 453
		Files, document	474
		Filleta, arm chest—	
		Bridge	49
		Corner	50

	PAGES
Filters—	
Carbon { portable Atkins, and silicated } ...	143
{ Silicated hospital, canteen ...	67
Crease's ...	67
Hydraulic jack ...	262
Lipscombe's ...	535
Stoneware, in wicker ...	474
Firing-pins, Gardner gun...	272
Fittings—	
Countermining case ...	548
Test table ...	510
Flagons, communion ...	470
Flags—	
Commercial code, and naval ...	511
Distinguishing, camp ...	67
Ensign ...	144
Floating target ...	416
Lance ...	27
Musketry instruction ...	474
Range-finder ...	341
Royal Artillery ...	262
Royal Standard, and Union... 144, 474, 511	
Visual signalling ...	511
Flags or buirushes, coopers ...	143
Flanges—	
Platform, traversing ...	262
Torpedo gear ...	571
Flannel—	
Bandage... ...	144, 474
Divers ...	524
Hospital canteen ...	67
Bubler ...	144, 474
Flaps—	
Carriage of wire coils ...	511
Directing bar, and slides ...	262
Intrenching tools ...	262
Pouch and sabretache ...	8
Saddle { Household cavalry ...	84
{ harness, officers, and universal ...	83
Torpedo carriage ...	552
Flaps or joints, bed, naval ...	287
Flasks, lime light ...	501
Flasks, oxygen mixture ...	501
Flatters, smiths ...	118
Flax ...	144
Floats—	
Armourers ...	54, 58, 61
Floating target... ...	416
Flock saddlery ...	84, 90
Flour, wheaten (or white) ...	90, 144
Flutes—	
Armourers ...	58
Musical ...	101
Flux (see Solution, soldering) ...	519
Focus observers, electric light ...	500
Folia, fencing ...	27, 474
Fonts, for lamps ...	474
Footsteps, turret sight ...	263
Forges—	
Armourers { Martini-Henry ...	52
{ Snider ...	56
Field ...	263
Packsaddle ...	263, 529
Smiths ...	104
Forks—	
Agricultural, carving, dinner, flesh, hay, stable, and toasting ...	474
Sap ...	77
Tightening chain ...	263
Tuning ...	101
Formers, wad ...	263
Forms ...	474
Form-tops (see Tops form and table) ...	496
Frames—	
Close-stool, and lifting ovens ...	67
Crab ...	264
Dripstone ...	474
Fyfe's pail and pan ...	492
Helmet, divers ...	524
Lifting apparatus ...	175
Mining ...	629
Printing, photographic ...	535
Roller, printing ...	541
Shutter ...	264
Venting, ordnance ...	457
Frocks, divers ...	524
Froes, or splitting knives ...	118

(V.S.)

	PAGES
Frogs, accoutrements ...	9
Frogs, hand axe ...	20
Fulcrums ...	264
Fullers ...	118
Funnels—	
Barrack and hospital, tin ...	144, 474
Battery cell ...	511
Billiard ...	493
Cartridge and shell, boat magazine and water cart ...	264
Fuze and shell ...	284
Jointers, telegraph ...	520
Miscellaneous, copper and tin ...	144
Photographic ...	535
Furnaces, jointers, telegraph ...	520
Furniture, printing ...	541
Futchells ...	264, 511, 530, 545
Fuze—	
Instantaneous ...	144, 530, 550
Safety ...	144
Fuzes—	
Electric { Field, and siege ...	530
{ Submarine ...	511
Percussion, and time { Complete ...	264
{ Section ...	265
Rocket ...	264

G.

Gabions ...	77
Gads, mining ...	530
Galleys, printing ...	541
Galls, bruised ...	153, 539
Galvanometers ...	512
Gambles ...	474
Garlands, shot or shell ...	265
Gaschecks ...	266
Gauges—	
Armourers { Cylinder ...	60
{ Field forge { Martini-Henry... 54	
{ Snider ...	58
{ Plug, sheet steel, and sight ...	60
Breech-screw, examining ordnance ...	443
Buoyancy apparatus ...	555
Cutting, marking, mortice, saddle, and trade ...	119
Filled cartridge { Brass, ring ...	266
{ Wood, lengths ...	267
Fuze hole ...	284
Platelayers ...	533
Pressure { Diving apparatus ...	524
{ Testing apparatus ...	502
Rain ...	97
Shot or shell { R.B.L. ring ...	267
{ cylinder... 267	
{ R.M.L. { ring ...	268
{ Spherical ...	268
Stonebreaking ...	474
Torpedo ...	559, 562, 571, 574
Vent { Sets of 9 ...	269
{ Tools, ordnance { Examining 443, 445	
{ Venting ...	457
Gauntlets, fencing ...	475
Gear—	
Gun, carriage, platform, and slide... 269	
Horse, for Bastier pump ...	77
Torpedo { safety ...	553
{ spare 553, 559, 561, 564, 567, 570, 574	
{ starting ...	553, 554
{ training ...	554
Geese ...	269
Gelatine ...	535
Generators, electric light... 499, 500	
Gimlets—	
Nail ...	54, 58, 118, 475, 496
Screw, and spike ...	54, 58, 118, 524
Girdles, lancers ...	9
Girthing, press ...	543
Girths—	
Cart, Maltese, water, and watering ...	269
Packsaddle { Large, and small ...	92
{ Royal Engineers ...	92, 530

b

	PAGES
Indicators	28
Infusers	477
Inhalers	477
Ink—	
Lithographic	539
Marking	146, 477
Printing	542
Telegraph	512
Inkstands	477
Instructions—	
Instruments, telegraph	512
Proof of tubes, primers and detonators, and fuze and shell	285
Torpedo	577
Instruments—	
Drawing	97, 539
Extracting projectiles	285
Range-finder	340
Sounder	519
Telegraph	512
Time of flight	97
Vent	443, 445, 457
Insulators	513
Iodine	536
Iron—	
Angle, bolt or round, flat, &c. (wrought)	146
Pig (cast), and scrap, old	146
Repairing	285
Iron—	
Per-chloride of	146
Sulphate of	146, 536
Irons—	
Billiard	493
Branding	146, 477
Collarmakers, and coopers	122
Earth-boring	80
Expansion, platelayers	533
Flat { laundry	477
{ pontoon	545
Guard, box and seat, and priming	286
Joints, telegraph	520
Imposing, printers	542
Leg, and head-scrubbing	477
Plane { armourers	60, 122
{ artificers	122
Plumbers, saddlers, seat, and smiths	122
Stirrups, saddlery { household cavalry	83
{ lancers and universal	82
{ officers	82
Tinmans	123, 519, 550
Turf	477
Ironwork—	
Picket post	68
Saddletree	94
Soldiers { form	477
{ table	478
Trestles	478
Isinglass	147

J.

Jackets—	
Fencing	478
Restraint, military prison	478
Submarine mine	513
Jacks, lifting—	
Common	545
General service	286, 545
Hydraulic { Dudgeon's, and rear roller	286
{ Tangye's	147, 545
Screw	286
Jacks, roasting	478
Jags	28, 23
Jars—	
Mangrove	147
Shellac	550
Soldering solution	147
Sulphate of copper	147, 550
Jaws, stock	123
Jiggers	123
Jimcrows	533
Jointers	123
Joints—	
Earth-boring	80
Tube, miners	531

	PAGES
Joints, union, diving	524
Joints, or flaps, bed, naval	287
Jugs—	
Recreation room	478
Wash-hand	492
Jumpers, miners	513, 531
Junk (old rope)	147

K.

Kaolin, photographic	536
Kegs, grease, and paint	147
Kettles—	
Camp	68
Cooking	68, 478
Fish	478
Lithographic, copper	539
Tea	68, 478
Keys—	
Adjusting bolt, forked, bolt nut, and vent head	290
Capequare { steel	290
{ wrought-iron	287
Double current, flush box, and push	513
Double and driving	288
Fighting bolt, head and tail, pinion, securing axler, and split	289
Firing { land service	513
{ naval	550
Fixing knives, facing { 20 pounder	447
{ 12 or 9 pounder	448
{ 6 pounder	448
Forelock { copper	287
{ wrought iron	289
Fuze and shell	284
Gatling gun	274
Handcuff	147, 478
Limber hook, and linch pin	290
Pontoon plug	545
Powder cases	287
Range-finder	541
Retardation firing	513
R. B. L. gun	290
Safety, torpedo	577
Spring lock	290
Tap, water-cart	290
Test table	510
Torpedo carriage	552, 553
Torpedo gear	567
Torpedo tools	569, 573
Transporting, bed and platform	417

Knives—

Armourers	58
Artificers	123, 530, 542
Barrack and hospital	478
Clasp { large	147
{ with marline spike	123, 513
Cleaning ordnance	445
Drawing	20, 123
Divers	524
Facing { 7 inch	446
{ 20 pounder	447
{ 12 or 9 pounder	448
{ 6 pounder	448
Gabion	78
Jointers, telegraph	521
Laboratory	123, 147
Magazine	147
Paper { lithographic	539
{ printing	542
Re-coppering tools	445, 450
Knots, sword	10
Knotting	147
Kriegspiel	478

L.

Labels, pouch, and ball bag	10
Laces—	
Electric light	501
Flag, lance	28

	PAGES		PAGES
Lacquer—		Leggings, drivers	86
Brasswork	513	Legs—	
Gun	147	Bedstead	462, 463
Laotometers (see Testers).		Chair, and stool	480
Ladders—		Form	477
Diving	524	Grindstone trough	148
Forage wagon	290	Trestle, pontoon	546
Gymnasia	478	Legs and tie-rods, Gardner gun	272
Miners	531	Lenses—	
Scaling	147	Lime light	513
Standing	147, 479	Photographic	536
Step { magazine	148	Letters, valise	10
{ store	479	Levels—	
Telegraph	513	Bagatelle table	493
Without backs or hinges	148	Field, pocket, and spirit	97
Ladies—		Masons	97, 123, 542
Melting	123, 479	Photographic	536
Soup	479	Platelayers	123, 533
Lamp black—		Range-finder	340
Dry	155	Sighting ordnance	451
Ground in oil } (see Paint) {	155	Spirit block	97, 123
Photographic	534	Telescopic	98
Lamps—		Levers—	
Agitable, argand, bakers, exterior, gas- lighters, kerosine and moderator	479	Adjusting	292, 293
Ambulance, hospital and surgical	68	B. L. gun, A and B	292
Dioptric, globular, signal, cabin, fore-castle, and masthead	148	Bed	292
Electric	499, 500	Brake	291, 293
Examining { rifled ordnance	443	Breech, small arms	28
{ smooth bore ordnance	445	Breech screw	293
Fire engine	472	Carriage	292
Hand { barrack	479	Cart or wagon, iron pointed, and iron shod	292
{ field hospital	68, 479	Case, S.B., B.L., gun, and compressor	291
Lime light and signalling	501	Clutch { metal	292
Magazine	148	{ wrought-iron	293, 294
Office wagon, and mining	531	Connecting, and double handed	294
Office, and spirit, lithographic	539	Fuze and shell	284
Paraffin { billiard	479	Gyn, triangle	276, 277, 278
{ hanging	479, 480	Jamming, and lifting	294
{ passage	480	Lifting joint	292
{ standing	480	Military stand	481, 491
Passage, and solar	480	Nipping	295
Roof, printing	542	Opening, wire coils	513
Spirit	513, 521	Ordinary	292
Tracing	78	Ordinance facing { 7 inch,	446
Lances—		{ 40 pounder	447
Exercise	28, 480	{ 20 pounder	447
Service	28	{ 12 or 9 pounder	448
Lanterns—		{ 6 pounder	448
Barrack, plate glass sides	480	Platelayers	533
Fighting	290	Proving detonators	177
Marquee, and tent	68	Releasing, and screw	295
Police, and magazine	148, 480	Revolver	32
Lanyards—		Traversing { wood	292
Compressor, friction tube, and rat-tail	290	{ wrought iron	295
Divers	524	Torpedo—	
Pistol	10	Harvey	577
Lashes, head collar	87	Whitehead—	
Lashings—		Carriage	553
Derrick, lumber, and sheers	291	{ 16 inch	559
Pioneers	19	Gear { 14 inch { B.L.	562, 564, 567
Pontoon	545	{ Flume	571, 575
Tent pole	69	{ 16 inch	558
Lathes, foot, engineers	513	Tools { 14 inch { B.L.	561, 563, 566
Latrines, dry earth	480	{ Flume	569, 575
Lead—		Venting ordnance	457
Black, and pig	148, 539	Lewis, masons	123
Jointers	519	Lids—	
Punching	123	Arm chest	50
Bed, and sugar of	148	Camp kettle	69
Sight (see Packings)	307	Lifters, cylinder	31
White	148, 480	Lifts, hydraulic	295
Leads—		Lights—	
Deep sea	148	Coastguard	295
Printing	542	Holmes	557
Sounding	513	Illuminating	295
Leads, fair, winding apparatus	513	Long	296
Leathers—		Signal	296
Chamois	148	Limbers—	
Hand	291	Field { wood	289
Snap-cap	28	{ wrought-iron	296, 297
Stirrup { Household cavalry	83	Mountain	297
{ officers	82	Naval, siege, and wagon { wood	296
{ universal	86	{ wrought-iron	297
Leaves—		Transporting { wood	296, 418
Back sight	28	{ wrought-iron	417
Rough sight	291	Lime, acetate of	148

	PAGES	Mallets	PAGES
140	140	Mallets	140
141	141	Mallets	141
142	142	Mallets	142
143	143	Mallets	143
144	144	Mallets	144
145	145	Mallets	145
146	146	Mallets	146
147	147	Mallets	147
148	148	Mallets	148
149	149	Mallets	149
150	150	Mallets	150
151	151	Mallets	151
152	152	Mallets	152
153	153	Mallets	153
154	154	Mallets	154
155	155	Mallets	155
156	156	Mallets	156
157	157	Mallets	157
158	158	Mallets	158
159	159	Mallets	159
160	160	Mallets	160
161	161	Mallets	161
162	162	Mallets	162
163	163	Mallets	163
164	164	Mallets	164
165	165	Mallets	165
166	166	Mallets	166
167	167	Mallets	167
168	168	Mallets	168
169	169	Mallets	169
170	170	Mallets	170
171	171	Mallets	171
172	172	Mallets	172
173	173	Mallets	173
174	174	Mallets	174
175	175	Mallets	175
176	176	Mallets	176
177	177	Mallets	177
178	178	Mallets	178
179	179	Mallets	179
180	180	Mallets	180
181	181	Mallets	181
182	182	Mallets	182
183	183	Mallets	183
184	184	Mallets	184
185	185	Mallets	185
186	186	Mallets	186
187	187	Mallets	187
188	188	Mallets	188
189	189	Mallets	189
190	190	Mallets	190
191	191	Mallets	191
192	192	Mallets	192
193	193	Mallets	193
194	194	Mallets	194
195	195	Mallets	195
196	196	Mallets	196
197	197	Mallets	197
198	198	Mallets	198
199	199	Mallets	199
200	200	Mallets	200

Pans—		PAGES
Bed { earthenware	484	
{ zinc, hospital canteen	70	
Cloze-stool	70	
Drip, hydraulic buffer	308	
Dust shovel, stew, and warming	484	
Elevating screw	309	
Frying { barrack and hospital	484	
{ field service	70	
Fyfe's pail	492	
Machine, weighing	484	
Oil or dubbing	156	
Scale, weighing	156, 484	
Taking impressions of vents	443, 445, 458	
Paper—		PAGES
Albuminized, filter, tissue, and yellow	536	
Blotting { lithographic	539	
{ photographic	536	
Brown, cartridge, and old	156	
Carbon	514	
Emery	499	
Foolscap { lithographic	539	
{ printing	542	
Glass { artificers	52, 56, 156, 484	
{ lithographic	156, 539	
Litmus (see Litmus)	536	
Ozone	98	
Paprototype	539	
Telegraph, green	514	
White, and white brown	156	
Parachutes (see Balls)	190	
Paraffin	156, 514	
Parallels, armourers	58	
Parchment	542	
Patches, elevating eye, guide, and muzzle sight	309	
Fatens, communion service	470	
Pawls—		PAGES
Carriage and slide	310	
Gear	309	
Gyn	276, 277	
Revolver	32	
Sling cart or wagon	310	
Torpedo—		PAGES
Carriage	553	
{ 16 inch	559	
{ 14 inch { R.L.	562, 564, 567	
{ Flume	571, 575	
Pearl ash (see Ash, pearl)	132	
Pedestals	310	
Pels, oven—		PAGES
Drawing, setting, and baking dish	484	
Field	70	
Pegs—		PAGES
Clothes	484	
Picketing	70	
Practice	484, 491	
Pellets, snap cap—		PAGES
Pencils—	30	
Bow, spring	98	
Carpenters	124	
Pencils, lime light		PAGES
Pendulums	501	
Penholders	311	
Pens—		PAGES
Bow and ruling	98	
Lithographic wagon	539	
Pentagraphs		PAGES
Perches, wagon	98	
Perchloride of iron (see Iron, per-chloride of)	311	
Percolators or tea urns	146	
Perpendiculars, mortar	484	
Photographs	311	
Piccolos	156	
Pickers—	101	
Grass	484	
Hoof	83	
Pickets—		PAGES
Fascine, gabion, pinning turf, sap roller, and tracing	78	
Guy	514	
Pontoon	544	
Range-finder	341	
Picks—		PAGES
Light	19, 21, 78	
Pioneers	19, 21, 78	
Push, miners	531	
Pieces, buckling		PAGES
	86	
Pieces—		PAGES
Buff, waist-belt chape	12	
Cheek	83	
Jointing telegraph poles	514	
Lengthening, venting ordnance	458	
Pivot, elevating arc	311	
Tail, sling cart	313	
Vent	313	
Pigeon-holes, office		PAGES
Pikes, boarding	484	
Pillows—	30	
Field stretcher	73	
Hospital	484	
Hospital bearer	63, 462, 484	
Military prison	484	
Pincers—		PAGES
Armourers	54, 58	
Carpenters	124, 484, 496	
Farriers, magazine, saddlers, and tinmans and hose makers	124	
Fuze and shell	284	
Pioneers	19	
Pinions—		PAGES
Bastier pump	77	
{ metal	315	
{ steel	317	
{ wrought-iron	318	
Lifting gear	320	
{ cast-iron	313	
{ metal	316	
{ wrought-iron	317	
Recoppering tools	449, 450	
Slide	320	
Pins—		PAGES
Bedstead	463	
Candle { harness, and officers	84, 91	
{ Household cavalry	84	
Drawbore, and line	124	
Drawing	98	
Electrical instrument	518	
Four corner	484	
Label, and numeral	12	
Mixed, printing	542	
Model	78	
Oven	70	
Ponch and ball bag	12	
Range-finder	340	
Revolver	31	
Shaft	327	
Skittle, and rolling	485	
Small arm	30	
Tent	70, 495	
Torpedo	553, 562, 564, 571	
Torpedo carriage linch	553	
Torpedo slide	554	
Veterinary	157	
Pins, ordnance—		PAGES
Breeching, chain, platform and slide, compressor bar, and life saving rocket	323	
Clutch lever	324, 325, 326	
Compressor plate	323, 324	
Connecting link and rod, cramp, flap, friction tube, garland, guide, handspike, and keep	324	
Galling gun	273, 274	
Gyn	276, 277	
Hinge, keep lever, link connecting and locking	323	
Lifting apparatus	175	
Linch	322, 514, 531, 545	
Main	326	
Mortar	322	
Muzzle sight	322	
Nordenfolt gun	275	
Platform	326	
Rod or link	326	
Screw connecting chain	326, 327	
Securing	328, 326	
Shaft	327, 531	
Sheave	327	
Transporting, bed and platform	417	
Pins, wire or arrows		PAGES
Pintals, mortar bed	485	
Pipes—	327	
Bastier pump	78	
Blow	124	
Connecting, turret carriage	327	
Diving apparatus	525	
Earth R. E.	514	

Pipes—		PAGES
Earth-boring	81
Fire engine	472, 473
Hydrant...	485
Pitch	101
Telegraph	614
Piping, Soyer's Stoves	72
Pistols, instantaneous fuze	550
Pistols, small arm—		
Adams	30
Enfield	32
Pistons, small arm	33
Pitch	157
Pivots—		
Ordnance	327
Telegraph wire wagon	514
Planers, printing	542
Planes—		
Armourers { grooving	58, 61, 125	
{ hollow, and jack	61
{ smoothing	54, 58
Artificers	124
Lithographic, smoothing	125, 539
Planks	327
Planks, pontoon	544
Plant, railway, old	157
Plaster of paris	157
Plastrons (see Pads, fencing)	483
Plateholders	536
Plates—		
Base, hydraulic lifting jack...	157
Battery	503, 514
Bed, Bastier pump	77
Breast { armourers	53, 57	
{ smiths	125
Butt, small-arm	33
Carbon, Le Clanché battery...	603
Copper and zinc Daniell's battery	603
Dinner { earthenware	485
{ tin	70
Earth, telegraph	514
Lithographic, zinc	539
Photographic	536
Saddletree { harness { drivers	94
{ luggage	94
{ officers	95
{ universal	94
Screw { armourers { Martini-Henry arms	54	
{ pistol	61
{ Snider arms	58
{ torpedo	557
{ 10 taps	126
Stencil { draughtsmen	531
{ marking valves	157
Test-table	510
Torpedo carriage	553
Trigger, small arm	33
Waist belt	12
Plates, ordnance—		
Boss and camp kettle...	329
Casable	328
Clip	329, 330
Compressor	330, 331
Crossing, for racers	329
Elevating	328, 331
Floating target	415
Friction { metal	328
{ wrought-iron	331
Guide and locking	331
Hinge	329
Index	328, 329
Indicator	329
Lifting apparatus	175
Loop or ring	332
Moving, pintail, pivot, platform, and sprocket	332
Range, and stencil	328
Staple	332
Supporting	332
Sweep, Moncrieff	329
Taking impressions of bore	443
Tannon, carriage—		
Common, standing, or rear chock	329, 332	
Moncrieff	329
Platforms—		
Gun and mortar { wood	332
{ wrought-iron	332
Model	78
Pliers—		PAGES
Armourers	55
Bright	54, 58, 125, 519
Electric light	499
Electrical instruments	125, 518
Gas	125, 485
Joiner's telegraph	521
Tinmans	125
Torpedo { 16 inch	559
{ 14 inch { R.L.	561, 563, 566	
{ Flume...	569, 573
Plugs—		
Armourers { double	59
{ holding barrels	61
{ repairing Snider barrels	61
Armoury, covered with serge, alide, and block, platform, Moncrieff	335
Brake, jamming	335
Buoyancy apparatus	554
Dropsy bed	463
Fuze hole	334, 335
Gas check { metal	334
{ wrought iron	335
Instantaneous fuze	551
Insulating { junction box	505
{ with wires	515, 560
Loading hole, unloading hole, and turret sight	335
Palliser { shell	334
{ shot...	335
Pivot, steel	335
Pontoon	545
Proving detonators	177
Representing fuzes	335
Rifle bullet	333
Shell, common	333, 334
Shutter	333
Test table	511
Torpedo { Harvey	577
{ Whitehead	562, 564, 567	
Vent	335
Waterbottle	12
Plugs and feathers, masons	125
Plummets—		
Mortar	335
Sighting ordnance	451
Pockets—		
Billiard table	493
Fuze, tin cup, tube, and vent piece	335
Haversack	12
Range-finder	341
Pointers—		
Elevating arc	736
Garrison, carriage	336
Indicator	336
Torpedo { carriage	553
{ slide	554
Pointers, school	485
Points—		
Masons	125
Naval, gunmetal	551
Pickaxe	78
Pokers—		
Armourers	54, 59
Bakers, officers, soldiers, and ventilating stove	485
Forge, and smiths or farriers	125
Poles—		
Camp colour, cook's screen, and marquee door	70
Cart, drag, limber, and wagon	336
Field stretcher	73
Flag { distinguishing, and field hospital	70
{ musketry instruction	485
Gyn	276, 277, 278
Hammock	157
Hanging, leaping, scuffling, and vertical...	485
Hospital bearer	63, 462, 485
Latrine screen, and tent	70
Signalling screen	353
Target	415, 496
Telegraph	515
Polish, French	157
Pontoons, boat	546
Portingers, blood	4-6
Portfires	336
Portfolios	485

Index.

Posts—	PAGES
Boring	125
Drill, ordnance	451
Picket { field	71, 336
garrison	336
Potash—	
Miscellaneous descriptions	157, 531, 536, 539, 542
Photographic	536
Potassium—	
Bromide, cyanide, and iodide	157, 536
Ferricyanide	536
Pots—	
Butter	485
Chamber { earthenware	485
gutta-percha	485
zinc	71
Coffee, drinking, mustard, and quart with handle	486
Cooking	485
Fire, centre, Soyer's stoves	72
Fire and writing	125
Glue { armours	54, 59
artificers	125
printers	542
Hook, and marking	157
Ley, printers	542
Melting	125, 539
Porous, Daniell's battery	503
Softening, gutta-percha	441, 445
Solution	531, 546
Spitting (see cups)	470
Tea { hospital canteen	71
earthenware	485
tin	486
Watering { copper	157, 485
tin	486
Pouches—	
Ammunition	12
Apparatus, flint and steel, reel of twine	19
Butchers (see Holsters)	476
Cap, warders, and writing materials	13
Gun spike	21
Yesuvian	19
Pourers, collodion	536
Powder, emery	82, 66, 157
Preservers, eye (see Goggles)	475
Presses—	
Garrison instructors and office	486
Lithographic	539
Printing	542
Pressers, armourers	55
Prickers—	
Examining ordnance	441, 445
Printing	336
Removing wax	284
Primers—	
Light, and portfire	337
Shrapnel shell, and vent piece	337
Torpedo { exploding bolt	577
guncotton	557
Priming, guncotton	337
Prisms (see Blocks, dismounting)	198
Pritchels, farriers	125
Pritchels, butchers	486
Projectors, electric light	499
Prolongs	337
Props—	
Clothes	486
Shaft, and target	337
Protectors—	
Lighting	515
Sight, small arm	33
Protractors	98
Puffs, powder	337
Pulleys—	
Differential	167
Electric light	500
General service wagon	537
Telegraph	515
Pumps—	
Air, divers	525
Bastier, and lift and force	78
Spirit	157
Testing apparatus	502
Tripod	71, 78
Water cart	71
Pumps and cisterns, lifting gear	387

Punches—	PAGES
Armourers { buff piece, and 6 oz.	61
field forge	54, 55
saddlery	62
Artificers	126, 496
Electric light	501
Eyelet, marquee and tent	71
7 inch	446
40 pounder	447
20	447
12 or 9 pounder	448
6 pounder	448
Gardner gun	272
Gatling gun	274
Nordenfolt gun	275
Riveting bottoms	255
Sighting, ordnance	461
Special, for R.B.L. guns	463
Torpedo tools, 14 inch { R.L.	569, 573
Piume	569, 573
Vent	337
Patty	197
Pyroxylin	536

Q.

Quadrants, gunners	337
Quads, printing	542
Queen's arms, printing	542
Quoins, printing	542
Quotations, printing	542

R.

Racers	337
Racks—	
Arm, tent	71
Bayonet	50
Bedstead, hospital	463
Billiard	494
Carriage, elevating, and retaining	338
Intrenching tools { mountain equipment	92, 338
Royal Engineers	92, 331
Miners' tools	92
Platform, traversing	338
Rafts, floating target	415, 416
Rakes—	
Bakers, Deane's, garden, military cooks, hay and riding school	486
Soyer's stoves	72
Rammers—	
Earth	78
Gun	339
Post-hole	515
Rams, turret	339
Range-finders—	
Depression	340
Elevated batteries, and Nolan	340
Watkin	340, 341
Rasps—	
Bread	486
Coarse	126
Farriers	21, 126
Fine	50, 126
Shoemakers	127
Readers—	
Arc, elevating (see Pointers)	336
Index plate	341
Receivers, proving tubes	178
Rectifiers—	
Fuze and shell	295
Guncotton primers	19, 341, 515
Reels—	
Cable	551
Chalk line	127
Garden	486
Hose	486
Log line	157
Twine	19
Wire { electric	531
platinum silver	551

	PAGES		PAGES
Reflectors—		Rockets, sound, and war ...	344
Electric light ...	500	Rockstar ...	345
Turret sight ...	341	Rods—	
Refrigerators ...	480	Armourers ...	55, 61
Reglets, printing ...	542	Bastier pump ...	77
Reins—		Battery, voltaic ...	503
Bearing, leading, and side ...	86	Boning and measuring ...	99
Bit { Household cavalry ...	83	Chisel, and forging tool and snap ...	127
universal ...	87		
Bridge ...	82		
Bridoon ...	83, 87	machine guns { Gardner ...	272
Household cavalry ...	83	Gatling ...	274
Chain { officers ...	82	Norfolk ...	275
pack saddle ...	92	ordnance ...	345
universal ...	86, 486	Revolver { Adams ...	31
Driving ...	87	Enfield ...	32
Relays, telegraph ...	515	small arms ...	35
Reservoirs, lamp ...	486	Connecting ...	345
Resin ...	52, 56, 157	Contact and stay ...	515
Rests—		Cylinder, and ejector, pistol, revolver ...	31
Arm chest ...	50	Earth-boring ...	81
Billiard ...	494	Filling shell ...	285
Pyramids ...	494	Gardner gun ...	272
Rifle ...	341	Gatling gun ...	274
Tripod ...	486	Marquee ...	71
Rests, thigh, drum ...	101	Model, intrenching ...	79
Retorts, lime light ...	501	Photographic ...	536
Rheotomes, testing ...	515	Torpedo tools ...	569, 573
Ribands, pontoon ...	546	Wood bottom, and pointing ...	345
Ribbon, covering coil ...	515	Zinc ...	503
Ribs, boat, pontoon ...	546	Rods or links, eccentric, nipping ...	345
Rifles, B.L.—		Roller-gear, gatling gun ...	273
Martini-Henry ...	33	Rollers—	
Snider ...	34	Bed, howitzer ...	345
Riggers, earth-boring ...	81	Breaking ...	88
Riflers, ordnance—		Calculating, range-finder ...	340
Examining tools ...	444, 445	Carriages, naval { steel ...	349
Repairing tools ...	451	wrought-iron ...	349
Venting tools ...	453	Centre, slides ...	343
Rings—		Elm ...	348
Accoutrements ...	14	Friction { cast-iron ...	345
Buffer { felt ...	342	metal ...	346
India-rubber ...	343	wrought-iron ...	349
Clip, hame ...	87	Front { carriages { garrison ...	346
Elevating, indicator, tappet, handspike, trunnion, and with starts ...	343	naval ...	346
Gatling gun ...	273	slides ...	348
Gymnasia ...	486	Guide ...	345
Harness and { Household cavalry ...	84	Hand and horse ...	436
saddlery { officers, and universal ...	91	Lithographic ...	530
Hook preventor ...	342, 343	Oak, sabelu, and scotch ...	349
Marquee, and head rope ...	71	Photographic ...	536
Military stand ...	486, 491	Printing ...	542
Obturator ...	342	Rack retaining ...	349
Saddletree { drivers ...	94		
luggage ...	94	Rear { carriages { elevating, Moncrieff ...	347
universal ...	94	garrison ...	347
Scythe ...	489	naval ...	347
Sight ...	342	slides ...	348
Small arms ...	35	Road ...	487
Stop compressor ...	342	Sap, model ...	79
Tackle ...	413	Shifting gun ...	345, 349
Telegraph pole ...	515	Thumbpiece, Snider arms ...	86
Torpedo—		Torpedo carriage ...	569
Spare gear { 16 inch ...	559	Roofs—	
{ 14 inch { R. L. ...	562, 564, 567	Marquee, and tent ...	71
{ Flame ...	571, 575	Telegraph post ...	515
Slide ...	554	Rooves—	
Vent piece and fork tightening ...	342	Copper ...	158
Wrist, divers ...	525	Iron ...	158
Rippers, slaters ...	127	Rope—	
Rivets—		Coir (see Cordage) ...	140
Barrel ...	157	Forage cord ...	71
Boss head ...	343, 344	Lapping furze (see Cordage) ...	141, 470
Carbine bucket ...	91	Sheets, lifting ...	349
Coopers ...	158	Submarine, galvanized steel ...	518
Countersunk head ...	344	Tow, torpedo ...	577
Hose, and coal tub ...	486	Ropes—	
Pontoon socket ...	546	Bell, cart or wagon, check, gasket, and guide ...	349
Powder barrels ...	343	Drag ...	349, 473, 487
Revolver trigger ...	32	Guy (see Guy ropes) ...	275, 415, 416
Saddlery, Household cavalry ...	84	Gymnasia, butchers, and well bucket ...	487
Saddletree ...	93, 94	Gyn ...	276
Shell, and conical ...	343	Head and heel ...	71
Shovel ...	79	Lashing ...	349, 350, 531
Small arms ...	35	Lever, parbuckling, and preventor ...	350
Water-bucket ...	71	Lifting cylinders ...	350
Rockets, call, life saving, light, and signal 344		Picketing ...	72
		Scale ...	158, 350

Ropes—	PAGES
Slinging projectiles, and sling wagon	350
Stable lantern (see Cordage)	141, 170
Transporting, bed and platform	417
Rosaries, gymnasia	487
Rowlocks—	
Ordinary	158
Pontoon	546
Rugs—	
Barrack, hearth, hospital, and life guards	487
Horse (see Blankets)	64
Rulers—	
Drawing	93, 539
Musketry instruction	487
Rules—	
Architects	98
Artificers	127, 128
Bagatelle	493
Billiards and pyramids	494
Gun and shot gauge	93, 350
Pioneers	19, 127
Pool	494
Printing	542
Runners—	
Accoutrements	14
Tent	72

S.

Sabretaches	14
Sacking	158
Sackings, bedstead	463, 487
Sacks—	
Coal { packsaddle	531
{ tarred, and untarred	158
{ canvas, and jute	88
Corn { commissariat	487
{ ordinary	139
Saddlery—	
Household cavalry	83
Officers	82
Universal	85
Saddles—	
Harness, and universal	86
Household cavalry	83
Officers	82
Pack	92
Saddles, carriage and gun	350
Saddles, pontoon	544, 546
Saddles, telegraph pole	516
Saddletrees—	
Harness, officers and universal	93
Packsaddle	92
Safes, waist-belt	14
Sai-ammoniac	52, 56, 159, 519, 551
Salt	153
Saltcellars	487
Saltpetre	159
Sampsons, wheelers	127
Sand, silver—	
Lithographic	540
Ordinary	159
Sappers, steam	531
Saucepans	72, 487
Saucers—	
Ink	540
Tea	487
Sawdust	159
Saws—	
Armourers { Martini-Henry	55
{ Snider	59
Butchers, and bakers	487
Crosscut	127, 487
Dovetail	127, 542
Frame, keyhole, panel, ripping, sash, and turning	127
Hand { 20 inch	21
{ 26 " 21, 127, 487, 496	
{ 24 " 127	
Pioneers	19, 21
Telegraph equipment	516
Tenon	127, 487
Venting ordnance	459
Scabbards—	
Bayonet	36
Dirk, and sword	33

Scabbards, sword practice	PAGES
36, 37, 488	
Scales—	
Bridle head-piece	84
Carriage, garrison and siege	350
Cuirass	14
Mathematical	98, 444, 445
Range-finder	340
Scales, or Standard measure	99
Scales, tangent—	
Brass	351
Wood { land service	351
{ sea service	352
Scales, weighing—	
Candle, forage, iron beam, pillar, and spring	159, 488
Dough	488
Floor	159
Gunmetal beam	159, 353
Hospital canteen	72
Triangle	159, 488
Scissors—	
Farriers, and paper-hangers	127
Hair cutting	488
Jointers	127, 519
Jointing	521
Laboratory	159, 496
Lamp	159, 488, 501, 542
Magazine	353
Matmakers	159, 488
Photographic	536
Tailors	127, 159
Trimming	89
Women's	159
Sconces, candle	488
Scoops—	
Copper	159
Drain	488
Flour	159, 488
Latrine	489
Meal	488
Powder	353
Scale	488
Scoops, mining, or scrapers	531
Scotchies	353
Scrapers—	
Armourers { field forge	59
{ Snider barrel	61
Cabinetmakers, and plumbers	127
Deck	159, 488
Dough	488
Examining ordnance	445
Lithographic	540
Mining (see Scoops)	531
Platform	353
Shell	285
Vent { rifled ordnance	444
{ smooth bore ordnance	445
Screens—	
Bedside	488
Cooks	72
Fire	488
Latrine { canvas	72
{ sifting earth	489
Signalling	353
Screw plates and taps, torpedo	557
Screw taps, dies and hobs, torpedo	558
Screws—	
Bench, and thumb	127
Binding, test table	511
Coach	516
Diving apparatus	525
Drum	101
Earth-boring	81
Eyes	488
Fire engine	473
Galvanized, with washers	162, 516
Gymnasia	488
Insulator	516
Military stand	488
Nettlefold's { brass	159
{ copper	160
{ iron { flat head	161, 489
{ round head	162
Nozzle, Holmes' light	557
Pistol, instantaneous fuzee	550
Pontoon trestle	546
Saddletree	93

Screws, ordnance—		PAGES
Adjusting, wrought-iron	354	
Are	354	
Breech, and rammer stave	353	
Compressor { steel	354	
{ wrought-iron	354	
Cover	355	
Cramp	355	
Elevating { steel	354	
{ wrought-iron	356	
Fixing	358	
Following up	359	
Gatling gun { breech casing	273	
{ cramp	274	
{ lock	273	
Jamming	359	
Knife, cleaning ordnance	445	
Lifting apparatus	176	
Lifting, and link	360	
Limber hook	359	
Locking	360	
Nordenfolt gun	275	
Preserving	360	
Racer	361	
Roller { steel	354	
{ wrought-iron	361	
Scale, and spring	361	
Set { copper	354	
{ gunmetal	354	
{ hind sight	354	
Traversing	361	
Screws, small arm—		
Band	37	
Bed and cap	37	
Cover, cup, and guard	38	
Holder, hook, keeper, lance, and lock	38	
Pin, plate, and ring	39	
Revolver { Adams	31	
{ Enfield	32	
Scabbard, short, and spring	33	
Stock	39	
Swivel, tang, thumbpiece, and trigger	39, 40	
Screws, torpedo—		
Binding connecting wire	551	
Brake, Harvey	577	
Buoyancy apparatus	554	
Carriage	553	
Safety gear, Whitehead	553	
Spare gear, Whitehead—		
16 inch	560	
14 inch { R.L.	562, 564, 567	
{ Flume	571, 575	
Starting gear	553	
Tool, Whitehead	570, 574	
Scribers—		
Artificers	105, 127	
Sighting ordnance	451	
Scuds or scudders		489
Scuffling (see Netting)		483
Sculls		162
Scuttles, coal		489
Scythes		489
Searchers, examining ordnance		445
Sears, small arm—		
Lock	40	
Revolver	31	
Seat and box, wagon		362
Seats, garden		489
Seats, saddle—		
Household cavalry	84	
Iron arch	86	
Wood arch	93	
Pack	92	
Seats, signalers		516
Seats or thwarts, pontoon		544
Selvagees		362
Serge—		
Cartridge, and wad	362	
Collarmakers	91	
Sets—		
Armourers	55	
Platelayers	533	
Repairing ordnance	451	
Saw	19, 127	
Sighting ordnance	451	
Set-screws, torpedo		569, 573
Setsquares (see Squares, set)		99
Setters—		PAGES
Fuze and shell	285	
Tinmans	127	
Sextants—		
Large, and pocket	99	
Submarine mining	516	
Sextools, slaters		127
Shackles—		
Breeching, lifting tackle and trunnion	362	
Floating target	416	
Gun	276, 277, 278	
Shackles, heel rope		72
Shackles, submarine mining—		
Chain attachment	516	
Jointers	519	
Shades, tin, billiard table		489
Shafting, electric light		501
Shafts—		
Adjusting compressor	364	
Bastier pump	77	
Bollard	364	
Cart	362, 363, 531	
Clutch, and connecting	364	
Crank	364	
Cross	365	
Disc, signalling	495	
Drug	562	
Eccentric	365	
Elevating, and longitudinal	366	
Limber	362, 363	
Main { steel	362	
{ wrought-iron	366	
Retaining, and traversing	366	
2nd motion	367	
3rd motion	368	
Vertical	367	
Wagon { all services, except R.F.	362, 363	
{ Royal Engineers	516, 532, 546	
Wheel	367	
Winch handle { steel	362	
{ wrought-iron	367	
Shallow		162
Shapes or dishes, pudding		489
Shaves—		
Armourers	59, 128	
Collarmakers, coopers, and spoke	128	
Shears—		
Garden	489	
Printers	543	
Smiths, and tinmans	128	
Sheaths, scissors		128, 519
Sheaves—		
Cable winding apparatus	516	
Gear, carriage and platform	368	
Sheers—		
Ordinary	368	
Portable	162	
Sheeting		532
Sheets—		
Barrack, hospital, life guards and gentle-		
men cadets	489	
Ground, waterproof	72	
Shellac		162, 551
Shells, earth-boring		81
Shells, ordnance—		
Gun { R.B.L.	368	
{ R.M.L.	370	
{ S.B. { common	374	
{ diaphragm Shrapnel	375	
Gun or howitzer, S.B.—		
Common	374, 375	
Diaphragm, Shrapnel	375, 376, 377	
Hand grenade	377	
Howitzer { R.M.L.	372, 374	
{ S.B. { common	375	
{ diaphragm, Shrapnel	376	
Mortar	377	
Naval	377	
Paper	368	
Shields—		
Bit, fuze and shell	285	
Revolver, Adams	32	
Sap	79	
Valise	14	
Shoes—		
Drag { 1st class	377, 532	
{ 2nd and 3rd class	378	

	PAGES		PAGES
Ropes—		Scabbards, sword practice	36, 37, 488
Slinging projectiles, and sling wagon	350	Scales—	
Stable lantern (see Cordage)	141, 170	Bridle head-piece	84
Transporting, bed and platform	417	Carriage, garrison and siege	350
Rosaries, gymnasia	487	Cuirass	14
Rowlocks—		Mathematical	98, 444, 445
Ordinary	158	Range-finder	340
Pontoon	546	Scales, or Standard measure	99
Rugs—		Scales, tangent—	
Barrack, hearth, hospital, and life guards	487	Brass	351
Horse (see Blankets)	64	Wood { land service	351
Rulers—		{ sea service	352
Drawing	93, 539	Scales, weighing—	
Musketry instruction	487	Candle, forage, iron beam, pillar, and	
Rules—		spring	159, 488
Architects	98	Dough	488
Artificers	127, 128	Flour	159
Bagatelle	493	Gunmetal beam	159, 353
Billiards and pyramids	494	Hospital canteen	72
Gun and shot gauge	93, 350	Triangle	159, 488
Pioneers	19, 127	Scissors—	
Pool	494	Farriers, and paper-hangers	127
Printing	542	Hair cutting	488
Runners—		Jointers	127, 519
Accoutrements	14	Jointing	521
Tent	72	Laboratory	159, 496
		Lamp	159, 488, 501, 542
		Magazine	353
		Matmakers	159, 488
		Photographic	536
		Tailors	127, 159
		Trimming	89
		Women's	159
		Sconces, candle	488
		Scoops—	
		Copper	159
		Drain	488
		Flour	159, 488
		Latrine	480
		Meal	488
		Powder	353
		Scale	488
		Scoops, mining, or scrapers	531
		Scotchies	353
		Scrapers—	
		Armourers { field forge	59
		{ Snider barrel	61
		Cabinetmakers, and plumbers	127
		Deck	159, 488
		Dough	488
		Examining ordnance	445
		Lithographic	540
		Mining (see Scoops)	531
		Platform	353
		Shell	285
		Vent { rifled ordnance	444
		{ smooth bore ordnance	445
		Screens—	
		Bedside	488
		Cooks	72
		Fire	488
		Latrine { canvas	72
		{ sifting earth	480
		Signalling	353
		Screw plates and taps, torpedo	557
		Screw taps, dies and hobs, torpedo	558
		Screws—	
		Bench, and thumb	127
		Binding, test table	511
		Coach	516
		Diving apparatus	525
		Drum	101
		Earth-boring	81
		Eyes	488
		Fire engine	473
		Galvanized, with washers	162, 516
		Gymnasia	488
		Insulator	516
		Military stand	488
		Nettlefold's { brass	159
		{ copper	160
		{ iron { flat head	161, 489
		{ round head	162
		Nozzle, Holmes' light	557
		Pistol, instantaneous fuze	550
		Pontoon trestle	546
		Saddletree	93
Sabretaches	14		
Sacking	158		
Sackings, bedstead	463, 487		
Sacks—			
Coal { packsaddle	531		
{ tarred, and untarred	158		
{ canvas, and jute	88		
{ commissariat	487		
{ ordinary	159		
Saddlery—			
Household cavalry	83		
Officers	82		
Universal	85		
Saddles—			
Harness, and universal	86		
Household cavalry	83		
Officers	82		
Pack	92		
Saddles, carriage and gun	350		
Saddles, pontoon	544, 546		
Saddles, telegraph pole	516		
Saddletrees—			
Harness, officers and universal	93		
Packsaddle	92		
Safes, waist-belt	14		
Sai-ammoniac	52, 56, 159, 519, 551		
Salt	159		
Saltcellars	487		
Saltpetre	159		
Sampsons, wheelers	127		
Sand, silver—			
Lithographic	540		
Ordinary	159		
Sappers, steam	531		
Saucepans	72, 487		
Saucers—			
Ink	540		
Tea	487		
Sawdust	159		
Saws—			
Armourers { Martini-Henry	55		
{ Snider	59		
Butchers, and bakers	487		
Crosscut	127, 487		
Dovetail	127, 542		
Frame, keyhole, panel, ripping, sash, and			
turning	127		
Hand { 20 inch	21		
{ 26 "	21, 127, 487, 496		
{ 24 "	127		
Pioneers	19, 21		
Telegraph equipment	516		
Tenon	127, 487		
Venting ordnance	459		
Scabbards—			
Bayonet	36		
Dirk, and sword	36		

	PAGES		PAGES
Screws, ordnance—		Setters—	
Adjusting, wrought-iron ...	354	Fuze and shell... ..	285
Are	354	Tinnans	127
Breech, and rammer stave ...	353	Sextants—	
Compressor { steel	354	Large, and pocket	99
{ wrought-iron ...	354	Submarine mining	516
Cover	355	Sextools, slaters...	127
Cramp	355	Shackles—	
Elevating { steel	354	Breeching, lifting tackle and trunnion ...	362
{ wrought-iron ...	356	Floating target	416
Fixing	358	Gun	276, 277, 278
Following up	359	Shackles, heel rope	72
Gatling gun { breech casing ...	273	Shackles, submarine mining—	
{ cramp... ..	274	Chain attachment	516
{ lock	273	Jointers... ..	519
Jamming	359	Shades, tin, billiard table...	489
Knife, cleaning ordnance ...	445	Shafting, electric light	501
Lifting apparatus	176	Shafts—	
Lifting, and link	360	Adjusting compressor	364
Limber hook	359	Bastier pump	77
Locking	360	Bollard	364
Nordenfolt gun	275	Cart	362, 363, 531
Preserving	360	Clutch, and connecting	364
Racer	361	Crank	364
Roller { steel	354	Cross	365
{ wrought-iron ...	361	Disc, signalling	495
Scale, and spring	361	Drug	362
Set { copper	354	Eccentric	365
{ gunmetal	354	Elevating, and longitudinal... ..	366
{ hind sight	354	Limber	362, 363
Traversing	361	Main { steel	362
Screws, small arm—		{ wrought-iron ...	366
Band	37	Retaining, and traversing ...	366
Bed and cap	37	2nd motion	367
Cover, cup, and guard	38	3rd motion	368
Holder, hook, keeper, lance, and lock	38	Vertical	367
Pin, plate, and ring	39	Wagon { all services, except R.F. ...	362, 363
Revolver { Adams	31	{ Royal Engineers ...	516, 532, 546
{ Enfield	32	Wheel	367
Scabbard, short, and spring... ..	32	Winch handle { steel	362
Stock	39	{ wrought-iron ...	367
Swivel, tang, thumbpiece, and trigger	39, 40	Shalloon	162
Screws, torpedo.		Shapes or dishes, pudding	489
Binding connecting wire	551	Shaves—	
Brake, Harvey... ..	577	Armourers	59, 128
Buoyancy apparatus	554	Collarnmakers, coopers, and spoke ..	128
Carriage	553	Shears—	
Safety gear, Whitehead	553	Garden	489
Spare gear, Whitehead—		Printers	543
16 inch { R.L.	560	Smiths, and tinmans	128
14 inch { Enfield	562, 564, 567	Sheaths, scissors...	128, 519
{ Fiume	571, 575	Sheaves—	
Starting gear	553	Cable winding apparatus	516
Tool, Whitehead	570, 574	Gear, carriage and platform ...	368
Scribers—		Sheers—	
Artificers	105, 127	Ordinary	368
Sighting ordnance	451	Portable... ..	162
Scuds or scudders	489	Sheeting	532
Scumming (see Netting)	483	Sheets—	
Sculls	162	Barrack, hospital, life guards and gentle-	
Scuttles, coal	489	men cadets	489
Scythes	489	Ground, waterproof	72
Searchers, examining ordnance	445	Shellac	162, 551
Sears, small arm—		Shells, earth-boring	81
Lock	40	Shells, ordnance—	
Revolver	31	R.B.L.	368
Seat and box, wagon	362	Gun { R.M.L.	370
Seats, garden	489	{ common... ..	374
Seats, saddle—		{ S.B. { diaphragm Shrapnel ...	375
Household cavalry	84	Gun or howitzer, S.B.—	
Iron arch	86	Common	374, 375
Wood arch	93	Diaphragm, Shrapnel	375, 376, 377
Pack	92	Hand grenade	377
Seats, signallers	516	Howitzer { R.M.L.	372, 374
Seats or thwarts, pontoon	544	{ S.B. { common... ..	375
Selvagees	362	{ diaphragm, Shrapnel... ..	376
Serge—		Mortar	377
Cartridge, and wad	362	Naval	377
Collarmakers	91	Paper	368
Sets—		Shields—	
Armourers	55	Bit, fuze and shell	285
Platelayers	533	Revolver, Adams	32
Repairing ordnance	451	Sap	79
Saw	19, 127	Valise	14
Sighting ordnance	451	Shoes—	
Set-screws, torpedo	569, 573	Drag { 1st class	377, 532
Setsquares (see Squares, set)	99	{ 2nd and 3rd class	378

Index.

Shoes—		PAGES	
Drag	{ platform ...	377	
	{ wagon ...	546	
	{ pontoon ...	546	
	{ Royal Engineers ...	546	
	{ transporting, bed and platform ...	417	
Gymnasia ...		489	
Handspike ...		378	
Horse ...		162	
Lance { exercise ...		40, 480	
	{ service ...	40	
Magazine ...		378, 489	
Mule ...		163	
Trestle, pontoon ...		546	
Shoes or steps, for spars		378	
Shot—	{ carronade ...	380	
	{ gun { R.B.L. ...	379	
		{ R.M.L. ...	379
	{ S.B. ...	380	
Case	{ R.M.L. ...	379	
	{ S.B. ...	380	
	{ howitzer { R.M.L. ...	379	
		{ S.B. ...	380
Drill ...		379	
Grape { carronade ...		380	
	{ gun ...	381	
Hollow ...		379	
Lead ball ...		378	
Palliser ...		379	
Sand ...		379	
Solid { R.B.L. ...		379	
	{ S.B., spherical ...	381, 489	
Shovels—			
Armourers ...		59	
Coal, corn, and potato ...		163, 489	
Dust, fire, stable, and stoking ...		489	
Intrenching ...		79	
Magazine ...		163, 381	
Miners ...		79, 532	
Pioneers ...		19, 21, 79	
Universal ...		79, 489	
Shunts, electric light ...		500	
Shunts, galvanometer		512	
Shutters, ordnance		381	
Sickles ...		72, 489	
Sideboards ...		489	
Sides, bedstead		463	
Sides, pontoon		516	
Sieves—			
Artificers ...		128	
Bakers, and cinder ...		490	
Lithographic wagon ...		540	
Ordinary ...		490	
Powder ...		381	
Sight lines, armourers		55	
Sights, cradle, torpedo carriage		553	
Sights, machine guns—			
Gardner ...		272	
Gatling ...		273	
Nordenfeli ...		275	
Sights, ordnance—			
centre ...		382	
chase, fore, and (instructional) ...		382	
muzzle ...		382	
reflecting ...		383	
tangent ...		383	
trunnion ...		384	
S.B. { carronade ...		385	
	{ bronze ...	385	
{ guns { cast-iron ...		386	
	{ wrought-iron ...	388	
Turret ...		385	
Sights, small arm—			
Carbine and rifle ...		40	
Revolver ...		32	
Silk, raw, and twist		388	
Silver nitrate		536	
Sinkers ...		516	
Sinks, photographic wagon		556	
Size, gold (see Varnish, Japan)		173	
Skewers ...		490	
Skidding ...		388	
Skids, beer barrel		490	
Skids, ordnance		388	
Skins—			
Chamois (see Leathers) ...		148	
Lamb ...		82, 91	
Sheep { harness, and universal ...		86, 91	
	{ Household cavalry ...	83	
	{ mortar ...	388	
Skittles (see Balls and Pins)		461, 485	
Slates ...		PAGES	
Sleepers, platform		490	
Sleighs, transporting guns		388	
Slides—			
Armourers ...		55, 59	
Farriers and smiths ...		123	
Slides, fish		490	
Slides—			
Candlestick ...		467	
Gun carriage { steel ...		383	
	{ wood ...	389	
	{ wrought-iron ...	389	
Haversack, pouch belt, and sling ...		15	
Safety lever ...		388	
Small arm ...		554	
Torpedo ...		554	
Slings—			
Accoutrements ...		15	
Barrel pier raft ...		546	
Field stretcher ...		73	
Gyn ...		276, 277, 278	
Gun, and sling cart or wagon ...		390	
Hospital bearer ...		63, 462	
Lance { exercise ...		41, 480	
	{ service ...	41	
Slide drum ...		101	
Tackle ...		390	
Slippers, magazine (see Shoes)		378	
Slips, arm chest		50	
Smashers, potato		490	
Snaps, riveting		128	
Snaps, side drum		102	
Sneds, scythe		489	
Snuffers—			
Magazine ...		163, 490	
Ordinary ...		490	
Soap ...		163	
Sockets—			
Brush, painting ordnance ...		446	
Cartridge ...		391	
Connecting bar ...		391	
Lever ...		392	
Military stand ...		490, 491	
Pontoon ...		546	
Ratchet, venting ordnance ...		458	
Sight ...		391	
Supporting vent ...		391	
Tent pole, and tripod pump ...		72	
Torpedo dummy ...		517	
Soda—			
Miscellaneous ...		163	
Photographic ...		536	
Solder ...		163, 490, 519, 521, 551	
Soles, drag shoe		392, 516, 552	
Soles, submarine mining, &c.		516	
Solitaire (see Balls, Boards, and Boxes)		461, 463, 466	
Solution—			
India-rubber ...		19, 516, 519, 525	
Soldering ...		163, 519, 551	
Spades ...		21, 79, 473, 490	
Spanners—			
Apparatus, tube proving ...		176	
Box { foresight, and trunnion sight ...		392	
	{ testing apparatus ...	517	
Carriage, cylinder, and gun ...		392	
Chaff-cutting machine ...		480	
Clip winding gear ...		517	
Diving apparatus ...		525	
Electric light ...		500, 517	
Fuze and shell ...		554	
Gas check, and wrench box ...		555	
Holmes' light ...		557	
Hydraulic buffer ...		392, 555	
Hydraulic jack ...		163, 392, 555	
Jointers tools ...		517, 520	
Machine gun { Gardner ...		272	
	{ Gatling ...	275	
	{ Nordenfeli ...	275	
McMahon's ...		19, 123, 453, 520, 551	
Naval mines ...		551	
Platelayers ...		553	
Flag and cock ...		392, 553	
Powder case ...		392	
Range finder ...		540	
Rifle rest ...		541	
Socket, tightening chain ...		393	

Spanners—		PAGES
Submarine mines	...	516, 520, 551
	{ facing ...	416, 447, 448
	{ recoppering ...	449, 450
Tools, ordnance	{ repairing ...	451
	{ special R.B.L. ...	453
	{ venting ...	458
Torpedo—		
Buoyancy apparatus	...	555
Cases, outrigger	...	551
Harvey	...	577
Whitehead	{ 16-inch ...	559
	{ 14-inch { R.L. ...	561, 563, 566
		569, 573
Tripod pump, and wagon	...	72
Vent head	...	392
Vent nut	...	393
Whitworth's stocks (see Stocks)	...	129
Spars, derrick or sheers (see Timber)		171
Spectacles, electric light	...	499, 500
Spelter	...	52, 56, 163
Spikes—		
Gun	...	19, 21, 303
Marline	{ wood ...	128, 163
	{ well steeled ...	163
Telegraph equipment	...	517
Spindles—		
Armourers	...	55, 59
Carriage, platform, and slide—		
Bar connecting, and clutch	...	394
Buffer	...	394
Crank, eccentric, and socket	...	395
Elevating screw, mitre wheel, pawl, and pinion	...	396
Friction, and gudgeon	...	395
2nd motion	...	396
Wheel, windlass, and worm	...	396
Drum, wire wagon	...	517
Facing ordnance	...	446, 447, 448
For cups, B.L. gun	...	394
Gatling gun	...	274
Hydraulic jack	...	394
Recoppering tools	...	449, 450
Torpedo { safety gear	...	553
	{ slide ...	554
Spits, roasting	...	490
Spittoons	...	490
Splices, stock, small arm	...	41
Spokes, wheel	...	397, 517
Sponges—		
Cannonade	...	397
Gun { rifled	...	397, 398
	{ S.B. ...	398
Howitzer { R.M.L.	...	398
	{ S.B. ...	398, 399
Mortar	...	399
Photographic, flat	...	536
	{ bath ...	490
Water { general service	...	39, 490
	{ lithographic wagon	39, 540
	{ printing wagon	39, 543
Spoons—		
Barrack and hospital	...	490
Telegraph, Spanish	...	517
Spouting, shell	...	399
Spreaders, butchers	...	490
Springs—		
Buffer slide, spur wheel, and stud	...	399
Candlestick	...	490
Cart, clip, lever, pawl, snatch block, and spiral	...	399
Electrical instrument	...	519
Helmet, diving	...	525
Knife, examining ordnance	...	445
Needle, and vent bolt	...	399
Pistol, instantaneous fuse	...	550
Rocket machine	...	399
	{ ambulance, bakery, general service, and light ...	399
Wagon { Royal Engi- office, and tele- neers	...	517, 532
	{ pontoon ...	546
Springs, machine gun—		
Gardner	...	272
Gatling { lock	...	273
	{ cocking ...	274
Nordenfelt	...	275
Bayonet	...	41

Springs, small arm—		PAGES
Block, bolt, main, and snap cap	...	41
Pin, piston, scabbard, and scar	...	41, 42
Revolver { Adams	...	32
	{ Enfield	32
Sight, trap, and trigger	...	42
Springs, torpedo—		
Buoyancy apparatus	...	554
Harvey	...	577
Whitehead—		
Carriage	...	553
Safety gear	...	553
Spare gear { 16-inch { R.L.	...	562, 565, 568
	{ 14-inch { Fiume	571, 575
Starting gear	...	558
Squares—		
Armourers	...	53
Artificers	...	128
Head collar { Household cavalry	...	84
	{ officers, and universal	91
Set, and T, drawing	...	99
Sighting ordnance, T...	...	451
Squeezers, lemon	...	490
Stadiometers	...	490
Stages, laying, and loading	...	399
Stakes—		
Armourers { iron	...	61
	{ vice, drawing	55
Farriers	...	28, 490
Tinmams	...	128
Stamps—		
Armourers	...	55, 61
Farriers	...	129
Marking { barrack and hospital	...	491
	{ miscellaneous	163
	{ ordnance	400, 442
Stanchions or pins, drug	...	400
Standards, measuring height	...	491
Standards, swivel, Gatling gun	...	400
Stands—		
Beer barrel	...	491
Drying guncotton	...	175
Flat iron and practice post	...	491
Lifting apparatus	...	176
Light, illuminating wrecks	...	400
Lime-light lamp	...	501
Proving apparatus { detonators	...	177
	{ tubes	178
Range-finder, tripod	...	340
Telescope	...	99, 517
Theodolite, and thermometer	...	99
Wash-hand	...	492
Staples—		
Bale hoop, platform, and shaft	...	400
Lashing	...	164, 400
Round crowned	...	164
Saddletree { harness	...	94
	{ Household cavalry	84
	{ officers	95
	{ universal	94
Signalling, and telegraph	...	517
Staples or holdfasts, sylvan (see Scythes)		489
Stars, incendiary	...	400
Star-studs	...	84
Staves—		
Boat hook	...	164
Constables	...	164, 492
Extracting projectile, and rammer	...	400
Flag, floating target	...	416
Gun brush, and lengthening side arms	...	400
Lance	...	42
Levelling, off-set, and surveying	...	100
Sponge	...	401
Wadhook	...	400, 401
Stays—		
Outrigger	...	401
Soldiers forms	...	477
Target	...	495
Stay tighteners	...	517
Steamers, potato	...	492
Steel	...	165
Steel, tincture of	...	165
Steel pieces	...	401
Steels	...	401
Butchers	...	492
Trail eye or perch, and lumber hook	...	401
Steelyards	...	492

	PAGES		PAGES
Steps or shoes, derrick (see Shoes) ...	378	Straps, harness and saddlery—	
Steps, platform, and stage ...	401	Caculet, and litter ...	92
Sticks—		Crib ...	89
Armourers { buff ...	59	Harness, and universal ...	86, 87
{ cleaning ...	56, 59	Household cavalry saddlery ...	83, 84
Camel hair brush, and saddlers ...	129	Kicking, and neck ...	89
Cartridge, portfire, and rocket ...	401	Nose bag ...	91
Crook, telegraph ...	517	Officers saddlery ...	82
Drum ...	102	Packsaddle { general service ...	92
Fencing ...	165, 492	{ mountain equipment ...	93
Hanging accoutrements, and walking ...	492	Straps, ordnance—	
Printers ...	543	Ammunition barrow, hand barrow, and	
Back, pontoon ...	546	men's harness ...	411
Stills, photographic ...	536	Carrying boxes ...	402
Stockings, divers ...	525	Cartridge cylinder ...	411
Stocks—		Guy ...	411
Bevel wheel, and smiths or armourers ...	53, 130	Lifting projectiles ...	402
Coopers ...	130	Securing ...	402
Pistol, instantaneous fuze ...	550	Slinging projectiles, and tube box ...	411
Rifle rest ...	341, 342	Straw ...	165
Stocks, small arm—		Stretchers—	
Carbine and rifle { finished ...	42	Ambulance ...	73, 411
{ rough ...	43	Dummy target ...	495
Revolver { Adams ...	32	Field ...	73, 411
{ Enfield ...	33	Hospital ...	63, 492
Stocks and dies—		Strikers, small arm ...	43
Gas ...	129	Strings, bugle and trumpet ...	102
Whitworth's ...	129, 451	Strings, drill—	
Stocks, die, torpedo ...	558	Armourers ...	53, 57
Stocks or braces, carpenters ...	108, 130	Smiths ...	130
Stone—		Strip, iron, browned ...	411
Pumice ...	165, 540	Studs—	
Rotten ...	165	Accoutrements ...	16
Snake ...	540	Barrel, small arm ...	43
Stones—		Bracket, friction, lever clutch, and trunnion ...	411
Armourers ...	55, 59	Carbine bucket, and wallet or head collar ...	91
Carpenters, painters, smiths, and Turkey ...	130	Head collar, Household cavalry ...	84
Drip ...	492	Revolver ...	33
Grind { field service ...	130, 492	Snare, side drum ...	102
{ regimental cooks ...	492	Torpedo ...	553
{ Yorkshire ...	165, 492	Carriage ...	563
Scythe ...	72, 130, 489, 492	Gear { 16 inch ...	560
Stools—		{ 14 inch { R.L. ...	562, 565, 568
Barrack, and military prison ...	492	{ Flume ...	571, 575
Camp, folding ...	72	Sulphate of iron ...	546, 536
Close { Fyfe's ...	492	Sulphur ...	165
{ Hospital canteen ...	72	Surcingle—	
Stopcocks, hydraulic apparatus ...	502	Camp and field ...	73
Stoppers—		Harness, and lasso ...	87
Breech, B.L., gun ...	402	Packsaddle ...	92
Water bottle ...	15	Saddlery { Household cavalry ...	83
Stops—		{ officers ...	82
Cutter, venting ordnance ...	458	Surplises, chaplains ...	165, 493
Rammer, and stud, barrel, small arm ...	43	Sweeps (see Oars or sweeps) ...	134
Rear racer, spur wheel, and stopper ...	402	Swingletrees 411, 518, 532, 534, 538, 541, 546	
Stoves—		Switches ...	518
Soyer's ...	72	Swivels, small arm—	
Winchester ...	72	Band, butt, guard, and tumbler ...	43
Straight-edges—		Revolver { Adams ...	32
Breech screw, and vent piece ...	402, 444	{ Enfield ...	33
Drawing ...	100	Swords—	
Platelayers ...	533	Examining ordnance ...	444, 445
Strainers—		Practice { cavalry, infantry, lead cutting, and gymnasia ...	44, 493
Fire engine ...	473	{ sea service ...	44
Hair, gravy, and potato ...	492	Service ...	43
Straps—		Syphons ...	165
Accoutrements ...	15	Syringes ...	518
Bastier pump ...	77		
Battery, galvanometer, and telescope ...	517		
Bed, and butchers ...	492		
Binoocular glass ...	100, 517		
Brake, Harvey torpedo ...	577		
Camp kettle, canteen, table, and tent ...	73		
Demolition equipment ...	532		
Drawing board, and theodolite ...	100		
Driving, electric light ...	501		
Pioneers ...	19, 21		
Pontoon ...	544		
Portable forge ...	130		
Range-finder ...	341		
Revolver ...	32		
Spare helms, Royal Engineers ...	79		
Tape, measuring ...	100		
Telegraph equipment ...	517		

T.

Tabernacles ...	493
Tables—	
Bagatelle ...	493
Bakers, and cell ...	494
Bedside ...	493
Billiard ...	493
Camp ...	73, 494
Communion ...	494
Inking ...	543
Messroom, large, office, officers, rectangular, and round ...	494
Operating ...	73

Index.

xxxiii

	PAGES
Table-tops (see Tops, form, and table) ...	496
Tabbs—	
Saddletree ...	94
Waist-belt, and pouch-belt ...	17
Tachometers ...	518
Tackles—	
Gun ...	411
Guy ...	412
Gyn ...	276, 277, 278
Loading, and luff ...	412
Magazine, and main ...	412
Mounting ...	412, 413
Purchase ...	413
Shell room ...	412
Slinging, and heavy sheers ...	413
Whip upon whip ...	413
Tacks—	
Harness and saddlery... ..	91, 151
Lance ...	44
Ordinary {copper ...	151
{iron ...	153
Tallow ...	165, 520, 540
Tammy , photographic ...	537
Tampons—	
R.B.L. ...	414
R.M.L. ...	414
S.B. {land service ...	414, 415
{naval ...	415
Tangs, breech ...	44
Tanks—	
Guncotton ...	518
Latrine ...	480
Sponge ...	415
Tannin ...	165, 537
Tape—	
Diving ...	525
Electric light ...	499
India-rubber ...	518, 520, 551
Laundry... ..	494
Naval, mining, and torpedo... ..	518, 551
Telegraph ...	518
Veterinary ...	165
Visual signalling ...	518
Tapes—	
Chest measuring ...	494
Measuring ...	100
Range-finder ...	340, 341
Tracing ...	79
Taps—	
Armourers {Martini-Henry... ..	53
{Snider ...	59
Ordinary, gunmetal ...	165
Ordnance {sighting tools ...	452
{venting " ...	458
Screw, fuze and shell... ..	285
Torpedo {buoyancy apparatus ...	555
{tools ...	557, 558
Water cart ...	415
Gas, and Whitworth's (see Stocks)... ..	129
Tar ...	165, 494
Targets—	
Artillery {field... ..	415
{floating ...	415, 416
{land ...	416
Military stand ...	491, 495
Musketry ...	495
Tarpaulins—	
Engine (see Covers) ...	508
Ordinary ...	165
Tassels, bugle and trumpet ...	102
Telephones ...	518
Telescopes—	
Hand, draw ...	518
Range-finder ...	340, 341
With cap, and with shade ...	100
Templates, electric light ...	501
Tents, box, photographic	537
Tents—	
Circular... ..	73
D'Abri ...	73
Marquee, and laboratory ...	73
Terminals—	
Telegraph ...	518, 532
Test table ...	511
Testers, milk and cream	495
Testers, trigger ...	55, 59
Tewels (see Fans) ...	54, 58

	PAGES
Theodolites	100
Thermometers	100, 175, 495
Thimbles—	
Counterweight, and sling cart or wagon ...	416
Rope ...	166
Sail ...	166
Tackle ...	166
Tailors ...	130
Wire rope ...	518
Thongs—	
Lance {exercise ...	44, 480
{service ...	44
Saddletree ...	94
Shoulder-belt, waist-belt, sling, and whistle	17
Thread—	
Accoutrements ...	167
Dutch ...	167
Harness and saddlery... ..	91
Packing ...	167, 495
Printing wagon ...	91, 543
Thumbpieces, Snider arms ...	44
Thumb screws ...	526
Thumbstalls ...	416
Ticken—	
Marquee ...	73
Neck collar ...	91
Ties—	
Butchers ...	495
Linch pin ...	416
Tillers—	
Earth-boring ...	81
Saw ...	120
Tills, pool ...	494
Timber—	
Log, plank, spars, stays, &c. ...	157, 293
Repairing boxes ...	416
Tin—	
Grain ...	52, 56, 172
Ingot, plate, and sheet ...	172
Tinfoil ...	540
Tins—	
Baking ...	73
Diet, and dinner ...	495
Lamp cotton, and soap ...	74
Pouch ...	17
Tips—	
Belt ...	17
Scabbard ...	44
Tires or streaks, wheel	417
Tomahawks	532
Tommies—	
Lifting apparatus ...	176
{fixing ...	417
Ordnance {recoopering tools ...	449, 450
{special tools ...	453
Rudder, torpedo ...	574
Striker, torpedo ...	561, 564, 567
Tongs—	
Armourers {Martini-Henry... ..	53
{Repairing saddlery ...	62
{Snider ...	55, 59
Farriers, and gas ...	130
Fire, and steak ...	495
Ordnance examining tools ...	445
Smiths ...	131, 495
Torpedo tools ...	570, 574
Wheeler-fitters ...	131
Tongues, saddletree ...	95
Tools, armourers—	
Barrel, repairing ...	61
Breeching up ...	53, 56
Drilling ...	53, 57
Field forge {Martini-Henry... ..	52
{Snider ...	56
Fixed stations ...	60
Fixing leathers ...	61
Saddlery, repairing ...	62
Tools, ordnance—	
Breaking ammunition, and removing gas- ring ...	417
Deepening sight holes ...	442
Examining {rifled ...	442
{S. B. ...	444
Facing ...	446
Grinding ...	445
Painting, and lacquering ...	446
Recoopering ...	449, 450

	PAGES		PAGES
Tools, ordnance—		Trowels, bricklayers, masons, plasterers,	
Repairing	450	and gauging	131
Sighting	451	Trowels—	
Special { Land service	452	Garden	497
{ Sea service	453	Modelling	79, 131
Venting	454	Trucks—	
Tools—		Carriage, garrison	419, 420
Barrack and hospital	495	Drug	419, 422
Buoyancy apparatus	355	Gyn { Gibraltar	419
Earth boring	80	{ triangle	276, 277, 278
Grafting { intr trenching	79	Hand	419
{ telegraph posts	520	Miners	532
Gymnasia	496	Platform	420, 421
Joiners { Submarine mining	519	Projectile	421
{ telegraph	520	Railway { ordinary	421
Machine gun { Gardner	272	{ submarine	521
{ Gatling	274	Transporting slide	418, 419, 421, 422
{ Nordenfelt	275	Trumpets—	
Pioneers	18	Musical	102
Repairing electrical and other instruments	518	Speaking	172
Saddlers, and smiths	131	T-squares (see Squares)	99, 451
{ 16-inch	558	Tubes—	
Torpedo { 14-in. { R.L.	560, 563, 566	Common gull, and dummy drill	422
{ Fume	569, 572	Electric	422, 551
Tops, shell, naval	417	Filter	67
Tops, form, and table	496	Friction	422
Torpedoes—		Guide, small arm	45
Harvey	576	Inhaler	497
Whitehead	552	Loading	422
Tow	172	Mine	532
Towels—		Rocket, life saving	422
Hand, and room	496	Turret sight	422
Photographic	537	Steam oven	74
Traces	87	Torpedo { 16-inch	560
Transoms, pontoon—		{ 14-inch { R.L.	561
Landing	544	{ Fume	572, 576
Shore	546	Tubing—	
Trestle	546	Lime light	501, 521
Transporting arrangement—		Naval cable	551
Bed	417	Photographic	537
Howitzer	417	Submarine and telegraph	520, 521
Platform { ground	417	Tubs—	
{ iron	418	Barrack and hospital	497
{ wood	418	Camp	74
Slides { iron	418, 419	Latrine	480
{ wood	419	{	87
Trapeziums	496	Tugs	497
Traps, plate, carbine	45	Tumblers, glass	45
Traps, rat, and mouse	496	Tumblers, small arms	422
Travellers	131	Tumblers, carriage, nipping	422
Trays—		Turnbuckles	497
Barrack and hospital service	496	Turners, dowel	497
Drying gun cotton	175	Turnscrews—	
Loading, and magazine lamp	419	Connecting chain	422
Photographic	537	Electric light	499
Submarine mining	521	Turpentine, spiffs of	172, 497, 540, 543
Treacle	172	Tweezers	519
{ Bastier pump	77	Twine—	
Trees { packsaddle	93	Bailing, choking, sail, tarred, and whip-	
Trestles—		ping	172
Bed, field service	74, 462, 496	Joiners	520
Bridging	546	Packing	172, 543
Fascines (see Pickets)	78	Quilting	91
Pontoon	544	Twist	422
Shell spouting	419	Tympans	540
Table	478, 496	Typeholders	172
Triangles—		Type, printing	543
Hospital canteen	74	Types, cartridge	423
Mathematical	100		
Practice post	491, 497		
Punishment	497		
Pyramid	494		
Scale	172, 488, 497		
Triggers—			
Carbine, and rifle	45		
Revolver { Adams	32		
{ Enfield	33		
Tripods, range-finder	340		
Tripoli	172, 537		
Trivets, dish, and pot	497		
Trolleys, loading	419		
Troughs—			
Armourers { scalding barrels	61, 497		
{ single	172		
Grindstone	172		
Water	419		
Troughs, saddletree	94, 95		

U.

Unions, testing apparatus ... 502

Urinals—

Divers ... 525
Hospital ... 497
Latrine, dry earth ... 480

V.

Vallises—

Accoutrements ... 17
Demolition equipment ... 532

Valises—	PAGES
Saddlery	82
Tent	74
Valves—	
Buoyancy apparatus	554
Diving apparatus	525
Hydraulic jack... ..	425
Varnish—	
Anti fouling composition	521
Lithographic	540
Miscellaneous	172
Photographic	537
Sealing wax	521
Submarine mining	521
Vases, tent	74
Vats (see Casks, vat).	138
Velocimeters	499
Vents—	
Ordnance { copper	425
steel	427
Proving tubes	1:6
Vent servers	427
Vices—	
Artificers	55, 59, 131, 496, 497
Telegraph	521
Vinegar	173
Vitriol	173
V-sets, sighting ordnance	451
Vulcanite	521

W.

Wadhooks	427
Wadmittils	173, 497
Wads—	
Guncotton case	551
Ordnance	427
Wagons—	
Ambulance { iron frame	74, 428
wood	74, 428
Ammunition and store, Royal Artillery	428
Ammunition { R.B.L. and S.B. guns, and	
howitzers	429
R.M.L. guns... ..	428
Bakery, and bread and meat	429
Deal, Mlanders, platform, and powder	429
Forge { general service	429
Royal Artillery	429
Royal Engineers	532
General service { equirotal	429
heavy spring	429
lock-under	74, 429
Royal Engineers... ..	532
siege	429
Light spring or surgery, and pharmacy	74, 429
Lithographic	518
Office, and timber, Royal Engineers	532
Photographic	534
Pontoon... ..	546
Printing	541
Sling, and store	429
Telegraph	521
Wallets—	
Guncotton, pioneers	19
Harness, and saddlery	87, 88
Packsaddle, demolition equipment	532
Saddlery { Household cavalry	83
officers... ..	82
Wallets and holsters	83
Walls, tent	74
Warmers—	
Billiard table	494
Foot, and stomach	497
Washers—	
Apparatus cutting guncotton	526
Boat nail (see Rooves, copper)	158
Connector	521
Countermining case	548
Diving apparatus	525
Drug	430
Drag { transporting axletree	430
travelling carriage	430, 546
Elevating eye	430
Extractor, mine	510, 550

Washers—	PAGES
Facing tools	446, 447, 448
Junction box	505
Label, pouch and ball bag	17
Loop	430
Nozzle, Holmes light... ..	557
Plain { drug	430
transporting axletree	430
travelling carriage	430, 522, 532
Plug, insulating	515, 521, 551
Rocket, and vent	429
Saddletree	95
Scabbard, and stock-bolt	46
Submarine mining	521
Telegraph (see Bolts and washers)... ..	504
Torpedo—	
Boat batteries, and firing key	551
Buoyancy apparatus	555
Harvey	577
Whitehead—	
16-inch	560
14 inch { R. L.	563, 565, 568
Fiume... ..	572, 575
Torpedo carriage	553
Trunnion	430
Watches, signallers	522
Wax 91, 173, 497, 537, 551, 557, 565, 569, 577	
Web—	
Harness and saddlery, officers, and uni-	
versal	91
Saddlery, Household cavalry	84, 91
Tent	74
White worsted... ..	173
Wedges—	
Bagatelle table... ..	493
Earth-boring	81
Miners	532
Moving guns, and long, with grummet	430
R.B.L. wedge guns	430
Saddletree	95
Sawyers	75, 131, 497
Scythe	489, 497
Venting ordnance	458
Weights—	
Diving	525
Paper	100
Proving detonators	177
Scale	75, 173, 497
Weighing machine	75, 173, 498
Wells, ink	498
Wells, tube	75
Wheels—	
Bastier pump	77
Colling, telegraph	522
Cypher, signalling	522
Fire engine, and stable barrow	498
Fly, diving	525
Gear { carriage	430, 434, 435, 436, 437
platform	430, 431, 432, 433, 434, 435
slide	431, 434, 435, 436
winch... ..	434
Hand { carriage	436
elevating	435, 436
platform	436
slide	436
Intrenching barrow	75, 79
Loading	435
Mitre, slide	436
Sling wagon	435
Transporting arrangement	417, 418
Travelling { all services except R.E.	437
R.E.	522, 533, 546
Worm, Gatling gun	274
Whips—	
Carters, driving, hand, and longeing	89
Drivers	87
Whisks, egg	498
Whistles	17
Whiting	173, 498
Wick, lamp and lantern—	
Common or ball, and kerosine	173, 521
Paraffin, distinguishing, fire brigade and	
magazine, and surgical	173
Lime light, and signalling	501
Railway... ..	522
Roof and office, lithographic	173, 540
Roof, printing wagon	173, 543
Wicks, lamp and lantern	173

	PAGES		PAGES
Winches	173, 522	Wrenches—	
Windlasses—		Armourers { Martini-Henry... ..	53
Capstan, and sling cart and wagon	440	{ Snider	59
Earth-boring	81	Bed, and target plate... ..	498
Gyn	276, 277, 278	Fire-engine	473
Loading gear	440	Intrenching barrow	75, 79
Wine, spirits of	173, 501, 521, 540, 551	Tap	131, 558
Wire—		Telegraph wire wagon	523
Armourers, field forge	52, 56	{ 16-inch	569
Ordinary, hard or soft	19, 52, 56, 174	Torpedo { 14-inch { R.L.	561, 564, 567
Priming, miners	533	{ Fiume... ..	570, 574
Riveting, lance	46	Wrenches, nipple	46, 498
Saddlery	84, 174	Wrenches, ordnance—	
Telegraph	621	Base plug	285
Torpedo	577	Breech, crosshanded, and forked, platform	441
Wires—		Fixing { elevating rack	441
Bare and covered, submarine and telegraph	522	{ turret sight	441
Directing, venting ordnance	459	Gardner gun	272
Electric light { Gramme	498, 523	Gatling gun	275
{ Siemens	600, 523	Knock-up, pintail, sight, spindle, trans-	
Guide	285	porting, and trunnion	441
Insulating plug	515, 551	{ examining	445
Naval, mining, and torpedo... ..	551	Tools { sighting	452
Priming, life-saving	440	{ special, R.B.L.	453
Torpedo tools	561, 564, 567	{ venting	459
Woodwork, saddistree	95		
Wool, cotton	174		
Worm-gear, Gardner gun	272		
Worms—			
Following-up gear	440		
Gatling gun	274		
Wadhook	440		
Worsted—			
Cartridge	440		
Divers	525		
For flags	174, 498		
Ordinary	174		
Wrench box (see spanners)	285		

Y.

Yarn, coir fibre	498
Yokes	174

Z.

Zinc	174, 523
--------------------	----------

The terms "gallon," "quart," and "pint" in this book denote Imperial measures of those denominations.

ACCOUTREMENTS.

ACCOUTREMENTS.		Contract Rate.
		£ s. d.
Aprons, leather, leg, brass side drum	each	0 4 1
Bags, ammunition—		
Brown leather, sea service.. .. .	"	0 1 8
Canvas	"	0 1 2
Leather, valise equipment, sergeants and rank and file—		
Black enamelled, with buff leather back, loop, and strap, Royal Artillery, Royal Engineers, and Infantry	"	0 2 3
Black enamelled, with black leather back, loop, and strap, Rifle Regiments	"	0 2 1
Buff, Royal Artillery, Royal Engineers, Foot Guards, and Infantry	"	0 2 8
Bags, leather, ball—		
Black, Rifle Militia	"	0 1 4½
Brown, sea service, with belt (see Belts, leather, shoulder) ..	"	0 3 5
Buff, Infantry Militia	"	0 2 4
Bandages, calico, with lint	"	0 0 3
Beckets, leather, brown, sea service, sword	"	0 0 1½
Belts, leather, pouch—		
Black, Rifle Militia, Enrolled Pensioners, and Army Reserve, serjeants and rank and file	"	0 1 9½
Brown, <i>conductors</i> , and staff serjeants Army Hospital Corps	"	0 2 2
Buff—		
Cavalry { Serjeants and rank and file { With studs	"	0 2 6
{ Staff serjeants and troop serjeant majors { Without studs	"	0 1 6
Artillery Militia, serjeants and rank and file	"	0 4 1
Household cavalry { Staff and band	"	0 2 2
{ Rank and file	"	0 3 3
Infantry Militia, serjeants and rank and file	"	0 3 6
Royal Artillery and dismounted men, Royal Engineers— Serjeants	"	0 2 3
Rank and file*	"	0 2 8
White enamelled—		
Conductors	"	0 2 8
Master Gunners, and staff serjeants of Garrison and Coast Brigades, Royal Artillery	"	0 3 3
Staff serjeants { Militia Artillery	"	0 3 5
{ Royal Engineers	"	0 4 1
	"	0 9 11

(v.s.)

Section I.

ACCOUTREMENTS.						Contract Rate.		
						£	s.	d.
Belts, leather, shoulder—								
Highland Regiments of Militia—								
Buff, drummers, buglers, and band	each	0	4	9
Black japanned, pipers	0	5	6
Sea service, brown, with strap and throng—								
With ball bag	0	3	5
With pouch, 30 rounds	0	2	1½
Belts, leather, waist, black—								
Enrolled Pensioners { Japanned, staff serjeants, complete ..						0	10	6
Serjeants and rank and file, without plate ..						0	2	2
Enrolled Pensioners, Army Reserve and Rifle Militia, with snake hook—								
Japanned, staff serjeants, { With loose billets	0	7	2
with carriages attached { Without billets	0	6	6
Serjeants and rank and file	0	2	4
Enamelled, Royal Artillery band, without plate	0	2	4½
Japanned, pipers, without plate	0	4	6
Morocco, with carriages and attached billets, Chief Warders, Military Prisons	0	7	3
Rifle Regiments, valise equipment, with snake hook—								
Japanned, staff serjeants, with { With loose billets	0	5	3
carriages attached { Without billets	0	4	7
All ranks except staff serjeants, O.P.*	0	1	8½
Serjeants and rank and file, Pattern 1882	0	1	4½
Warders, Military Prisons, with snake hook	0	1	8½
Belts, leather, waist, brown—								
Army Hospital, Commissariat, and Ordnance Corps, valise equipment, with snake hook—								
Staff serjeants, and conductors, with carriages and attached billets	0	6	9
Serjeants and rank and file, and Army signallers	0	2	0
Transport Corps, with snake hook and carriages attached—								
With loose billets	0	2	10
Without billets	0	2	8
Pistol	0	1	0½
Sea service { Cutlass, with buckle ..						0	1	2
{ Pouch, with snake hook ..						0	2	4
Belts, leather, waist, buff—								
Cavalry (Hussars excepted), also mounted portions of Field Brigades Royal Artillery and Royal Engineers, with carriages attached, and snake hook—								
With loose { Cavalry, staff serjeants†	0	4	11
billets { All ranks except Cavalry staff serjeants	0	3	6
Without { Cavalry, staff serjeants†	0	4	2
billets { All ranks except Cavalry staff serjeants	0	2	9
Household Cavalry, with carriages and attached billets, without plate ..						0	3	5
Infantry Militia—								
Old pattern, without locket—								
Staff serjeants, with carriages and attached billets	0	4	0
Serjeants	0	1	9
Rank and file	0	1	9
Valise equipment—								
Without universal locket or loop—								
Staff serjeants, with carriages and attached billets—								
Foot Guards, 1½ inch	0	5	2
Infantry, 1½ inch	0	5	2
Foot Guards and Infantry { Serjeants ..						0	1	11½
{ Rank and file ..						0	1	11½

* And for all ranks, except staff serjeants, wearing Pattern 1882 valise equipment without pouches.

Includes Troop Serjeant majors.

Section I.

3

ACCOUTREMENTS.		Contract Rate.		
		£	s.	d.
Belts, leather, waist, buff, continued—				
Valise equipment—				
With universal locket—				
Staff sergeants, with carriages and attached billets	.. each	0	6	9
Sergeants, O.P.	0	2	11
Rank and file, O.P.*	0	2	7
Sergeants and rank and file, Pattern 1882	0	2	1½
Gentlemen Cadets { Sandhurst, without locket	0	1	2½
{ Woolwich, without plate	0	1	11½
Hussars, with carriages attached, and snake hook—				
With loose billets { Staff sergeants	0	6	3
{ All ranks except staff sergeants	0	3	6
Without billets { Staff sergeants	0	5	6
{ All ranks except staff sergeants	0	2	9
Militia Artillery, without plate, all ranks except staff sergeants	0	2	6
Field Artillery, drivers and dismounted men, with catch, without plate	0	2	2½
Royal Artillery and Royal Engineers, all ranks except staff sergeants, valise equipment, with snake hook	0	2	2
Royal Horse Artillery, with carriages attached, and hook plate—				
With loose billets	0	4	1
Without billets	0	3	4
Under Officers, Sandhurst, with carriages, and attached billets, without locket	0	4	0
Belts, leather, waist, white, enamelled, with carriages attached—				
With universal locket, conductors, with loose billets	0	8	0
Without plate—				
Master gunners, staff sergeants, Garrison and Coast Brigades, Royal Artillery, and dismounted Royal Engineers—				
With loose billets	0	7	11
Without billets	0	6	11
Militia Artillery, staff sergeants { With loose billets				
{ Without billets	0	8	5
Under Officers, Woolwich, with loose billets	0	7	6
..	0	6	2
Billets, leather, black—				
Ball bag, Rifle Militia	0	0	1
{ Cavalry, Martini-Henry carbine	0	0	1
{ For writing materials, and pouch, Royal Artillery and Royal Engineers, staff sergeants	0	0	1
Pouch { Household Cavalry, staff and band	0	0	2
{ Infantry, valise equipment	0	0	1
{ Militia Artillery, staff sergeants	0	0	1
Pouch-belt, Rifle Militia, sergeants and rank and file	0	0	1½
Sabretache	0	0	1
Waist-belt, Rifle Regiments, staff sergeants { With buckle				
{ Without buckle	0	0	4
..	0	0	2
Billets, leather, black enamelled—				
Ammunition bag, valise equipment	doz.	0	0	6
Pouch, cavalry, staff sergeant	each	0	0	1
Billets, leather, brown—				
Pouch, valise equipment, Commissariat, and Ordnance, Corps, sergeants and rank and file	0	0	1
Waist-belt { Commissariat, and Ordnance, Corps, staff sergeants				
{ Transport Corps, all ranks { With buckle	0	0	2½
{ Without buckle	0	0	3½
..	0	0	2½
Billets, leather, buff—				
Ball bag, Infantry Militia	0	0	1½
Pouch { Infantry Militia { Sergeants, 20 rounds				
{ Rank and file, 50 rounds	0	0	1½
{ Infantry, valise equipment, sergeants and rank and file, 20 rounds	0	0	2
..	0	0	1½

* And for all ranks, except staff sergeants, wearing Pattern 1882 valise equipment without pouches.

Section I.

ACCOUTREMENTS.										Contract Rate.				
Billets, leather, buff, continued—											£	s.	d.	
Pouch-belt	{	Household Cavalry	{	Staff and band	each	0	0	4				
				Rank and file	0	0	5					
				Yeomanry Cavalry	0	0	2					
Sabretache-carriage	{	Staff serjeants	{	With buckle	0	0	4½					
				Without buckle	0	0	2½					
				All ranks except staff serjeants	With buckle	0	0	2½				
					Without buckle	0	0	1½				
Waist-belt—														
Cavalry, mounted portions, Field Brigades Royal Artillery, and Royal Engineers—														
Staff serjeants..	{	With buckle	0	0	5					
			Without buckle	0	0	3					
All ranks except staff serjeants	{	With buckle	0	0	4½					
			Without buckle	0	0	3					
Infantry, staff serjeants										0	0	3		
Militia Artillery, staff serjeants, with German silver silver-plated buckle										0	0	5½		
Royal Artillery, staff serjeants, with buckle										0	0	6		
Royal Horse Artillery	{	With buckle..	0	0	5					
			Without buckle	0	0	3					
Blocks, wood, for ammunition pouches										pair	0	1	0	
Bottles, water, wood, Italian pattern, with plugs and stoppers*—														
With spring clip†	each	{	No. 1 B.S.				0	1	5½					
			No. 2 B.S.				0	1	6					
			Contract.				0	0	10					
Without spring clip	0	0	10	
Bottles, zinc, oil	0	0	2½	
Braces, leather—														
Brown, sea service										set	0	2	3	
Valise equipment, with buckles to attach them to ring—														
Black, Rifle Regiments, and pipers of Highland Regiments .										..	0	3	0	
Brown, Army Hospital, Commissariat, and Ordnance, Corps	0	3	2	
Buff, Royal Artillery, Royal Engineers and Infantry	0	4	0	
Parts of—														
Straps, side and front attached to ring—														
Black	{	Left	0	0	6				
			Right	0	0	6				
Brown	{	Left	0	0	6				
			Right	0	0	6				
Buff	{	Left	0	0	7				
			Right	0	0	7				
Valise equipment, Pattern 1882—														
Black—										No. to				
All ranks not wearing valise equipment pouches†—										a set.				
Left	1	each	0	1	3			
Right	1	..	0	1	3			
Parts of—														
Straps, front‡										2	..	0	0	3
Serjeants and rank and file§	{	Left..	1	..	0	0	11			
			Right	1	..	0	0	11			
Parts of—														
Straps, front 										2	..	0	0	3

* One of the rings referred to at page 14, together with a piece of whipcord, is issued with each bottle supplied to a mounted corps.

† These are Mark II.

‡ Dimensions, 13 inches × ½ inch.

§ These are Mark III.

|| Dimensions, 9½ inches × 1 inch.

Section I.

5

ACCOUTREMENTS.					Contract Rate.		
Braces, leather, continued—						£ s. d.	
Valise equipment Pattern 1882—							
Buff—							
All ranks not wearing valise equipment pouches—				No. to a set.			
Left	1	each	0	1 8
Right	1	„	0	1 8
Parts of—							
Straps, front*	2	„	0	0 3½
Serjeants and rank and file†							
{ Left ..				1	„	0	1 6
{ Right ..				1	„	0	1 6
Parts of—							
Straps, front‡	2	„	0	0 3½
Buckles, § brass—							
Brace, valise equipment—							
{ Large, roller, for side piece, 1 inch	gross	0	4 8
{ Small, for front strap, strap supporting, and loop	doz.	0	0 3½
{ converted drum carriage, ¼ inch	„	0	0 6
Oval, for attaching to ring, 1½ inch	„	0	0 1
Brace, valise equipment, Pattern 1882, ring barred	each	0	0 3
Drum carriage, bridge bar, 2½ inch	„	0	0 3
Frog—							
Commissariat, and Ordnance, Corps; Rifle Regiments, ser-				jeants and rank and file; and sea service, N.P., ¼ inch ..	doz.	0	0 3
Infantry, serjeants, drummers and band, and Royal En-				gineers, ½ inch	„	0	0 3
Royal Artillery, serjeants and rank and file	„	0	0 4
Girdle, wire, with two tongues, 1½ inch	„	0	0 9
Pouch Cavalry, ¼ inch	each	0	0 1
{ Cavalry, 2½ inch	„	0	0 2
{ Household Cavalry { Staff and band, 2½ inch	„	0	1 3
{ Lancers, 2½ inch	„	0	1 3
{ Rank and file, 3 inch	„	0	0 2½
Pouch-belt billet, Household Cavalry, 1 inch	„	0	0 1
Sabretache-billet	„	0	0 1½
Sling, rifle { Infantry Militia	„	0	0 1
{ Rifle Regiments	„	0	0 1
Strap, valise equipment, { Bag, ammunition	doz.	0	0 3
{ Great coat, ¾ inch¶	„	0	0 4
O.P. { Mess tin	„	0	0 4
{ Supporting (see Buckles, brace, small)	„	0	0 3½
Sword-knot, Household Cavalry, ½ inch	each	0	0 1
Valise, bridge barred, curved, roller, 1 inch	doz.	0	0 9
Valise and front strap, Pattern 1882, bridge barred, 1 inch	each	0	0 1
Waist-belt—							
Transport Corps, all ranks, and Cavalry, wire, 1½ inch	doz.	0	0 6
Commissariat, and Ordnance, Corps; and Rifle Regiments,				serjeants and rank and file, wire, 1½ inch ..	each	0	0 1
Household Cavalry, ½ inch	„	0	0 1

* Dimensions, 13 inches × ½ inch.

† These are Mark III.

‡ Dimensions, 9½ inches × 1 inch.

§ The size of a buckle is its inside width, and is the width of the belt or strap passing through it.

|| This buckle is also for the following services:—

Carriages, brown, water-bottle, Army Hospital, Commissariat and Transport, and Ordnance Corps, and sea service (not brace equipment).

Bag, ammunition, black, enamelled.

Frogs { Army Hospital Corps.

Royal Artillery.

Hand axe, black and buff.

¶ And great coat and mess tin, supporting and mess tin, and water-bottle, Pattern 1882.

Section I.

ACCOUTREMENTS.		Contract Rate.	
Buckles,* brass, continued—			£ s. d.
Waist-belt—			
Infantry and Rifle Regiments, valise equipment (Mark II), wire, 1½ inch	doz.	0	0 6
Infantry, rank and file; Royal Artillery and Royal Engineers, sergeants and rank and file; and sea service, snake hook, wire, 1½ inch	„	0	0 6
Royal Horse Artillery, ¾ inch	each	0	0 1
Waist-belt billet { Transport Corps, and cavalry, all ranks except staff sergeants, 1¼ inch	„	0	0 1½
{ Royal Horse Artillery, bridge barred, 1¼ inch	„	0	0 2
Buckles*, brass, bronzed, sea service—			
O. P. waist-belt, flat barred, 2 inch	„	0	0 3
Sling (see Slides)	„	0	0 2
Buckles,* German silver—			
Frog, Militia Artillery, ¾ inch	doz.	0	0 6
Waist-belt, Militia Artillery, ¾ inch	each	0	0 1
Buckles,* German silver, silver plated—			
Waist-belt, Rifle Regiments and Rifle Militia, staff sergeants, 1½ inch§	„	0	0 3
Waist and pouch belts, Militia Artillery, staff sergeants, ¾ inch	„	0	0 2
Waist-belt, billet, Rifle Regiments, Artillery Militia, and Rifle Militia, staff sergeants†	„	0	0 2
Buckles,* gilding metal, waist-belt, Infantry, sergeants, wire, 1½ inch	„	0	0 1½
Buckles,* gilding metal, gilt—			
Pouch-belt { Cavalry, staff sergeants, 2½ inch	„	0	1 3
{ Royal Artillery, staff sergeants (see Buckles, waist-belt)	„	0	0 1
Sabretache billet, bridge bar, ¾ inch	„	0	0 2
Waist-belt { Conductors, and Commissariat, and Ordnance, Corps, and Infantry, staff sergeants, wire, 1½ inch	„	0	0 2
{ Cavalry, staff sergeants, wire, 1½ inch	„	0	0 2
{ Royal Artillery and Royal Engineers, staff sergeants; and pouch-belt, Royal Artillery, staff sergeants, ¾ inch	„	0	0 1
Waist-belt billet { Cavalry, staff sergeants, bridge barred, 1¼ inch	„	0	0 2
{ Royal Artillery and Royal Engineers, staff sergeants; and Under Officers, Woolwich, bridge barred, 1 inch	„	0	0 2
Buckles,* iron—			
Black japanned, with two brass tongues, for N.P. black haversacks, 2¼ inch	gross	0	3 0
Black japanned, roller, valise, ¾ inch†	„	0	1 7½
Tinned, pouch, Infantry Militia, { 20 rounds, 1 inch	each	0	0 1
with chape { 50 „ 1½ „	„	0	0 3
With chape, cap, hand axe, ½ inch { Black, Rifle Regiments	„	0	0 2
{ Brown, Infantry	„	0	0 2
Buttons—			
Bone, black, Rifle haversack	gross	0	1 0
Brass, Cavalry, Royal Horse Artillery, and Transport Corps, sword knots, also for sabretache pocket	„	0	4 0
Leather, sling { Black, Rifle Regiments	doz.	0	0 2½
{ Brown, Commissariat and Ordnance Corps	„	0	0 1
{ Buff, Royal and Militia Artillery, and Royal Engineers	100	0	2 6
White metal, for haversacks, 4 hole	gross	0	0 11

* The size of a buckle is its inside width, and is the width of the belt or strap passing through it.

† Also for staff sergeants, Enrolled Pensioners, and Army Reserve.

‡ Also for straps, black, pinching bar, and connecting felling axe, pick and shovel; and black knee cap.

ACCOUTREMENTS.							Contract Rate.		
							£	s.	d.
Canteens, wood	each						0	1	4
Caps, leather—									
Brown, felling axe, Cavalry	"						0	2	0
Black, Infantry	"						0	0	8
Knee { Military Prisons (see page 467)	"						0	1	9
Brown { Naval	"						0	0	9½
Royal Engineers	pair						0	3	4
Carriages, leather—									
Drum, side { Black, Enrolled Pensioners	each						0	3	6
Buff, Infantry	"						0	2	6
Sabretache, buff, without billets, all ranks*	pair						0	0	6
Waist-belt—									
With attached billets—									
Buff, Household Cavalry { Long	each						0	1	6
Short	"						0	1	2
Without stud, brown, Commissariat, and Ordnance, Corps, staff serjeants—									
Long	"						0	0	9
Short	"						0	0	6
With stud, buff, Infantry, staff serjeants—									
Long	"						0	1	1
Short	"						0	0	10
Without billets—									
Black, japanned—									
Staff serjeants, Rifle Regiments, Rifle Militia, Enrolled Pensioners, and Army Reserve, without stud—									
Long	"						0	0	5½
Short	"						0	0	3
Brown, Transport Corps, all ranks { Long	"						0	0	7½
Short	"						0	0	4
Buff—									
Cavalry, staff serjeants { Long	"						0	0	10
Short	"						0	0	8
Cavalry, all ranks except staff serjeants, and mounted portions of Field Artillery and Royal Engineers—									
Long	"						0	0	5
Short	"						0	0	3
Royal Horse Artillery { Long	"						0	0	5
Short	"						0	0	3
White enamelled—									
Master Gunners, and staff serjeants, { Long	"						0	0	9
Garrison and Militia Artillery, and { Short, and for	"						0	0	6
Royal Engineers	"						0	0	10
Conductors { Long	"						0	0	6
Short (see Masters Gunners, &c.).	"						0	0	6
Water-bottle—									
Black, Rifle Regiments†	"						0	0	8
Brown—									
Commissariat and Transport, and Ordnance, Corps and Royal Artillery†	"						0	0	9½
Sea service { Long	"						0	0	8
Short, brace equipment	"						0	0	10½
Buff, Cavalry, Royal Engineers and Infantry†	"						0	1	2
Cases, leather, brown—									
B.L. revolver	"						0	1	2
Boarding axe	"								
Cartridge, boat, magazine { 192 rounds	"						0	2	1
108	"						0	1	4
Implements, revolver	"						0	2	3

* In the 1879 edition these were termed "slings."

† These carriages were termed "straps" in the 1873 edition.

‡ Differ only in the Sea Service pattern being stained.

ACCOUTREMENTS.										Contract Rate.		
Cases, leather, spring, Italian water-bottle—											£	s. d.
Black..	each	0	0	3½
Buff	„	0	0	5
Catches, waist-belt—												
Brass—												
Cavalry, all ranks, except staff serjeants and Transport Corps	„	0	0	2
Field Artillery, drivers and dismounted men, for plates	„	0	0	1½
Household Cavalry, 2 1/4 inch	„	0	0	3
Rifle Regiments, Commissariat, and Ordnance, Corps, Royal	„	0	0	1
Artillery and Royal Engineers, serjeants and rank and file	„	0	0	1
Rifle Regiments, serjeants and rank and file, valise equip-	„	0	0	1
ment (Mark II), 1½ inch	„	0	0	1
German silver, silver-plated, staff serjeants—												
Militia Artillery	„	0	0	3
Rifle Regiments	„	0	0	3
German silver, serjeants and rank and file, Militia Artillery	doz.	0	1	5
Gilding metal—												
Gilt, staff serjeants { Cavalry	each	0	0	2
{ Royal Artillery	„	0	0	2
{ Commissariat, and Ordnance, Corps	„	0	0	2
Serjeants, Royal Artillery	„	0	0	2
Chaps, leather—												
Pouch, Cavalry { Black japanned, staff serjeants*	„	0	0	1
{ Black, all ranks except staff serjeants*	„	0	0	1
Pouch, Household Cavalry, black, staff and band	„	0	0	2½
Valise, Infantry { Black ..												
{ Brown	„	0	0	7
{ Buff	„	0	0	3½
Waist-belt, buff { Army Hospital Corps ..												
{ Household Cavalry	„	0	0	1½
Cloth, scarlet, ornament lining, Household Cavalry	„	0	0	1
Cords, flack—												
Blue, 2nd Life Guards	„	0	0	1½
Scarlet, 1st Life Guards and Royal Horse Guards	„	0	0	1½
Corks, holster	gross	0	2	0
Cuirasses, complete, Life Guards and Royal Horse Guards—												
With scales and shoulder straps†	set	8	6	0
Without scales or shoulder straps†	„	2	16	0
Dees—												
Pouch, brass { Household Cavalry, staff and band	each	0	0	1
{ Valise equipment and chape for brace	doz.	0	0	6
Sabretache { Brass, all ranks except staff serjeants	„	0	0	6
{ Gilding metal, gilt, staff serjeants	each	0	0	2
Flaps, leather, pouch, black—												
Cavalry, japanned, serjeants and rank and file	„	0	1	3
Infantry Militia—												
Serjeants, 20 rounds { Inside	„	0	0	5½
{ Outside	„	0	1	3½
Rank and file, 50 rounds { Inside	„	0	1	0
{ Outside	„	0	1	7
Infantry, Rifle Regiments, Royal Artillery and Royal Engi-	„	0	1	1
neers, valise equipment	„	0	1	1
Royal Artillery—	„	0	1	6
Japanned, limber gunners, Royal Horse and Field Artillery	„	0	1	6
Serjeants and rank and file { Inside	„	0	0	3
{ Outside	„	0	1	6
Flaps, leather, sabretache, black—												
Japanned, staff serjeants	„	0	2	6
All ranks except staff serjeants	„	0	2	0

* The term Staff Serjeants in this instance includes Troop Serjeant Majors.

† Not including cost of view.

Section I.

9

ACCOUTREMENTS.		Contract Rate.		
Frogs, leather, black—			£	s. d.
Army Reserve and Enrolled Pensioners, rank and file	each	0	0	10½
Enamelled, Royal Artillery Band	"	0	1	2
Rifle Regiments { Serjeants and rank and file, and serjeants				
Enrolled Pensioners and Army Reserve	"	0	0	10
Pioneers, with shifting loops	"	0	0	8
Parts of:—fronts	"	0	0	2
Frogs, leather, brown—				
Commissariat, and Ordnance, Corps, serjeants and rank and file	"	0	0	10
Sea service { Cutlass, and sword bayonet	"	0	0	8½
Sword bayonet, brace equipment	"	0	0	8
With shifting loop, Army Hospital Corps	"	0	0	11
Frogs, leather, buff—				
Army Hospital Corps, serjeants and rank and file	"	0	1	2
Gentlemen Cadets { Sandhurst	"	0	0	11
Woolwich	"	0	1	0
Pioneers, with shifting loops	"	0	1	3
Sword-bayonet, Serjeants, drummers, band and buglers, and Royal Engineers, serjeants and rank and file	"	0	1	1
Bayonet, rank and file	"	0	0	11½
Parts of:—fronts	"	0	0	3½
Militia Artillery	"	0	0	11
Royal Artillery	"	0	1	2
Girdles, worsted, Lancers..	"	0	3	2
Grenades, German silver, waist-plate, Militia Artillery, all ranks except staff serjeants	"	0	0	2
Haversacks, canvas—				
With calico pockets, Rifle Regiments—				
Black { With black japanned iron buckle	"	0	1	5
With black japanned iron slide, and loop	"	0	1	6½
Dark green, with black japanned iron slide, and loop	"	0	1	10½
White—				
General service, with brass slide and loop*	"	0	0	10½
Sea service { With brass roller buckle†	"	0	1	3
Without brass slide	"	0	0	11
All army services except Rifle Battalions, with brass buckle††	"	0	0	11
Hides, buff	lb.	0	3	4
Hinges, leather, for pouches, black japanned, Cavalry	doz.	0	0	9
Holsters, leather, revolver, sea service	each	0	1	6
Hooks—				
Pouch-belt—				
Brass, Royal Artillery	"	0	0	2
German silver, Militia Artillery, all ranks	"	0	0	2
Waist-belt—				
Brass—				
Cavalry and Transport Corps—				
Side	"	0	0	1
Snake	"	0	0	1
Household Cavalry, side§	"	0	0	8
Infantry and Rifle Regiments, valise equipment, for connecting braces to waist-belts, all ranks	doz.	0	0	4½
Rifle Regiments, snake, also Royal Artillery and Royal Engineers having valise equipment, serjeants and rank and file, without catch	"	0	0	6
Royal Horse Artillery { Plate	each	0	0	1
Side	"	0	0	1½

* This pattern haversack is made of dowlas.

† This is Mark II pattern.

‡ This pattern haversack is made of tent duck.

§ Also termed "sword-hook."

ACCOUTREMENTS.		Contract Rate.	
		£ s. d.	
Hooks, continued—			
Waist belt—			
German silver, silver-plated, staff sergeants—			
Side, Rifle Regiments, and Artillery and Rifle Militia* ..	each	0	0 2
Snake, without catch	"	0	0 4
Gilding metal, gilt—			
Side—			
Commissariat, and Ordnance Corps, Foot Guards, Infantry, staff sergeants, and Under Officers, Woolwich ..	"	0	0 3
Cavalry, staff sergeants	"	0	0 2
Royal Artillery, staff sergeants, Under Officers, Sandhurst, and Chief Warders, Military Prisons ..	"	0	0 2
Snake, without catch, Commissariat, and Ordnance, Corps, and Cavalry, staff sergeants	"	0	0 3
Knots, leather, sword, black—			
Chief Warders, Military Prisons	"	0	1 0
Staff sergeants, Rifle Regiments, Rifle Militia, Enrolled Pensioners, and Army Reserve	"	0	1 3
Knots, leather, sword, brown—			
Army Hospital, Commissariat, and Ordnance, Corps, staff sergeants; and Conductors	"	0	1 7
Transport Corps—			
Staff sergeants	"	0	1 6
All ranks except staff sergeants	"	0	0 5
Knots, leather, sword, buff—			
Conductors, Master Gunners, and Cavalry,† Garrison Artillery, Royal Engineers and Infantry, staff sergeants	"	0	1 5½
Household cavalry	"	0	1 0
All ranks, Cavalry (staff sergeants excepted), Royal Horse and Field Artillery, and mounted men, Royal Engineers ..	"	0	0 7½
Labels, brass, with pins and washers, for pouches and ball bags sea service		100	0 3 0
Labels, yellow worsted, for B.L. pistol		each	0 0 3½
Letters, brass, for shields, valise		100	0 2 11
Locketts, union, brass—			
Crown only, rank and file‡	each	0	0 4½
Foot Guards§ and Infantry , rank and file	"	0	0 6
Infantry Militia¶	"	0	0 4½
Royal Marines	"	0	0 6½
Universal, sergeants and rank and file	"	0	0 5
Locketts, union, gilding metal, gilt—			
Gentlemen Cadets, Sandhurst	"	0	10 0
Staff sergeants—			
And conductors, Universal	"	0	1 4
Crown only†	"	0	1 6
Foot { Coldstream	"	0	12 0
Guards { Grenadier	"	0	10 0
Scots	"	0	10 0
Infantry 	"	0	2 6
Infantry Militia¶	"	0	1 4½
School of Musketry	"	0	2 6
Locketts, union, gilding metal, sergeants—			
Crown only‡	"	0	0 6
Foot Guards§ and Infantry 	"	0	0 9
Infantry Militia¶	"	0	0 7½
Universal	"	0	0 6

* Also for Enrolled Pensioners and Army Reserve staff sergeants.

† For Troop Sergeant Majors also.

‡ For special and extra service, also occasionally issued to Militia.

§ Coldstream, Grenadier, and Scots.

|| Nos. 1 to 109.

¶ Has the word "Militia," with a wreath, crown, and V.R., or has a crown and county designation.

ACCOUTREMENTS.						Contract Rate.		
						£	s.	d.
Loops, brass—								
Haversack	gross					0	4	8
Waist-belt—								
Household Cavalry, triangular, 2½ inch × 2½ inch × 1½ inch ..	each					0	0	3
Hussars, all ranks except staff serjeants	doz.					0	0	3
Valise equipment—								
Long, wire, 1½ inch	"					0	0	4½
Triangular, wire, 1 inch × 1 inch × 1 inch × ½ inch	"					0	0	4½
Loops, gilding metal, waist-belt, valise equipment, Infantry serjeants—								
Long, wire, 1½ inch	"					0	0	6
Triangular, wire, 1 inch × 1 inch × 1 inch × ½ inch	"					0	0	6
Loops, gilding metal, gilt, waist-belt—								
Hussars, staff serjeants	each					0	0	2
Valise equipment, staff serjeants—								
Long, wire { Foot Guards, 1½ inch	"					0	0	1
Infantry, 1½ inch	"					0	0	1
Triangular, wire, 1 inch × 1 inch × 1 inch × ½ inch	doz.					0	0	10½
With eye, staff serjeants, Army Hospital, Commissariat and Transport, and Ordnance, Corps, and Infantry; Under Officers, Sandhurst; Chief Wardens, Military Prisons; and Conductors						each		0 0 2
Loops, German silver, silver-plated, waist-belt, Rifle Regiments, staff serjeants, valise equipment—								
Long, wire, 1½ inch	doz.					0	0	9
Triangular, wire, 1 inch × 1 inch × 1 inch × ½ inch	"					0	0	8
Loops, iron, black japanned, for black haversacks						"		0 0 3
Loops, leather, black—								
Japanned, dirk, pipers	each					0	0	6
Ball bag, Rifle Militia	"					0	0	4
Brace { triangular, 2½ inches × 2½ inches	"					0	0	0½
{ 3 inches × ½ inch	"					0	0	0½
Centre strap, valise, 2½ inches × ½ inch	"					0	0	0½
Mess-tin strap, 2½ inches × ½ inch	"					0	0	0½
Shifting, for frogs, pioneers, Rifle Regiments	"					0	0	2
Sling, Rifle Regiments	"							
Valise, 2½ inch by ½ inch	doz.					0	0	6
Waist-belt, Rifle Regiments	each					0	0	1
Loops, leather, brown—								
Transport Corps, all ranks—								
Belt, waist	doz.					0	0	6
Knot, sword	"					0	0	3
Pouch-back, 30 rounds, sea service	"					0	0	6
Loops, leather, buff—								
Ball bag, Infantry Militia	each					0	0	4
Belt—								
Pouch { Household Cavalry, rank and file	"					0	0	1½
{ Royal Artillery, serjeants and rank and file	"					0	0	1½
{ Cavalry	"					0	0	1
Waist { Drivers and dismounted men, Field Artillery, and	"							
{ serjeants and rank and file, Militia Artillery	"					0	0	1½
{ Household Cavalry	"					0	0	4
{ Infantry	doz.					0	0	6
Brace { Triangular, 2½ inches × 2½ inches	each					0	0	1
{ 3 inches × ½ inch	"					0	0	1
Dirk, Highland Regiments, band and drummers	"					0	0	6
Mess-tin strap, 2½ inches × ½ inch	"							
Sabretache carriage	doz.					0	0	6
Shifting, for frogs, pioneers, Infantry	each					0	0	6
Sling { Infantry	doz.					0	0	6
{ Royal Artillery	each					0	0	1
Sword-knot, Household Cavalry	doz.					0	0	6
With buckle, for converted carriage of side drum	each					0	0	6
Numerals, brass, for shields, valise						100	0	2 11
Ornaments, brass—								
Plate, waist-belt { Field Artillery, drivers and dismounted men	each					0	0	2
{ Household Cavalry	"					0	2	0

ACCOUTREMENTS.						Contract Rate.		
						£	s.	d.
Straps, leather, continued—								
Valise equipment—								
Black—								
Supporting valise, Rifle Regiments	each					0	6	3½
Valise { 20 inch	doz.					0	0	10
7 "	"					0	0	8
Brown—								
Great coat, Army Hospital, Commissariat, and Ordnance, Corps	each					0	0	4½
Mess tin						0	0	3
Pouch-back, 20 rounds, Commissariat, and Ordnance, Corps*	doz.					0	0	6
Supporting valise, Army Hospital, Commissariat, and Ordnance, Corps.. .. .	each					0	0	3½
Buff—								
Ammunition bag	"					0	0	2½
Great coat	"					0	0	6
Mess tin	"					0	0	3½
Pouch-back, black, Royal Artillery, Royal Engineers, Rifle Regiments, and Infantry, 20 rounds; and pouch, buff, Infantry, 20 rounds.. .. .	"					0	0	1
Supporting valise, Infantry	"					0	0	4½
Valise, 12 inch	doz.					0	1	2
Valise Equipment, Pattern 1882—								
Black { Great coat and mess tin	each					0	0	3½
Supporting and mess tin†	"					0	0	3
Buff { Great coat and mess tin.. .. .	"					0	0	5
Supporting and mess tin†	"					0	0	3½
Studs—								
Brass—								
Bag and pouch, ammunition, valise equipment‡	doz.					0	0	3
Bag, ball	"					0	0	6
Belt, pouch { Cavalry, sergeants and rank and file	"					0	0	7
Royal Artillery§	each					0	0	1
Brace, valise equipment	doz.					0	0	5
Pouch—								
Cavalry	"					0	0	5
Infantry, Militia and Rifle Regiments, Army Reserve, and Enrolled Pensioners, 50 rounds	"					0	1	0
Sabretache, all ranks except staff sergeants	"					0	0	6
Gilding metal, gilt—								
Pouch { Cavalry, staff sergeants	"					0	1	0
Writing materials, and ammunition, staff sergeants, Royal Artillery	"					0	1	0
Cavalry, staff sergeants 	"					0	1	6
Pouch-belt { Conductors, Master Gunners, and staff sergeants	"					0	1	6
Garrison Artillery, and Royal Engineers¶	"					0	1	6
Sabretache, staff sergeants	"					0	1	0
German silver, silver-plated **	"					0	0	11

* Also for pouch, sea service, 20 rounds.

† Dimensions, 21 inches × ¾ inch.

‡ Also for case for pistol, and all N.P. sea service accoutrements.

§ Also for belt, alighting, telescope; frog, with shifting loop, black and buff, Pioneers, and brown, Army Hospital Corps.

|| Also for waist-belts, Commissariat, and Ordnance, Corps; Foot Guards and Infantry, staff sergeants; Under Officers, Sandhurst; and Chief Warders, Military Prisons.

¶ Also for pouch-belts, staff sergeants, Army Hospital Corps, and Conductors; and waist-belt billets, Conductors, and Master Gunners, and staff sergeants, Cavalry, Garrison Artillery, and Royal Engineers, and Under Officers, Woolwich.

** For pouch-belt, Militia Artillery, staff sergeants; carriages, Rifle Regiments, staff sergeants; and waist-belt billet, Militia Artillery, staff sergeants.

Section I.

17

ACCOUTREMENTS.										Contract Rate.	
										£ s. d.	
Tabs, leather, buff—											
Chape, waist-belt, Hussar (see Pieces, buff)											
Pouch-belt, Household Cavalry										each	0 0 2½
Thongs, leather—											
Black, for slings, Rifle Regiments										doz.	0 0 3
Brown { For sea service, shoulder belt										„	0 0 10
{ For whistle, serjeants, Infantry										each	0 0 1
White, horse hide, for Infantry waist-belt, and buff sling, rifle										doz.	0 0 1
Tins, pouch—											
Infantry Militia { and Rifle Militia, 20 rounds										each	0 0 4
{ Rank and file, 50										„	0 0 5
Pistol, Cavalry, staff serjeants, 24 rounds										„	0 0 3½
Sea service { 30 rounds										„	0 0 3½
{ 36										„	0 0 8
Tips—											
Brass, for belts—											
Pouch { Cavalry, 2½ inch										„	0 0 1½
{ Household Cavalry { Staff and band, 2½ inch										„	0 1 0
{ Rank and file, 3 inch										„	0 1 0
Pioneers										„	0 0 3
Gilding metal, gilt, for Cavalry, staff serjeants, pouch belts										„	0 0 6
Valises, dismounted services—											
O.P.										„	0 5 1
Pattern 1882										„	0 6 7
Washers, brass, for labels for pouches and ball bags, sea service										100	0 0 3
Whistles, German silver, with leather thong, Infantry serjeants										each	0 0 10½

APPOINTMENTS AND TOOLS, PIONEERS.

APPOINTMENTS AND TOOLS.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
			£ s. d.	£ s. d.	£ s. d.
CAVALRY (HOUSEHOLD CAVALRY EXCEPTED) AND ARTILLERY EQUIPMENT FOR DISABLING ORDNANCE.					
Apparatus, flint and steel—					
Complete	each		0 2 6		
Parts of { Match, slow	lb.		0 8 6		
{ Flints	each		0 0 1½		
Augers, screw, bull-nosed, 2 inch..	..		0 3 5		
Axes, hand, 2 lbs., handled (see page 63)	..		0 1 4		
Bags, waterproof, guncotton				
Boxes, metal, to carry vesuvian matches		0 1 0		
Cases, leather, brown—					
Cylindrical, detonator* †		0 2 11		
Hand axe ‡ §		0 4 1		
Holsters { Near 		0 4 4		
{ Off ¶		0 4 5		
Saw and file ** §		0 6 1		
With straps { Pickaxe §		0 4 4		
{ Shovel §		0 5 9		
Cylinders, tin—					
No. On base. External height and diameter.	To hold.				
††32 5'3" × 4'775"	Detonators, electric (No. 5), high tension, Abel, land service, and 1 rectifier 25	100	..	0 14 5	0 15 7
††48 3'45" × 2'857"	Solution, india-rubber, 8° oz. tin 1	2 0 1	2 2 5
‡‡ 18'4" × 2'18"	Detonators (No. 8), with 2 feet of safety fuze attached, and 1 rectifier .. 8	9 0 9	9 13 2
§§51 7'15" × 2'12"	Primers, guncotton, 2 oz. (dry).. .. 5	1 3 2	1 4 5
§§52 7'05" × 1'55"	Primers, guncotton, 1 oz. (dry).. .. 5	1 1 3	1 2 4

* Also for Royal Horse, and Royal Artillery.

† To carry tin cylinders containing detonators.

‡ With pocket for 18 nails.

§ With two pockets for gunspikes.

|| For auger, and tin cylinder containing detonators.

¶ For auger handle, and tin cylinder containing primers, and with two pockets for gunspikes.

** With two pockets, one for saw set and rule, and one for pincers.

†† Closed with soldered tin band.

‡‡ This cylinder has a lid at each end fastened with a bayonet joint, and has no number.

§§ Closed with tape band.

Section I.

19

APPOINTMENTS AND TOOLS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Detonators—	Per	£ s. d.	£ s. d.	£ s. d.
No. 5, electric	1,000	—	20 6 8	21 13 8
No. 8, with 2 feet of safety fuze attached *†	100	—	13 15 11	14 15 1
Files, saw, 3-square, hand, 5½ inch (see page 115)	doz.	0 2 5½	—	—
Guncotton—				
Primers, ‡ dry—				
2 oz., 1½ inch × 1½ inch ‡§ (see primers, guncotton, wet, page 530) ..	lb.	—	0 2 4½	0 2 7½
1 oz., 1½ inch × 1½ inch (see primers, guncotton, wet, page 530)	"	—	0 2 1	0 2 3½
Half slabs , 6½ inch × 3 inch × 1½ inch				
1 lb., † ¶ (see page 530)	"	—	0 1 5½	0 1 7½
Handles, auger screw, bull-nosed, 2 inch ..	each	0 0 2½		
Lashings, white rope, 1 inch, 15 feet ..	"	0 0 4		
Nails, wrought iron, 4 inch, No. 86 (see page 152)	lb.	0 0 1½		
Picks, light, helved, N.P. (see page 78) ..	each	0 2 6		
Pincers, end cutting, or nippers** ..	pair	0 2 2		
Pouches, leather, brown—				
Apparatus, flint and steel, and reel of twine (see foot note, page 13) ..	each			
Vesuvian match box of	"	0 0 11		
Rectifiers, guncotton, primer (see page 515)	100	—	4 5 4	4 10 9
Reels, wood, for twine	each			
Rules, 2 feet, 4-fold, collarmakers (see page 127)	"	0 0 5½		
Saws, hand, pruning, 18 inch	"	0 2 0		
Sets, saw, hand (see page 127)	"	0 0 7		
Shovels, light, helved (see page 79)	"	0 1 6½		
Solution, india-rubber	lb.	0 1 2½		
Spanners, McMahon's, 9 inch (see page 128)	each	0 3 2		
Spikes, gun, common (see page 393)	"	..	0 0 2	0 0 3
Straps, leather, brown, pouch††	"			
Wallets, leather, brown, guncotton ¶ ‡† ..	pair	1 8 0		
Wire, iron, soft, No. 22, B.W.G. (see page 174)	lb.	0 0 2		

* Also for Royal Horse, and Royal Artillery.

† Not issued in time of peace.

‡ Issued from Waltham Abbey wet, but used dry.

§ Coated with tallow when issued for use.

|| Issued from Waltham Abbey wet, but can be used either dry or wet.

¶ For Royal Horse Artillery only.

** With claw at each leg.

†† For pouch, flint and steel apparatus, and reel and twine.

‡‡ Each wallet to contain 8 one-lb. half slabs of guncotton, each half slab measuring 6½ inch × 3 inch × 1½ inch.

APPOINTMENTS AND TOOLS.						Contract Rate.		
INFANTRY.						£	s.	d.
Augers, screw, 1 inch, 17 inches long	each					0	1	0
Axes—								
Handled, hand						0	1	4
Helved { Felling, curved helve } (see page 63) {						0	3	6
Helved { Pick, 5 lbs. (see page 76)						0	1	6½
Bars, pinching, 2 feet 10 inches						0	3	0
Buffers, farriers (see page 108).						0	0	7½
Caps, leather—								
Hand axe { Black						0	0	6½
Hand axe { Brown						0	0	6½
Cases, leather—								
Black—								
Ordinary and valise equipment—								
Axes { Felling*						0	2	3
Axes { Pick*						0	2	6
Bill hook*						0	3	1
Crow bar*						0	2	8
With shoulder belts, ordinary equipment—								
Hand axe and saw*						0	9	6
Shovel*						0	7	3
Spade*						0	6	10
Tools { Shoeing Smiths						0	10	0
Tools { Small*						0	6	8
With loops to slide on waist-belt, valise equipment—								
Hand axe and 26-inch saw { Black loops						0	11	5
Hand axe and 26-inch saw { Buff "						0	11	6
Shovel { Black loops						0	7	4
Shovel { Buff "						0	7	4
Spade { Black loops						0	6	3
Spade { Buff "						0	6	3
Tools, shoeing—								
Black loops { No. 1.. .. .						0	4	11
Black loops { No. 2.. .. .						0	5	1
Buff loops { No. 1.. .. .						0	5	1
Buff loops { No. 2.. .. .						0	5	3
Small { Black loops.. .. .						0	7	6
Small { Buff "						0	7	6
Hand axe and 20-inch saw						0	8	0
With straps for pinching bar—								
Butt { Black						0	0	10
Butt { Buff						0	0	10
Point { Black						0	0	10
Point { Buff						0	0	10
Chisels—								
Hand, cold, smiths, 8 inch × ½ inch (see page 110)						0	0	5
Socket, handled, 1½ inch† (see page 110).. .. .						0	1	0
Files, saw, 3-square, hand, 5½ inch (see page 115)	doz.					0	2	5½
Frogs, leather, for hand axe—								
Black.. .. .	each					0	0	10
Buff						0	1	0
Hammers—								
Handled, claw, 20 oz., small‡ (see page 119)						0	1	1
Shoeing, farriers (see page 120)						0	1	6
Hooks, bill, handled (see page 68)						0	1	6
Knives, drawing (see page 123)						0	0	5

* Issued to Royal Navy as articles of current supply.

† The handle must be shortened when necessary, to permit the chisel being carried in the small tool case.

‡ The swell on the handle must be reduced, to permit the handle to pass into the loop of the auger.

Section I.

21

APPOINTMENTS AND TOOLS.										Contract Rate.				
										£ s. d.				
Loops, leather, for cases, valise equipment—														
<i>Black—</i>														
<i>Hand axe and saw</i>	each	0	0	2		
<i>Shovel</i>	pair	0	0	5		
<i>Spade</i>	"	0	0	5		
<i>Tool</i> { <i>No. 1</i>	"	0	0	5		
{ <i>No. 2</i>	"	0	0	5		
{ <i>Small</i>	"	0	0	5		
<i>Buff—</i>														
<i>Hand axe and saw</i>	each	0	0	2		
<i>Shovel</i>	pair	0	0	5		
<i>Spade</i>	"	0	0	5		
<i>Tools</i> { <i>No. 1</i>	"	0	0	5		
{ <i>No. 2</i>	"	0	0	5		
{ <i>Small</i>	"	0	0	5		
Nails, horse-shoe, No. 139 (see page 153)										..	cwt.	2 17 0		
Picks, helved, light { N.P. } (see page 78)										..	{	each 0 2 6		
										..		"	0 1 8	
Pincers, farriers (see page 124)										pair 0 2 7		
Pouches, leather, for gunspikes—														
<i>Black..</i>	each	0	0	6		
<i>Brown (see page 13)</i>	"	0	0	6		
Rasps, farriers, 14 inch (see page 126)										doz. 0 10 6		
Saws, hand—														
<i>20 inch</i>	each	0	2	3		
<i>26 inch (see page 127)</i>	"	0	2	0½		
Shovels, helved—														
<i>Old pattern</i>	"	0	3	4		
<i>Light, cast-steel (see page 79)</i>	"	0	1	6½		
Spades (see page 79)										" 0 1 8		
Spikes, gun, common (see page 393)										{ No. 1 B.S. 0 0 2 No. 2 B.S. 0 0 3	
Straps, leather—														
Connecting shovels and spades { <i>Black</i>											Contract. 0 0 7
										{ <i>Buff</i>	" 0 0 7½
<i>Brown, steadying shovels and spades</i>										" 0 0 2½

Section I.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance. Sheet.	No. 2 Balance Sheet.
Barrels, rifled, B.L., sighted, contd.—		£ s. d.	£ s. d.	£ s. d.
Snider, without actions—				
Rifle, short, iron mounted, patt. /56, 3 grooves, non-interchangeable, bar on band—				
Iron	each	0 12 0	—	—
Steel	"	0 18 6	—	—
Rifle, short, iron mounted, patt. /56, 3 grooves, non-interchangeable, bar on barrel—				
Iron	"	0 12 6	—	—
Steel	"	0 19 0	—	—
Bayonets, common, with locking ring—				
B.L. Martini-Henry, rifle, inter- changeable—				
Patt. /53, converted.. .. .	"	—	0 4 0	0 4 4
Long	"	—	0 4 4	0 4 8½
B.L. Snider rifles—				
Patt. /53, interchangeable	"	0 5 6	—	—
Patt. /53, non-interchangeable	"	0 5 6	—	—
Bayonets, sword, B.L. Martini-Henry, interchangeable—				
Carbine, Artillery	"	—	0 12 10	0 14 0
Rifles { Patt. /58, with cutlass guard, converted, 25½ inch*	"	—	0 12 9	0 13 9
{ Sawback, Mark I	"	—	0 10 0	0 10 11
{ Short, patt. /60, converted (for Rifle Regiments, Royal En- gineers, Royal Marine Artil- lery, and sergeants of Line Regiments)	"	—	0 9 0	0 9 9
Bayonets, sword, B.L. Snider—				
Carbines—				
Artillery—				
Patt. /61, interchangeable	"	0 8 0	—	—
Patt. /53, non-interchangeable	"	0 10 6	—	—
Irish Constabulary, non-interchange- able, sawback	"	—	0 8 0	0 8 10
Lancaster, O.B., non-interchangeable	"	0 10 6	—	—
Rifles, patt. /58, with cutlass guard*—				
Interchangeable	"	—	0 12 9	0 13 9
Non-interchangeable	"	0 13 0	—	—
Rifle, short, interchangeable, patt. /60	"	—	0 9 0	0 9 9
Rifle, short, non-interchangeable, brass mounted, patt. /56	"	0 10 6	—	—
Rifle, short, non-interchangeable, iron mounted—				
Patt. /56, bar on—				
Band	"	0 10 6	—	—
Barrel	"	0 10 6	—	—
Patt. /60, bar on barrel	"	0 10 6	—	—
Blades, foil, fencing (see page 474)	"	0 2 7	—	—
Blocks, B.L., interchangeable—				
Breech, Snider { Mark II**	"	—	0 1 0	0 1 1
{ Mark III	"	—	0 1 4½	0 1 6
Breech, Martini-Henry—				
Carbines and rifle, Mark III	"	—	0 2 5	0 2 7½
Rifle, Mark II	"	—	0 2 0½	0 2 2½
Lever, catch, Martini-Henry, carbines and rifle	"	—	0 0 3	0 0 3½

* Termed "naval patt. /58" in 1879 edition.

Section I.

25

SMALL ARMS.	Per	Rate.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Bodies, B.L., interchangeable—		£ s. d.	£ s. d.	£ s. d.	
Martini-Henry—					
Carbines	each	—	0 4 7	0 4 11½	
Rifle { Mark II	"	—	0 4 10½	0 5 3½	
Mark III	"	—	0 4 7	0 5 0	
Bolts, bayonet, sword, B.L. arms—					
All interchangeable, except rifle, Martini-Henry, converted, and carbine, Artillery, Martini-Henry	"	—	0 0 2½	0 0 3	
Carbine, Artillery, Martini-Henry	"	—	0 0 2½	0 0 2½	
Non-interchangeable—					
Carbine, Snider, Lancaster, O.B.	"	0 0 2½	—	—	
All other arms, including rifle, Martini-Henry, interchangeable, converted	"	—	0 0 0½	0 0 0½	
Bolts, block, breech, B.L. Snider, interchangeable, Mark III	"	—	0 0 3½	0 0 4	
Bolts, stock, B.L., interchangeable, carbines and rifle, Martini-Henry	"	—	0 0 4½	0 0 4½	
Bridles, lock—					
Interchangeable, all B.L. Snider	"	—	0 0 4	0 0 4½	
Non-interchangeable, all B.L. Snider arms	"	0 0 4	—	—	
Buff-pieces, swords, Cavalry, patt. /53 and /64, and Royal Navy (cutlass)	"	—	0 0 1½	0 0 1½	
Caps, nose, brass—					
Interchangeable—					
Carbines { Artillery, patt. /61, and rifle, patt. /58,* B.L. Snider	"	—	0 0 4½	0 0 5	
Rifle, B.L. Snider, patt. /53	"	—	0 0 4½	0 0 5	
Non-interchangeable—					
Carbines, Artillery, patt. /53, and Lancaster, O.B., also rifle, patt. /53, B.L. Snider	"	0 0 1½	—	—	
Rifles, short, brass mounted, patt. /56 and patt. /58,* B.L. Snider	"	0 0 1½	—	—	
Caps, nose, iron—					
Interchangeable—					
Carbines, B.L. Martini-Henry { Cavalry	"	—	0 2 1	0 2 3	
Artillery	"	—	0 3 0	0 3 3	
Rifles { B.L. Martini-Henry	"	—	0 0 4½	0 0 5½	
Short, patt. /60, B.L. Snider	"	—	0 0 6	0 0 6½	
Non-interchangeable, rifles, B.L. Snider, short, iron-mounted, patt. /60, and patt. /56, bar on band or barrel	"	0 0 2½	—	—	
Caps, snap—					
All B.L. Snider arms	"	0 0 2	—	—	
B.L. Martini-Henry, rifle, Mark II	"	—	0 0 5½	0 0 6	
Carbines, B.L. rifled—					
With cleaning rods—					
Martini-Henry, interchangeable—					
Artillery	"	—	2 6 4	2 10 6	
Cavalry, with cover, leather, back-sight	"	—	2 2 6	2 6 4	
Snider, Artillery—					
Interchangeable, patt. /61, 5 grooves—					
Iron barrels { Mark II**	"	—	2 3 9	2 7 3	
Mark III	"	—	2 4 6	2 8 1	
Steel barrels { Mark II**	"	—	2 8 6	2 12 5	
Mark III	"	—	2 8 6	2 12 5	

* Termed "naval patt. /58" in 1879 edition.

Section I.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Carbines, B.L. rifled, continued—		£ s. d.	£ s. d.	£ s. d.
With cleaning rods—				
Snider, Artillery—				
Non-interchangeable, patt. /53, with sword bayonets and steel scabbards—				
Iron barrels { Mark II** * ..	each	2 6 3	—	—
Mark III * ..	"	2 7 0	—	—
Snider, Cavalry, interchangeable, patt. /61, 5 grooves, with cover, leather, backsight—				
Iron barrels { Mark II**	"	—	2 2 4	2 5 4
Mark III	"	—	2 3 0	2 5 6
Steel barrels { Mark II**	"	—	2 7 10	2 11 8
Mark III	"	—	2 8 6	2 12 4
Snider, Irish Constabulary, non-interchangeable, with sword bayonet, saw back, and leather scabbard, iron barrel, Mark II** *	"	2 16 0	—	—
Snider, Lancaster, O.B., non-interchangeable, with sword bayonets and leather scabbard—				
Iron barrels { Mark II** * ..	"	3 6 6	—	—
Mark III * ..	"	3 7 3	—	—
Snider, Yeomanry, interchangeable, with cover, leather, backsight †	"	—	2 3 0	2 5 6
Chains, with ring, cap, snap, interchangeable, all B.L. Snider arms	doz.	—	0 0 8	0 0 8½
Covers, leather, backsight—				
Carbines, B.L., Cavalry, interchangeable—				
Martini-Henry	100	0 12 0	—	—
Snider, patt. /61, and Yeomanry ..	each	0 0 2	—	—
Covers, spring, all B.L. Snider arms, Mark II** and III—				
External	"	—	0 0 1½	0 0 2
Internal	"	—	0 0 1½	0 0 2
Crosspieces, foil, fencing (see page 474)	"	0 1 0	—	—
Cups, side, brass—				
Interchangeable—				
Carbine, Artillery, B.L. Snider, patt. /61, rifles, B.L. Snider, patt. /53, and patt. /58†	"	—	0 0 0½	0 0 0½
Carbine, Cavalry, B.L. Snider, patt. /61	"	—	0 0 1	0 0 1½
Non-interchangeable—				
B.L. Snider, carbines, Artillery, patt. /53, and Lancaster, O.B., rifles, patt. /53, patt. /58,† and short, brass-mounted patt. /56	doz.	0 0 2½	—	—
Cups, side, iron—				
Interchangeable, rifle, B.L. Snider, short, patt. /60	each	—	0 0 1	0 0 1½
Non-interchangeable, B.L. Snider, rifles, short, iron-mounted, patt. /56, bar on band or barrel, and patt. /60	doz.	0 0 1½	—	—
Dirks, all pipers, and band and drummers of Highland Regiments	each	1 7 8	—	—

* Not including cost of view, which is 3s.

† All the parts of this arm are the same as those of the Snider Cavalry carbine except the barrel, stock, and backsight, which are special.

‡ Termed "naval patt. /58" in 1879 edition.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	
Eyelets, guard, trigger, all arms, inter- changeable and non-interchangeable, not having guard swivels, except Martini-Henry carbines	doz.	—	0 0 5½	0 0 6½
Extractors, B.L. arms—				
All Snider, Mark II** and III	"	—	0 1 3	0 1 4
Martini-Henry rifle, Mark II and III, and carbines	each	—	0 0 10½	0 0 11
Flags, lance—				
Patt. 1860, with elastic bands	"	—	0 1 9	0 1 11
Patt. 1868, service, and blunt, exercise ..	"	—	0 1 3½	0 1 5½
Folls, fencing, complete (see page 474) ..	"	0 5 3	—	—
Grips, folls, fencing (see page 474) ..	"	0 0 9	—	—
Grips, leather, pairs—				
Interchangeable—				
Bayonets, sword, B.L.—				
Carbines, artillery, Snider, patt. /61, and Martini-Henry, rifles, short, Snider, patt. /60, and Martini- Henry, converted; also rifles, Martini-Henry, sawback, and patt. /58, with cutlass guard,* Martini- Henry, converted	pair	—	0 0 7½	0 0 8
Rifles, Snider, patt. /58, with cut- lass guard*	"	—	0 0 7½	0 0 8
Swords, iron hilt, Cavalry and other mounted Corps, patt. /53 and /64 ..	"	0 2 0	—	—
Non-interchangeable, bayonets, sword, Snider, B.L.—				
All arms, except carbine, Lancaster, O.B., and rifle, patt. /58*	"	0 0 10	—	—
Carbine, Lancaster, O.B.	"	0 0 10	—	—
Rifle, patt. /58*	"	0 0 10	—	—
Guards, trigger, brass—				
Interchangeable—				
Rifles, B.L. Snider, patt. /53, and patt. /58*	each	—	0 0 7½	0 0 8
With eyelet, carbines, B.L. Snider, Ar- tillery, patt. /61, and Cavalry, patt. /61	"	—	0 0 7½	0 0 8½
Non-interchangeable, B.L. Snider—				
Carbines, Artillery, patt. /53, and Lan- caster, O.B., rifle, short, brass mounted, patt. /56	"	0 0 5	—	—
Rifles, patt. /53, and patt. /58*	"	0 0 5	—	—
Guards, trigger, iron—				
Interchangeable—				
With eyelet, rifle, B.L. Snider, short, patt. /60	"	—	0 1 0	0 1 1
Without eyelet, B.L., Martini-Henry, carbines, and rifle, Mark II and III..	"	—	0 1 11½	0 2 1½
Non-interchangeable, B.L. Snider, rifles, short, iron mounted, patt. /56, bar on band or barrel, and patt. /60	"	0 0 9	—	—
Hammers, lock—				
Interchangeable—				
All B.L. Snider arms except { Mark II** ..	"	—	0 1 4	0 1 5½
rifle, short, patt. /60 .. { Mark III ..	"	—	0 1 4	0 1 5½
B.L. Snider, rifle, short, { Mark II** ..	"	—	0 1 5	0 1 6½
patt. /60.. .. . { Mark III ..	"	—	0 1 5	0 1 6½
Non-interchangeable, all B.L. { Mark II** ..	"	0 1 2	—	—
Snider arms { Mark III ..	"	0 1 2	—	—

* Termed "naval patt. /58" in 1879 edition.

Section I.

SMALL ARMS.		Rate.						
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
			£	s.	d.	£	s.	d.
Heads—								
Lance, blunt, exercise, with lanquet (see page 480) ..	each	0	6	0	—	—		
Rod, cleaning, B.L. Snider, interchangeable, carbine, Cavalry, patt. /61..	"	—	0	0	1	0	0	1½
Spear, lances { Patt. /60 ..	"	—	0	6	6	0	7	3
{ Patt. /68, service ..	"	—	0	4	4	0	4	9
Holders, rod, cleaning, B.L., interchangeable, rifle, Martini-Henry ..	"	—	0	0	2½	0	0	3
Hooks, stock, fore-end, carbines and rifle, Mark III, B.L. Martini-Henry, interchangeable ..	"	—	0	0	6½	0	0	7
Implements, action, carbines and rifle, B.L. Martini-Henry ..	"	—	0	2	10	0	3	1
Indicators, B.L. Martini-Henry, interchangeable—								
Carbines, and rifle Mark III ..	"	—	0	0	4½	0	0	5
Rifle, Mark II ..	"	—	0	0	4½	0	0	5
Jags, carbines and rifle, B.L. Martini-Henry, and pistol, revolver, B.L. Enfield	"	—	0	0	4½	0	0	5
Lances, sling, lance, service patt. /68 ..	"	0	0	1	—	—		
Lances—								
Blunt, exercise, complete (see page 480) ..	"	1	7	2	—	—		
With flags { Patt. /60 ..	"	—	1	3	3	1	5	11
{ Patt. /68, service, bamboo staves ..	"	—	0	15	0	0	16	3
Leathers, cap, snap—								
All B.L. Snider, interchangeable and non-interchangeable arms ..	doz.	—	0	0	6½	0	0	7½
Leaves, assembled, with caps and slides, sights, back, elevating, B.L.—								
Interchangeable—								
Carbines { Martini-Henry, Cavalry and Artillery ..	each	—	0	1	8½	0	1	10½
{ Snider, patt. /61 { Artillery ..	"	—	0	1	8½	0	1	10
{ Cavalry ..	"	—	0	1	8½	0	1	10
Rifles { Martini-Henry ..	"	—	0	1	6½	0	1	8
{ Snider, patt. /58,* and short, patt. /60 ..	"	—	0	1	9	0	1	10½
{ Snider, patt. /53 ..	"	—	0	1	9	0	1	10½
Non-interchangeable—								
Snider carbines { Artillery, patt. /53 ..	"	0	1	10	—	—		
{ Lancaster, O.B. ..	"	0	1	10	—	—		
{ Patt. /53 ..	"	0	1	10	—	—		
Snider rifles { Short, iron-mounted, patt. /56, bar on band or barrel ..	"	0	1	10	—	—		
{ Short, brass-mounted, patt. /56, iron-mounted, patt. /60, and patt. /58* ..	"	0	1	10	—	—		
Levers, breech, B.L. interchangeable, carbines and rifle, Martini-Henry ..	"	—	0	1	4½	0	1	5½
Linings, wood, scabbard, sword, iron—								
Cavalry and other mounted Corps—								
Patt. /53 and /64..	"	0	0	1½	—	—		
Patt. /82 (solid) ..	"	—	0	0	6½	0	0	7½
Household cavalry, patt. /82 (solid) ..	"	—	0	1	5	0	1	6½

* Termed "naval patt. /58" in 1379 edition.

Section I.

29

SMALL ARMS.	Per	Rate.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Locketts, scabbard, leather—					
Bayonet, interchangeable—					
Common { B.L. Martini-Henry, long ..	each	—	0 0 5½	0 0 6½	
{ Patt. /53, improved, and B.L.					
{ Martini-Henry, converted ..	„	0 0 1½	—	—	
{ Patt. /53, plain ..	„	0 0 1½	—	—	
{ Patt. /53, screwed ..	„	0 0 1½	—	—	
Sword, B.L.—					
Martini-Henry—					
Carbine, Artillery	„	—	0 1 10	0 2 0	
Rifle, sawback	„	—	0 1 2½	0 1 4	
Rifle, with cutlass guard, converted	„	—	0 1 0	0 1 1	
Snider—					
Carbine, Irish Constabulary ..	„	—	0 1 2½	0 1 3½	
Carbine, Lancaster, O.B. ..	„	—	0 1 0	0 1 1	
Rifles, short patt. /60, and Martini-					
Henry, converted	„	—	0 0 10	0 0 11	
Rifles, patt. /58, with cutlass guard*	„	—	0 1 0	0 1 1	
Sword, brass-mounted—					
Line and Militia Regiments, drummers					
and band	„	0 1 6	—	—	
Pioneers	„	0 1 10	—	—	
Sword, Royal Navy cutlass, with springs					
complete—					
29 inch	„	0 1 5	—	—	
27 „	„	0 1 5	—	—	
25½ inch	„	0 1 6	—	—	
Sword, gilt mounted, staff serjeants, Line					
Regiments, and Chief Warders, Military					
Prisons					
Centre with ring	„	0 2 4	—	—	
Top	„	0 2 10	—	—	
Sword, iron mounted, Rifle Regiments,					
Line and Militia—					
Buglers and band	„	0 1 8	—	—	
Staff serjeants { Centre, with ring ..	„	0 0 8	—	—	
{ Top	„	0 0 8	—	—	
Locks, assembled, complete—					
Interchangeable, B.L. Snider—					
All arms, except rifles { Mark II**	„	—	0 7 5	0 8 0	
short patt. /60 .. { Mark III	„	—	0 7 5	0 8 0	
Rifle, short patt. /60 .. { Mark II**	„	—	0 7 11	0 8 6	
{ Mark III	„	—	0 7 11	0 8 6	
Non-interchangeable, B.L. Snider—					
Carbines, Artillery, patt. /53, and Lan-					
caster, O.B., rifles, patt. /53, patt. /58,*					
and short, brass mounted, patt. /56—					
Mark II**	„	0 10 6	—	—	
Mark III	„	0 10 6	—	—	
Rifles, short, patt. /56, bar on band or					
barrel, and patt. /60—					
Mark II**	„	0 11 0	—	—	
Mark III	„	0 11 0	—	—	
Mouthpieces, scabbard, sword, iron—					
Cavalry, and other mounted corps—					
With sputcheons—					
Patt. /53 and /64—					
Large	„	0 0 8	—	—	
Small	„	0 0 8	—	—	
With band, N.P.—					
Patt. /82	„	0 0 8	—	—	
Household Cavalry, patt. /82, with band	„	0 0 8	—	—	

* Termed "naval patt. /58" in 1879 edition.

SMALL ARMS.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Nipples , B.L., Snider, all arms, Mark II** and III	each	—	0 0 2½	0 0 2½
Nuts —				
Holder, cleaning rod, B.L. Snider, interchangeable and non-interchangeable, all arms, except carbine, Cavalry, patt. /61	doz.	—	0 0 5½	0 0 6½
Screw —				
All bands, B.L. Snider, non-interchangeable	„	0 0 3	—	—
Upper band, interchangeable, all arms having upper band swivels, and for screws, middle and lower bands, O.P.	„	—	0 0 2	0 0 2½
Stop, B.L., Martini-Henry, interchangeable—				
Carbines, and rifle Mark III	each	—	0 0 4½	0 0 4½
Rifle, Mark II	„	—	0 0 4½	0 0 4½
Pads , leather, lance, blunt, exercise (see page 480)	„	0 1 1	—	—
Pellets , cap, snap, interchangeable, rifle, B.L. Martini-Henry, Mark II	doz.	—	0 0 3½	0 0 3½
Pikes , boarding	each	—	0 10 0	0 10 10
Pins , interchangeable—				
Axis, block, carbines and rifle, B.L. Martini-Henry	doz.	—	0 0 2½	0 0 2½
Axis, roller, thumbpiece, all B.L. Snider arms, Mark III	„	—	0 0 0½	0 0 0½
Axis, sight, back, elevating, B.L.—				
Carbine, Martini-Henry	„	—	0 0 2½	0 0 2½
Carbines, Snider, patt. /61, Artillery and Cavalry	„	—	0 0 3	0 0 3½
Rifle, Martini-Henry	„	—	0 0 2½	0 0 3
Rifles, Snider, patt. /53, patt. /58,* and short, patt. /60	„	—	0 0 3	0 0 3½
Axis, trap, plate, butt, B.L. carbines, Cavalry, Snider, patt. /61	„	—	0 0 0½	0 0 0½
Band, stop, rifle, B.L. Martini-Henry—				
Lower	„	—	0 0 1½	0 0 1½
Upper	„	—	0 0 3½	0 0 4
Block, lever, catch, carbines and rifle, B.L. Martini-Henry	„	—	0 0 1½	0 0 2
Breech-block, all B.L. Snider arms, Mark II** and III	each	—	0 0 3½	0 0 3½
Extractor, carbines and rifle, B.L. Martini-Henry	„	—	0 0 1	0 0 1½
Guard, trigger, all B.L. Snider arms	doz.	—	0 0 0½	0 0 1
Locking, all B.L. Snider arms, Mark II**	each	—	0 0 1½	0 0 2
Stud, barrel, rifle, B.L. Martini-Henry, Mark II	„	—	0 0 3½	0 0 4
Pins , non-interchangeable, axis, sight, back, elevating, B.L. Snider, wire, cast-steel for, No. 9 W.G. (1 lb. makes 500), all arms ..	lb.	0 1 7	—	—
Pistols , revolver, B.L., Adams—				
Mark I, non-interchangeable	each	2 18 0	—	—
Mark II, interchangeable	„	2 18 0	—	—
Mark III, interchangeable	„	2 18 0	—	—
Parts of —				
Bolts { Rod ejector, Mark { Primary..	„	0 0 6½	—	—
{ 1 and II { Secondary ..	„	0 0 3½	—	—

* Termed "naval patt. /58" in 1879 edition.

Section I.

31

SMALL ARMS.	Rate.						
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
Pistols, revolver, B.L., Adams, contd.—							
Parts of—							
Bolts { Carrier, rod ejector, Mark III	each	£	s.	d.	£	s.	d.
{ Cylinder, Mark III	"	0	0	2	—	—	—
{ Mark I	"	0	0	5	—	—	—
Caps, stock { Mark I	"	0	0	4½	—	—	—
{ Mark II and III	"	0	0	6	—	—	—
Carriers, rod ejector, Mark III	"	0	1	9	—	—	—
Cylinders { Mark I	"	0	8	3	—	—	—
{ Mark II	"	0	8	3	—	—	—
{ Mark III	"	0	8	3	—	—	—
Drivers, screw, Mark I, II, and III	"	0	1	0	—	—	—
Eyelets, stock { Mark II and III	"	0	0	5	—	—	—
{ Mark III enlarged	"	0	0	8	—	—	—
Guards, trigger { Mark I	"	0	1	4½	—	—	—
{ Mark II and III	"	0	1	4½	—	—	—
Hammers { Mark I	"	0	2	6	—	—	—
{ Mark II and III	"	0	3	6	—	—	—
Heads, rod ejector, Mark III	"	0	0	6	—	—	—
Lifters, cylinder { Mark I	"	0	0	10	—	—	—
{ Mark II and III	"	0	0	10	—	—	—
Pins, hammer, Mark I	"	0	0	2	—	—	—
Pins or bolts, shield, Mark I, II, and III	"	0	0	1	—	—	—
Rods—							
Cleaning, Mark I, II, and III	"	0	1	6	—	—	—
Cylinder { Mark I	"	0	0	9	—	—	—
{ Mark II	"	0	0	9	—	—	—
{ Mark III	"	0	1	0	—	—	—
Ejector, with screws { Mark I	"	0	1	4	—	—	—
{ Mark II	"	0	1	4	—	—	—
{ Mark III (with heads)	"	0	1	1	—	—	—
Screws—							
Bolt { Carrier, ejector, Mark III	"	0	0	2	—	—	—
{ Cylinder, Mark III	"	0	0	2½	—	—	—
{ Ejector, Mark I and II	doz.	0	0	2½	—	—	—
Breech pin, top strap { Mark I	each	0	0	1½	—	—	—
{ Mark II and III	"	0	0	2½	—	—	—
Cap, Mark I	"	0	0	2½	—	—	—
Carrier, rod ejector, Mark III	"	0	0	6	—	—	—
Guard, back and front { Mark I	"	0	0	2½	—	—	—
{ Mark II and III	"	0	0	2½	—	—	—
Hammer { Mark I	"	0	0	2½	—	—	—
{ Mark II and III	"	0	0	2½	—	—	—
Head, rod ejector, Mark III	"	0	0	2	—	—	—
Rod ejector, Mark I and II	"	0	0	2½	—	—	—
Sear { Mark I	"	0	0	2½	—	—	—
{ Mark II and III	"	0	0	2½	—	—	—
Shield { Mark I and II	"	0	0	2½	—	—	—
{ Mark III	"	0	0	3	—	—	—
Spring, sear, short, Mark I	"	0	0	2½	—	—	—
Strap, stock { Mark I { Top	"	0	0	1½	—	—	—
{ Under	"	0	0	1½	—	—	—
{ Mark II and III { Top	"	0	0	2½	—	—	—
{ Under	"	0	0	2½	—	—	—
Trigger { Mark I	"	0	0	2½	—	—	—
{ Mark II and III	"	0	0	2½	—	—	—
Sears—							
Long { Mark I	"	0	1	0	—	—	—
{ Mark II and III	"	0	1	0	—	—	—
Short { Mark I	"	0	0	10	—	—	—
{ Mark II and III	"	0	0	10	—	—	—

SMALL ARMS.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pistols, revolver, B.L., Adams, contd.—		£ s. d.	£ s. d.	£ s. d.
Parts of—				
Shields { Mark I and II	each	0 1 1½	—	—
{ Mark III	"	0 1 1½	—	—
Sights, front { Mark I	"	0 0 5½	—	—
{ Mark II and III	"	0 0 7	—	—
Springs—				
Bolt { Carrier, rod ejector, Mark III	doz.	0 0 6	—	—
{ Cylinder, Mark III	"	0 0 9	—	—
Main { Mark I	each	0 1 4½	—	—
{ Mark II and III	"	0 1 4½	—	—
Rod ejector { Mark I and II, and	doz.	0 0 6	—	—
{ Shield, Mark I, II				
{ and III	each	0 0 2½	—	—
{ Mark III	"	0 0 3½	—	—
Sear, short { Mark I	"	0 0 3½	—	—
{ Mark II and III	"	0 0 3½	—	—
Trigger { Mark I	"	0 0 5½	—	—
{ Mark II and III	"	0 0 5½	—	—
Stocks { Finished and chequered, Mark	"	0 3 6	—	—
{ II and III				
{ Rough, Mark I	"	0 0 4½	—	—
Straps, stock, top { Mark I	"	0 0 6½	—	—
{ Mark II and III	"	0 0 9	—	—
Swivels { Mark I	"	0 0 6½	—	—
{ Mark II and III	"	0 0 7	—	—
Triggers { Mark I	"	0 1 4½	—	—
{ Mark II and III	"	0 1 6	—	—
Pistols, revolver, B.L., Enfield—				
Mark I, interchangeable	"	—	2 19 7	3 4 9
Mark II, interchangeable	"	—	2 19 7	3 4 9
Parts of—				
Axis, cylinder, Mark I and II	"	—	0 0 3½	0 0 3½
Caps, stock, Mark I and II	"	—	0 0 6½	0 0 7
Catches, Mark I and II	"	—	0 0 8½	0 0 9½
Extractors, Mark I and II	"	—	0 1 2	0 1 3½
Hammers { Mark I	"	—	0 2 5½	0 2 8½
{ Mark II	"	—	0 2 5½	0 2 8½
Levers { Mark I	"	—	0 0 7	0 0 7½
{ Mark II	"	—	0 0 7	0 0 7½
Pawls, Mark I and II	"	—	0 0 8½	0 0 9½
Rivets, spring, trigger, Mark I, and II	doz.	—	0 0 0½	0 0 0½
Screws—				
Cap, stock, with eye { Mark I	each	—	0 0 3½	0 0 3½
{ Mark II	"	—	0 0 3½	0 0 3½
Catch, Mark I and II	"	—	0 0 0½	0 0 0½
Hammer axis, Mark I and II	"	—	0 0 2½	0 0 3
Joint, barrel { Mark I	"	—	0 0 1½	0 0 2
{ Mark II	"	—	0 0 1½	0 0 2
Keeper { Cylinder, axis, Mark I and II	"	—	0 0 0½	0 0 0½
{ Screw, shield, Mark I and II	"	—	0 0 0½	0 0 0½
Plate, Mark I and II	"	—	0 0 1½	0 0 1½
Shield, Mark I	"	—	0 0 1	0 0 1
Spring, shield, Mark II	"	—	0 0 0½	0 0 0½
Stock, Mark I	"	—	0 0 1½	0 0 2
Strap, top, Mark I	"	—	0 0 1	0 0 1
Trigger, axis, Mark I, and II	"	—	0 0 2	0 0 2½
Sights, front, barleycorn	"	—	0 0 1	0 0 1
{ Auxiliary, shield, Mark II	"	—	0 0 0½	0 0 0½
{ Catch, Mark I and II	"	—	0 0 1	0 0 1
Springs { Mark I	"	—	0 2 2	0 2 4½
{ Main { Mark II	"	—	0 2 2	0 2 4½

SMALL ARMS.	Per	Rate.		
		Contract	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pistols, revolver, B.L., Enfield, contd.—		£ s. d.	£ s. d.	£ s. d.
Parts of—				
Springs { Shield { Mark I each	—	0 0 4½	0 0 4½	
{ Mark II	—	0 0 4½	0 0 4½	
{ Trigger, Mark I, and II ..	—	0 0 0½	0 0 0½	
Stocks { Mark I	—	0 2 7½	0 2 10½	
{ Mark II	—	0 2 7½	0 2 10½	
Studs, swivel, cylinder Mark I and II..	—	0 0 0½	0 0 0½	
Swivels, lever, Mark II	—	0 0 2½	0 0 2½	
Triggers, Mark I and II.. ..	—	0 1 3½	0 1 4½	
Implements { Mark I	—	0 1 10	0 2 0	
{ Mark II	—	0 1 10	0 2 0	
Jags (see page 28)	—	0 0 4½	0 0 5	
Rods, cleaning, with jag,* Mark I and II	—	0 0 7½	0 0 7½	
Pistons, all B.L. Snider arms	—	0 0 3½	0 0 3½	
Plates, butt—				
Interchangeable, brass—				
Carbines—				
Artillery, B.L. Snider, patt. /61, and	—	0 0 9	0 0 10	
rifle, B.L. Snider, patt. /53, long butt	—			
Cavalry, B.L. Snider, patt. /61, with	—	0 1 4	0 1 5	
traps	—	0 0 9	0 0 10	
Rifle, B.L. Snider { Patt./53, short butt	—	0 0 9	0 0 10	
{ Patt. /58†	—	0 0 9	0 0 10	
Interchangeable, iron—				
Carbines and rifle, B.L. Martini-Henry	—	0 0 9	0 0 10	
Rifle, B.L. Snider, short, patt. /60 ..	—	0 1 1	0 1 2	
Non-interchangeable, B.L., Snider—				
Brass, carbines, Artillery, patt. /53, and				
Lancaster, O.B., rifles, patt. /53,				
patt. /58†, and short, brass mounted,				
patt. /56	0 0 7½	—	—	
Iron, rifles, short, iron mounted, patt.				
/56, bar on band or barrel, and patt. /60	0 1 1	—	—	
Plates, trigger—				
Interchangeable—				
Brass, all arms, B.L. Snider, except	—	0 0 4	0 0 4½	
rifle, short, patt. /60	—	0 0 6½	0 0 7½	
Iron, rifle, B.L. Snider, short, patt. /60	—			
Non-interchangeable, B.L. Snider—				
Brass, carbines, Artillery, patt. /53, and				
Lancaster, O.B., rifles, patt. /53,				
patt. /58†, and short, brass mounted,				
patt. /56	0 0 1½	—	—	
Iron, rifles, short, iron mounted, patt.				
/56, bar on band or barrel, and patt. /60	0 0 3½	—	—	
Protectors, interchangeable—				
Front sight and muzzle, B.L., Martini-				
Henry—				
Carbines	—	0 0 5½	0 0 6	
Rifle, Mark II and III	—	0 0 4	0 0 4½	
Front sight, B.L. carbine, Cavalry, Snider,				
patt. /61	—	0 0 1½	0 0 2	
Rifles, B.L., with cleaning rod—				
Martini-Henry, interchangeable—				
Mark II { Long butt	—	2 3 10	2 7 7	
{ Short butt	—	2 3 10	2 7 7	

* The jag supplied with the cleaning rod is that quoted at page 28.

† Termed "naval patt. /58" in 1879 edition.

(V.S.)

C

SMALL ARMS.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Rifles, B.L., with cleaning rod, contd.--		£ s. d.	£ s. d.	£ s. d.
Martini-Henry, interchangeable—				
Mark III { Long butt	each	—	2 6 3	2 10 3
{ Short butt	"	—	2 6 3	2 10 3
Snider, patt. /53, interchangeable—				
Iron barrels { Mark II**, long butt	"	—	2 4 0	2 7 6
{ short butt	"	—	2 4 8	2 8 3
{ Mark III, long butt	"	—	2 10 2	2 14 2
{ short butt	"	—	2 10 10	2 14 11
Steel barrels { Mark II**, long butt	"	—		
{ short butt	"	—		
{ Mark III, long butt	"	—		
{ short butt	"	—		
Snider, patt. /53, non-interchangeable, with bayonets—				
Iron barrel—				
Mark II**, long butts } *	"	2 7 0	—	—
short butts } ..	"	2 7 9	—	—
Mark III, long butts } *	"	2 15 0	—	—
short butts } ..	"	2 15 9	—	—
Steel barrel—				
Mark II**, long butts } *	"	2 15 0	—	—
short butts } ..	"	2 15 9	—	—
Mark III, long butts } *	"			
short butts } ..	"			
Snider, patt. /58, iron barrel†—				
Interchangeable { Mark II**	"	—	2 3 6	2 7 0
{ Mark III	"	—	2 4 2	2 7 8
Non-interchangeable, with sword bayonet, cutlass guard, and leather scabbard—				
Mark II** *	"	3 12 3	—	—
Mark III *	"	3 13 0	—	—
Snider, short, interchangeable, Patt. /60—				
Iron barrel { Mark II**	"	—	2 5 8	2 9 4
{ Mark III	"	—	2 6 4	2 9 11
Steel barrel { Mark II**	"	—	2 12 10	2 17 1
{ Mark III	"	—	2 13 6	2 17 9
Snider, short, non-interchangeable, with sword bayonet and leather scabbard—				
Patt. /56, brass mounted, iron barrel—				
Mark II** *	"	2 16 0	—	—
Mark III *	"	2 16 9	—	—
Patt. /56, iron-mounted, iron barrel—				
Bar on band { Mark II** *	"	2 16 0	—	—
{ Mark III *	"	2 16 9	—	—
Bar on barrel { Mark II** *	"	2 16 0	—	—
{ Mark III *	"	2 16 9	—	—
Patt. /60, iron mounted, bar on barrel—				
Iron barrel { Mark II** *	"	2 16 0	—	—
{ Mark III *	"	2 16 9	—	—
Steel barrel { Mark II** *	"	3 2 9	—	—
{ Mark III *	"	3 3 6	—	—
Snider, short, iron-mounted, non-inter- changeable, converted, for Mounted Volunteers, iron barrel, Mark III * ..	"	2 3 0	—	—

* Not including cost of view, which is 3s.

† Termed "naval patt. /58" in 1879 edition.

Section I.

35

SMALL ARMS.	Per	Rate.		
		Contract.	No 1. Balance Sheet.	No. 2 Balance Sheet.
Rings—		£ s. d.	£ s. d.	£ s. d.
Cap, snap, interchangeable, all B.L. Snider, arms	doz.	—	0 0 1½	0 0 1½
Locking, bayonet, common—				
Interchangeable, without screws, rifles, B.L. Snider, patt. /53, and Martini-Henry, converted, and long	each	—	0 0 4½	0 0 5½
Non-interchangeable, with screws, rifle, B.L. Snider, patt. /53.. .. .	„	0 0 4½	—	—
Scabbards, sword—				
Iron—				
Cavalry, and other mounted Corps—				
Patt. /53 and /64	„	0 0 1	—	—
Household Cavalry, patt. /82	„	0 0 1	—	—
Leather, gilt mounted, staff serjeants, Line Regiments, and Chief Warders, Military Prisons	„	0 0 1	—	—
Leather, iron mounted, staff serjeants, Rifle Regiments, Line and Militia	„	0 0 1	—	—
Rivets—				
Brass, scabbard, leather, bayonet, common, long, rifle, B.L. Martini-Henry, interchangeable—				
Screwed { Mark I, 6 to a set	{ doz. }	—	0 0 4½	0 0 5
{ Mark II, 5 „	{ sets }	—	0 0 4½	0 0 5
Split, 4 „	„	—	0 0 3½	0 0 4
T-headed, 2 „	„	—	0 0 3½	0 0 3½
Cap, nose, all brass mounted, non-interchangeable, B.L. Snider arms	doz.	0 0 0½	—	—
Grip, bayonets, sword—				
Interchangeable	set	—	0 0 0½	0 0 0½
Non-interchangeable, wire, iron, for, No. 9 W.G. (2 lbs. make 100)	lb.	0 0 2½	—	—
Grip, sword, iron hilt, Cavalry and other mounted Corps, patt. /53 and /64, wire, iron, for No. 9 W.G. (1½ lbs. make 100).. .. .	„	0 0 2½	—	—
Rods, cleaning, interchangeable, B.L.—				
Martini-Henry—				
Carbines { Cavalry	each	—	0 0 11	0 1 0
{ Artillery	„	—	0 1 1	0 1 2
Rifle, Mark II and III	„	—	0 1 3½	0 1 5
Snider—				
Carbines, { Artillery	„	—	0 0 9½	0 0 10½
{ patt. /61 Cavalry, in two parts	„	—	0 1 1½	0 1 2½
Rifles { Patt. /58*, and short, patt. /60	„	—	0 1 0	0 1 1
{ Patt. /53	„	—	0 1 1	0 1 2
Rods, cleaning, non-interchangeable, B.L. Snider—				
Carbines { Artillery, patt. /53	„	0 0 11	—	—
{ Lancaster, O.B.	„	0 0 11	—	—
{ Patt. /53	„	0 1 2	—	—
Rifles { Short, brass mounted, patt. /56, iron mounted, patt. /56 and /60, and patt. /58*	„	0 1 1	—	—
Rollers, thumbpiece, all B.L. Snider arms, Mark III	doz.	—	0 0 6	0 0 6½

* Termed "naval patt. /58" in 1879 edition.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Scabbards—		£ s. d.	£ s. d.	£ s. d.
Bayonet, leather, common—				
Interchangeable—				
Rifles, B.L. Snider, patt. /53, and	each	0 1 1½	—	—
Martini-Henry, converted ..				
Rifle, B.L. Martini-Henry, long—				
(Mark I)	"	—	0 2 5	0 2 7½
(Mark II)	"	—	0 2 3½	0 2 6½
Non-interchangeable, rifle, B.L. Snider,				
patt. /53—				
Plain lockets	"	0 0 11½	—	—
Screwed lockets	"	0 0 11½	—	—
Bayonet, leather, sword, B.L.—				
Carbines—				
Martini-Henry, interchangeable, Ar-				
tillery	"	—	0 4 9½	0 5 2½
Snider, patt. /61, Irish Constabulary,				
interchangeable	"	—	0 3 10½	0 4 2½
Rifle, Martini-Henry, interchangeable—				
Naval, patt. /58, with cutlass guard,				
converted	"	—	0 3 6	0 3 10
Sawback, Mark I	"	—	0 3 5½	0 3 9
Snider—				
Interchangeable, rifles—				
Patt. /58, with cutlass guard, and				
non-interchangeable*	"	—	0 3 6	0 3 10
Short, patt. /60, and Martini-Henry,				
converted, and non-inter-				
changeable	"	—	0 3 4½	0 3 8
Non-interchangeable—				
Carbine, Lancaster, O.B.	"	0 3 0	—	—
Rifles—				
Patt. /58* (see Interchangeable)				
Short, iron mounted, patt. /60,				
bar on barrel, patt. /56, bar on				
band or barrel, and brass				
mounted, patt. /56 (see Inter-				
changeable)				
Bayonet, steel, sword, carbine, B.L. Snider,				
Artillery—				
Pattern /61, interchangeable	"	—	0 3 11	0 4 3
Pattern /53, non-interchangeable ..	"	0 4 6	—	—
Dirk, iron mounted, all pipers, and band				
and drummers of Highland Regiments	"	0 14 0	—	—
Sword, iron—				
Cavalry and other mounted Corps—				
Patt. /53 and /64	"	0 4 3	—	—
Patt. /82	"	0 4 5½	—	—
Dismounted Royal Engineers and En-				
gineer Militia, staff sergeants	"	0 6 0	—	—
Household Cavalry, patt. /82†	"	0 7 11	—	—
Master Gunners, and Royal Artillery,				
mounted Royal Engineers, Commis-				
sariat and Ordnance Corps, and				
Militia Artillery, staff sergeants ..	"	0 6 0	—	—
Practice, Cavalry and other mounted				
Corps (see page 488)	"	—	—	—

* Termed "naval patt. /58" in 1879 edition.

† Includes cost of wood lining issued to contractor from store.

Section I.

37

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Scabbards, continued—		£ s. d.	£ s. d.	£ s. d.
Sword, leather, brass mounted—				
Army Hospital Corps, Militia Infantry (except Rifles), Volunteers, and second class Reserve, staff sergeants ..	each	0 5 6	—	—
Army Hospital Corps, sergeants (drum- mers, O.P.)	„	0 4 6	—	—
Line and Militia Regiments, drummers and band	„	0 3 9	—	—
Pioneers, sawback	„	0 4 10	—	—
Practice, lead cutting (see page 488) ..	„	—	—	—
Royal Navy, cutlass { 29 inch	„	0 2 6	—	—
27 „	„	0 2 5	—	—
25½ inch	„	0 3 6	—	—
Sword, leather, gilt mounted—				
Line Regiments, staff sergeants, and Chief Warders, Military Prisons ..	„	0 9 6	—	—
Yeomen of the Guard	„	—	—	—
Sword, leather, iron mounted—				
Highland Regiments—				
Staff sergeants, with ring lockets ..	„	0 7 0	—	—
Staff sergeants, with stud lockets ..	„	0 6 3	—	—
Drummers, pipers and band	„	0 5 6	—	—
Rifle Regiments, Line and Militia—				
Buglers and band	„	0 4 6	—	—
Staff sergeants	„	0 7 6	—	—
Volunteers, Mounted Rifles	„	0 10 0	—	—
Sword, steel, Militia Artillery, buglers (see Scabbards, bayonet, steel, sword, carbine, B.L. Snider, Artillery, page 36).				
Screws, band, interchangeable—				
Lower and middle—				
All B.L. arms—				
Having lower and middle bands, O.P.	„	—	0 0 0½	0 0 0½
Having lower and middle bands, in- cluding Martini-Henry carbines and rifle, N.P.	„	—	0 0 0½	0 0 0½
Upper—				
Carbine, Artillery, B.L. Snider, patt. /61, rifles, B.L. Snider, patt. /58*, and short, patt. /60	doz.	—	0 0 6	0 0 6½
Carbines, B.L. Martini-Henry { Cavalry ..	„	—	0 0 6½	0 0 7½
Artillery	„	—	0 0 8½	0 0 9½
Rifles, B.L. Snider, patt. /53, and Martini-Henry	„	—	0 0 6½	0 0 7½
Screws, band, non-interchangeable, B.L. Snider, rifles—				
Lower—				
Pattern /53 and /56, bar on band, also middle, patt. /53	„	0 1 0	—	—
Pattern /56, /58 and /60, bar on barrel	„	0 1 0	—	—
Upper, all arms	„	0 1 0	—	—
Screws—				
Bed and spring, sight, back, elevating, carbines, B.L. Martini-Henry, inter- changeable	„	—	0 0 3½	0 0 3½

* Termed "naval patt. /58" in 1879 edition.

SMALL ARMS.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Screws, continued—				
Cap, nose—				
Interchangeable—				
B.L. Martini-Henry { Carbines ..	doz	—	0 0 6½	0 0 7
Rifle ..	"	—	0 0 5½	0 0 6½
Carbine, Artillery, B.L. Snider, patt. /61, rifles, B.L. Snider, patt. /58,* and short, patt. /60..	"	—	0 0 4½	0 0 5
Rifle, B.L. Snider, patt. /53 ..	"	—	0 0 4½	0 0 5
Non-interchangeable, all iron mounted B.L. Snider arms ..	"	0 0 5	—	—
Cup, snap, rifle, B.L. Martini-Henry, Mark II, interchangeable ..	"	—	0 0 3½	0 0 4
Cap, sight, back, elevating, B.L. Martini-Henry, interchangeable—				
Carbines ..	"	—	0 0 2½	0 0 2½
Rifle ..	"	—	0 0 2	0 0 2½
Cover, leather, back sight, all B.L. Cavalry carbines, interchangeable—				
Long ..	"	—	0 0 7½	0 0 8½
Short ..	"	—	0 0 6½	0 0 7½
Cup, side—				
Interchangeable, all arms having side cups ..	each	—	0 0 2	0 0 2½
Non-interchangeable, all B.L. Snider arms ..	doz.	0 0 9	—	—
Guard, trigger—				
Interchangeable, all arms, except carbines and rifle, B.L. Martini-Henry (see Screws, plate, butt, small, page 39).				
Non-interchangeable, all B.L. Snider arms (see Screws, plate, butt, small, page 39).				
Holder, rod, cleaning, rifle, B.L. Martini-Henry, interchangeable—				
Long ..	"	—	0 0 6½	0 0 6½
Short ..	"	—	0 0 6½	0 0 6½
Hook, fore-end, carbines, and rifle Mark III, B.L. Martini-Henry, interchangeable ..	"	—	0 0 7½	0 0 8½
Keeper, carbines and rifle, B.L. Martini-Henry, interchangeable—				
Indicator ..	"	—	0 0 4½	0 0 5
Stop nut ..	"	—	0 0 5	0 0 5½
Lance, patt. /60, for { Iron ..	"	—	0 0 10	0 0 11
Wood ..	"	—	0 0 2	0 0 2½
Lock, all B.L. Snider, interchangeable arms—				
Bridle ..	"	—	0 0 7	0 0 7½
Sear ..	"	—	0 0 7	0 0 7½
Spring, sear ..	"	—	0 0 7	0 0 7½
Tumbler ..	"	—	0 0 7½	0 0 8½
Lock, all B.L. Snider arms, non-interchangeable—				
Bridle ..	"	0 0 8½	—	—
Sear ..	"	0 0 8½	—	—
Spring, sear ..	"	0 0 8½	—	—
Tumbler ..	"	0 1 0	—	—

* Termed "naval patt. /58" in 1879 edition.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
<i>Screws, continued—</i>				
Pin—				
Block, breech, B.L. Snider, Mark II** and III.. .. .	doz	—	0 0 6	0 0 6½
Locking, B.L. Snider, Mark II** ..	"	—	0 0 8½	0 0 9½
Plate, butt—				
Interchangeable—				
All arms (except carbine, Cavalry, B.L. Martini-Henry, and rifle, B.L. Martini-Henry) small	"	—	0 0 7	0 0 7½
All arms, large (2)	"	—	0 0 10½	0 0 11½
Non-interchangeable, all B.L. Snider arms—				
Large.. .. .	"	—	0 0 7½	0 0 8½
Small.. .. .	"	0 0 9	—	—
Ring, locking, bayonet, common—				
Interchangeable, rifles, B.L., Snider, patt. /53, and Martini-Henry, con- verted, and long	"	—	0 0 7½	0 0 8½
Non-interchangeable, B.L. Snider, rifle, patt. /53	"	0 0 7½	—	—
Scabbard, steel, bayonet, sword, carbine, B.L. Snider, Artillery, patt. /61 ..	"	—	0 0 3½	0 0 4
Short, or bed, sight, back, elevating rifle, B.L. Martini-Henry, interchange- able	"	—	0 0 2½	0 0 3
Spring, bayonet, sword, B.L.—				
Interchangeable, all arms	"	—	0 0 5	0 0 5½
Non-interchangeable—				
All arms, except carbine, Snider, Lancaster, O.B.	"	0 0 9	—	—
Carbine, Snider, Lancaster, O.B. ..	"	0 0 9	—	—
Spring, sights, back, elevating, B.L.—				
Interchangeable—				
Carbines { Martini-Henry (see Screws, bed and spring, page 37). Snider, patt. /61, Artillery and Cavalry	"	—	0 0 2½	0 0 3½
Rifles { Martini-Henry	"	—	0 0 3½	0 0 3½
{ Snider, patt. /58,* patt. /53, and short, patt. 60	"	—	0 0 2½	0 0 2½
Non-interchangeable, all Snider arms, wire, cast steel, for, No. 3 W.G. (1lb. makes 350)	lb.	0 1 3	—	—
Spring, trap, plate, butt, carbines, B.L., Cavalry, interchangeable, Snider, patt. /61	doz.	—	0 0 5½	0 0 6
Spring, trigger, carbines and rifle, B.L. Martini-Henry, interchangeable ..	"	—	0 0 4½	0 0 4½
Stock, in front of band, carbines, Cavalry, interchangeable, B.L. Snider, patt. /61	"	—	0 0 0½	0 0 0½
Swivel, guard, trigger—				
Interchangeable, rifles, B.L. Snider, patt. /53, patt. /58,* and B.L. Martini- Henry	"	—	0 0 5	0 0 5½
Non-interchangeable, rifles, B.L. Snider, patt. /53, and patt. /58*	"	0 0 8	—	—

* Termed "naval patt. /58" in 1879 edition.

Section I.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2. Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Screws, continued—				
Tang, breech—				
Interchangeable, all B.L. Snider arms ..	each	—	0 0 1	0 0 1½
Non-interchangeable, all B.L. Snider arms ..	doz.	—	0 0 6½	0 0 7
Thumbpiece, all B.L. Snider arms, Mark III				
Trigger—				
Interchangeable—				
All arms except carbines, and rifle, B.L. Martini-Henry ..	"	—	0 0 3	0 0 3½
Carbines and rifle, B.L. Martini-Henry ..	"	—	0 0 7½	0 0 8½
Non-interchangeable, all B.L. Snider arms ..	"	0 0 3	—	—
Scars, lock—				
Interchangeable—				
All B.L. Snider, arms, except rifle, B.L. Snider, short, patt. /60 ..	each	—	0 0 7½	0 0 8½
Rifle, B.L. Snider, short, patt. /60 ..	"	—	0 0 8	0 0 8½
Non-interchangeable, B.L. Snider—				
Carbines, Artillery, patt. /53, and Lancaster, O.B., rifles, patt. /53, patt. /58,* and short, brass mounted, patt. /56 ..	"	0 0 7	—	—
Rifles, short, iron mounted, patt. /56, bar on band or barrel, and patt. /60 ..	"	0 0 8	—	—
Shoes, lance—				
Blunt, exercise, with lanquet (see page 480)	"	0 2 6	—	—
Patt. /60 ..	"	—	0 5 3	0 5 10
Patt. /68, service ..	"	—	0 3 0	0 3 3
Sights, auxiliary, B.L. Martini-Henry,				
Musketry Instruction—				
Carbines { Back ..	"	—	0 2 6	0 2 8½
Front ..	"	—	0 5 11½	0 6 5½
Rifles { Back ..	"	—	0 1 4½	0 1 6
Front ..	"	—	0 2 5½	0 2 8½
Sights, back, elevating—				
B.L. Martini-Henry, interchangeable—				
Carbines ..	"	—	0 4 6	0 4 11
Rifle { Mark II ..	"	—	0 4 10	0 5 3
Mark III ..	"	—	0 4 9	0 5 2
B.L. Snider, interchangeable—				
Carbines, { Artillery ..	"	—	0 3 4	0 3 7
patt. /61 Cavalry ..	"	—	0 3 4	0 3 7
Rifles { Patt. /58,* and short, patt. /60 ..	"	—	0 3 4	0 3 7
Patt. /53 ..	"	—	0 3 4	0 3 7
B.L. Snider, non-interchangeable—				
Carbines { Artillery, patt. /53 ..	"	—	0 3 4	0 3 7
Lancaster, O.B. ..	"	—	0 3 4	0 3 7
Patt. /53 ..	"	—	0 3 4	0 3 7
Rifles { Short, iron mounted, patt. /56, bar on band or barrel ..	"	—	0 3 4	0 3 7
Short, brass mounted, patt. /56, and iron mounted, patt. /60, patt. /58* ..	"	—	0 3 4	0 3 7
Sights, front—				
Interchangeable—				
All B.L. arms (except B.L. Martini-Henry, carbines and rifle), steel for (1½ lbs. make 100) ..	lb.	—	0 0 6	0 0 6½
B.L. Martini-Henry rifle ..	doz.	—	0 0 8½	0 0 9½

* Termed "naval patt. /58" in 1879 edition.

Section I.

41

SAML ARMS.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Slides, sight, back, elevating, B.L.—		£ s. d.	£ s. d.	£ s. d.
Interchangeable—				
Carbines { Martini-Henry each		—	0 0 5½	0 0 6¼
{ Snider, patt. /61, Artillery		—	0 0 2½	0 0 3½
{ and Cavalry		—	0 0 4½	0 0 5
Rifles { Martini-Henry		—	0 0 2½	0 0 13
{ Snider, patt. /53, patt. /58,*		—		
{ and short, patt. /60		—		
Non-interchangeable, Snider—				
Carbines, Artillery, patt. /53 and Lancaster, O.B.		0 0 4	—	—
Rifles, patt. /53, patt. /58,* short, iron mounted, patt. /56 and /60, and brass mounted, patt. /56		0 0 4	—	—
Slings, lance—				
Blunt, exercise (see page 480)		0 0 7	—	—
Patt. /60		0 0 6	—	—
Patt. /68, service		0 0 6	—	—
Splices, for stocks, interchangeable and not-interchangeable, all B.L. Snider, arms except carbine, Cavalry, B.L. Snider, patt. /61—				
Long		0 1 5½	—	—
Short		0 1 4	—	—
Springs, bayonet, sword—				
Interchangeable—				
All arms (except carbine, Artillery, and rifle, B.L. Martini-Henry converted)..	doz.	—	0 0 8½	0 0 9
Carbine, Artillery, B.L. Martini-Henry ..		—	0 0 4½	0 0 4½
Non-interchangeable—				
All B.L. arms, including rifle, Martini-Henry converted, (except carbine, Snider, Lancaster, O.B.)		—	0 0 7½	0 0 8½
Carbine, Snider, Lancaster, O.B.	each	0 0 1	—	—
Springs, block, lever, catch, carbines and rifle, B.L. Martini-Henry, interchangeable		—	0 0 3½	0 0 3½
Springs, bolt, block, breech, all B.L. Snider arms, interchangeable, Mark III ..	doz.	—	0 0 2	0 0 2½
Springs, cap, snap, interchangeable, rifle, B.L. Martini-Henry, Mark II		—	0 0 6½	0 0 7
Springs main—				
Interchangeable—				
All B.L. Snider arms, except rifle, short, patt. /60.. ..	each	—	0 1 6	0 1 7½
B.L. Martini-Henry, carbines and rifle		—	0 0 1½	0 0 2
B.L. Snider, rifle, short, patt. /60		—	0 1 9	0 1 11
Non-interchangeable, B.L. Snider—				
Carbines, Artillery, patt. /53, and Lancaster, O.B., rifles, patt. /53, patt. /58*, and short, brass mounted, patt. /56		0 1 4	—	—
Rifles, short, iron mounted, patt. /56, bar on band or barrel, and patt. /60.. ..		0 1 8	—	—
Springs, pin, B.L., Snider—				
Block, breech, all arms, Mark II** and III		—	0 0 4½	0 0 4½
Locking, all arms, Mark II**		—	0 0 2½	0 0 3
Springs, piston, B.L. Snider, all arms, Mark II** and III		—	0 0 4½	0 0 4½

* Termed "naval patt. /58" in 1879 edition.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Springs, scabbard, leather, bayonet, common, long, rifle, B.L., Martini-Henry, interchangeable—		£ s. d.	£ s. d.	£ s. d.
Long { Mark I	each	—	0 0 2½	0 0 2½
Mark II	"	—	0 0 2½	0 0 3
Short	"	—	0 0 0½	0 0 1
Springs, sear— Interchangeable—				
All B.L. Snider, arms, except rifle, B.L.				
Snider, short, patt. /60	"	—	0 0 6½	0 0 7
Rifle, B.L. Snider, short, patt. /60 ..	"	—	0 0 7½	0 0 8½
Non-interchangeable—				
B.L. Snider, carbines, Artillery, patt. /53, and Lancaster, O.B., rifles, patt. /53, patt. 58*, and short, brass mounted, patt. /56	"	0 0 6	—	—
B.L. Snider, rifles, short, iron mounted, patt. /56, bar on band or barrel, and patt. /60	"	0 0 8	—	—
Springs, sight, back, elevating— Interchangeable, B.L.—				
Carbines—				
Martini-Henry	"	—	0 0 2	0 0 2½
Snider, patt. /61, Artillery and Cavalry	"	—	0 0 0½	0 0 1
Rifles—				
Martini-Henry	"	—	0 0 2	0 0 2½
Snider, patt. /53, patt. /58,* and short, patt. /60	"	—	0 0 1	0 0 1½
Non-interchangeable, B.L. Snider—				
All arms except carbines, Artillery, patt. /53, and Lancaster O.B.	"	0 0 4	—	—
Carbines, Artillery, patt. /53, and Lan- caster, O.B.	"	0 0 4	—	—
Springs, trap, plate, butt, carbines, Cavalry, B.L., interchangeable, brass, Snider, patt. /61	"	—	0 0 1½	0 0 1½
Springs, trigger, interchangeable, carbines and rifle, B.L. Martini-Henry	"	—	0 0 3½	0 0 3½
Staves, lance— Pattern /60, ash	"	—	0 5 7	0 6 2
Pattern /68, service, bamboo	"	—	0 1 7	0 1 8
Stocks finished, interchangeable— Carbines, B.L. Martini-Henry—				
Butts, long (see Rifle).				
Fore ends { Cavalry	"	—	0 2 7½	0 2 10
Artillery	"	—	0 2 3½	0 2 6½
Carbines, B.L. Snider, patt. /61—				
Artillery { Mark II** }	"	—	0 5 0	0 5 5
Mark III }	"	—	0 5 0	0 5 5
Cavalry { Mark II** }	"	—	0 5 0	0 5 5
Mark III }	"	—	0 5 0	0 5 5
Rifle, B.L. Martini-Henry—				
Butts { Long, same as carbines..	"	—	0 2 8	0 2 10½
Short	"	—	0 2 8	0 2 10½
Fore-ends { Mark II }	"	—	0 2 10½	0 2 12
Mark III }	"	—	0 2 10½	0 2 12

* Termed "naval patt. /58" in 1879 edition.

Section I

43

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Stocks, finished, interchangeable, contd.—		£ s. d.	£ s. d.	£ s. d.
Rifles, B.L. Snider—				
Pattern /53 { Long butts { Mark II** Mark III Short butts { Mark II** Mark III }	each	—	0 5 7	0 6 1
Pattern /58* { Mark II** Mark III }	—	0 5 7	0 6 1
Short, patt. /60 { Mark II** Mark III }	—	0 5 4	0 5 10
Short, patt. /60 { Mark II** Mark III }	—	0 6 4	0 6 10
Stocks, rough, non-interchangeable—				
Carbines, B.L. Snider, Artillery, patt. /53, and Lancaster, O.B.	0 3 0	—	—
Rifles, B.L. Snider—				
Patt. /58,* short, brass mounted, patt. /56, and iron mounted, patt. /56 and /60	0 4 0	—	—
Patt. /53	0 3 0	—	—
Stops, rammer—				
Interchangeable, iron, all B.L. Snider, con- verted arms, except carbine, Cavalry, patt. /61	doz.	—	0 0 2½	0 0 2½
Non-interchangeable, B.L. Snider, con- verted (same as interchangeable)				
Stops, stud, barrel, interchangeable, rifle, B.L. Martini-Henry, Mark II	—	0 0 7½	0 0 8
Strikers, B.L. Martini-Henry, interchange- able—				
Carbines, and rifle Mark III	each	—	0 0 7½	0 0 7½
Rifle, Mark II	—	0 0 7	0 0 7½
Studs, barrel, interchangeable, rifle, B.L. Martini-Henry, Mark II	doz.	—	0 0 4½	0 0 5½
Swivels, band, upper—				
Interchangeable, all B.L. arms, except carbines, Cavalry	each	—	0 0 3½	0 0 3½
Non-interchangeable, all B.L. Snider arms	..	0 0 3½	—	—
Swivels, butt—				
Interchangeable—				
Carbines, Artillery, B.L. Snider, patt. /61, and rifle, B.L. Snider, short, patt. /60	..	—	0 0 4½	0 0 4½
B.L. Martini-Henry carbine, Artillery, and Rifle (for Rifle Regiments)	—	0 0 2½	0 0 2½
Non-interchangeable, B.L. Snider, car- bines, Artillery, patt. /53, and Lancaster, O.B., rifles, short, brass mounted, patt. /56, and iron mounted, patt. /56 and /60	..	0 0 5	—	—
Swivels, guard, trigger—				
Interchangeable, rifles, B.L. Snider, patt. /53, patt. /58,* and B.L. Martini-Henry	..	—	0 0 2½	0 0 3
Non-interchangeable, with screws, rifles, B.L. Snider, patt. /53, and patt. /58* ..	doz.	0 1 7½	—	—
Swivels, tumbler—				
Interchangeable, all B.L. Snider, arms ..	each	—	0 0 1½	0 0 1½
Non-interchangeable, all B.L. Snider arms	..	0 0 2	—	—
Swords, brass hilt—				
Army Hospital Corps, Militia Infantry (except Rifles), Volunteers, and 2nd class Reserve, staff sergeants	0 15 0	—	—

* Termed "naval patt. /58" in 1879 edition.

Section I.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Swords, brass hilt, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>	<i>£ s. d.</i>
Army Hospital Corps, sergeants (drummers, O.P.)	each	0 7 9	—	—
Line and Militia Regiments, drummers and band	"	0 7 9	—	—
Militia Artillery, buglers (M.L. Artillery, carbine, sword bayonet)	"	0 7 6	—	—
Pioneers, sawback	"	0 10 0	—	—
Swords, gilding metal gilt hilt—				
Yeomen of the Guard	"			
Line Regiments, staff sergeants, and Chief Warders, Military Prisons	"	0 16 0	—	—
Swords, gun-metal hilt, dismounted				
Royal Engineers and Engineer Militia, staff sergeants	"	0 19 0	—	—
Swords, iron (and steel) hilt—				
Basket or claymore, Highland Regiments—				
Staff sergeants	"	1 11 6	—	—
Drummers, pipers and band	"	1 10 0	—	—
Cavalry, and other mounted corps—				
Patt. /53	"	0 16 9	—	—
Patt. /64*	"	0 16 9	—	—
Patt. /82*	"	0 15 6	—	—
Household Cavalry, patt. /82*	"	1 2 6	—	—
Practice—				
Cavalry and other mounted corps, with scabbard (see page 492)	"	0 10 0	—	—
Gymnasia, &c., Wilkinson's (see page 492)	"	0 9 0	—	—
Infantry (see page 492)	"	0 2 6	—	—
Lead cutting, with scabbard (see page 492)	"	0 16 0	—	—
Sea service patt., 25½ inch, Mark II	"	0 3 0	—	—
Rifle Regiments, Line and Militia—				
Buglers and band	"	0 8 0	—	—
Staff sergeants	"	1 2 0	—	—
Master Gunners, and Royal Artillery, Mounted Royal Engineers, Commissariat and Ordnance Corps, and Militia Artillery, staff sergeants	"	0 13 9	—	—
Royal Navy (cutlase) { 29 inch	"	0 8 6	—	—
{ 27 "	"	0 8 6	—	—
{ 25½ inch	"	0 12 0	—	—
Tacks, copper, lance, pattern /60 .. doz.		—	0 0 0½	0 0 0½
Tangs, breech, all B.L. Snider arms—				
Interchangeable { Mark II**	each	—	0 0 5½	0 0 6½
{ Mark III	"	—	0 0 6½	0 0 6½
Non-interchangeable { Mark II**	"	0 0 7	—	—
{ Mark III	"	0 0 7	—	—
Thongs, lance—				
Blunt, exercise (see page 480)	"	0 0 2½	—	—
Pattern /60	"	—	0 0 4	0 0 4½
Flag, pattern /68, service	"	—	0 0 2	0 0 2½
Thumpieces, all B.L. Snider arms, interchangeable, Mark III	"	—	0 0 4	0 0 4½
Tips, scabbard, bayonet, leather—				
Common, rifles, B.L.—				
Martini-Henry, long	"	—	0 0 2½	0 0 2½
Snider, patt. /53, interchangeable and non-interchangeable, and Martini-Henry, converted	"	0 0 2½	—	—

* Have steel hilt.

SMALL ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tips, scabbard, bayonet, leather, contd.—		£ s. d.	£ s. d.	£ s. d.
Sword—				
Carbine, B.L. Snider, Lancaster, O.B., non-interchangeable	each	0 0 7	—	—
Rifles—				
Pattern /58*, with cutlass guard, B.L. Snider, and Martini-Henry, con- verted	"	—	0 0 6	0 0 6½
Short patt. /60, B.L. Snider, and Martini-Henry, converted, carbine, Artillery, B.L. Martini-Henry, carbine, Irish Constabulary, B.L. Snider, and rifle, B.L. Martini- Henry, sawback	"	—	0 0 7½	0 0 8½
Tips, scabbard, sword, leather—				
Brass mounted—				
Army Hospital Corps, Militia, Volun- teers, and 2nd class Reserve (except Militia, Artillery, Engineers, and Rifles), staff sergeants	"	0 0 9	—	—
Line and Militia Regiments, drummers and band	"	0 1 3	—	—
Pioneers	"	0 0 10	—	—
Royal Navy, cutlass { 29 or 27 inch .. 25½ inch	"	0 0 10 0 0 8	—	—
Gilt mounted, Line Regiments, staff ser- jeants, and Chief Warders, Military Prisons	"	0 2 10	—	—
Iron mounted, Rifle Regiments, Line and Militia—				
Staff sergeants	"	0 2 0	—	—
Buglers and band	"	0 1 6	—	—
Tips, shoe, scabbard, sword, iron, Ca- valry and other mounted Corps, patt. /53, /64, and /82, and Household Cavalry ..	"	—	0 0 0½	0 0 1
Traps, plate, butt, carbines, Cavalry, B.L., brass, Snider, patt. /61	"	—	0 0 1½	0 0 1½
Triggers—				
Interchangeable—				
All arms, except carbines and rifles, B.L. Martini-Henry	"	—	0 0 4½	0 0 5
B.L. Martini-Henry Rifle, Mark II and III, and carbines	"	—	0 0 6	0 0 6½
Non-interchangeable, all B.L. Snider arms	"	0 0 4	—	—
Tubes, guide, B.L. Snider, Mark II** and III	"	—	0 0 4½	0 0 5
Tumblers, interchangeable—				
All arms, except carbines and rifle, B.L. Martini-Henry and rifle, B.L. Snider, short, patt. /60	"	—	0 0 10	0 0 11
B.L. Martini-Henry Rifle, Mark II and III, and carbines	"	—	0 0 6½	0 0 7
Rifle, B.L. Snider, short, patt. /60 ..	"	—	0 0 11	0 1 0
Tumblers, non-interchangeable, with swi- vels, B.L. Snider—				
Carbines, Artillery, patt. /53, and Lan- caster, O.B., rifles, patt. /53, patt. /58,* and short, brass mounted, patt. /56 ..	"	0 1 0	—	—
Rifles, short, iron mounted, patt. /56, bar on band or barrel, and patt. /60 ..	"	0 1 1	—	—

* Termed "naval patt. /58" in 1879 edition.

PACKAGES, SMALL ARM.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Battens, for chests, arm, B.L. arms, contd.—		£ s. d.	£ s. d.
Plain—			
Rifles, B.L. { Martini-Henry, for battens, No. 3	100	0 7 4	0 7 9
1 inch Snider, short, patt. /60	"	0 9 8	0 10 3
2	"	0 8 7	0 9 1
3	"	0 7 6	0 7 10
4	"	0 7 4	0 7 9
Rests, bayonet, sword, rifle, Snider, naval, patt. /58	"	0 4 7	0 4 10
Battens for cases, packing—			
Bayonet, common, long, rifle, B.L. Martini-Henry—			
Narrow	"	0 3 4	0 3 6
Wide	"	0 11 5	0 12 1
Bevils for chests, arm—			
Large	"	0 2 7	0 2 9
Small	"	0 2 7	0 2 9
Boards, end in three pieces, for			
chests, arm, rifle, B.L. Martini-Henry, } narrow	"	0 13 9	0 14 7
fitted for bayonets, sword, cutlass guard, } wide	"	0 14 3	0 15 1
25½ inch	"		
Buttons for chests, arm, rifles, B.L. Snider,			
patt. /53	"	0 2 9	0 2 11
Cases, wood, packing to hold—			
20 barrels, with bodies, carbines or rifle, B.L.			
Martini-Henry	each	0 7 5	0 7 10
25 barrels, rifle, B.L. Snider	"	0 6 8	0 7 1
20	"	0 6 8	0 7 1
10	"	0 3 3	0 3 5
3	"	0 1 11	0 2 0
100 bayonets, common, long, rifle, B.L. Martini-			
Henry	"	0 12 3	0 13 0
20 lances	"	0 9 0	0 9 6
12	"	0 7 4	0 7 9
20 pistols, revolver, B.L., Enfield	100	46 6 10	49 2 5
10	"	33 2 5	35 2 2
10 rifles, B.L. Martini-Henry	each	0 9 3	0 9 10
9	"	0 8 11	0 9 5
8	"	0 8 4	0 8 10
7	"	0 7 10	0 8 4
6	"	0 7 2	0 7 7
5	"	0 6 5	0 6 10
4	"	0 5 8	0 6 0
3	"	0 4 10	0 5 1
2	"	0 4 4	0 4 7
1	"	0 3 7	0 3 10
10 Snider	"	0 5 8	0 6 0
9	"	0 5 6	0 5 10
8	"	0 5 0	0 5 4
7	"	0 4 8	0 4 11
6	"	0 4 6	0 4 9
5	"	0 3 9	0 4 0
4	"	0 3 3	0 3 5
3	"	0 3 0	0 3 2
2	"	0 2 6	0 2 8
1	"	0 2 1	0 2 2
3 stocks, B.L. Snider	"	0 3 1	0 3 3
Small arm, tools and materials, tin lined	"	0 9 0	0 9 6

* The Balance-sheet rates for fittings include the cost of desiccating, dipping in solution of soda and paraffining, no fittings being issued without undergoing those processes.

PACKAGES, SMALL ARM.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Chests, arm, for 20 arms*—		£ s. d.	£ s. d.
Carbines, B.L. Martini-Henry—			
Artillery { With fittings { Mark I	each	0 19 8	1 0 10
{ Mark II**	"	0 19 8	1 0 10
{ Without fittings	"	0 14 1	0 14 11
Cavalry { With fittings	"	0 15 7	0 16 6
{ Without fittings	"	0 12 10	0 13 7
Spare, with fittings { Artillery	"	1 16 1	1 18 3
{ Cavalry	"	1 11 4	1 13 3
Carbines, B.L. Snider, patt. /61—			
Artillery { With fittings	"	1 0 9	1 2 0
{ Without fittings	"	0 15 4	0 16 3
Cavalry { With fittings	"	0 19 11	1 1 1
{ Without fittings	"	0 14 11	0 15 10
Rifle, B.L. Martini-Henry, spare, with fittings for—			
Infantry Regiments	"	1 14 4	1 16 5
Rifle Regiments and Companies of Royal Engineers	"	1 14 2	1 16 3
Rifle, B.L. Martini-Henry—			
With fittings	"	0 19 5	1 0 7
Without fittings	"	0 15 2	0 16 1
Fitted for bayonets, sword, cutlass guard, 25½ inch	"	0 19 1	1 0 3
Rifles, B.L. Snider—			
Patt. /53, fitted for carbines, patt. /61—			
Artillery { With fittings	"	1 0 9	1 2 0
{ Without fittings	"	0 15 4	0 16 3
Cavalry { With fittings	"	1 0 0	1 1 2
{ Without fittings	"	0 14 11	0 15 10
Patt. /53 { With fittings	"	1 0 4	1 1 7
{ Without fittings	"	0 16 3	0 17 2
Patt. /58† { With fittings	"	1 5 3	1 6 9
{ Without fittings	"	0 19 6	1 0 8
Short, patt. /60 { With fittings	"	1 3 8	1 4 1
{ Without fittings	"	0 18 2	0 19 3
Cleats for chests, arm*—			
Fixing bayonets, Snider, B.L.—			
Carbine, Artillery, patt. /61, and rifle, patt. /58†	100	0 4 4	0 4 7
Rifle, patt. /53 { Large	"	0 5 0	0 5 4
{ Small	"	0 5 0	0 5 4
Notched, rifle, B.L. Martini-Henry, in two pieces	"	0 4 4	0 4 7
Stop	"	0 2 6	0 2 8
Filets, bridge, for†—			
Cases, bayonet, common, long, rifle, B.L. Martini- Henry	"	0 2 1	0 2 2
Chests, arm, Martini-Henry, B.L.—			
Carbines { Cavalry	"	0 3 11	0 4 2
{ Artillery	"	0 5 4	0 5 8
Rifle, and chest, fitted for bayonets, sword, cutlass guard, 25½ inch.. .. .	"	0 4 0	0 4 3
Chests, arm, Snider, B.L.—			
Carbines—			
Artillery, patt. /61, and rifle, short, patt. /60	"	0 1 10	0 1 11
Cavalry, patt. /61, and rifle, patt. /53	"	0 2 0	0 1

* For cost of preparing for Foreign Service, see page 51

† Termed "naval patt. /58" in 1879 edition.

‡ The Balance-sheet rates for fittings include the cost of desiccating, dipping in solution of soda and paraffining, no fittings being issued without undergoing those processes.

(V.S.)

D

PACKAGES, SMALL ARM.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Fillets, bridge, for,* continued—		£ s. d.	£ s. d.
Chests, arm, Snider, B.L.—			
Rifle, patt. /58† { Butt	100	0 3 8	0 3 11
{ Large	„	0 2 7	0 2 9
{ Small	„	0 1 2	0 1 3
Fillets, corner, for*—			
Cases, bayonet, common, long, rifle, B.L. Martini-Henry	„	0 2 3	0 2 5
Chests, arm—			
Martini-Henry, B.L.—			
Carbines { Cavalry	„	0 3 7	0 3 9
{ Artillery	„	0 3 7	0 3 9
Rifle, and chest, fitted for bayonets, sword, cutlass guard, 25½ inch	„	0 3 5	0 3 7
Snider, B.L., carbines—			
Artillery, patt. /61, and rifle, short, patt. /60	„	0 1 10	0 1 11
Cavalry, patt. /61, and rifle, patt. /53	„	0 1 10	0 1 11
Lids for chests, arm, B.L. arms—			
Carbines—			
Martini-Henry { Cavalry	each	0 3 0	0 3 2
{ Artillery	„	0 3 0	0 3 2
Snider, patt. /61 { Artillery	„	0 3 0	0 3 2
{ Cavalry	„	0 3 1	0 3 3
Rifles—			
Martini-Henry	„	0 3 6	0 3 8
Snider { Pattern /53	„	0 3 7	0 3 9
{ Patt. /58†	„	0 4 2	0 4 5
{ Short, patt. /60	„	0 4 2	0 4 5
Packs, bayonet*—			
Bridged, chests, arm, Snider, B.L.—			
Carbine, Artillery, patt. /61	100	1 10 10	1 12 8
Rifles { Patt. /53	„	0 17 4	0 18 4
{ Short, patt. /60	„	2 6 6	2 9 3
Centre, cases, bayonet, common, long, rifle, B.L. Martini-Henry—			
Narrow	„	0 17 3	0 18 3
Wide	„	1 7 0	1 8 7
Centre, chests, arm, rifles, B.L.—			
Martini-Henry	„	2 8 5	2 11 4
Snider { Short, patt. /60	„	2 5 6	2 8 3
{ Patt. /58†	„	1 11 6	1 13 5
End, cases, bayonet, common, long, rifle, B.L., Martini-Henry—			
Narrow	„	0 17 1	0 18 1
Wide	„	0 19 8	1 0 10
Sword, guard, rifle, Martini-Henry	„	0 18 7	0 19 9
Rests, chest, arm, Snider, B.L.*—			
Bayonets, rifle, patt. 53	„	0 1 9	0 1 10
For battens, rifle, patt. 58†	„	0 7 2	0 7 7
Slips, butt, chests, arm, B.L.*—			
Carbines, Snider, patt. /61 { Artillery	„	0 6 11	0 7 4
{ Cavalry	„	0 11 10	0 12 6

* The Balance-sheet rates for fittings include the cost of desiccating, dipping in solution of soda and paraffining, no fittings being issued without undergoing those processes.

† Termed "naval patt. /59" in 1879 edition.

51

PACKAGES, SMALL ARMS.				Rate.			
				Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Slips, butt, chests, arm, B.L.,* continued—					£ s. d.	£ s. d.	
Grooved, Martini-Henry—							
Carbines	{	Artillery	100	0 13 5	0 14 3	
		Cavalry	"	0 9 2	0 9 9	
Rifle..			"	0 9 2	0 9 9	
Rifles, Snider	{	Patt. /53	long butts	0 6 3	0 6 7	
			short butts	0 11 2	0 11 10	
	{	Patt. /58†	0 7 11	0 8 5	
			Short patt. /60	0 9 10	0 10 5	

**COST OF PREPARING THE UNDERMENTIONED PACKAGES
FOR FOREIGN SERVICE.**

Chests, arm, for—												
Carbines, B.L. Martini-Henry—												
Artillery	{	With fittings	each	0	5	9	0	6	1
		Without fittings	"	0	5	3	0	5	7
Cavalry	{	With fittings	"	0	5	6	0	5	10
		Without fittings	"	0	4	10	0	5	1
Carbines, B.L. Snider, patt. /61 {												
		Artillery	"	0	6	3	0	6	7
		Cavalry	"	0	5	9	0	6	1
Rifles	{	B.L. Martini-Henry, with fittings	"	0	6	7	0	7	0
		{ Patt. /53	"	0	6	11	0	7	4
		{ B.L. Snider { Patt. /58 +	"	0	7	7	0	8	0
		{ Short, patt. /60	"	0	6	11	0	7	4
Cases to hold rifles, B.L.—												
10	Martini-Henry or Snider..	"	0	9	5	0	10	0
9	" "	"	0	8	7	0	9	1
8	" "	"	0	7	9	0	8	3
7	" "	"	0	7	4	0	7	9
6	" "	"	0	6	9	0	7	2
5	" "	"	0	6	3	0	6	7
4	" "	"	0	5	7	0	5	11
3	" "	"	0	5	5	0	5	9
2	" "	"	0	5	1	0	5	5
1	" "	"	0	4	1	0	4	4
Cases, to hold—												
20	Barrels, with bodies, carbines or rifle, B.L.,											
	Martini-Henry	"	0	3	8	0	3	11
25	Barrels, rifle, B.L. Snider	"	0	3	4	0	3	6
20	" "	"	0	3	4	0	3	6
10	" "	"	0	2	3	0	2	5
3	" "	"	0	1	7	0	1	8
20	Lances	"	0	3	11	0	4	2
12	" "	"	0	3	7	0	3	10
20	Pistols, revolver, B.L., Enfield	100	13	19	6	14	16	3
10	" "	"	9	11	1	10	2	8
3	Stocks, B.L., Snider	each	0	2	3	0	2	5

* The Balance-sheet rates for fittings include the cost of desiccating, dipping in solution of soda and paraffining, no fittings being issued without undergoing those processes.

† Termed "naval patt. /58" in 1879 edition.

FORGE, FIELD, ARMOURERS, MARTINI- HENRY ARMS.

FORGE, FIELD, ARMOURERS, MARTINI-HENRY ARMS.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
CHESTS, FORGE, FIELD—					
Complete with tools and materials ..	each	£ s. d.	£ s. d.	£ s. d.	£ s. d.
Empty	"	—	31 12 0	83 15 0	
			9 1 9	10 4 11	
Materials—	Quantity to a set.				
Borax (see page 135) ..	2 oz. lb.	0 0 5	—	—	—
Cloth, emery, fine (see page 140) { F ½ qr.	quire	0 0 10½	—	—	—
	{ O ½ qr.	" 0 0 10½	—	—	—
Dust, oil stone (see page 143) ..	6 oz. lb.	0 0 6	—	—	—
Emery powder { Fine, No. 1 ..	½ lb. "	0 0 1½	—	—	—
(see page 157) { Flour ..	½ lb. "	0 0 1	—	—	—
Glue, best town made (see page 144)	1 lb. "	0 0 4	—	—	—
Paper, glass { Coarse, No. 2 ..	½ qr. quire	0 0 6	—	—	—
(see page 156) { Fine, No. 1½ ..	½ qr. "	0 0 6	—	—	—
Resin (see page 157) ..	½ lb. cwt.	0 6 5	—	—	—
Sal-ammoniac (see page 159) ..	2 oz. lb.	0 0 5½	—	—	—
Spelter, brass (see page 163) ..	2 oz. "	0 0 9½	—	—	—
Tin, grain (see page 172) ..	4 oz. "	0 0 11½	—	—	—
Wire iron—					
Hard, W.G. (see { No. 13 ..	1 lb. "	0 0 1½	—	—	—
page 174) { No. 9 ..	1 lb. "	0 0 1½	—	—	—
Soft, W.G., No. 20 (see page 174)	½ lb. "	0 0 1½	—	—	—
	½ lb. "	0 4 0	—	—	—
Wire, steel { Bright { 1½ lb. ..	½ lb. "	0 2 6	—	—	—
(see page 174) { Soft, W. G., No. 10 ..	1 lb. "	0 0 3	—	—	—
Tools—	No. to a set.				
Anvils, 28 lbs. ..	1 each	0 10 0	—	—	—
Bags, canvas, for earth, to balance bellows	2 "	0 0 6	—	—	—
Bellows, 20 lbs., 21 inches x 11 inches, F.S. ..	1 "	0 18 0	—	—	—
Bits—					
Copper, soldering, 1½ lbs. ..	1 "	0 1 11	—	—	—
Countersink, rose ..	1 "	0 0 5	—	—	—
Rimer { Half round ..	1 "	0 0 4½	—	—	—
{ 4 square ..	1 "	0 0 5	—	—	—
{ 5 ..	1 "	0 0 5½	—	—	—
Screwdriver { Butt plate screw ..	1 "	—	0 1 10½	0 2 0½	
{ Cutter, countersink for cartridge head	1 "	0 0 9	—	—	—
{ Stock bolt ..	1 "	—	0 2 0½	0 2 3	
{ Stop nut ..	1 "	—	0 2 7½	0 2 10½	
Spoon, with collar, ½ inch ..	1 "	0 0 3½	—	—	—
Blades, awl ..	6 "	0 0 1	—	—	—
Blocks { Anvil, 13 lbs. ..	1 "	—	0 1 4	0 1 6	
{ Gun-metal, for depressing lever for tumbler ..	1 "	—	0 3 3	0 3 6½	

FORGE, FIELD, ARMOURERS, MARTINI-HENRY ARMS.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
			£ s. d.	£ s. d.	£ s. d.
Tools, continued—		No to a set.			
Bottles, gutta-percha, sal-ammoniac (see page 136)	1	each	0 1 9	—	—
Braces, iron (see page 108) ..	1	"	0 4 9	—	—
Breeching-up—					
Clams, gun-metal, pairs—					
Carbines	1	pair	—	0 6 2½	0 6 8½
Rifle { Mark II	1	"	—	0 2 9	0 3 0
Mark III	1				
Squares	1	each	—	0 14 10	0 16 2
Taps, for barrel hole in body ..	1	"	—	0 12 4	0 13 5
Wrenches—					
Breeching-up	1	"	—	0 6 7½	0 7 2½
Tap, for barrel hole in body ..	1	"	—	0 1 0	0 1 1
Broaches, for piston hole—					
Small { Handled	1	"	—	0 0 6	0 0 6½
Unhandled	1				
Cans, tin—					
Oil, feeding, screw top	1	"	0 0 3½	—	—
Oilstone dust	1	"	—	0 0 4	0 0 4½
Chisels, cold { 1-inch		1	"	0 1 3	—
{ ½ "		1	"	0 0 11	—
{ ¼ "		1	"	0 0 10	—
Clams, wood, pairs	1	pair	—	0 0 11½	0 1 0½
Corks, for wood clams	4	doz.	0 1 9	—	—
Cutters, chamber, countersink, for head of cartridge	1	each	—	0 7 5	0 8 1
Drifts, boxwood, for fore end of stock, rifle, Mark II		1	"	—	0 0 9½
Drifts, wire { Large, rifle, Mark II		1	"	—	0 1 4½
{ Small		1	"	—	0 1 3½
Drilling tools—					
Bows, drill, cane	1	"	0 1 0	—	—
Boxes drill, wood (see page 108)	2	"	0 0 3	—	—
Drills, set of 5 (see page 112) ..	1	set	0 0 7	—	—
Plates, breast, wood	1	each	0 1 0	—	—
Stocks, steel, drill	1	"	0 1 2	—	—
Strings, drill, catgut, knots ..	2	knot	0 0 10	—	—
Drivers, screw, handled—					
Large	1	each	—	0 2 10½	0 3 1½
Medium	1	"	—	0 0 9	0 0 10
Small, or turnscrew, round stem	1	"	—	0 3 1½	0 3 4½
Facers, for bent-in tumbler ..	2	"	—	0 0 9	0 0 9½
Files, bastard—					
Flat taper (see { 8 inch	1	doz.	0 3 8	—	—
page 112) { 6 "	2	"	0 2 5½	—	—
{ 10 inch		2	"	0 5 3	—
Half round { 8 "	1	"	0 3 8	—	—
(see page 112) { 6 "	2	"	0 2 5½	—	—
{ 4 "		2	"	0 1 8	—
Hand or safe edge { 10 inch ..	2	"	0 6 4	—	—
(see page 113) { 8 "	2	"	0 4 3	—	—
Knife, 5 inch (see page 113) ..	2	"	0 3 8	—	—
Pillar, 6 " (see page 113) ..	1	"	0 3 0	—	—
Round (see { 8 inch	1	"	0 3 8	—	—
page 113) { 4 "	2	"	0 1 8	—	—
{ 3 "		2	"	0 1 8	—
Square, 6 inch (see page 113) ..	1	"	0 2 5½	—	—
Three square or triangular, 6 inch (see page 114)	2	"	0 3 0	—	—
Warding, 6 inch (see page 114)	2	"	0 2 0	—	—

Section I.

FORGE, FIELD, ARMOURERS, MARTINI-HENRY ARMS.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
			£ s. d.	£ s. d.	£ s. d.
Tools, continued—					
Files, rough—					
Half round, 10 inch (see page 114)	2	doz.	0 5 3	—	—
Threesquare or triangular { 9 inch	2	"	0 5 3	—	—
(see page 115) { 6 "	2	"	0 3 0	—	—
Files, smooth—					
Bent, 4 inch	2	"	0 3 1	—	—
Dead, 3 square, 6 inch (see page 116)	1	"	0 6 2	—	—
Flat—					
Back, 5 inch	2	"	0 4 8	—	—
Safe edge (see { 8 inch	2	"	0 5 5	—	—
page 116) { 6 "	1	"	0 4 1	—	—
Taper, 6 inch (see page 117)	1	"	0 3 4	—	—
Half round (see { 8 inch	1	"	0 4 9	—	—
page 117) { 6 "	2	"	0 3 4	—	—
{ 4 "	1	"	0 2 4½	—	—
{ 3 "	1	"	0 2 4½	—	—
Pillar (see { 6 inch	2	"	0 4 1	—	—
page 117) { 3 "	1	"	0 2 8	—	—
Plain back, 4 inch	2	"	0 3 1	—	—
Threesquare, or triangular { 5 inch	1	"	0 3 2	—	—
(see page 118) { 4 "	2	"	0 2 8	—	—
{ 3 "	1	"	0 2 8	—	—
Floats, barrel	1	each	—	0 2 3	0 2 6
Gauges—					
Cartridge—					
Dummy for loading and firing					
positions	1	"	—	0 3 8	0 4 0
Head	1	"	—	0 4 2½	0 4 7
Extractor, inside	1	"	—	0 2 5½	0 2 7½
Gimlets, nail, common (see page 118)	6	"	0 0 1½	—	—
Guides, mandril	1	"	—	0 0 4½	0 0 5
Hammers, handled, riveting { 24 oz.	1	"	0 1 3	—	—
(see page 120) { 4 "	1	"	0 0 8	—	—
Handles, awl, brad (see page 121)	7	"	0 0 1	—	—
Handles, file (see { Large	2	"	0 0 1	—	—
page 121) { Small	2	"	0 0 1	—	—
Horses, wood, 5 lbs. with screws	2	"	—	0 1 0	0 1 1
Mandrils { Bayonet socket, and pro-					
tector, rifle	1	"	—	0 5 1	0 5 6
{ Protector, carbine	1	"	—	0 14 5	0 15 8
Pans, with backs and towel, 38 lbs.	1	"	—	1 7 11	1 11 6
Pincers, pairs	1	pair	0 1 6½	—	—
Planes, smoothing, double iron (see					
page 125)	1	each	0 2 3½	—	—
Plates, screw, with 181 inch, ¼ inch					
and ⅞ inch holes, and with 6 taps					
and 2 wrenches	1	set	0 18 0	—	—
Pliers, bright, flat nos., pairs (see					
page 125)	1	pair	0 1 8	—	—
Pokers, 7 oz.	1	each	0 0 2	—	—
Pots, glue, copper, ½ pint, double	1	"	0 1 6	—	—
Punches for depressing levers for tum-					
blers	1	"	—	0 1 5½	0 1 7
Repairing scabbard, triangular					
bayonet, long*					
Awls, spoon	1	"	—	0 0 2½	0 0 3
Blocks, V, riveting	1	"	—	0 3 7	0 3 10½
Mandrils, riveting { Long	1	"	—	0 6 10	0 7 5
{ Short	1	"	—	0 5 9	0 6 3

* Not required for Cavalry Regiments.

FORGE, FIELD, ARMOURERS, MARTINI-HENRY ARMS.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, continued—			£ s. d.	£ s. d.	£ s. d.
Repairing scabbard, triangular bayonet, long—	No. to a set.				
Pliers, pairs	1	pair	—	0 1 6	0 1 8
Pressers	1	each	—	0 0 8½	0 0 9
Punches { Cup.. .. .	1	"	—	0 1 11	0 2 1
{ Riveting	2	"	—	0 0 4½	0 0 5
{ Set	1	"	—	0 1 8	0 1 9½
{ Stripping	1	"	—	0 0 4½	0 0 4½
Sets, flat, boxwood	1	"	—	0 0 1½	0 0 2
Rods, wiping, copper—					
In 2 pieces, rifle	1	"	—	0 7 11½	0 8 8½
In 1 piece, carbine	1	"	—	0 7 5½	0 8 2½
Saws, slitting, 7½ inch	1	"	0 1 6	—	—
Sight line { Carbines	1	"	—	0 4 7½	0 5 0½
{ Rifle	1	"	—	0 4 9	0 5 2
Slices, 9 oz.	1	"	0 0 5½	—	—
Spindles and rock staff (4 lbs.)	1	"	0 2 6	—	—
Stakes, vice, drawing, horns of lever	1	"	—	0 11 2½	0 12 2½
Stakes, vice, drawing, lever for tumbler	1	"	—	0 7 10½	0 8 7
Stamps, steel—					
Dash lines for wood, ¼ inch long..		"	0 1 10	—	—
Figures for { Metal { ½ inch .. 9		set	0 1 8	—	—
{ ⅜ inch .. 9		"	0 8 0	—	—
{ Wood, ⅜ inch .. 9		"	0 16 0	—	—
Letters for { Metal { ½ inch { Single 26		each	0 0 2	—	—
{ ⅜ inch { R. D. 1		"	0 0 2	—	—
{ ⅜ inch { Single 26		"	0 1 0	—	—
{ ⅜ inch { R. D. 1		"	0 0 11	—	—
{ ⅜ inch { Single 26		"	0 1 0	—	—
{ ⅜ inch { R. D. 1		"	0 1 3	—	—
Sticks, cleaning (Mark II)	1	"	—	0 0 5½	0 0 6½
Stones, oil { In frame, Turkey .. 1		"	0 2 3	—	—
{ Slips, Arkansas .. 1		"	0 0 10	—	—
Testers, with hooks for pull-off of trigger	1	"	—	0 7 8½	0 8 3
Tongs, 16 oz.	1	"	0 1 0	—	—
Vices (see { Hand, 16 oz .. 1		"	0 2 0	—	—
page 131) { Standing, 40 lbs. .. 1		"	0 9 0	—	—

* Not required for Cavalry Regiments.

FORGE, FIELD, ARMOURERS SNIDER ARMS.

FORGE, FIELD, ARMOURERS, SNIDER ARMS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Chests—		£ s. d.	£ s. d.	£ s. d.
Forge, field { Complete with tools and materials	each	—	23 13 6	25 15 0
Empty (see page 52)	„	—	9 1 9	10 4 11
Materials—	Quantity to a set.			
Borax (see page 135)	2 oz. lb.	0 0 5	—	—
Cloth, emery, fine { F.	1/4 qr. quire	0 0 10 1/2	—	—
(see page 140) { O.	1/4 „	0 0 10 1/2	—	—
Dust, oil stone (see page 143) ..	6 oz. lb.	0 0 6	—	—
Emery powder { Fine, No. 1 ..	1/4 lb. „	0 0 1 1/2	—	—
(see page 157) { Flour	1/4 „	0 0 1	—	—
Glue, best town made (see page 144)	1 „	0 0 4	—	—
Paper, glass (see { Coarse, No. 2 ..	1/4 qr. quire	0 0 6	—	—
page 156) { Fine, No. 1 1/4 ..	1/4 „	0 0 6	—	—
Resin (see page 157)	1/4 lb. cwt.	0 6 5	—	—
Sal-ammoniac (see page 159) ..	2 oz. lb.	0 0 5 1/2	—	—
Spelter, brass (see page 163) ..	2 „	0 0 9 1/2	—	—
Tin, grain (see page 172)	4 „	0 0 11 1/2	—	—
Wire—				
Iron (see { Hard, W. G. No. 13	1 lb. „	0 0 1 1/2	—	—
page 174) { Soft, W. G. No. 20	1/4 „	0 0 1 1/2	—	—
Bright, (see { 1 1/4 „	1/4 „	0 4 0	—	—
(see { 1 1/4 „	1/4 „	0 2 6	—	—
Steel { page 52) { Soft, W. G. No. 10 (see	1 „	0 0 3	—	—
page 174)	1 „	—	—	—
Tools—	No. to a set.			
Anvils, 28 lbs. (see page 52) ..	1 each	0 10 0	—	—
Bags, canvas for earth, to balance bellows (see page 52)	2 „	0 0 6	—	—
Bellows, 20 lbs., 21 inches x 11 inches F.S. (see page 52) ..	1 „	0 18 0	—	—
Bits—				
Copper soldering, 1 1/4 lbs. (see page 52)	1 „	0 1 11	—	—
Countersink, rose (see page 52) ..	1 „	0 0 5	—	—
Rimer (see { Half round ..	1 „	0 0 4 1/2	—	—
page 52) { Square	2 „	0 0 5	—	—
Screw driver, small	1 „	0 0 10	—	—
Spoon, with collar, 1/4 inch (see page 52)	1 „	0 0 3 1/2	—	—
Blades, awl (see page 52)	6 „	0 0 1	—	—
Blocks, anvil, 13 lbs. (see page 52) ..	1 „	—	0 1 4	0 1 6
Bottles, gutta percha, for sal-ammoniac (see page 136)	1 „	0 1 9	—	—
Braces, iron (see page 108)	1 „	0 4 9	—	—
Breeching tools, set of 6 pieces (5 cutters and 1 cylinder)	1 set	—	1 1 9	1 4 6
Broaches, for piston hole—				
Large { Handled	1 each	—	0 1 0 6 1/2	0 0 7 1/2
Unhandled	1 „	—	0 0 4 1/2	0 0 4 1/2

Section I.

57

FORGE, FIELD, ARMOURERS SNIDER ARMS.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, continued—				
Broaches, for piston hole—	No. to a set.			
Small (see (page 53) { Handled ..	1	each	—	0 0 6
Unhandled ..	1	„	—	0 0 3½
Cans, tin (see (page 53) { Oil, feeding, screw top	1	„	0 0 3½	—
Oilstone dust ..	1	„	—	0 0 4
Chisels, firmer handled { 1 inch ..	1	„	0 0 6	—
½ inch ..	1	„	0 0 4½	—
¾ inch ..	1	„	0 0 4	—
1 inch ..	1	„	0 0 4	—
Clams, gun metal, pairs { Barrel ..	1	pair	—	0 3 6
Breech tang ..	1	„	—	0 7 2
Countersinks, hand, for bottom of piston hole—				
Handled ..	1	each	—	0 0 6½
Unhandled ..	1	„	—	0 0 4
Cramps, gun-metal, with thumbscrew, for extractor, ..	1	„	—	0 3 0½
Cutters, chamber—				
Bottom ..	1	„	0 3 7	—
Countersink, common ..	1	„	—	0 3 10
Head ..	1	„	—	0 5 2
Cylinders for cartridge heads, single ..	1	„	—	0 5 9
Drifts, wire ..	1	„	—	0 1 7½
Drilling tools—				
Bows, drill, cane (see page 53) ..	1	„	0 1 0	—
Boxes, drill, wood (see page 108) ..	2	„	0 0 3	—
Drills, set of 5 (see page 112) ..	1	set	0 0 7	—
Plates, breast, wood (see page 53) ..	1	each	0 1 0	—
Stocks, steel, drill (see page 53) ..	1	„	0 1 2	—
Strings, drill, catgut, knots (see page 53) ..	2	knot	0 0 10	—
Drivers, screw, handled—				
Large (see page 53) ..	1	each	—	0 2 10½
Medium (see page 53) ..	1	„	—	0 0 9
Small or turnscrew, round stem (see page 53) ..	1	„	—	0 3 1½
Files, bastard—				
Flat taper (see { 8 inch ..	1	doz.	0 3 8	—
page 112) { 6 „ ..	2	„	0 2 5½	—
10 inch ..	2	„	0 5 3	—
Half round (see { 8 „ ..	1	„	0 3 8	—
page 112) { 6 „ ..	2	„	0 2 5½	—
4 „ ..	2	„	0 1 8	—
Hand, or safe edge { 10 inch ..	2	„	0 6 4	—
(see page 113) { 8 „ ..	2	„	0 4 3	—
Knife, 5 inch (see page 113) ..	2	„	0 3 8	—
Pillar, 6 „ (see page 113) ..	1	„	0 3 0	—
Round (see { 8 inch ..	1	„	0 3 8	—
page 113) { 4 „ ..	2	„	0 1 8	—
3 „ ..	2	„	0 1 8	—
Square, 6 inch (see page 113) ..	1	„	0 2 5½	—
Three square, or triangular, 6 inch (see page 114) ..	2	„	0 3 0	—
Warding, 5 inch (see page 114) ..	2	„	0 2 0	—
Files, rough—				
Half round, 10 inch (see page 114) ..	2	„	0 5 3	—
Three square or triangular—				
9 inch (see page 115) ..	2	„	0 5 3	—
6 „ (see page 115) ..	2	„	0 3 0	—

FORGE, FIELD. ARMOURERS SNIDER ARMS.		Rate.		
		Per Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, continued—		No. to a set.	£ s. d.	£ s. d.
Files, smooth—				
Bent, 4 inch (see page 54)	2	doz.	0 3 1	—
Dead, 3 square, 6 inch (see page 116)	1	..	0 6 2	—
Flat { Back, 5 inch (see page 54)	2	..	0 4 8	—
Safe { 8 inch (see page 116)	2	..	0 5 5	—
edge { 6 " }	1	..	0 4 1	—
Taper, 6 inch (see page 117)	1	..	0 3 4	—
Half round (see { 8 inch ..	1	..	0 4 9	—
page 117) { 6 " ..	2	..	0 3 4	—
{ 4 " ..	1	..	0 2 4½	—
{ 3 " ..	1	..	0 2 4½	—
Pillar (see { 6 inch ..	2	..	0 4 1	—
page 117) { 3 " ..	1	..	0 2 8	—
Plain back, 4 inch (see page 54) ..	2	..	0 3 1	—
Three square or triangular—				
5 inch (see page 118) ..	1	..	0 3 2	—
4 " (see page 118) ..	2	..	0 2 8	—
3 " (see page 118) ..	1	..	0 2 8	—
Floats, barrel, pattern /53 (see page 54) ..	1	each	—	0 2 3
Floats for iron ..	1	..	—	0 0 6
Floats, rod ..	1	..	0 1 7	—
Flute ..	1	..	0 0 8	—
Gauges—				
Chamber, with cross handle ..	1	..	—	0 1 6
Plug for mouth of chamber ..	1	..	—	0 2 9
Steel, cartridge head ..	1	..	—	0 2 0
Gimlets, nail, common (see page 118)	6	..	0 0 1½	—
{ ½ inch ..	1	..	0 0 7	—
Gouges, handled, firmer { ½ " ..	1	..	0 0 6	—
(see page 118) { ¼ " ..	1	..	0 0 5	—
{ ⅛ " ..	1	..	0 0 5	—
Gouges, handled, flat, ½ inch (see page 119) ..	1	..	0 0 6½	—
Guides, mandril (see page 54) ..	1	..	—	0 0 4½
Hammers, handled, riveting—				
24 ounces (see page 120) ..	1	..	0 1 3	—
4 " (see page 120) ..	1	..	0 0 8	—
Handles, awl, brad (see page 121) ..	7	..	0 0 1	—
Handles, file (see { Large ..	2	..	0 0 1	—
page 121) { Small ..	2	..	0 0 1	—
Horses, wood, 5 lbs., with screws (see page 54) ..	2	..	—	0 1 0
Knives, drawing, 10 inch cutting blade ..	1	..	0 1 9	—
Pans, with backs and towel, 38 lbs. (see page 54) ..	1	..	—	1 7 11
Parallels ..	1	..	—	0 1 7½
Pincers, pairs (see page 54) ..	1	..	0 1 6½	—
Planes, grooving { ½ inch ..	1	..	0 3 4	—
(see page 125) { ¼ inch ..	1	..	0 3 4	—
Planes, smoothing, double iron (see page 125) ..	1	..	0 2 3½	—
Plates, screw, pattern /53—				
Large, with 4 holes, and with 2 taps ..	1	..	—	0 5 6
Small, with 4 holes, and with 4 taps ..	1	..	—	0 2 8
Plates, screw, with 6 holes, for 6 taps ..	1	..	—	0 5 9
Pliers, bright, flat nose, pairs (see page 125) ..	1	pairs	0 1 8	—

Section I.

59

FORGE, FIELD ARMOURERS, SNIDER ARMS.		Rate.					
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
			£ s. d.	£ s. d.	£ s. d.	£ s. d.	
Tools, continued—		No. to a set					
Plugs, double, for spring cover	..	1	each	—	0 8 3	0 3 8	
Pokers, 7 oz. (see page 54)	..	1	"	0 0 2	—	—	
Pots, glue, copper, $\frac{1}{4}$ pint, double (see page 54)	..	1	"	0 1 6	—	—	
Rasps, fine, half round { 11 inch	..	2	doz.	0 8 1	—	—	
(see page 127) { 9 "	..	2	"	0 6 8	—	—	
Saws { Hand, 24 inch	..	1	each	0 1 9	—	—	
{ Slitting, 7 $\frac{1}{4}$ inch (see page 55)	..	1	"	0 1 6	—	—	
Scrapers, 6 inch long	..	2	"	—	0 0 8	0 0 9	
Shaves, spoke, 3 inch (see page 128)	..	1	"	0 0 5	—	—	
Shovels, stokers	..	1	"	0 1 0	—	—	
Slices, 9 oz. (see page 55)	..	1	"	0 0 5 $\frac{1}{2}$	—	—	
Spindles and rock staff (4 lbs.) (see page 55)	..	1	"	0 2 6	—	—	
Sticks { Buff, with emery face	..	3	"	0 0 7 $\frac{1}{2}$	—	—	
{ Cleaning	..	2	"	0 0 5	—	—	
Stones, oil (see { In frame, Turkey	..	1	"	0 2 3	—	—	
page 55) { Slips, Arkansas	..	1	"	0 0 10	—	—	
Taps for plates, screw—							
Breech block pin screw { No. 1	..	1	"	—	0 0 6	0 0 7	
{ No. 2	..	1	"	—	0 0 6	0 0 7	
Extractor { No. 1	..	1	"	—	0 2 0	0 2 2	
{ No. 2	..	1	"	—	0 2 0	0 2 2	
Locking pin { No. 1	..	1	"	—	0 2 0	0 2 2	
{ No. 2	..	1	"	—	0 2 0	0 2 2	
Taps, nipple wrench { No. 1	..	1	"	—	0 3 0 $\frac{1}{2}$	0 3 5	
{ No. 2	..	1	"	—	0 3 0 $\frac{1}{2}$	0 3 5	
{ No. 3	..	1	"	—	0 3 0 $\frac{1}{2}$	0 3 5	
Testers, with hooks for pull-off of trigger (see page 55)	..	1	"	—	0 7 8 $\frac{1}{2}$	0 8 3	
Tongs, 16 ounces (see page 55)	..	1	"	0 1 0	—	—	
Vices (see { Hand, 16 ounces	..	1	"	0 2 0	—	—	
page 131) { Standing, 40 lbs.	..	1	"	0 9 0	—	—	
Wrenches—							
Compound shoe and breech tang..	..	1	"	—	0 12 3	0 13 10	
Extractor	..	1	"	—	0 0 8	0 0 8 $\frac{1}{2}$	
Nipple { Hand	..	1	"	—	0 1 6	0 1 8	
{ Tap	..	1	"	—	0 1 6	0 1 8	

TOOLS, ARMOURERS.*

TOOLS, ARMOURERS.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bits—		£ s. d.	£ s. d.	£ s. d.
Boring, for rammer grooves, 2 sizes .. each		0 1 6	—	—
Centre, of sizes		0 0 6	—	—
Screwdriver, large		0 1 0	—	—
Brushes—				
Hard		0 1 7½	—	—
Lathe		0 2 8	—	—
Polishing, circular		0 3 6	—	—
Scratch		0 3 3	—	—
Soft, shoe (see page 466)		0 0 4	—	—
Burnishers, steel—				
Flat		0 1 0	—	—
Oval		0 2 0	—	—
Triangular		0 2 0	—	—
Chisels, splatter, 2½ inch		0 1 9	—	—
Cutters—				
Nose, for barrels { .656 bore		—	0 12 6	0 13 10½
{ .577 "		—	0 12 6	0 13 10½
Gauges—				
Cylinder { .661 bore		—	0 12 6	0 13 10½
{ .656 "		—	0 12 6	0 13 10½
{ .580 "		—	0 12 6	0 13 10½
{ .577 "		—	0 12 6	0 13 10½
Plug { .661 bore		—	0 7 6	0 8 5
{ .656 "		—	0 7 6	0 8 5
{ .580 "		—	0 7 6	0 8 5
{ .577 "		—	0 7 6	0 8 5
Sheet steel, eight pieces, for stocking and finishing	set	—	2 17 6	3 3 9
Sight, Snider—				
B.L. carbines { Artillery, patt. 61 .. each		—	0 8 6	0 9 5
{ Cavalry " "		—	0 8 6	0 9 5
{ Lancaster, O.B.		—	0 8 6	0 9 5
B.L. rifles { Patt. 58		—	0 10 6	0 11 8
{ Short, patt. 60, and naval, patt. 58		—	0 10 6	0 11 8
Gravers, hand, steel (see page 119)		0 0 6	—	—
Hammers, handled—				
Riveting, armourers { 16 oz. } (see		0 0 11	—	—
and lock filers { 8 " } page 120)		0 0 9	—	—
Stamping, small arms, with types	set	1 10 0	—	—
Irons, plane, grooving (see page 122)	each	0 0 4	—	—
Mallets, wood, 1½ lbs.		0 1 6	—	—
Mandrels, band, upper, middle, and lower, rifle B.L. Snider, pattern 53	set	—	6 10 0	7 4 4
Mandrels, scabbard—				
Iron, sword { Large	each	—	2 2 10	2 6 6
{ Small		—	2 2 10	2 6 6
{ Royal Artillery, staff sergeants		—	2 1 11	2 5 6
Leather, bayonet, rifle, B.L. Snider, patt. 53		—	1 0 0	1 2 2
Steel, sword-bayonet		—	1 12 5	2 3 3½

* Set of tools, armourers, at fixed stations, in addition to the tools in the field forge.

TOOLS, ARMOURERS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Handrills, socket, bayonet, rifle, B.L.		£ s. d.	£ s. d.	£ s. d.
Snider, patt. /53	each	—	1 1 9	1 4 2
Pans, iron, for bluing—				
15 inches by 9 inches by 3 inches ..	"	0 4 0	—	—
11 " by 9 " by 3 "	"	0 3 0	—	—
Planes—				
Grooving, $\frac{1}{2}$ inch (see page 125)	"	0 3 4	—	—
Hollow, for lances	"	0 6 6	—	—
Jack, single, iron	"	0 2 2	—	—
Plates, screw, with five taps for pistol, revolver, B.L. Adams	set	0 15 0	—	—
Plugs, or pegs, wood, for holding barrels when being browned	each	—	0 0 2 $\frac{1}{2}$	0 0 3
Punches—				
Hollow, for cutting out buff-pieces for Cavalry swords	"	—	1 5 0	1 7 9
6 $\frac{1}{2}$ inch long, 6 oz.	"	0 0 7 $\frac{1}{2}$	—	—
Rods—				
Cleaning, wood, armourers	"	—	0 1 1	0 1 2 $\frac{1}{2}$
Leading barrels { .556 bore	"	—	0 10 0	0 11 1
.577 "	"	—	0 10 0	0 11 1
Soldering sights	"	—	0 3 6	0 3 11
Wiping, iron	"	—	0 5 0	0 5 7
Stakes, iron—				
12 lbs.	"	0 2 6	—	—
4 $\frac{1}{2}$ "	"	0 1 5	—	—
Stamps, steel, figures for metal, $\frac{1}{2}$ inch (set of 9)	set	0 8 0	—	—
Tools for fixing leathers in snap caps (Snider)	each	—	0 8 0	0 9 0
Tools for repairing Snider barrels—				
Blocks, wood, holding barrel	"	—	0 3 0	0 3 3
Clams, copper	"	—	0 1 6	0 1 8
Floats, { Narrow, filing off lumps	"	—	0 1 6	0 1 8
long { With finer teeth	"	—	0 1 6	0 1 8
Mallets, wood, for copper rod	"	—	0 5 0	0 5 5
Plugs, steel, with two moveable wings, cut like a file—				
6 feet 6 inch pitch of rifling	"	—	1 10 0	1 12 8
4 " pitch of rifling	"	—	1 10 0	1 12 8
Plugs, steel, tapered at { No. 1	"	—	0 7 0	0 7 7
both ends, for raising { " 2	"	—	0 7 0	0 7 7
dents in barrels { " 3	"	—	0 7 0	0 7 7
" 4	"	—	0 7 0	0 7 7
" 5	"	—	0 7 0	0 7 7
Rods, copper, for forcing down plugs ..	"	—	0 1 0	0 1 1
Scrapers, long, for detaching rust ..	"	—	0 1 6	0 1 8
Troughs, or pans, wrought-iron, portable, for scalding barrels	"	0 9 2	—	—

TOOLS, REPAIRING METAL WORK OF ACCOUTRE- MENTS AND SADDLERY.*

TOOLS, REPAIRING METAL WORK OF ACCOUTREMENTS AND SADDLERY.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Bits, rimer { Half round .. (see page 52) {	each	0 0 4½	—	—
{ Square	"	0 0 5	—	—
Braces, iron (see page 108)	"	0 4 9	—	—
Chisels, hand, cold, 9 inches by ½ inch (see				
page 110)	"	0 0 7	—	—
Cutters, flat, for anvils	"	0 1 0½	—	—
Files—				
Bastard { Flat taper, 12 inch	"	0 7 7	—	—
{ Half round, 10 inch	"	0 5 3	—	—
{ Round, 10 inch .. (see	"	0 5 3	—	—
Rough, 3 square, or triangular, 12 inch	"	0 8 9	—	—
Smooth, half round, 10 inch	"	0 6 8	—	—
Hammers, handled—				
Chipping, 2 lbs.	"	0 1 5	—	—
Riveting, 4 oz. (see page 120)	"	0 0 8	—	—
Mandrels, 11 inch	"	0 0 8	—	—
Punches—				
12 inch, square.. .. .	"	0 0 11	—	—
11 " { Large	"	0 0 8	—	—
{ Small	"	0 0 7½	—	—
8 " diamond point	"	0 0 7½	—	—
Tongs—				
Forge or close { Large	"	0 1 4	—	—
{ Small	"	0 1 0	—	—
Hollow Bit { Large	"	0 1 4	—	—
{ Small	"	0 1 0	—	—
Plier { Large	"	0 1 4	—	—
{ Small	"	0 1 0	—	—

* For Cavalry Regiments of the Line only.

Section II.

CAMP AND FIELD EQUIPMENT.

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Axes—		£ s. d.	£ s. d.	£ s. d.
Felling, 4½ lbs.—				
Curved helve { Helved each		0 3 6	—	—
Unhelved "		0 2 11	—	—
Straight helve { Helved "		0 2 11	—	—
Unhelved "		0 2 4	—	—
Or hatchets, hand, 2 lbs., handled..		0 1 4	—	—
Pick (see page 76).				
Bags, canvas—				
Bedding, hospital—				
3 sets "		0 4 0	—	—
For 2 hair beds and 2 hair bolsters ..		0 5 1	—	—
Camp kettle { Light "		0 0 4½	—	—
Torrens "		0 0 7	—	—
For field hospital flaps "		0 0 7½	—	—
Pin, Tent—				
Circular { Double, linen "		0 2 0	—	—
Single, cotton.. .. . "		0 2 5	—	—
Single, linen "		0 1 6	—	—
Hospital "		0 3 10	—	—
Marquee { Officers and tent laboratory..		0 2 5½	—	—
Officers mess "		0 4 9	—	—
Bags, leather, letter, field.. .. . "		0 2 7	—	—
Barrels, water, ambulance wagon, with canvas cover and straps "		—	1 5 0	1 7 6
Barrows, wheel, intrenching, complete, with wheels—				
(Mark I) } (see page 76) .. {		1 7 9	—	—
(Mark II) } .. {		—	1 12 8	1 15 7
Bases, wood, for mess tent poles "		—	—	—
Basins—				
Iron, enamelled { 8½ inches by 6½ inches..		0 1 0	—	—
7½ " "		0 0 9	—	—
6 " "		0 0 6	—	—
Zinc, 9 inches, hospital canteen		0 0 10½	—	—
Baskets, knapsack, for ambulance wagon		0 3 9	—	—
Bearers, hospital—				
Complete "		—	0 15 3	0 15 8½
Parts of—				
Bottoms, canvas "		0 4 6	—	—
Pillows, filled "		0 0 10	—	—
Poles, wood, ash "		0 2 6	—	—
Slings, leather { Old pattern pair		—	0 4 2	0 4 6½
New pattern, with trans- verse strap, hospital or ambulance wagons "		—	0 4 11	0 5 4½
Beds, cork, field service each		0 11 6	—	—
Binding, worsted, red, for tents doz yds		0 0 6	—	—
Blades, saw, cross-cut, common or peg tooth, 6½ feet (see page 107) each		0 8 9	—	—

Section II.

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Blankets—				
Grey, field (and general) service	each	£ s. d.	£ s. d.	£ s. d.
Grey, field service	"	0 4 11	—	—
Or rugs*	"	0 4 9	—	—
Horse { White, or rugs	"	0 11 10	—	—
Coloured	"	0 15 0	—	—
	"	0 14 0	—	—
Blocks, wood, inside of tents—				
Circular, double	"	0 0 4½	—	—
Laboratory	"	0 0 6	—	—
Boards—				
Bed, field service †	set of 3	—	0 3 9	3 3 11½
Bed, Malta pattern	" 2	0 7 6	—	—
Dough, Curragh oven	each	0 4 0	—	—
Bottles, tin—				
Field veterinary chest, 1½ lbs.	"	—	0 1 2	0 1 3
Oil, hospital, canteen, with screw top.	"	—	0 5 4	0 5 10
2 gallons	"	—	—	—
Bottoms, or flooring—				
Canvas, hospital marquee, waterproof, in				
4 pieces	set	—	6 8 10	7 0 4
Wood, circular, tent, in 4 pieces	"	—	3 6 7	3 11 3
Boxes, field hospital equipment—				
Tin { For matches, hospital canteen, "A"	each	—	0 2 4	0 2 7
For money and medals	"	1 8 8	—	—
Wood, for field hospital wagon—				
Clothing (No. 1)	"	—	3 11 10	3 19 0
Cooking utensils (No. 2)	"	—	4 16 8	5 6 4
Key and tube of filter	"	—	0 4 5	0 4 10
Money and stationery (No. 3)	"	—	2 10 5	2 15 6
Medical comforts { No. 4	"	—	4 5 5	4 14 0
" 5	"	—	4 2 9	4 11 0
Weights (No. 6)	"	—	0 12 1	0 13 3
Boxes for stationery, with key, wood,				
field service—				
(Mark I)	"	—	0 17 6	0 18 7
(Mark II)	"	—	0 16 10	0 17 10
(Mark III)	"	—	2 7 9	2 10 7
Boxes, medical comforts—				
Wood, divisional { No. 1	"	—	3 14 0	4 1 5
" 2	"	—	2 18 8	3 4 6
Boxes, tin, for wood box, medical comfort,				
divisional (2)—				
Arrowroot	"	—	0 3 7	0 3 11
Candles	"	—	0 4 4	0 4 9
Extract of meat	"	—	0 4 7	0 5 0
Salt	"	—	0 5 9	0 6 4
Soap	"	—	0 3 7	0 3 11
Soup, solidified	"	—	0 3 8	0 4 0
Sugar	"	—	0 4 4	0 4 9
Tea	"	—	0 4 5	0 4 10
Boxes, wood, for 2 lanterns, oil and wick			0 15 5	0 16 4
Buckets, water—				
Canvas, Cavalry	"	0 1 1	—	—
Leather, Cavalry { O.P.	"	0 10 8	—	—
N.P.	"	0 11 6	—	—
Buckles, copper—				
For Cavalry, leather water buckets ..	doz.	0 3 0	—	—

* Fitted with leathers and strings, 1s. 1d. extra.

† Each 6 feet 5½ inches long, 8½ inches wide, and ½ inch thick.

Section II.

65

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Buckles, iron, tinned—		£ s. d.	£ s. d.	£ s. d.
For brown leather chapes for doors for circular tents	1,000	5 2 0	—	—
For buff leather chapes for Doyle's tent ventilators.. .. .	doz	0 0 4	—	—
Burrs, copper, tinned, for rivets, leather water buckets	lb	0 1 0	—	—
Buttons, tent—				
Horn. D'Abri	100	0 0 5	—	—
Wood.. .. .	"	0 0 9½	—	—
Candlesticks, reading, globe, Palmer's, or lamps, office	each	0 4 0	—	—
Canisters, tin—				
Field hospital equipment—				
Pepper or mustard (set of 2)	set	—	0 8 8	0 9 6
Tea	each	—	0 4 11	0 5 5
Divisional medical comfort box, No. 2, Pepper or mustard (set of 2)	set	—	0 5 8	0 6 3
Cans, tin, with screw top—				
Field hospital equipment, 3 gallons	each	—	0 6 5	0 7 1
Pharmacy wagon { 6 lbs. oil	"	—	0 4 1	0 4 6
{ 10 " paraffin	"	—	0 5 4	0 5 10
Canteens, wood, hospital—				
Filled { A (Mark II)	"	—	6 14 1	6 19 0
{ B (" II)	"	—	5 17 11	6 5 5
{ C (" I)	"	—	9 7 5	9 15 1
Empty { A (" II)	"	—	3 9 6	3 16 5
{ B (" II)	"	—	3 10 0	3 17 0
{ C (" I)	"	—	3 16 8	4 4 4
Filled { A (Mark I)	"	7 5 0	—	—
{ B (" I)	"	5 17 6	—	—
Empty { A (" I)	"	0 15 0	—	—
{ B (" I)	"	0 15 0	—	—
Canvas, packing, 36 inches wide, for skirting of tents (see Canvas, packing, or Hessian, page 138)	yard	0 0 3½	—	—
Caps, leather, hand, axe	each	0 0 9	—	—
Cases, camp, colour	"	0 0 6	—	—
Cases, leather, butchery implements	"	—	—	—
Cases, tin—				
Field hospital equipment wagon—				
Arrowroot or rice (sets of 2)	set	—	0 18 5	1 0 3
Salt (lined with wood)	each	—	0 11 10	0 13 0
Sugar	"	—	0 9 2	0 10 1
<i>Japanned, for stationery, with keys</i>	"	0 12 6	—	—
With lids opening at top, pharmacy wagon—				
Matches	"	—	0 2 8	0 2 11
Medical { Long	"	—	0 5 4	0 5 10
comforts { Medium	"	—	0 4 0	0 4 5
{ Small	"	—	0 2 5	0 2 8
{ Salt (lined with wood)	"	—	0 13 2	0 14 6
Medicines { 15 lbs.	"	—	0 3 9	0 4 1
{ 7 "	"	—	0 3 3	0 3 7
{ 2 "	"	—	0 2 7	0 2 10
{ 1 lb.	"	—	0 2 2	0 2 5
{ 8 oz.	"	—	0 2 2	0 2 5
Pills and powders	"	—	0 2 2	0 2 5
With sliding cover, pharmacy wagon, 8 lbs.	"	—	0 2 6	0 2 9
Chairs, camp, folding	"	0 7 6	—	—

(V.S.)

E

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Chapes, tent—		£ s. d.	£ s. d.	£ s. d.
Brown leather, with buckles for doors ..	100	0 10 3	—	—
Buff leather, for Doyles ventilators ..	each	0 0 1½	—	—
Chests, wood, butchery implements ..	"			
Chests, wood, with lift-out tray for field veterinary medicines, instruments, and stores—				
Filled { No. 1*	"	—	9 7 1	9 11 1
" 2*	"	—	9 13 7	9 16 11
Empty { No. 1	"	—	2 14 11	2 18 3
" 2	"	—	2 12 11	2 16 1
Cleavers, butchers, 2 feet 1 inch, for chest of butchers tools ..	"	0 4 11	—	—
Cocks, metal, water barrel, ambulance wagon ..	"	—	0 8 6	0 9 4
Colours, camp, shalloon—				
With poles	"	—	0 3 10½	0 4 1½
Without poles	"	0 0 7½	—	—
Cords—				
or heel rope { tarred†	"	0 1 6	—	—
" white cotton‡	"	0 1 6	—	—
Forage { White, 21 feet§	"	0 0 4½	—	—
" hemp 	"	0 0 4	—	—
Tying-up { Marquees	"	0 0 2	—	—
" Tents	"	0 0 1½	—	—
Covers—				
Blanket, waterproof, with eyelets (see Sheets, ground, page 72)	"	0 4 1	—	—
Saddle, waterproof, red, with eyelets ..	"	0 7 1	—	—
Tin, close-stool pan, hospital canteen ..	"	0 0 6	—	—
Cradles, Flanders camp kettle ..	"	0 1 4	—	—
Cups, hospital canteen—				
Tin, drinking { 1 pint	"	0 0 2½	—	—
" ½	"	0 0 1½	—	—
Zinc, spitting	"	0 0 4	—	—

* These rates are made up as follows:—

No. 1 Chest—	No. to a Chest.	Contract.	No. 1 B. S.	No. 2 B. S.
Chest, empty	—	—	2 14 11	2 18 3
Bottles, tin, 1½ lbs.	6	—	0 7 0	0 7 6
Cylinders, zinc { 4 ozs. to 5 ozs.	6	—	0 1 1½	0 1 2½
" { 1 lb. to 1½ lbs.	3	—	0 0 11½	0 1 0½
Medicines	—	2 9 11½	—	—
Instruments	—	3 13 2	6 3 1	6 3 1
<hr/>				
No. 2 Chest—			9 7 1	9 11 1
Chest, empty	—	—	2 12 11	2 16 1
Cylinders, zinc { 8 ozs. to 10 ozs.	6	—	0 1 3½	0 1 4½
" { 1 lb. to 1½ lbs.	3	—	0 0 11½	0 1 0½
Medicines	—	1 1 5	—	—
Instruments	—	5 17 0	6 18 5	6 18 5
			9 13 7	9 16 11

† Consisting of 10 feet 6 inches of tarred 1½ inch rope, with a galvanized iron ring spliced in at one end.

‡ Consisting of 10 feet 6 inches of 1½ inch white cotton rope, with a galvanized iron ring spliced in at one end.

§ This is also hemp.

|| Consisting of about 23 feet of 1½ inch white hemp rope, with a spliced eye at one end.

CAMP AND FIELD EQUIPMENT.	Rate.					
	Per	Contract.	No. 1. Balance Sheet.		No. 2 Balance Sheet.	
		£ s. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.
Curtains, for marquees, officers mess ..	each	1 17 8	—	—	—	—
Cushions, leather, pharmacy wagon ..	"	—	0 13 6	0 14 10		
Cylinders, zinc, field veterinary chest—						
4 ozs. to 5 ozs.	100	—	0 18 5	0 19 6		
8 ozs. to 10 ozs.	"	—	1 1 6	1 2 9		
1 lb. to 1½ lbs.	"	—	1 12 4	1 14 8		
Dees, iron tinned—						
1 inch, for doorways of tents	gross	0 1 2	—	—		
For shackles	"	0 4 0	—	—		
Dishes—						
Iron, baking, Aldershot pattern, ovens ..	each	0 2 3½	—	—		
Tin, baking, Cur- { 4 lbs. } (see Tins {	"	0 0 9½	—	—		
ragh pattern { 2 " } page 73) {	"	0 0 7½	—	—		
{ 1 " }	"	0 0 4½	—	—		
Buck, for tents—						
Cotton, 27 inches wide	yard	0 0 7½	—	—		
Linen " "	"	0 0 7½	—	—		
Eyclets, brass—						
For Lord de Ros tents	doz.	0 2 0	—	—		
For waterproof sheets or blanket covers ..	100	0 0 6	—	—		
Hospital marquees	"	0 1 7½	—	—		
Eyes, brass, for tents—						
Small	"	0 1 2	—	—		
Swan	"	0 2 10½	—	—		
Filters—						
Crease's, iron, galvanized, complete ..	each	6 0 0	—	—		
Silicated, carbon, in metal case, with india- rubber tube and wood tap, for hospital canteen	"	2 2 3	—	—		
Spare parts of: Tube with tap	"	0 3 0	—	—		
Flags—						
Camp, colour (see Colours, camp) ..	"	0 0 7½	—	—		
Distinguishing—						
Brigade burgee, 6 feet x 4 feet—						
Blue	"	0 2 6	—	—		
Blue, with red centre, Ordnance Store Department	"	0 2 7	—	—		
Blue, with white centre, Commissariat and Transport Department	"	0 2 7	—	—		
Red	"	0 2 6	—	—		
Divisional, 6 feet x 4 feet—						
Blue	"	0 3 0	—	—		
Blue, with red centre, Ordnance Store Department	"	0 3 1	—	—		
Blue, with white centre, Commissariat and Transport Department	"	0 3 2	—	—		
Red	"	0 3 0	—	—		
Field hospitals, white, with red cross—						
Square, 4 feet	"	0 3 0	—	—		
Triangular, directing	"	0 0 9	—	—		
Flannel, white, for hospital, canteen ..	yard	0 0 9	—	—		
Frames—						
Hospital, close-stool*	each	0 2 10	—	—		
Portable, lifting, steam ovens	"	42 0 0	—	—		
Guy's (or ropes, guy), latrine screens, 6 feet 6 inches	set of 7	0 1 2	—	—		

* Consisting of three legs, triangle, and ring top.

Section II.

69

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Lashings, tent poles—				
Large.. .. .	each	£ s. d. 0 0 1½	—	—
Small.. .. .	100	0 2 6	—	—
Lids, camp-kettle—				
Iron, tinned, Flanders	each	0 1 8	—	—
Tin { Light	"	0 0 6	—	—
Torrens	"	0 0 10½	—	—
Line, tent—				
Large.. .. .	cwt.	2 15 0	—	—
Small.. .. .	"	2 15 6	—	—
Lines, bracing--				
Marquee—				
Hospital, 18 feet, and tent, laboratory..	each	0 0 2½	—	—
Officers { 17 feet	"	0 0 2½	—	—
{ 15 "	"	0 0 2	—	—
Tent, circular—				
Double linen, and single cotton, 7 feet				
6 inches.. .. .	"	0 0 1	—	—
Single linen, 4 feet 6 inches	"	0 0 1	—	—
Lines, looping, 12 inches	"	0 0 0½	—	—
Lines, pin bag—				
Marquee	"	0 0 1	—	—
Tent	"	0 0 0½	—	—
Lines, tent, for doorways	set	0 0 6	—	—
Lines, ventilator, and window, hospital				
marquee	each	0 0 1½	—	—
Lines, weather—				
Marquee { Hospital, 90 feet	"	0 1 9	—	—
{ Officers, 55 "	"	0 1 1	—	—
Tent .. { Laboratory, 90 feet	"	0 1 9	—	—
{ Single, circular, cotton, 40 feet	"	0 0 9½	—	—
Lines, with spliced loop, for valises ..	"	0 0 0½	—	—
Loops, leather, double, sliding, for				
buckets	"	0 0 2	—	—
Machines, coffee, Savage's patent—				
Grinding	"	15 0 0	—	—
Roasting { (see page 149)	"	15 0 0	—	—
Machines, weighing, with enamelled pans,				
14 lbs., without weights, field hospital				
equipment	"	0 13 7	—	—
Mallets, wood, handled—				
Heel peg	"	—	0 1 0	0 1 1
Tent	"	—	0 1 0	0 1 1
Mauls, wood, helved—				
Common	"	—	0 4 1	0 4 6
Iron hooped { (Mark I).. .. .	"	—	0 7 1	0 7 9
{ (Mark II).. .. .	"	—	0 6 0	0 6 7
Matchets,* (see page 482)	"	0 1 3½	—	—
Mattresses, operating table	"	1 9 6	—	—
Measures, field hospital equipment—				
Pewter, nests of 5†.. .. .	nest	0 8 0	—	—
Mills, coffee—				
Small, field hospital equipment	each	0 19 0	—	—
Needles, hospital canteen—				
Collar, of sizes (see page 124)	100	0 13 3	—	—
Sewing, women's, assorted (see page 153)	1000	0 3 10	—	—
Nets, forage	pair	0 1 7½	—	—

* Only issued for camp and field equipment when specially sanctioned.

† Consisting of 1 quart, 1 pint, ½ pint, ¼ pint, and ⅛ gill measures.

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Ovens—		£ s. d.	£ s. d.	£ s. d.
Aldershot patt., complete	each	3 9 0	—	—
Curragh patt.	"	10 15 0	—	—
Patent, steam travelling, wrought iron, complete	"	350 0 0	—	—
Patent, steam, with stoking tools	"	350 0 0	—	—
Pads for surcingle	"	0 0 10	—	—
Pannikins, tin, pint, hospital canteen ..	"	0 0 2	—	—
Pans—				
Frying, round, 12 inches, with shifting handles	"	0 2 1	—	—
Hospital canteen, zinc { Bed	"	0 2 0	—	—
Close-stool	"	0 1 1	—	—
Peels, oven—				
Aldershot patt.	"	0 2 6	—	—
Curragh patt.	"	0 2 6	—	—
Pegs, wood, picketing, heel rope	100	0 14 6	—	—
Pins—				
Iron, Aldershot patt., oven	each	0 0 9	—	—
Tent, iron { Large	12	0 3 6	—	—
Small	"	0 2 1½	—	—
Tent, wood { Large	100	0 13 8	—	—
Small	"	0 4 0	—	—
D'Abri	"	0 1 9	—	—
Plates, tin, dinner	each	0 0 3	—	—
Poles, wood*—				
Camp colour	"	—	0 3 3	0 3 6
Cooks screens, 8½ feet (4 per set)	set	—	0 4 1	0 4 4
Door, officers marquee (price also included in officers set below)	"	—	0 3 7	0 3 9
Flag—				
Distinguishing, 12 feet, with halyards ..	each	—	0 9 4	0 10 0
Field hospital—				
9½ feet, square flag	"	—	0 3 8	0 3 11
7 feet (with arrows), for triangular flag	"	—	0 3 9	0 3 11
Or lamp, 18 feet (a), with guys and halyards	100	—	143 10 1	151 13 3
Latrine screen, 6½ feet (7 per set)	set	0 15 2	—	—
Tent—				
Circular { Double (a)	"	—	0 8 1	0 8 7
Single { Cotton (a)	"	0 4 0	—	—
Linen (a)	"	—	0 5 0½	0 5 4½
D'Abri (2 per set)	"	—	0 1 3	0 1 4
Laboratory (a)	"	—	1 10 9	1 12 9
Marquee—				
Hospital—				
Large [1 ridge (b), 3 uprights (a), per set]	"	—	1 12 8	1 14 10
Small [1 ridge (b), 2 uprights (a), 2 doors (a), per set]	"	—	1 7 0	1 8 11
Officers [1 ridge (b), 2 uprights (a), 2 doors (a), per set]	"	—	1 3 8	1 5 2
Officers mess [1 ridge (b), 2 iron tension rods, 1 iron king-post, 2 uprights (a), 2 bases, 54 door or wall, per set]	"	—	9 18 7	10 11 4

* Those articles marked (a) are in two parts, viz., "bottom-piece," and "top-piece"; those marked (b) are in two parts, viz., "piece with socket," and "piece without socket."

Section II.

71

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Poles, wood, continued—		£ s. d.	£ s. d.	£ s. d.
Marquee—				
Ridge, in 2 pieces (per pole)—				
Hospital	set	—	0 11 0	0 11 8½
Officers	"	—	0 9 1	0 9 8
Wall of officers mess tent	"	—	—	—
Poles, wood, picket, 2½ feet..	100	—	14 18 4	15 17 7
Pots—				
Tin, tea, 5 pints, with folding handle,				
hospital canteen	each	0 0 11	—	—
Zinc, chamber	"	0 0 8	—	—
Pumps, iron, galvanized—				
Tripod, with hose, reducing socket, and				
spanner, complete*	"	7 16 6	—	—
Water cart	"	3 11 0	—	—
Punches, eyelet, with sets, for marquees				
and tents	"	0 2 6	—	—
Racks, arm, leather, for tents	"	0 0 9	—	—
Rings—				
Iron, galvanized, hospital marquee—				
Rod	gross	0 0 8½	—	—
Ventilator, 5 inch	doz.	0 2 0	—	—
Iron, tinned, 1½ inch inside, ½ inch wrought				
iron, head rope	gross	0 4 5	—	—
Rivets, copper, tinned, for leather water				
buckets	lb.	0 1 0	—	—
Reels, iron, galvanized, hospital marquees ..	each	0 0 1½	—	—
Reefs, marquee, complete—				
Hospital, linen, large { Inside	"	5 13 10	—	—
Outside	"	6 9 9	—	—
Officers mess	"	12 3 6	—	—
Officers, 6 feet 6 inches ridge—				
Inside, ticken	"	1 4 9	—	—
Outside, linen	"	2 6 5	—	—
Reefs, tent, circular—				
Double, linen { Inside	"	1 10 4	—	—
Outside	"	2 18 6	—	—
Laboratory, large	"	5 12 0	—	—
Rope, cotton, 1½ inch, for forage cords ..	foot	0 0 1½	—	—
Ropes, guy (or guys), screen, latrine (see				
Guys, page 67).				
Ropes—				
Head { Tarred, with ring†	each	0 0 4½	—	—
White, " " ‡	"	0 0 4½	—	—
Heel—				
Cotton, double, with 2 leather shackles§	"	0 3 8	—	—
Tarred, with 2 shackles 	"	0 1 7½	—	—

* Each pump is provided with one 10-foot length of wired india-rubber suction hose, two 12-foot lengths of wired india-rubber delivery hose, 1 double-ended wrought iron spanner, and 1 gun-metal reducing socket.

† Consisting of 10 feet of 1½ inch tarred Russian hemp rope, with a galvanized iron ring at one end.

‡ Consisting of 10 feet of 1½ inch 3 strand white hawser rope, with a galvanized iron ring at one end.

§ Consisting of 13½ feet of 1½ inch white cotton rope. The full length of the heel rope is 9 feet (the double part being about 4½ feet long); and there are two galvanized iron dees, by which the rope is attached to the leather shackles.

|| Consisting of 7 feet 9 inches of 1 inch tarred Russian hemp rope, divided into two parts at 4 feet from one end, each of these parts having a leather shackle at the other end.

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Ropes, continued—		£ s. d.	£ s. d.	£ s. d.
Heel—				
Tarred { With leather strap and wood				
pin*	each	0 3 6	—	—
White, with 2 shackles†	"	0 1 8½	—	—
Ropes, picketing, 3 inch—				
Tarred, 25 yards	"	0 7 6	—	—
White, 16 "	"	0 7 0	—	—
Runners, wood, tent—				
Large	100	0 2 8	—	—
Small { Painted red	"	0 2 10	—	—
Plain	"	0 1 8½	—	—
Saucepans—				
Nest or set of 8, from 1 pint to 12 quarts	nest	0 12 9	—	—
Nest of 4, pharmacy wagon	"	—	1 3 11	1 6 4
Saws, cross-cut, 6½ feet, with handles (see				
pages 107 and 121)	each	0 9 1	—	—
Scales, weighing, hospital canteen, with				
brass chains and tin scoops	set	0 14 0	—	—
Screens—				
Canvas, cooks, with 4 poles	each	0 12 0	—	—
Latrine { Canvas only	"	0 9 6	—	—
Complete, with 7 poles and 7 guys	"	1 5 10	—	—
Shackles, leather, for heel ropes	"	0 0 8	—	—
Sheets, ground, waterproof, with eyelets (or				
covers, blanket)	"	0 4 1	—	—
Sickles	"	0 0 9	—	—
Sockets—				
Gun-metal, tripod pump, reducing ..	"	0 4 0	—	—
Wrought iron, tent pole, single, circular ..	100	—	—	—
Spanners—				
Wrought iron, double end for tripod pumps	each	0 2 3	—	—
Steel, wagon, ambulance, lock-under ..	"	—	0 2 10	0 3 1
Stones—				
Rag { (see page 489)	"	0 0 2½	—	—
Rub	"	0 0 2½	—	—
Stools—				
Camp, folding	100	—	30 9 0	32 5 6
Close, iron, hospital canteen complete‡ ..	each	0 4 5	—	—
Stoves—				
Soyer's, 12 gallons, complete	"	3 1 4	—	—
Soyer's, parts of—				
Boilers, 12 gallons	"	0 19 0	—	—
Elbows	"	0 1 6	—	—
Handles, wrought iron, for lifting out				
boilers	pair	0 1 0	—	—
Hoods	each	0 1 1	—	—
Piping, 18 inch lengths	"	0 0 6	—	—
Pots, fire, centre	"	0 9 0	—	—
Rakes	"	0 0 9	—	—
Winchester, complete	"	5 10 0	—	—

* Consisting of 7½ feet of 1½ inch tarred rope; a leather strap (20 inches by 1½ inches) with a galvanized iron buckle (1½ inch) and dee; and a wood pin (18 inches by 7 inches circumference) tapering to a point. The strap is lined with a soft padded shackle.

† Consisting of 7 feet 9 inches of 1½ inch 3 strand white hawser rope, divided into two parts at 4 feet from one end, each of these parts having a leather shackle at the other end.

‡ Consisting of frame, zinc pan, and tin cover.

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather—		£ s. d.	£ s. d.	£ s. d.
Black, for hospital canteens	each	0 4 1	—	—
Brown { Camp kettle, Torrens, 68" x 1½"	"	0 0 10	—	—
Table	"	0 3 6	—	—
Tent, for doorways	100	0 7 6	—	—
Buff, for D'Abri tent ventilators	"	0 7 9	—	—
Stretchers, ambulance, wagon, equirota	each	—	2 2 11	2 7 5
Stretchers, field, complete—				
(Mark III)	"	—	2 8 10	2 11 11
(Mark IV and V)	"	—	2 11 1	2 16 1
Parts of—				
Bottom, canvas, tanned*	"	—	0 6 9	0 7 5
Pillow, filled	"	—	0 4 8	0 5 2
Poles, wood, ash (set of 2)	set	—	1 14 9	1 18 2
Slings, leather (see Bearers, hospital or ambulance wagon)	pair	—	0 4 11	0 5 4½
Surcingle, web—				
Artillery	each	0 1 3	—	—
Cavalry	"	0 1 3	—	—
Tables—				
Camp, folding, { (Mark I)	100	—	92 1 6	97 12 0
with trestles { (Mark II)	"	—	94 0 7	99 0 0
Operating, bearer, column	each	—	3 3 10	3 8 8
Operating, field hospital equipment	"	—	9 13 2	10 8 2
Tents—				
Complete, with bags, mallets, pins, poles, and valises, circular—				
Double { Linen	"	—	5 5 0	5 5 7
Linen outside and cotton in- side	"	—	—	—
Single { Cotton	"	—	3 0 11	3 1 1
Linen	"	—	3 3 0	3 3 6
Complete, with bags, mallets, pins, poles, valises and vases—				
Laboratory, large	"	—	11 0 9	11 3 0
Marquee—				
Hospital { Large	"	—	22 10 9	22 13 1
Small	"	—	8 17 5	8 19 6
Officers { 6 feet 6 inches ridge	"	—	8 12 10	8 14 7
Mess	"	—	29 11 2	30 4 1
Tents, D'Abri, complete, with 2 sheets, 2 poles and 7 pins, without valise and pin bags ..	"	—	0 12 0	0 12 1
Tents—				
Complete, without poles, pins, valises, bags, or mallets, circular—				
Double, linen	"	4 7 4	—	—
Single { Cotton	"	2 8 0	—	—
Linen	"	2 9 3	—	—
Complete, without poles, pins, valises, bags, mallets, or vases—				
Laboratory, large	"	8 9 8	—	—
Marquee—				
Hospital { Large	"	19 9 6	—	—
Small	"	6 11 9	—	—
Officers { 6 feet 6 inches, ridge	"	6 10 6	—	—
Mess	"	17 14 0	—	—
Ticken, linen, marquee, officers	yard	0 0 9½	—	—
Tins—				
Baking, Curragh patt., ovens { 4 lbs.	each	0 0 9½	—	—
2	"	0 0 7½	—	—
1	"	0 0 4½	—	—

* Includes strips of leather and nails for fixing to poles.

CAMP AND FIELD EQUIPMENT.	Rate.					
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Tins, continued—						
Field hospitalequipment { Lamp cotton ..	each	£ s. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.
{ Soap	"	—	0 3 2	0 3 6	0 3 6	0 3 10
Trestles, bed—						
Iron, Malta patt.	"	0 7 6	—	—	—	—
Wood, for field service, boards, 7 inch ..	pair	—	0 2 3	0 2 4½	—	—
Triangles, hospital canteen, wrought-iron, fitted with hook and chain ..						
.. .. .	each	0 4 9	—	—	—	—
Tubes for portable steam ovens						
.. .. .	"	1 15 0	—	—	—	—
Tubs, wood, camp, small						
.. .. .	100	—	7 19 8	8 9 0	—	—
Valises—						
Marquee—						
Hospital, large	each	0 14 1	—	—	—	—
Officers { Mess	"	0 16 10	—	—	—	—
{ Or hospital, small	"	0 7 10	—	—	—	—
Tent circular—						
Double	"	0 3 11	—	—	—	—
Single { Cotton	"	0 2 6	—	—	—	—
{ Linen, O.P.	"	0 3 3	—	—	—	—
{ Linen, N.P.	"	0 3 7	—	—	—	—
Tent { D'Abri, for 10 tents	"	0 1 11	—	—	—	—
{ Laboratory, large	"	0 8 11	—	—	—	—
Vases—						
Marquee—						
Hospital { Large	"	0 0 5½	—	—	—	—
{ Small	"	0 0 4	—	—	—	—
Officers { Large	"	0 0 6½	—	—	—	—
{ Mess, large	"	0 2 0	—	—	—	—
{ Mess door, or small	"	0 0 7	—	—	—	—
{ Small, or door	"	0 0 5½	—	—	—	—
Tent, laboratory	"	0 2 8	—	—	—	—
Wagons, complete—						
Ambulance—						
Iron frame, converted from light supply*	"	—	124 17 8	137 3 10	—	—
Wood { Equirota†	"	—	89 5 10	98 4 10	—	—
{ Lock-under‡	"	—	169 17 8	186 13 10	—	—
General service, wood, lock-under, (Mark IV), fitted for field hospital equipment§						
.. .. .	"	—	137 16 1	151 11 8	—	—
Light, spring, or surgery, wood 						
.. .. .	"	—	116 0 0	127 12 0	—	—
Pharmacy, wood¶						
.. .. .	"	—	197 1 0	216 15 1	—	—
Walls—						
Marquee—						
Hospital, brown, duck, in 8 pieces ..	set	7 6 6	—	—	—	—
Officers mess, brown duck, in 4 parts ..	"	5 10 6	—	—	—	—
Officers { Inside, ticken, in 1 piece ..	each	1 6 8	—	—	—	—
{ Outside, brown duck, in 2 pieces	set	1 13 8	—	—	—	—
Tent, laboratory, in 2 pieces	"	2 13 0	—	—	—	—

* With 2 grease boxes, 2 cushions, 1 canvas cover, 7 bale hoops with 4 iron pins and split keys, and 2 field stretchers.

† With 1 basket knapsack, 1 water barrel with cock, cover and strap, 1 grease box, 1 canvas cover, 7 bale hoops with 4 pins and split keys, 2 cushions, and 2 ambulance stretchers.

‡ With 2 grease boxes, 1 canvas cover, 2 cushions, and 2 field stretchers. It has no bale hoops, the canvas cover being supported on a frame on standards.

§ With 2 grease boxes, 1 canvas cover, 5 bale hoops, 1 lashing rope, 1 swingle-tree, 6 wood boxes, 3 tin canisters, 4 tin cases, 2 tins, and 1 oil can.

|| With 2 grease boxes, 1 canvas cover, 5 bale hoops, and 1 lashing rope.

¶ With 2 grease boxes, 1 cushion, 44 tin cases, 6 tin cans, 1 kettle, 1 nest of 4 saucepans, 1 hood with 7 tent pegs, and 1 operating table.

Section II.

75

CAMP AND FIELD EQUIPMENT.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Web, tent—		£ s. d.	£ s. d.	£ s. d.
Jute, 2 inch { doz. }		0 0 9½	—	—
Linen, 1½ inch { yds. }		0 2 0	—	—
Wedges, iron, sawyers, or splitting wood—				
12 inch } (see page 131) { each		0 1 5	—	—
10 " } "		0 1 2	—	—
9 " } "		0 0 11	—	—
8 " } "		0 0 9	—	—
7 " } "		0 0 8	—	—
Weights (for machine, weighing, field hospital equipment)—				
Brass, flat—				
2 oz. .. { "		0 0 2	—	—
1 " .. { "		0 0 1½	—	—
½ " .. { "		0 0 1	—	—
¼ " .. { "		0 0 1	—	—
Iron, ring—				
14 lb. .. { (see page 173) { "		0 1 5	—	—
7 " .. { "		0 0 10	—	—
4 " .. { "		0 0 8	—	—
2 " .. { "		0 0 4½	—	—
1 " .. { "		0 0 3½	—	—
½ " .. { "		0 0 3	—	—
¼ " .. { "		0 0 2½	—	—
Wells, tube, Norton's, 1½ inch—				
Driving apparatus, complete set		25 0 0	—	—
Wells.. each		7 8 0	—	—
Wheels, intrenching } Broad tire (see		—	0 10 1	0 11 1
barrow } Narrow tire } page		0 7 5	—	—
Wrenches, intrenching barrow } 79)		0 1 3	—	—

TOOLS, &c., FOR INTRENCHING.

TOOLS, &c., FOR INTRENCHING.	Rate.			
	Per	Contract.	No. 1 Balance. Sheet.	No. 2 Balance Sheet.
Axes, pick		<i>£ s. d.</i>	<i>£ s. d.</i>	<i>£ s. d.</i>
Helved { 9 lbs.	each	0 2 5	—	—
6½ "	"	0 1 11½	—	—
5 "	"	0 1 6½	—	—
Unhelved { 9 lbs.	"	0 1 9	—	—
6½ "	"	0 1 4	—	—
5 "	"	0 1 0½	—	—
Axes, barrow, wheel, intrenching	"	0 1 0	—	—
Bags, canvas, sand—				
Common, 1 bushel	"	0 0 3½	—	—
Model	"	0 0 2	—	—
Tarred	"	0 1 0	—	—
Bags, powder—				
India-rubber, 100 lbs.	"	0 12 6	—	—
Leather { 90 lbs.	"	0 8 3	—	—
50 "	"	0 5 6	—	—
28 "	"	0 5 0	—	—
Bands, gabion, Jones*	10	0 8 2	—	—
Barrows, hand—				
Double	each	1 5 9	—	—
Single	"	0 7 2	—	—
Barrows, wheel, intrenching—				
Complete, with wheels { (Mark I)	"	1 7 9	—	—
(Mark II)	"	—	1 12 8	1 15 7
Without wheels { (Mark I)	"	1 1 1	—	—
(Mark II)	"	—	1 2 8	1 4 11
Ironwork for—				
Bolts, with nuts { 5 inches	doz.	0 1 9	—	—
3 "	"	0 1 0	—	—
Sets, complete, consisting of 4 stays and 6 bolts for ditto, 2 thimbles with nuts and washers, 2 leg bolts and nuts, 2 rivets and burrs	set	0 2 8	—	—
Stays, in sets of 4, for ditto	doz.	0 18 0	—	—
Thimbles, with nuts and washers	"	0 8 0	—	—
Bars, iron, crow—				
6 feet 0 inches, 41 lbs.	each	0 5 6	—	—
5 " 6 " 30 "	"	0 3 10	—	—
5 " 0 " 26 "	"	0 3 6	—	—
4 " 6 " 20 "	"	0 2 10	—	—
4 " 0 " 17 "	"	0 2 6	—	—
3 " 6 " 12 "	"	0 2 0	—	—
2 " 6 " 8 "	"	0 1 9	—	—
Boards, for model knots, 6 inches x 8 inches	"	0 0 9	—	—
Bolts, nuts and washers, for Jones' gabion† (1 of each)	set	0 0 2	—	—

* The bands are made of galvanized iron, and are each 6 feet 5 inches long by 3½ inches broad.

† The bolt is 1½ inches long by ¾ inch diameter, the nut is ½ inch square by ½ inch thick, and the washer is 1 inch diameter by ½ inch thick.

TOOLS, &c., FOR INTRENCHING.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Brushwood for—		£ s. d.	£ s. d.	£ s. d.
Fascines	bundle	0 2 6	—	—
Gabions	"	0 2 0	—	—
Gads, for sap rollers	"	0 3 0	—	—
Hooks for gabions	"	0 2 6	—	—
Pickets	"	0 3 0	—	—
Withes for { Fascines	"	0 2 6	—	—
{ Gabions	"	0 2 0	—	—
Cartouches or cases, leather—				
For tracing tapes { Large.. .. .	each	1 0 6	—	—
{ Small.. .. .	"	0 12 0	—	—
Cases, leather, brown, spade, steel, infantry	"	0 1 8½	—	—
Chevaux de frise—				
Barrels (average weight 26 lbs.)	cwt.	2 5 6	—	—
Complete	each	1 6 8	—	—
Spears (average weight of 12-60 lbs.)	cwt.	1 10 0	—	—
Chokers, fascine, with chain	pair	0 8 0	—	—
Couplings for Bastier chain pump (see Gear).				
Drivers, pile, Swiss	each	—	2 8 5	2 13 0
Fascines, model	"	0 0 7	—	—
Forks, sap—				
9 feet.. .. .	"	—	0 12 8	0 13 11
5 "	"	—	0 11 2	0 12 3
Gabions—				
Jones' { Service* (see Bands, and Pickets).				
{ Model	"	0 0 8	—	—
Tyler's	"	0 5 9	—	—
Wicker, model	"	0 0 6	—	—
Gear, horse, for Bastier chain pumps—				
Set complete	set	9 15 0	—	—
Parts of—				
Bars, wood, horse, with shackle	each	0 12 6	—	—
Bearings, foot, brass	"	0 6 0	—	—
{ Friction roller	"	0 10 0	—	—
{ Horse shaft	pair	0 12 6	—	—
{ Side, with 2 bolts each	"	0 15 0	—	—
Brasses for horizontal shaft	"	0 5 0	—	—
Couplings for pump shaft, with key.. .. .	each	0 7 6	—	—
Heads, cross, with 4 bolts	"	0 12 6	—	—
Pinions, bevel, small	"	0 10 0	—	—
Plates, bed	"	2 0 0	—	—
Rods, wrought iron, with spring, 8 feet 6 inches long	"	0 7 6	—	—
Shafts { Horizontal pinion	"	0 7 6	—	—
{ Vertical, for large wheel	"	1 0 0	—	—
Straps, shaft, for universal joint	pair	2 2 0	—	—
Trees, whipple, with shackle	"	0 15 0	—	—
Wheels, bevel, horizontal, with key	each	2 10 0	—	—
Handles—				
Sap fork { 9 feet	"	0 3 8	—	—
{ 5 "	"	0 2 0	—	—
Wood, hook, brushwood	"	0 0 3	—	—
Helves, pickaxe—				
Light.. .. .	"	0 0 7	—	—
9 lbs. heads, 38 inches	"	0 0 10	—	—
6½ " " maul, or mattock, 34½ inches	"	0 0 7½	—	—
5 " " 24 inches	"	0 0 6	—	—

* A gabion consists of 10 bands with 12 wood pickets. For bridging purposes there are supplied with every 2 gabions a bolt, nut, and washer.

TOOLS, EARTH-BORING.

TOOLS, EARTH-BORING.										Contract Rate.		
										Per	£	s. d.
										each		
Augers for clay or gravel, without shields—												
6½ inch		5	0 0
5½ "	"	3	10 0
4½ "	"	2	15 0
3½ "	"	2	10 0
2½ "	"	2	5 0
Augers, worm, 3 inch										"	1	0 0
Blocks												
Deal	"	0	5 0
Elm, for 7 inch pipe	"	1	5 0
Snatch, iron (6 inch sheaves)	"	3	3 0
Boards, auger, rope-lifting dog										"	0	14 0
Chisels, for pebbles or flint—												
6½ inch	"	1	5 0
5½ "	"	1	3 6
4½ "	"	1	2 0
3½ "	"	1	0 0
Chisels, or jumpers, for stone—												
Chisel pointed—												
6½ inch	"	1	0 0
5½ "	"	0	18 0
4½ "	"	0	13 6
3½ "	"	0	11 6
2½ "	"	0	10 6
2½ "	"	0	9 0
Drill pointed, 2½ inch	"	0	9 0
Clamps or Rests												
Pipe {	6½ inch	"	3	10 0
	5½ "	"	2	15 0
	4½ "	"	2	5 0
	3½ "	"	1	15 0
Clamps or Rod-Rests, with collars, 2 deal blocks, and 4 oak wedges										"	2	15 0
Clearers, auger										"	0	3 6
Dogs—												
Bell-lifting	"	2	5 0
Crank-lifting	"	0	7 6
Hand-serring, also for tillors {	1½ inch rod	"	0	6 0
	1 "	"	0	6 0
Pipe-lifting {	6½ inch	"	0	17 0
	5½ "	"	0	15 6
	4½ "	"	0	14 0
	3½ "	"	0	12 6
Rope-lifting	"	1	0 0
Spring-lifting	"	2	0 0
Drivers, screw, T, shell-valve										"	0	1 6
Gyns, triangle, wood, 15 feet, 1 ton										"	4	0 0
Hooks, spring, windlass-rope										"	1	0 0
Irons, soldering—												
6½ inch	"	1	1 0
5½ "	"	0	18 0
4½ "	"	0	15 0
3½ "	"	0	12 0
Joints, short, swivel headed										"	1	4 0
Monkeys, cast-iron, driving										"	3	10 0

Section II.

81

TOOLS, EARTH-BORING.						Contract Rate.		
Pipes, cast-iron, 8 feet 6 inch, 7 inches inside, and 8½ inches								
outside, diameter	length					£	s.	d.
						1	5	0
Pipes, wrought-iron, 20 feet—								
6 inches outside diameter						2	0	0
5 " " " " " " " " " "						1	10	0
4 " " " " " " " " "						1	5	0
3 " " " " " " " " "						1	0	0
Riggers and carriage	each					2	2	0
Reels, boring*—								
20 feet long						1	6	0
10 " " " " " " " " " " "						1	0	0
Screws—								
Male, spare						0	5	9
Spiral { Conical						0	18	0
{ Parallel						0	18	0
Bell, steel, rod raising						3	0	0
Shells, sand, or mud, 8 feet, with top loops for rope†								
6½ inch						8	0	0
5½ " " " " " " " " " " "						6	10	0
4½ " " " " " " " " " " "						5	0	0
3½ " " " " " " " " " " "						4	10	0
2½ " " " " " " " " " " "						4	0	0
Tillers or levers with set screws						2	10	0
Wedges, oak						0	2	6
Windlasses, with 30 feet of 3½ inch rope..						8	0	0

* There are 14 lengths of 1-inch square iron, 20 feet, and 2 lengths of 1½-inch square iron, 10 feet, from shoulder to shoulder, to the set; and each length is fitted with 1½-inch male and female screws, each 1½ inch long.

† Also called cylinders, valve.

HARNESS AND SADDLERY.

HARNESS AND SADDLERY.						Contract Rate.			
SADDLERY, OFFICERS.							£	s.	d.
Sets, complete, with lamb-skin and numnah*—									
Royal Artillery and Royal Engineers						each	10	8	4
Transport						"	10	8	4
Bits—									
Bridoon, with reins						"	0	3	8
Portsmouth, with bridle head and curb hooks						"	0	6	0
Breast-plates, with neckstraps						"	0	4	5
Bridles, complete†						"	0	18	8
Cases, horse shoe						"	0	3	3
Chains, curb						"	0	0	4½
Collar-headstalls, with brow-band and throat lash						"	0	6	5
Cruppers						"	0	3	3
Girths, web, blue						"	0	1	10½
Irons, stirrup						"	0	1	11½
Leathers, stirrup						"	0	1	5
Logs, iron, horse, 2 lbs.						100	{ No. 1 B.S. 1 1 11 No. 2 B.S. 1 3 2		
Numnabs, felt, uncovered, with straps and leather patch (general service and universal pattern) (see page 86)						each	0	6	7
Pannels, saddle, stuffed						pair	0	15	0
Reins—									
Bridle						each	0	2	3
Chain						"	0	1	4½
Saddles, without pannels‡						"	2	16	0
Skins, lamb—									
Royal Artillery and Royal Engineers { (Mark I)						3	3	6
.. .. . { (Mark II)						"	3	10	0
Transport { (Mark I)						3	3	6
.. .. . { (Mark II)						"	3	10	0
Straps—									
Cloak and wallet						"	0	0	10
Cloak, centre, or valise						"	0	0	5½
Coupling collar chain (billets for collar chain)						"	0	0	4½
Girth						"	0	0	4
Wallet						"	0	0	5½
Surcingles, leather						"	0	3	5
Valises, blue cloth—									
Royal Artillery						"	1	4	1
Royal Engineers						"	1	3	10
Transport						"	1	8	0
Wallets						"	0	4	10

* Not including valises.

† Consisting of—

Bit, bridoon, with reins	1
Bit, portsmouth, with bridle head and curb-hooks	1
Chain, curb	1
Collar-headstall, with brow-band and throat lash	1
Reins, bridle	1

‡ Consisting of flaps, seat, and tree.

HARNESS AND SADDLERY.						Contract Rate.		
SADDLERY, HOUSEHOLD CAVALRY, MATERIALS FOR REPAIR OF.						£	s.	d.
Bosses, brass, bit, breast-plate, and crupper	each		0	0	6
Buckles, brass—								
Bridge bar { 1 inch, breast-plate and crupper	gross		0	16	0
Dee, 1 inch breast-plate strap		0	13	6
Inlet, ¾ inch, numnah strap		0	9	6
Roller, single { 1½ inch, surcingle		0	4	3
1½ " bottom, breast-plate		1	6	6
1½ " shoe case		0	16	0
¾ " baggage strap		0	15	0
¾ " holster and wallet; wallets and cloak straps		0	8	6
Buckles, iron, roller, short, 1½ inch, stirrup leather and stable collar	doz.		0	6	6
Burrs, copper, assorted, ½ inch and ¾ inch	lb.		0	0	5
Cantles, brass	doz.		0	1	2
Dees, iron, japanned, 1½ inch, parade head-collar		0	6	9
Ear-drop, with star, bridle head-piece		0	0	5½
Flock, white wool (see page 90)	lb.		—	—	—
Hides, black, backs of, bridle		0	1	2
Linen, black, for lining sheepskins	yard		0	1	6½
Loops, brass, bridle head-piece	doz.		0	0	8½
Nails, iron, tacks, Flemish black—						0	0	7½
No. 190 (see page 153)	lb.		0	1	6½
" 191 (see page 153)		0	1	4½
" 192 (see page 153)		0	0	11½
Numnah, black—								
Cuttings	lb.		—	—	—
Felt	yard		0	7	9
Pins, brass, for cantles	lb.		0	1	0
Rings—								
Brass, 1½ inch, staple, shoe case	doz.		0	0	7½
Iron, black, japanned, 1½ inch, stable head-collar		0	0	3½
Rivets, copper, assorted†	lb.		0	1	2
Scales, brass, bridle, head-piece	doz.		0	1	0
Squares—								
Brass, 1½ inch, parade head-collar		0	1	9
Iron, black japanned, 1½ inch, stable head-collar		0	0	4½
Star-studs, 1½ inch, bridle head-piece		—	—	—
Studs, brass, parade head-collar		0	0	6½
Web—								
Girth, 4 inch	yard		0	0	6½
Straining, 3 inch, for girth straps (see page 91)		0	0	3½
Wire, copper—								
No. 4 W.G. { studs, brass bit		0	0	10
{ breast-plate and crupper } (see page 174)		0	0	10
No. 13 W.G., breast-plate, Royal Horse Guards (see page 174)		0	0	10
SADDLERY, HOUSEHOLD CAVALRY, FITTINGS FOR SADDLES.								
Dees, brass—								
1½ inch, chain rein	doz.		0	0	8
1 inch, straps		0	0	5
Flaps, leather	pair		0	6	0
Staples, brass—								
3 inch, shoe case	doz.		0	1	6½
1½ " crupper		0	1	4
1½ " straps		0	0	8
Seats, saddle	each		0	5	9
Straps, girth		0	0	2½

* For parade head-collar, portmouth bit reins, cheek piece, bridoon head, and rupper.

† ¾ inch 9 W.G., ½ inch 10 W.G., and ¼ inch 10 W.G.

HARNESS AND SADDLERY.						Contract Rate.		
HARNESS, GENERAL SERVICE, AND SADDLERY, UNIVERSAL.						£ s. d.		
Harness, sets, complete, with sheep skin and numnah—								
Lead, near	Royal Artillery*	set	7	11 1
	Royal Engineers*	"	8	4 6
	Transport*	"	7	11 0
Lead, off	Royal Artillery*	"	7	11 11
	Royal Engineers*	"	8	4 8
	Transport*	"	7	11 8
Wheel, near	Royal Artillery*	"	8	8 6
	Royal Engineers*	"	8	4 6
	Transport*	"	8	8 6
Wheel, off	Royal Artillery*	"	9	3 8
	Royal Engineers*	"	8	4 8
	Transport*	"	8	19 8
Saddlery, universal, sets, complete, with sheep skin and numnah—								
Cavalry†						"	5	13 4
Lancers†						"	5	17 11
Royal Artillery and Transport†						"	6	2 3
Royal Engineers†						"	5	2 4
Bands, back and belly—								
Transport, 1½ inches wide						each	0	8 3
General service, 2½ inches wide						"	0	10 7
Bits—								
Bridoon, with reins						"	0	1 8
Portsmouth, with bridle head, curb chain and hook						{	Harness	0 4 8
								0 4 1
Breast-pieces, leather						"	0	5 9
Breast-plates, with neck strap						"	0	3 1
Breechings—								
Near, complete with strap						"	0	17 8
Off						"	0	17 6
Bridles, complete—								
Harness {						{	Near†	0 11 8
							Off§	0 14 0
Saddlery, universal 						"	0	9 7
Buckets—								
Carbine, B.L. {						{	Martini-Henry	0 6 10
							Snider	0 7 2
Lance						"	0	1 8½

* These rates are for harness with iron arch saddles. The rates for harness with wood arch saddles N.P. will be 15s. 6d. per near, and 10s. 1d. per off set less.

† These rates are for sets of saddlery with iron arch saddles.

‡ Consisting of—

Bit, bridoon, with reins	1
Bit, portsmouth, with bridle head, curb chain, and hook	1
Collar-headstall, with brow band and throat lash	1
Reins, bearing, in two parts	1

§ Consisting of—

Bit, bridoon, with reins	1	
Bit, portmouth, with bridle head, curb chain, and hook	1	
Collar-headstall, with brow band and throat lash	1	
Reins { bearing, in two parts	1	
	leading	1
	side	1

|| Consisting of—

Bit, bridoon, with reins	1
Bit, portsmouth, with bridle head, reins, curb chain, and hook	1
Collar-headstall, with brow band and throat lash	1

HARNESS AND SADDLERY.										Contract Rate.		
Wallets—										£	s.	d.
Harness	each	0	3	6
Saddlery	"	0	3	8
MISCELLANEOUS ARTICLES, AND STABLE NECESSARIES.												
Bags, canvas—												
Corn, 2 bushels	"	0	1	5½
Nose	"	0	2	2½
Bearers, trace, for Royal Engineers and Transport	"	0	0	4
Boxes, wood, riding school equipment—												
Equipment, without whips	"	No. 1 B. S. 3 10 6 No. 2 B. S. 3 14 9 No. 1 B. S. 0 16 7 No. 2 B. S. 0 17 7		
Whips	"	Contract. 0 6 2		
Bridles, mouthing—												
Complete, consisting of bit, bridle-head, and rein	"			
Parts of—									No. to a set.			
Bits, with shackle and keys	1	"	0	2 6
Bridle-heads, in 2 parts, with brow band	1	"	0	1 8
Reins	1	"	0	1 11½
Bridles, snaffle—												
Complete, consisting of bit, bridle-head, and rein	"	0	4	9
Parts of—												
Bits	1	"	0	0 8
Bridle-heads, in 2 parts	1	"	0	1 0
Reins, in 2 parts	1	"	0	3 1
Brushes —												
Harness, hard	"	0	1	0
Horse	"	0	2	5½
Cavilsons—												
Complete	"	0	6	6
Cords, for	"	0	2	6
Collars, false—												
Large..	"	0	6	6
Medium	"	0	6	6
Small..	"	0	6	0
Combs, curry	doz.	0	3	1
Cords, forage, 21 feet (see page 66)	each	0	0	4½
Couples, race	20	0	3	6
Covers, canvas, loin	each	0	7	10
Crosstrees—												
Complete, consisting of tree with straps, belly band, crupper, reins, running, reins, side, and pad	"	2	16	3
Parts of { Bands, belly	"	0	3	2
Crosstrees, with straps	"	1	9	0
Cruppers	"	0	4	5
Pads	"	0	11	0
Reins, running	"	0	3	2
Reins, side (4 to a tree)	"	0	1	4½
Headstalls, web	"	0	1	5½
Hobbles, oxhide	"	0	6	0
Hooks, lasso—												
Clip	pair	0	0	9
Trace, or tug	each	0	0	4½
Pickers, hoof, with turncrew	"	0	0	5½
Rollers, leather, breaking	"	0	8	3
Sacks, corn—												
Canvas, ¼ bushel, Cavalry	"	0	2	2
Jute, 5 bushel, Royal Artillery	"	0	1	4

Section II.

89

HARNESS AND SADDLERY.										Contract Rate.				
										£	s.	d.		
Scissors, trimming										pair	0	0	7½	
Sponges, water, ½ oz., general service										each	0	2	3	
Straps—														
Crib, biting										”	0	2	0	
Kicking, complete, with 2 long and 1 short supporting straps ..										”	0	15	0	
Neck										”	0	0	8	
Whips—														
Carters										”	0	4	2	
Driving										”	0	5	0	
Hand										”	0	2	7	
Longeing										”	0	7	0	
MATERIAL FOR REPAIR OF.														
Bits—														
Black										”	0	2	9	
Brown { Strained										”	0	2	4	
Unstrained										”	0	2	2	
White										”	0	1	10½	
Bosses, brass—														
Harness and saddlery—														
Bit										”	0	0	2½	
Breast-plate and crupper										”	0	0	2½	
Officers, head collar										”	0	0	1½	
Buckles—														
Brass, inlet, ½ inch										doz.	0	0	10	
Brass roller, barred {										1½ inch	”	0	1	9
										1 ”	”	0	1	6
										¾ ”	”	0	1	3
										½ ”	”	0	1	0
Brass roller, single {										1 inch	”	0	1	1
										¾ ”	”	0	0	10
Iron, brass-plated {										1½-inch	”	0	1	0
										¾ ”	”	0	0	9
Iron, black japanned, roller, single, cart horse harness {										3½ inch	gross	0	13	2
										2½ ”	”	0	8	0
										2¼ ”	”	0	6	11
										2 ”	”	0	5	8
										1½ ”	”	0	5	0
										1¼ ”	”	0	4	3
										1½ ”	”	0	3	2
Iron roller—														
Barred and curved, 1 inch, crupper, saddlery										doz.	0	0	5	
Barred {										2½ inch, band, belly	”	0	5	3
										2½ ” tug	”	0	5	3
										1½ inch	”	0	4	3
										1½ ” bridge, surcingle, and stirrup leather ..	”	0	0	6
										1½ ”	”	0	0	4½
										1 ”	”	0	0	4½
										¾ ”	”	0	0	4
										¾ ”	”	0	0	3½
										2½ inch, band, belly, general service ..	”	0	3	0
										2½ ” tug, general service ..	”	0	3	0
Single {										2 ”	”	0	0	6
										1½ ” band, belly, Transport	”	0	1	0
										1½ ” tug, Transport	”	0	1	0
										1½ ”	”	0	0	5½
										1½ ”	”	0	0	5
										1 ” mouthing bridle	”	0	0	4
										¾ ”	”	0	0	2
										¾ ” running reins	”	0	0	2
										¾ ”	”	0	0	2
½ inch, mouthing bridle, throatlash										”	0	0	2	

HARNESS AND SADDLERY.						Contract Rate.		
							£	s. d.
Buckles, continued—								
Iron, tinned—								
Roller—								
	1½ inch, nose bag	doz.	0	0 7½
	¾ " " sheep skin	"	0	0 1½
	¾ " " "	"	0	0 1½
Inlet	1½ inch, nose bag	"	0	0 2½
	¾ " " numnah	"	0	0 1½
Burrs—								
	Copper, for bosses, breast-plate and crupper	lb.	0	1 0
	Tinned-iron, for carbine bucket	1000	0	5 0
Cantles, brass—								
	Drivers	each	0	0 4
	Luggage	"	0	0 3½
	Officers	"	0	1 3
	Canvas, japanned	yard	0	3 10
Chains, trace—								
	Lead	each	0	0 4½
	Wheel	"	0	0 5½
	Chapes, with buckles, nose bags	"	0	0 1½
	Cloth, collar, check.	yard	0	1 10
	Cord, whip, harness.	lb.	0	0 11½
	Cordovan	"	0	2 9
Dees—								
Brass, officers	¾ inch	gross	0	5 0
	¾ " "	"	0	4 6
	¾ " "	"	0	1 9
	¾ " "	"	0	2 0
Iron, harness	Black japanned, cart horse, 1½ inch	"	0	3 5
	Tinned ¾ inch	"	0	1 0
	Dowels, for repair of nose bags and corn sacks	yard	0	0 7
	Duck, cream	"	0	1 3
	Eyelets, brass, for nose bags	100	0	0 8½
Facings, lambskin—								
	Royal Artillery	set	0	2 0
	Transport	"	0	2 0
	Flock, white, wool	lb.	0	2 0
	Flour, for paste (see page 144)	"	0	0 2
	Glue, best town made (see page 144)	"	0	0 4
Hair—								
	Dogs	"	0	2 4
	Horse, curled, (see page 144)	"	0	0 11
Hides, brown—								
Backs of	Bridle, average weight 16 lbs.	"	0	1 10½
	Collar	22	"	"	0	1 6½
	Heavy	32	"	"	0	1 7½
	Bellies of	4	"	"	0	1 0
	Cloak or bag	12 to 15	"	"	0	1 10½
Crop, middling	40	"	"	0	2 1
	26	"	"	0	1 7½
	Light, for piping traces	22	"	"	0	1 7
	Shoulders of	6	"	"	0	1 8
	Skirt	21	"	"	0	1 6
	Stout, for collars	26	"	"	0	1 8
Hides—								
	Bullock, sun-dried	28	"	"	0	0 11½
	Cow, Preller's leather (average weight 18 to 20 lbs. each)	"	0	2 2
	White, horse, average weight 15 lbs.	"	0	1 0½
	Holland, brown	yard	0	0 9
Hooks—								
	Curb	doz.	0	0 10

HARNESS AND SADDLERY.										Contract Rate.		
										Sh	s.	d.
Hooks, continued—												
Trace	{	Old pattern	each	0	1	0½	
		Sliding	"	0	1	9	
With ring, for bridoon bits			doz.	0	0	7½	
Linen, brown, for lining sheepskins, 40 inches wide			yard	0	0	8½	
Moleskin, for lining lambskins, 28 inches wide			"	0	0	11½	
Nails, brass, for officers saddles		gross	0	1	8	
Numnah—												
Cuttings		lb.	0	1	6	
Felt		yard	0	7	5	
Pins, cattle—												
Brass, officers (see page 84)		lb.	0	1	0	
Tinned-iron, harness		doz.	0	0	1	
Rings, brass, officers collar-headstall—												
1½ inch		"	0	1	3	
1½ "		"	0	1	0	
Rings, iron—												
3 inch, lasso, surcingle		"	0	0	9	
1½ " collar-headstall		"	0	0	3½	
1½ " trace, rope, saddlery, breast harness		100	0	3	3	
1 " "		doz.	0	0	3	
Snipe bill		"	0	0	6	
Rivets, copper, for buckets, carbine		100	0	1	0	
Serge, collarmakers' 15 oz. per yard, 40 inches wide		yard	0	2	0	
Skins—												
Lamb, for repairs		each	0	8	1	
Sheep, black, for repairs		"	0	7	0	
Squares, head-collar—												
Brass..		"	0	0	2	
Iron	gross	0	4	5	
Straps, web, for nose bags, with eyelets		each	0	0	5	
Studs, brass—												
Carbine-bucket		gross	0	4	2	
Wallet, or head-collar		"	0	4	0	
Tacks, copper, No. 471, ½ inch (see page 151)		lb.	0	1	2	
Thread—												
Black, 3 cord		"	0	1	8	
Collar		"	0	0	8	
Flax, sewing—												
Coarse		"	0	1	0	
Fine		"	0	1	1½	
Whited brown		"	0	1	9	
Yellow		"	0	3	6	
Ticken, 27 inches, for neck collars		yard	0	1	0	
Twine, quilting		lb.	0	0	11	
Wax—												
Bees		{ (see page 173)						"	0	1	3½	
Black								"	0	1	0	
Web—												
Blue worsted		yard	0	1	1	
Diaper { 2½ inch, horse brush and curry comb		"	0	0	1½	
Diaper { 2 " sheep skin		"	0	0	1	
Hemp—												
Girth { 4 inch		"	0	0	7½	
Girth { 3½ "		"	0	0	5½	
Harness { 2½ inch		"	0	0	4½	
Harness { 2 " "		"	0	0	4	
Nose bag { 1½ inch		"	0	0	2½	
Nose bag { 1 " "		"	0	0	1½	
Straining, 3 inch		"	0	0	3½	
Tanned, circular { 3 inch		"	0	1	4	
Tanned, circular { 1½ "		"	0	0	8	
Tanned, circular { 1 " "		"	0	0	7½	

Section II.

HARNESS AND SADDLERY.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
PACK SADDLES AND APPURTENANCES.		£ s. d.	£ s. d.	£ s. d.
Cacolet, or chair, single, for pack saddles, Mark II—				
Near side	each	—	2 2 8	2 6 11
Off side	"	—	2 2 8	2 6 11
Cacolet or chair, single, parts of—				
Boards, foot	"	—	0 1 2	0 1 3
Cushion	"	—	0 11 11	0 13 1
Straps, leather—				
Back, supporting, 1 foot 7 inches long ..	"	—	0 3 5	0 3 9
Foot board, 4 feet long	"	—	0 2 5	0 2 8
Front, 3 feet 4 inches long	"	—	0 1 2	0 1 3
Litters, single, for pack saddles, Mark III—				
Near side	"	—	8 11 5	9 8 7
Off side	"	—	8 11 5	9 8 7
Litters, single, parts of—				
Aprons, Mark II { Near side	"	—	0 5 4	0 5 10
Off side	"	—	0 5 4	0 5 10
Covers, canvas	"	—	0 8 3	0 9 1
Straps, leather { 5 feet long	pair	—	0 3 8	0 4 0
2 feet 6 inches long	each	—	0 1 4	0 1 6
Racks, leather—				
Intrenching { Mountain equipment	pair	—	3 19 5	4 7 4
tools { Royal Engineers	"	—	3 11 8	3 18 10
Miners tools	"	—	4 6 4	4 15 0
Saddles, pack, general service—				
Complete, with harness { Large size	each	7 10 0	—	—
and pannels. { Small	"	7 7 0	—	—
Complete, with { Large size	"	3 3 2	—	—
pannels { Small	"	3 0 2	—	—
Covers, canvas	"	0 2 8	—	—
Ellipses, iron, with strap, Royal Engineers	set	0 12 9	—	—
Parts of—				
Large size—	To a saddle.			
Bits, T-bridoon, with reins .. 1	each	0 3 11	—	—
Breechings	"	0 7 3	—	—
Collars, breast	"	0 7 4	—	—
Collar-headstalls, complete .. 1	"	0 6 4	—	—
Cruppers, with hip strap .. 1	"	0 4 11	—	—
Girths, web	"	0 3 3	—	—
Pannels, saddle	pair 1	1 10 0	—	—
Reins, chain, tinned	each	0 1 1½	—	—
Saddle { General service	"	1 5 0	—	—
trees { Field hospital service .. 1	"	1 5 0	—	—
Sents, saddle	"	0 8 2	—	—
Straps { Baggage * (Mark II) (sets of 2)	set	1 17 0	—	—
Crupper	"	0 0 5	—	—
Girth	each	0 0 9½	—	—
Surcingles, web (Mark II) .. 1	"	0 9 0	—	—
Small size—				
Bits, T-bridoon, with reins (see Large size)	"	0 3 11	—	—
Breechings	"	0 7 3	—	—
Collars, breast	"	0 7 4	—	—
Collar-headstalls, complete .. 1	"	0 6 4	—	—
Cruppers, with hip strap .. 1	"	0 4 11	—	—
Girths, web	"	0 3 3	—	—
Pannels, saddle	pair 1	1 7 0	—	—
Reins, chain, tinned (see Large size)	each	0 1 1½	—	—

* Each baggage strap, of which 2 form a set, consists of 2 straps, the Mark I being connected by a loop, and the Mark II by a strap.

Section II.

93

HARNESS AND SADDLERY.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Saddles, pack, general service, continued—		£ s. d.	£ s. d.	£ s. d.
Parts of—				
Small size—				
Saddle trees	each	1 5 0	—	—
Seats, saddle	"	0 8 2	—	—
Straps { Baggage * (Mark II)	set	1 17 0	—	—
(sets of 2)	"	0 0 5	—	—
Crupper	each	0 0 9½	—	—
Girth				
Surcingles, web (Mark II) (see				
Large size)	"	0 9 0	—	—
Saddles, pack, mountain equipment—				
Covers, canvas, moun-				
tain (Mark I)	"	—	0 12 6	0 13 9
6 feet by 6 feet ..	"	—	0 8 9	0 9 8
6 " " 4 " " ..				
Pannels { For carriage, R.M.L. 7 pounder†	pairs	1 3 0	—	—
For gun and ammunition ..	"	1 1 0	—	—
Straps, leather, lashing, cradle, for carrying				
carriage, R.M.L. 7 pounder 200 lbs.				
steel gun, mountain (2 to a set) ..	each	—	0 1 7	0 1 9
Trees, with iron cradles, for carrying—				
Carriage, R.M.L. 7 pounder, 200 lbs.				
steel gun, mountain (Mark II) ..	"	—	3 3 6	3 9 10
R.M.L. 7 pounder, 200 lbs. steel gun,				
mountain (Mark I)	"	—	2 14 0	2 19 6
Carriage or R.M.L. 7 pounder, 150 lbs.				
steel gun, mountain (Mark I) ..	"	—	2 9 0	2 14 0
Arms, wheel, R.M.L., 7 pounder, moun-				
tain—				
224 lbs. bronze and { Near ..	"	—	1 5 9	1 8 4
200 lbs. steel gun { Off ..	"	—	1 5 9	1 8 4
150 lbs. steel gun { Near ..	"	—	1 0 0	1 2 0
{ Off	"	—	1 0 0	1 2 0
SADDLETREES, AND PARTS OF.				
Saddletrees, complete—				
Iron arches { Harness { Drivers ..	"	0 17 6	—	—
Luggage	"	0 16 2	—	—
Universal	"	0 18 2	—	—
Wood arches { Harness { Drivers ..	"	0 15 6	—	—
Luggage	"	0 15 0	—	—
Officers	"	1 6 3	—	—
Universal	"	0 16 0	—	—
Saddletrees, fittings for—				
Burrs { Brass	1000	0 7 6	—	—
Iron, galvanized	"	0 3 5	—	—
Cases, cloak, for harness, drivers, saddles ..	each	0 1 6	—	—
Chapes { ½ inch, with buckle ..	"	0 0 2	—	—
1 inch, with 1½ inch ring ..	"	0 0 2	—	—
Flaps, saddle, iron or wood arches—				
Harness { Drivers	pair	0 5 6	—	—
Luggage	"	0 3 10	—	—
Officers	"	0 14 3	—	—
Universal	"	0 5 2	—	—
Girths, leather, universal, O.P. ..	each	0 2 10	—	—
Rivets, copper { Long	1000	1 5 0	—	—
Short	"	0 18 0	—	—
Seats for saddles, with wood arches—				
Harness { Drivers and universal ..	each	0 5 6	—	—
Luggage	"	0 4 0	—	—
Officers	"	0 12 0	—	—

* See foot note * on page 92.

† For 200 lbs., and 224 lbs. guns, and 400 lbs. jointed gun,

HARNESS AND SADDLERY.		Rate.					
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Saddletrees, fittings for, continued—				£	s. d.	£	s. d.
Tabs, universal, O.P.	each			0	1 6	—	—
Thongs—							
Chape, luggage	doz.			0	0 2	—	—
Lacing { Luggage	"			0	0 9	—	—
{ Universal	"			0	1 0	—	—
Ironwork for iron saddletrees—							
Archives, N.P. { Drivers { Front	each			0	1 7	—	—
{ Hind	"			0	1 7	—	—
{ Luggage { Front	"			0	1 7½	—	—
{ Hind	"			0	1 7½	—	—
{ Front	"			0	1 7	—	—
{ Universal { Hind	"			0	1 7	—	—
Dees, drivers, luggage and universal	100			0	2 2	—	—
Plates { For dees, luggage	"			0	3 0	—	—
{ With dees { Drivers	"			0	6 10	—	—
{ Luggage	"			0	6 0	—	—
Rivets, 2 inch, drivers, luggage and universal	"			0	1 2	—	—
Staples { Flank, drivers and luggage* ..	"			0	5 0	—	—
{ Girth, drivers, luggage and universal† ..	"			0	5 0	—	—
Troughs, luggage‡	each			0	0 10	—	—
Ironwork for wood saddletrees—							
Burr, rivets and rollers, universal	100			0	6 0	—	—
Plates—							
Crupper, drivers and luggage	"			0	3 2	—	—
Fan, universal { Near	"			0	18 2	—	—
{ Off	"			0	18 2	—	—
For dees, universal	"			0	3 0	—	—
Front { Drivers { Inside	"			0	8 10	—	—
{ Outside	"			0	5 11	—	—
{ Luggage { Inside	"			0	3 2	—	—
{ Outside	"			0	9 9	—	—
{ Universal	"			0	16 8	—	—
Gullet { Drivers	"			2	12 6	—	—
{ Luggage	"			2	8 4	—	—
{ Universal	"			2	9 6	—	—
Top { Drivers	"			0	6 7	—	—
{ Hook, luggage	"			3	0 0	—	—
{ And ring universal	"			1	0 0	—	—
Rings, 1 inch, drivers	"			0	2 2½	—	—
Rings and bolts, luggage	"			0	5 11	—	—
Rings and staples, universal	"			0	4 2	—	—
Staples—							
Cloak and wallet, drivers { Inside	"			0	4 5	—	—
{ Outside	"			0	4 5	—	—
Cloak, universal { Or holster	"			0	3 0	—	—
{ With plates	"			0	8 0	—	—
Crupper { Drivers and luggage	"			0	8 10	—	—
{ Universal	"			0	15 0	—	—
Flank, drivers and luggage (see Iron arch, above)	"			0	5 0	—	—
Front { Drivers and luggage	"			0	8 10	—	—
{ Universal	"			0	15 0	—	—

* Also for drivers and luggage, wood arch saddle.

† Also for drivers, luggage, and universal, wood arch saddles.

‡ Also for luggage, wood arch saddles.

Section II.

95

HARNESS AND SADDLERY.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Ironwork for wood saddletrees, <i>continued—</i>				
Staples—				
Girth, drivers, luggage and universal (see Iron Arch, page 94)	100	0 5 0	—	—
Wallet, luggage { Inside	"	0 4 5	—	—
{ Outside	"	0 4 5	—	—
Troughs, luggage (see Iron Arch, page 94) each		0 0 10	—	—
Mountings, brass, for officers saddletrees—				
Cantles	"	0 1 3	—	—
Plates { Crupper	doz.	0 2 1	—	—
{ Front, with ring	"	0 8 7	—	—
{ Top	"	0 4 2	—	—
Screws { Fine, $\frac{1}{2}$ inch	"	0 0 1	—	—
{ Strong, $\frac{1}{2}$ inch	"	0 0 1 $\frac{1}{2}$	—	—
Staples { Crupper	"	0 2 9	—	—
{ Front	"	0 2 7	—	—
{ Valise and wallet	"	0 3 1	—	—
Washers	lb.	0 1 6	—	—
Woodwork for saddletrees—				
Arches, harness { Drivers { Front	each	—	0 0 8	0 0 9
{ Hind	"	—	0 0 10	0 0 11
{ Luggage { Front	"	—	0 0 7	0 0 8
{ Hind	"	—	0 0 8	0 0 9
Arches, universal { N.P. { Front	"	—	0 0 8	0 0 9
{ Hind	"	—	0 0 10	0 0 11
{ O.P. { Front	"	—	0 0 10	0 0 11
{ Hind	"	—	0 0 10	0 0 11
Bars, side—				
Shaped—				
Harness { Drivers { Near	"	—	0 1 3	0 1 5
{ Off	"	—	0 1 3	0 1 5
{ Luggage { Near	"	—	0 0 7	0 0 8
{ Off	"	—	0 0 7	0 0 8
Universal { Iron arches { Near	"	—	0 1 4	0 1 6
{ Off	"	—	0 1 4	0 1 6
{ Wood arches { Near	"	—	0 1 5	0 1 7
{ Off	"	—	0 1 5	0 1 7
In the rough—				
Harness { Drivers { Near	"	—	0 1 0	0 1 1
{ Off	"	—	0 1 0	0 1 1
{ Luggage { Near	"	—	0 0 5	0 0 6
{ Off	"	—	0 0 5	0 0 6
Universal { Near	"	—	0 1 2	0 1 3
{ Off	"	—	0 1 2	0 1 3
Tongues	100	—	0 2 9	0 3 0
Wedges	"	—	0 6 0	0 6 7

INSTRUMENTS, SCIENTIFIC.

(DRAWING, MATHEMATICAL, METEOROLOGICAL
AND SURVEYING.)

INSTRUMENTS, SCIENTIFIC.						Contract Rate.		
						£	s.	d.
Anemometers	each	2	15 0
Barometers—								
Aneroid, A. and B., 4½ inch	pair	3	12 11
Mountain, with stand	each	5	0 0
Standard	"	6	0 0
Belts, leather, buff, binocular glass case, Cavalry, Royal Artillery, and Royal Engineers (see Belts, leather pouch, buff, Royal Artillery, and dismounted men, Royal Engineers, rank and file, page 1)	"	0	2 8
Binoculars (see Glasses, binocular, page 97)	"	1	3 0
Boards, drawing—								
Antiquarian, 55 inches × 33 inches..	"	0	16 0
Atlas, 37 " 28 "	"	0	10 6
Double elephant, 43 " 29 "	"	0	11 0
Imperial, 32 " 24 "	"	0	8 6
Bottles, glass, ink, surveying	"	0	0 8
Boxes, Marquois's scales	"	0	2 0
Bulbs, glass, for spirit levels—								
9 inches. × ½ inches	"	0	3 6
6 " × ½ "	"	0	2 0
4 " × ½ "	"	0	1 0
Callipers—								
Iron, unmarked, 6 inch, sea service (see page 109)	pair	0	1 7
Sliding, with vernier { 18 inch, inspectors of warlike stores	each	3	0 0
{ 12 " for flag ships	"	4	8 4
Cases, drawing, wainscot, for colours	"	0	14 0
Cases, leather—								
Binocular glass { Cavalry, Royal Artillery, and Royal Engineers	"	0	4 4
{ Infantry..	"	0	2 9
Dividers, spring, or compass, mathematical, 6 inch	"	0	1 0
Pocket-sextant, with slings..	"	0	1 2
Prismatic-compass, with sling	"	0	5 0
Sketching { Royal Military Academy pattern	"	0	6 1
{ With slings, pencils, and scale	"	0	8 3
Writing, for instructors of musketry	"	0	5 7
Cases, wood—								
Perpendiculars	"	0	2 0
Telescope, with locks and keys { 4 feet..	"	0	16 0
{ 3 "	"	0	15 0
Sliding callipers { 18 inch..	"	0	2 6
{ 12 "	"	0	2 6
Chains, measuring, with arrows—								
100 feet	"	0	7 2
66 "	"	0	4 10
50 "	"	0	3 7
Chalk, prepared, boxes of 144 each—								
Red and blue	box	0	7 6
White	"	0	1 0
Chests, wood, instruments and drawing materials	each	1	5 0
Circumferencers, with stands	"	5	0 0
Clamps, table, for drawing	"	0	3 0
Colours	box	1	10 0

INSTRUMENTS, SCIENTIFIC.		Contract Rate.		
Compasses, beam, 50 inch, graduated, with pen and pencil points, in case	each	£	s.	d.
Compasses, drawing, 6 inch—				
With shifting leg—				
Lengthening bar, pen and pencil points	pair	0	10	6
With pen and pencil points, in case, regimental schools, and garrison instructors	"	0	3	9
With pencil point	"	0	3	6
With pencil point, paper and slate, regimental schools	"	0	2	0
Compasses, magnetic, pocket, with bar needle	each	0	4	2
Compasses, prismatic, surveying, with leather case and sling	"	1	12	9
Compasses, proportional, graduated, in leather case—				
9 inch	"	1	5	0
6 "	"	0	13	0
Curves, drawing—				
Pear tree, architects (set of 6 in box)	set	0	3	6
Railway, double	"	2	10	0
Dividers, spring, or compasses, mathematical, 6 inch	pair	0	4	0
Gauges, rain	each	1	5	0
Glasses—				
Field, binocular	"	1	3	0
Rain, gauge	"	0	6	0
Reading, for level, or theodolite	"	0	0	5
Tracing { With stand	"	4	8	0
Without stand	"	3	5	0
Horizons, artificial, in case—				
Dark glass	"	2	15	0
Mercurial	"	2	0	0
Hydrometers, Sykes, with thermometer, glass measure and book, in case	"	1	9	9
Instruments, drawing, in case, mahogany—				
Military foremen of works*	set	0	12	0
Regimental schools†	"	0	10	9
Royal Engineers‡	"	1	9	8
Instruments, time of flight, in case	each	12	0	0
Levels—				
Field service { 4 feet	"	1	3	3
2 " 6 inches	"	0	12	0
Pocket, with leather case	"	0	18	0
Spirit, block { 18 inch	"	0	4	2
12 "	"	0	3	3
10 "	"	0	2	8
9 "	"	0	2	3½
6 "	"	0	2	0
Spirit, draining, with stand, 9½ inch bulb, in case	"	2	0	0

* This case contains—

1 tray, mahogany, containing—
 1 compass, 6 inch, with shifting leg (point)
 1 leg for ditto, pen
 1 " " pencil
 1 lengthening bar, for ditto
 1 finger compass, 3½ inch, pen
 1 " " " pencil
 1 pen, 5½ inch, ivory handle
 1 pencil, 4 inch, with ivory top
 1 parallel ruler, ebony, 6 inch
 1 scale, mathematical, boxwood, 6 inch

† This case contains—

1 tray, containing—
 1 compass, 6 inch, with shifting leg (point)
 1 leg for ditto, pen
 1 " " pencil
 1 finger compass, 3½ inch, pen
 1 " " " pencil
 1 pen, 6 inch, ivory handle
 1 pencil, 6 inch

(V.S.)

1 parallel ruler, ebony, 6 inch
 1 scale, mathematical, boxwood, 6 inch

‡ This case contains—

1 tray, mahogany, containing—
 1 compass, 6 inch, with shifting leg (point)
 1 " " 5 inch, without ditto
 1 leg for ditto, pen
 1 " " pencil
 1 lengthening bar, for ditto
 1 finger compass, 3 inch, pen
 1 " " 3½ " pencil
 1 pen, 6 inch, ivory handle
 1 " " 5 " "
 1 key, compass, large
 1 " " small
 1 parallel ruler, ebony, 6 inch
 1 scale, mathematical, ivory, 6 inch
 1 pencil, 7 inch, HH
 1 " " 4½ inch, for compass, 6 inch
 1 " " " for finger compass

G

INSTRUMENTS, SCIENTIFIC.										Contract Rate.			
Levels, telescopic, with stand, in case—											£	s.	d.
15 inch										each	9	8	0
10 "										"	7	10	6
Measures, standard, 3 feet, in case (see Scales or Standard Measure).													
Needles, protracting										"	0	0	3
Papers, ozone, boxes of, each containing 12 bundles of 40 each										box	0	8	6
Pencils, bow, spring										each	0	3	0
Pens, bow—													
Double jointed										"	0	2	6
Single "										"	0	4	0
Spring										"	0	3	0
Pens, ruling—													
Brass handle, regimental schools										"	0	1	6
Circular										"	0	3	6
Ivory handle { Large										"	0	2	0
Small										"	0	2	0
Pentagraphs, in case—													
2 feet 6 inches										"	5	14	0
2 "										"	4	10	0
Pins, brass, drawing										100	0	5	4
Protractors—													
Boxwood, 6 inch, with plumb										each	0	1	4
Brass, circular, in case { 8 inch										"	1	6	0
6 "										"	1	0	0
Brass, semicircular, with lens, in case { 8 inch										"	3	0	0
6½ "										"	2	0	0
Cardboard, circular, graduated										"	0	1	6
Ivory, 6 inch, with plumb										"	0	7	0
Rods, boning (3 to a set)										set	0	8	6
Rods, measuring—													
Common { 10 feet										each	0	6	0
6 "										"	0	1	3½
Lancewood { 5 feet										"	0	1	11½
4 "										"	0	1	8
Rulers, flat, ebony—													
2 feet, common										"	0	0	6
18 inch, one side bevelled										"	0	0	5
Rulers, parallel—													
Common { 2 feet 0 inches										"	0	7	6
1 " 6 "										"	0	6	3
1 " 3 "										"	0	4	3
12 inches										"	0	2	0
9 "										"	0	1	6
6 "										"	0	0	9
Rolling { 18 "										"	0	10	0
15 "										"	0	8	6
12 "										"	0	7	0
9 "										"	0	5	0
6 "										"	0	4	0
Rules, 2 feet, 4 fold—													
Architects										"	0	2	3
Gun and shot gauge										"	0	2	6
Scales, Mathematical—													
Boxwood, 12 inches long, bevelled edges—													
Set of 13 (Marked No. 2, 4a, 4b, 5, 6, 8a, 8b, 8c, 8d, 8e, 8f, 8g, 9)..										set	1	6	0
Parts of—													
No. 2, for general use										each	0	2	0
" 4a, 15 and 10 feet = 1 inch, for barrack record plans										"	0	2	0
" 4b, 10 and 5 feet = 1 inch, for barrack record plans										"	0	2	0
" 5, Architects' scale										"	0	2	0
" 6, universal scale										"	0	2	0
" 8a, Ordnance survey, 1 inch to a mile										"	0	2	0

99

* These numbers indicate the subdivisions of an inch engraved on the scales.
† Indicates the Standard yard, foot and link (link = 7''/92).

INSTRUMENTS, SCIENTIFIC.										Contract Rate.			
Staves—											£	s.	d.
Cross, surveying	each	0	9	6	
Levelling, 14 feet, sliding	"	1	12	0	
Offset, 10 links	"	0	2	4	
Straight edges, steel, in cases—													
4 feet 4 inch..	"	0	8	6	
3 " 9 "	"	0	7	6	
3 " 0 "	"	0	6	6	
Straps, leather—													
Brown, binocular glass, Infantry	"	0	1	6	
Drawing boards	"	0	1	6	
Theodolite { 7 inch	"	0	0	11½	
{ 5 "	"	0	0	9½	
Tapes, measuring—													
With boxes { 100 feet	"	0	6	6	
{ 66 "	"	0	4	0	
{ 50 "	"	0	3	3	
Without boxes { 100 feet..	"	0	6	0	
{ 66 "	"	0	4	0	
{ 50 "	"	0	3	0	
Telescopes—													
With cap, 2 feet	"	1	10	0	
With shade and cap { 4 feet	"	2	19	0	
{ 3 "	"	2	7	6	
Theodolites, 5 inch, with stand, in case	"	16	18	4	
Thermometers—													
Bakers { Oven or pyrometers, (−20° to 680° F.)	"	0	9	6	
{ Yeast, (12° to 220° F.)	"	0	3	0	
Common, to 100°, or magazine	"	0	1	0½	
Maximum in air	"	0	17	6	
Minimum in air	"	0	15	0	
Solar radiation	"	0	18	6	
Terrestrial do.	"	0	12	6	
Wet and dry bulb { Army Medical Department	"	2	2	0	
{ Common	"	0	8	6	
Triangles, wood, base 12 inch, perpendicular 21 inch	"	0	7	0	
Weights, paper, drawing, covered with leather..	"	0	2	6	

INSTRUMENTS, MUSICAL.

INSTRUMENTS, MUSICAL.						Contract Rate.		
						Per	£	s. d.
Braces, side drum	each	0	0 4
Brackets, side drum—								
Carriage eye..	pair	0	0 4
Screw	each	0	0 4
With pulleys	0	1 3
Bugles, copper—								
With brass crook	0	10 3
With mouthpiece and brass chain..	0	8 6
Cases, ticken, side drum—								
Brass { Large	0	3 6
{ Small	0	2 7
Wood..	0	3 3
Cases, leather—								
Flute { B	0	1 11
{ F	0	2 4
Piccolo, E ^b or F	0	1 7½
Chains, brass—								
Bugle	0	0 1
Trumpet	0	0 1
Cords, side drum—								
Brass..	0	1 0½
Wood	0	1 2
Crooks, bugle, brass	0	1 6
Drums, side—								
Brass { Guards pattern	8	16 0
{ Large	1	3 6
{ Small	2	16 0
Wood	0	19 0
Drums, silent, Azemar's	0	8 0
Eyes, carriage, brass, side drum	0	2 0
Flutes—								
B	0	5 0
F	0	6 7
Forks, tuning	0	0 10
Heads, vellum, side drum, brass and wood	0	2 7
Hooks, brass, side drum—								
Double spring	0	1 5½
Steel, snare, with thumbscrew	0	3 6
Hoops—								
Cord, side drum { Brass { Bottom, with three legs	0	2 6
{ Top	0	2 6
{ Wood	0	1 6
Flesh, side drum, brass and wood..	0	0 4½
Painted, and with fittings { Bottom	0	15 6
complete, brass, side drum { Top	0	19 3
Mouthpieces—								
Bugle..	0	1 6
Trumpet	0	1 9
Piccoles—								
E ^b	0	4 5
F	0	4 5
Pipes, pitch	0	2 0
Rests, thigh, brass side drum	0	1 9
Screws, steel, side drum, with brass nut and pulley	0	1 6
Slings, buff, brass side drum	0	0 11

INSTRUMENTS, MUSICAL.											Contract Rate.		
Snarcs, catgut, side drum													
Brass..	each	£	s.	d.	
Wood	"	0	0	6	
Sticks , side drum	pair	0	0	8	
Strings, with tassels, bugle and trumpets—													
Green	each	0	1	6	
Royal..	"	0	1	9	
Studs, snare, side drum	"	0	1	3	
Tassels, for strings, bugle and trumpet—													
Green	"	0	0	6	
Royal	"	0	0	7	
Trumpets, brass, with mouthpiece and chains											0 8 0

Section III.

TOOLS, ARTIFICERS.

TOOLS, ARTIFICERS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Chests, complete, with sets of stocks and dies—				
Gas stocks and dies, with taps and wrenches, 1½ inch, 1½ inch, 1 inch, ¾ inch, ¾ inch, ¾ inch, ¾ inch, ¾ inch..	each	6 0 0	—	—
Whitworth's stocks and dies, with tray—				
1½ inch to ½ inch	"	20 0 0	—	—
1 inch to ¾ inch	"	11 15 0	—	—
Chests, tool, complete, with sets of tools—				
Bricklayers and masons	"	—	4 13 8	4 15 0
Carpenters { General army service	"	—	7 13 8	7 15 4
{ Plain or jobbing	"	2 3 2	—	—
Collarmakers and saddlers	"	3 17 11	—	—
Coopers	"	—	6 10 7	6 12 5
Farriers and shoeing smiths	"	—	4 7 10	4 9 3
Naval service, armourers crew—				
Of 5 and more	"	—	48 18 5	49 5 10
Of 4 and 3	"	—	37 14 3	37 18 11
Of 2 and 1	"	—	33 16 9	33 19 6
Painters	"	—	1 16 8	1 18 0
Repairing wrought-iron garrison carriages and platforms, Royal Artillery service*	"	—	19 2 9	19 12 3
Saddlers, in 1 pannier	"	3 5 7	—	—
Saddletreemakers, in 2 panniers	pair	—	10 0 5	10 11 3
Smiths and armourers, special, for repairing Armstrong guns and carriages in the field or garrison..	each	—	4 18 1	5 1 5
Smiths—				
For wrought iron carriages, field or siege artillery, including farriers and shoeing smiths	"	—	10 1 5	10 5 0
General army service—				
With a set of Whitworth's stocks and dies, 1½ inch to ½ inch, in separate chest, and 36 lbs. vice ..	"	—	27 5 1	27 6 10
Without Whitworth's stocks and dies, but with 36 lbs. vice	"	—	7 5 8	7 7 5
Tinmans	"	—	5 3 1	5 5 2
Wheeler-fitters for wrought iron carriages, field or siege artillery, and for repair to saddletrees, with a set of Whitworth's stocks and dies, 1 inch to ¾ inch, in a separate chest..	"	—	24 16 3	25 2 9
Whealers and saddletreemakers—				
With sampson	"	13 11 0	—	—
Without sampson	"	11 15 6	—	—

* Does not include the tools required for this service, which are packed in smiths chest, nor the emery cloth and sponge cloths in ordinary use.

Section III.

TOOLS, ARTIFICERS.	Per	Rate.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Chests, tool, complete, with sets of tools for Royal Engineer services—		£ s. d.	£ s. d.	£ s. d.	
Bricklayers and masons	each	—	1 17 2	1 18 4	
Coopers	"	—	5 11 5	5 13 3	
Painters	"	—	2 8 3	2 9 7	
Plumbers, gasfitters and tinmiths, including a set of gas stocks and dies, in separate chest	"	—	9 18 11	10 1 0	
Smiths, including a set of Whitworth's stocks and dies, 1 inch to $\frac{3}{4}$ inch, in separate chest, with liftout tray and 36 lb. vice—					
Peace service	"	—	21 18 8	22 1 10	
War	"	—	22 7 2	22 10 4	
Wheelers, joiners and saddletreemakers, in two chests	set	—	13 2 9	13 6 5	
Chests, tool, complete, with sets of tools for trades, for regiments—					
Sets of—					
3 bricklayers (1 a mason), in 2 chests	"	—	7 9 10	7 12 2	
3 carpenters, in 3 chests	"	—	20 1 0	20 6 0	
1 cooper, in 1 chest	each	—	4 5 10	4 7 8	
1 plumber, painter, and glazier, in 1 tinmans chest	"	—	4 13 9	4 15 10	
1 smith, and 1 farrier or shoeing-smith, in 1 chest	"	—	6 0 8	6 2 5	
1 whitesmith or tinman, in tinmans chest	"	—	4 9 2	4 11 3	
Forge, smiths, portable, complete, with tools in box	"	6 5 0	—	—	
Chests, tool, empty—					
Bricklayers and masons—					
General army service	"	—	1 2 10	1 4 2	
Royal Engineers	"	—	1 0 1	1 1 3	
Carpenters—					
General army service	"	—	1 7 9	1 9 5	
Plain or jobbing	"	0 4 6	—	—	
Collarmakers and saddlers	"	0 13 0	—	—	
Coopers	"	—	1 10 2	1 12 0	
Farriers and shoeing smiths	"	—	1 4 0	1 5 5	
Gas stocks and dies	"	1 2 6	—	—	
Naval service, armourers crew—					
Of 5 or more	"	1 13 8	—	—	
Of less than 5	"	1 12 0	—	—	
Painters	"	—	1 0 4	1 1 7	
Saddlers, pannier	"	1 15 3	—	—	
Saddletreemakers, two panniers	pairs	—	4 3 4	4 14 2	
Smiths, general army service	each	—	1 9 4	1 11 1	
Tinmans	"	—	1 14 5	1 16 6	
Wheelers and saddletreemakers	"	1 8 3	—	—	
Whitworth's, with tray for stocks and dies	"	1 6 0	—	—	

Section III.

105

In the following are included tools for bricklayers and masons, carpenters, collarmakers, coopers, farriers, and shoeing smiths, glaziers; naval service; for armourers crew, painters, plumbers, saddlers, saddletreemakers, smiths, tinmans, wheelers, wheeler-fitters, and gas and Whitworth's stocks and dies.

TOOLS, ARTIFICERS.										Contract Rate.		
										£	s.	d.
Adapters, iron, or socket shifting, for brace										each		
										{ No. 1 B.S.		
										0 0 10		
										{ No. 2 B.S.		
										0 0 11		
Adzes—										Contract.		
Handled, coopers { Metal, magazine										0 4 4		
Notching, chequered head										0 2 0		
Rounding										0 2 6		
Unhandled, carpenters and wheelers										0 2 10		
Anvils—												
Farriers, 2½ cwt.										3 3 0		
Forge cart or wagon, 1 cwt.										1 0 11		
Portable forge, 56 lb.										0 15 0		
Smiths { 3½ cwt.										4 0 0		
2½ "										3 3 0		
1½ "										1 8 0		
Augers, screw—												
Bull nosed—												
1½ inch										0 2 0		
1 "										0 1 3		
¾ "										0 0 11		
⅝ "										0 0 11		
Common—												
2½ inch										0 6 0		
2½ "										0 3 11		
2 "										0 2 10		
1½ "										0 2 6		
1½ "										0 2 3		
1½ "										0 2 0		
1½ "										0 1 9		
1½ "										0 1 6		
1 " 29 inches long										0 1 3		
¾ "										0 1 2		
¾ "										0 1 1		
¾ "										0 1 0		
¾ "										0 0 11		
¾ "										0 0 10		
¾ "										0 0 9		
Augers, shell—												
2½ inch										0 3 0		
2 "										0 2 6		
1½ "										0 2 0		
1½ "										0 1 7½		
1½ "										0 1 5½		
1½ "										0 1 3½		
1½ "										0 1 1		
1½ "										0 1 0		
1 "										0 0 11½		
¾ "										0 0 10½		
¾ "										0 0 10		
¾ "										0 0 8½		
¾ "										0 0 8		
¾ "										0 0 7½		
¾ "										0 0 7		
Awls, brad (see blades and handles).												
Awls or scribers, handled, scoring, tinmans										0 0 2		
Axes—												
Brick.. .. .										0 3 6		

TOOLS, ARTIFICERS.										Contract Rate.			
										£	s.	d.	
Axes, continued—										each	0	3	3
Handled	Broad, carpenters	5½ lbs.	0	3	7	
		6½ "	0	3	7	
		3 lbs., also for saddletreemakers (see hatchets, p. 121).											
		Coopers	0	3	6	
	Wheelers, 7 lbs.	0	4	3		
Unhandled	Broad, carpenters	6½ lbs.	0	3	1	
		5½ "	0	2	9	
		6 lbs.	0	1	8	
		10 "	0	2	5	
	Masons, double												
Bags, tool—													
Canvas, carpenters and wheelers	0	1	9
Leather, farriers	0	7	8
Plumbers	0	4	9
Bars—													
Crow, 2 feet 3 inches, 7 lbs.	0	1	4
Setting, masons, general and field service	0	1	6
Baskets, tool, carpenters	0	1	7½
Bellows—													
Portable forge	0	18	0
Smiths, small, 22 inch, forge cart or wagon	1	9	11
Tinmans, double blast	0	6	0
Bevels—													
Brass blade, bricklayers	0	1	2
Steel blade, carpenters, wheelers, and saddletreemakers		12 inch	0	1	8	
		9 "	0	1	4	
		7 "	0	1	2	
		6 "	0	1	1	
Wood blade, bricklayers and masons		15 inch	0	1	1½	
		12 "	0	1	1	
Bits, brace—													
Saddletreemakers—													
Countersink		Flat, for iron	0	0	4	
		Rose, for brass, or wood	0	0	4	
Gouge		½ inch	0	0	3	
		¾ "	0	0	3	
Nose		½ inch	0	0	4	
		¾ "	0	0	3	
Rimer, square		0	0	6	
		0	0	4	
Smiths	Countersink	Flat	0	0	2½	
		Rose	0	0	5½	
	Rimer	Half-round	0	0	5½	
		Square	0	0	5½	
Bits for braces (or stocks), carpenters and wheelers—													
Auger, screw													
1 inch	0	1	0	
		0	0	11	
		0	0	10½	
		0	0	9½	
		0	0	7½	
		0	0	7½	
		0	0	7½	
Centre—													
2 inch	0	0	10	
		1½ "	0	0	7	
		1½ "	0	0	6	
		1½ "	0	0	5½	
		1½ "	0	0	5	
		1½ "	0	0	4½	
		1½ "	0	0	4½	
1 "	0	0	4			

* Packsaddle equipment.

TOOLS, ARTIFICERS.										Contract Rate.		
Bits for braces (or stocks) carpenters and wheelers, contd.—												
Centre—												
$\frac{1}{8}$ inch	each	£	s.	d.
$\frac{1}{4}$ "	"	0	0	4
$\frac{3}{8}$ "	"	0	0	3 $\frac{1}{2}$
$\frac{1}{2}$ "	"	0	0	3 $\frac{1}{2}$
$\frac{5}{8}$ "	"	0	0	3 $\frac{1}{2}$
$\frac{3}{4}$ "	"	0	0	3 $\frac{1}{2}$
$\frac{7}{8}$ "	"	0	0	2 $\frac{1}{2}$
1 "	"	0	0	2 $\frac{1}{2}$
Countersink { Flat..	"	0	0	3
Rose	"	0	0	3
Dowling sash, with collar	"	0	0	6
Gouge—												
$\frac{1}{8}$ inch	"	0	0	4 $\frac{1}{2}$
$\frac{1}{4}$ "	"	0	0	3 $\frac{1}{2}$
$\frac{3}{8}$ "	"	0	0	3 $\frac{1}{2}$
$\frac{1}{2}$ "	"	0	0	2 $\frac{1}{2}$
$\frac{5}{8}$ "	"	0	0	2 $\frac{1}{2}$
1 "	"	0	0	2 $\frac{1}{2}$
Nose—												
$\frac{1}{8}$ inch	"	0	0	4
$\frac{1}{4}$ "	"	0	0	3 $\frac{1}{2}$
$\frac{3}{8}$ "	"	0	0	3
$\frac{1}{2}$ "	"	0	0	2 $\frac{1}{2}$
$\frac{5}{8}$ "	"	0	0	2 $\frac{1}{2}$
1 "	"	0	0	2 $\frac{1}{2}$
Rimer, square	"	0	0	6
Screwdriver	"	0	0	2 $\frac{1}{2}$
Taper	"	0	0	6
24 to a set	set	0	5	4
Bits for stocks, coopers—												
Centre, of sizes (2)	each	0	0	6
Dowling, of sizes (4)	"	0	0	2 $\frac{1}{2}$
Taper (1)	"	0	0	6
With jaws, complete (7 bits and 3 jaws)	set	0	2	4
Blades, awl—												
Backing	doz.	0	0	4 $\frac{1}{2}$
Brad (6 sizes)	"	0	0	3 $\frac{1}{2}$
Buckling { $\frac{1}{4}$ inch	"	0	0	6 $\frac{1}{2}$
$\frac{3}{8}$ "	"	0	0	4
Drawing	"	0	2	0
Garnishing { $\frac{1}{2}$ inch	"	0	0	5
$\frac{3}{4}$ "	"	0	0	5
Harness { $\frac{1}{2}$ inch	"	0	0	3 $\frac{1}{2}$
$\frac{3}{4}$ "	"			
$\frac{1}{2}$ "	"			
$\frac{3}{4}$ "	"			
Pannel or seat { $\frac{5}{8}$ inch	"	0	1	0
4 "	"	0	0	8
Blades, saw—												
Crosscut, common or peg tooth	{ 8 feet 0 inch			each	0	12	0
	{ 7 " 0 "			"	0	11	0
	{ 6 " 6 "			"	0	8	9
	{ 5 " 0 "			"	0	7	0
Cutting, metal { 14 inch	"	0	0	7
12 "	"	0	0	6
10 "	"	0	0	5 $\frac{1}{2}$
Frame, hand, 15 inch	"	0	0	7 $\frac{1}{2}$
Keyhole, 9 inch	"	0	0	3 $\frac{1}{2}$
Pit, common { 8 feet 0 inches	"	0	15	0
7 " 0 "	"	0	10	9
6 " 6 "	"	0	10	0
6 " 0 "	"	0	9	0
Blocks—												
Swage, smiths, 2 $\frac{1}{2}$ cwt.	"	1	1	6

TOOLS, ARTIFICERS.						Contract Rate.	
Blocks, continued—							
Wood, anvil	{	Forge, cart or wagon (see page 198)	each	<div><div>£ s. d.</div><div>No. 1 B.S. 0 14 3</div><div>No. 2 B.S. 0 15 8</div><div>Contract. 0 17 5</div></div>	
		Portable forge, 34 lbs., for packsaddle	"	0 0 4	
Bobs , plumb, with line, for rules	"	0 1 10½	
Bones , hollow	"	0 8 0	
Borers , bung, 3 inch	"		
Bosses, plumbers—							
5 inch	"	0 2 2	
3 "	"	0 0 9	
1½ "	"	0 0 5	
Bows, drill , smiths, steel	"	0 3 1	
Boxes—							
Drill, smiths or armourers	"	0 0 3	
For tools, portable forge	"	0 13 5	
Or chests, wood, for augers and saws	"	0 10 6	
Pit saw, with wedges	"	0 1 6	
With taps for cutting wood screws—							
4 inch	"	1 14 0	
3½ "	"	1 7 0	
3 "	"	1 0 0	
1½ "	"	0 6 8	
1¼ "	"	0 5 4	
1½ "	"	0 4 0	
1¼ "	"	0 3 9	
¾ "	"	0 3 6	
Braces—							
Or stocks, carpenters	{	With 24 bits	"	0 11 0	
		Without bits	"	0 3 9	
Iron	{	Armourers and saddletreemakers	"	0 4 9	
		Smiths, with set screw	"	0 8 2	
Ratchet	{	18 inch	"	0 11 6	
		12 "	"	0 10 3	
		9 "	"	0 7 0	
Slaters, with drills		"	0 3 9	
Brushes—							
Camel's hair, flat, in tin	{	3 inch	"	0 0 10	
		2 "	"	0 0 7	
		1½ "	"	0 0 5	
Glue (see Paint, sash tool No. 6, below)	{	1 "	"	0 0 2½	
			doz.	0 4 0	
Brushes, paint—							
Ground	{	0	"	0 19 4	
		000	"	1 5 4	
Unground	{	0	"	0 19 0	
		000	"	1 2 10	
Sash tool	{	No. 2	"	0 1 7½	
		" 4	"	0 2 8	
		" 6	"	0 4 0	
		" 8	"	0 6 3	
Brushes, sable, writing, with sticks—							
Crow	{	Large	each	0 0 1½	
		Small	"	0 0 1½	
Duck	{	Large	"	0 0 3½	
		Small	"	0 0 3	
Goose	{	Large	"	0 0 6½	
		Small	"	0 0 5½	
Brushes, whitewash*—							
9 oz.	"	0 3 7	
6 "	"	0 2 3	
Buckets, leather, or cases for masons sieves						0 9 9	
Buffers, farriers						0 0 7½	

* To be issued with sets of bricklayers and masons tools only.

TOOLS, ARTIFICERS.										Contract Rate.			
Buzzes, wheelers—											£	s.	d.
1 inch	each	0	3	8	
$\frac{1}{2}$ "	"	0	3	4	
$\frac{1}{4}$ "	"	0	3	2	
Callipers—													
Iron, unmarked, 6 inch	pair	0	1	7	
Smiths, 10 inch	"	0	1	11	
Cans, tin, oil—													
Feeding, with safety lever valve	each	0	1	1	
Lubricating, smiths..	"	0	0	9 $\frac{1}{2}$	
Cards, towing, hair, small, 10 inches by 5 $\frac{1}{2}$ inches	pair	0	4	8	
Cases, leather—													
Diamond, glaziers	each	0	1	0	
Saw, crosscut	"	No. 1 B.S.			
										0 15 4			
										No. 2 B.S.			
										0 16 10			
Saw, hand, 26 inch	"	Contract			
										0 4 5			
Chisels—													
Boxing, wheelers	{	Large	"	0	1	9
		Small	"	0	1	4
Brick	{	2 $\frac{1}{2}$ inch	"	0	1	4
		18 "	"	0	1	0
		12 "	"	0	0	11 $\frac{1}{2}$
Chipping, diamond point*	"	0	1	2	
Chisels, cross-cut—													
7 inches \times $\frac{1}{2}$ inch	"	0	0	4 $\frac{1}{2}$	
6 " \times $\frac{1}{2}$ "	"	0	0	11	
Chisels, farriers, hot	"	0	0	7	
Chisels, firmer, handled—													
8 inch	"	0	3	0	
2 $\frac{1}{2}$ "	"	0	2	9	
2 $\frac{1}{4}$ "	"	0	2	0	
2 $\frac{1}{2}$ "	"	0	1	10	
2 "	"	0	1	7	
1 $\frac{1}{2}$ "	"	0	1	4	
1 $\frac{1}{4}$ "	"	0	1	2	
1 $\frac{1}{2}$ "	"	0	1	0	
1 $\frac{1}{4}$ "	"	0	0	9 $\frac{1}{2}$	
1 $\frac{1}{2}$ "	"	0	0	7	
1 $\frac{1}{4}$ "	"	0	0	6 $\frac{1}{2}$	
1 "	"	0	0	6	
$\frac{1}{2}$ "	"	0	0	6	
$\frac{1}{4}$ "	"	0	0	5 $\frac{1}{2}$	
$\frac{1}{4}$ "	"	0	0	5	
$\frac{1}{8}$ "	"	0	0	4 $\frac{1}{2}$	
$\frac{1}{8}$ "	"	0	0	4 $\frac{1}{2}$	
$\frac{1}{8}$ "	"	0	0	4 $\frac{1}{2}$	
$\frac{1}{8}$ "	"	0	0	4	
$\frac{1}{8}$ "	"	0	0	4	
$\frac{1}{8}$ "	"	0	0	4	
$\frac{1}{8}$ "	"	0	0	4	
$\frac{1}{8}$ "	"	0	0	4	
$\frac{1}{8}$ "	"	0	0	4	
Chisels, firmer, handled, coachmaker's pattern—													
2 inch	"	0	2	7	
1 $\frac{1}{2}$ "	"	0	2	5	
1 $\frac{1}{4}$ "	"	0	2	3	
1 $\frac{1}{2}$ "	"	0	1	10 $\frac{1}{2}$	
1 $\frac{1}{4}$ "	"	0	1	8	
1 $\frac{1}{2}$ "	"	0	1	7	

* Will be replaced by the "Chisels, hand, cold, engraving, or V," on present stock being exhausted.

TOOLS, ARTIFICERS.										Contract Rate.		
Chisels, firmer, handled, coachmaker's pattern, continued—										£	s.	d.
1½ inch	each	0	1	5
1 "	"	0	1	4
¾ "	"	0	1	2
¾ "	"	0	1	1
¾ "	"	0	1	1
¾ "	"	0	1	0
¾ "	"	0	0	10
¾ "	"	0	0	9
Chisels, hand, cold—										9 inches × ½ inch
Carpenters, smiths and wheelers										8 " " 1 "
										8 " " ½ "
Coopers, 7 inch										7½
Engraving, or V										9½
Rivet head										11
										No. 1 B.S.	0	1
										No. 2 B.S.	0	1
										Contract	0	1
Chisels, masons—										2½ inch	..	0
Boasting										2½ "	..	11
										2 "	..	10
										1½ "	..	9
										1½ "	..	8
Ribbing or pitching, 2 inch										2 inch	..	11½
Shifting										1½ "	..	7½
										1½ "	..	7
										1 "	..	7
										¾ "	..	6
Chisels, mortice, handled—										1½ inch	..	4
										1½ "	..	3
										1 "	..	0
										¾ "	..	6
										¾ "	..	2
										¾ "	..	11
										¾ "	..	9
										¾ "	..	7½
										¾ "	..	6
										¾ "	..	4½
										¾ "	..	3
										¾ "	..	3
										¾ "	..	3
										¾ "	..	3
Chisels, ripping										..	0	0
Chisels, smiths, red—										..	0	0
Cold	11	
Hot	10	
Chisels, socket, handled—										2 inch	..	1
										1½ "	..	4
										1½ "	..	3
										1½ "	..	3
										1½ "	..	1
										1½ "	..	0
										1 "	..	0
										¾ "	..	9½
										¾ "	..	9
										¾ "	..	8½
										¾ "	..	8
										¾ "	..	7½
										¾ "	..	7

TOOLS, ARTIFICERS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Chisels, tiamans—				
1 inch	each	£ s. d. 0 0 4½	£ s. d. —	£ s. d. —
½ "	"	0 0 3	—	—
¼ "	"	0 0 2½	—	—
Chives, coopers—				
10 gallon, 10 inch	"	0 3 9	—	—
6 " 7½ "	"	0 3 0	—	—
4 " 6½ "	"	0 2 6	—	—
Clams, collarmakers or saddlers	pair	0 2 5	—	—
Claws, nail	each	0 0 4½	—	—
Compasses—				
Common, 7 inch	pair	0 1 2	—	—
Wing { 12 inch	"	0 2 9	—	—
{ 10 "	"	0 1 9	—	—
{ 7 "	"	0 1 7	—	—
{ 6 "	"	0 1 4	—	—
Covers, plane iron—				
2½ inch	} doz.	0 7 6	—	—
2¼ "				
2½ "				
2¼ "				
2½ "				
Cramps—				
Carpenters { 7 feet	each	1 1 0	—	—
{ 5 "	"	0 17 6	—	—
Wheelers { 4 feet	"	0 17 6	—	—
{ 14 inches	"	0 5 0	—	—
Cramps (or dogs), carpenters, flooring	"	0 10 5	—	—
Creases—				
Screw	"	0 0 9	—	—
Single	"	0 0 3½	—	—
Cutters—				
Anvil	"	—	0 3 9	0 4 2
Flat, for smiths anvil	"	0 0 8½	—	—
Devils, plumbers	"	0 10 3	—	—
Diamonds, glaziers	"	0 6 2	—	—
Dies, Gas and Whitworth (see Stocks and dies, Gas and Whitworth's).				
Dividers, spring, 6 inch	"	0 2 7	—	—
Dogs, iron—				
For shoeing wheels with ring tires	"	0 4 0	—	—
Sawyers—				
Cross { 15 inch	"	0 0 7	—	—
{ 12 "	"	0 0 7	—	—
{ 9 "	"	0 0 7	—	—
Straight { 20 inch	"	0 0 7	—	—
{ 15 "	"	0 0 7	—	—
{ 12 "	"	0 0 7	—	—
{ 9 "	"	0 0 7	—	—
Bowells, turners, or wheelers, 1½ inch	"	0 5 4	—	—
Dressers, plumbers	"	0 2 0	—	—
Drifts, steel, round, 5 inch—				
¼ inch	"	—	0 1 4	0 1 6
⅜ "	"	—	0 1 5	0 1 7
½ "	"	—	0 1 6	0 1 8
¾ "	"	—	0 1 9	0 1 11
1 "	"	—	0 1 11	0 2 1
1½ "	"	—	0 1 11	0 2 1
2 "	"	—	0 2 0	0 2 2
3 "	"	—	0 2 1	0 2 4

TOOLS, ARTIFICERS.	Per	Rate.					
		Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
Drills, brace, ratchet—							
18 inch brace—							
1½ inch	each	£ s. d.	£ s. d.	£ s. d.			
1½ "	"	0 1 2	—	—			
1½ "	"	0 1 1	—	—			
1½ "	"	0 1 0	—	—			
1½ "	"	0 0 11	—	—			
1 "	"	0 0 9½	—	—			
¾ "	"	0 0 8½	—	—			
¾ "	"	0 0 8½	—	—			
¾ "	"	0 0 7½	—	—			
¾ "	"	0 0 7½	—	—			
¾ "	"	0 0 7½	—	—			
¾ "	"	0 0 5½	—	—			
9 inch (Nos. 1 to 11)	"	0 0 7½	—	—			
Drills—							
Smiths, or armourers (set of 5)	set	0 0 7	—	—			
Steel, small drill stock (set of 6)	"	—	0 5 1	0 5 7			
Drivers, coopers—							
Kneed { Gunmetal	each	0 2 6	—	—			
{ Iron	"	0 1 2½	—	—			
Socket { Gunmetal	"	0 2 5	—	—			
{ Iron	"	0 2 0	—	—			
Wood, shod with gunmetal.. .. .	"	0 2 6	—	—			
Drivers, screw—							
Cast steel—							
24 inch	"	0 2 3	—	—			
15 "	"	0 1 6	—	—			
14 "	"	0 1 4	—	—			
12 "	"	0 1 2	—	—			
9 "	"	0 0 11	—	—			
6 "	"	0 0 8	—	—			
5 "	"	0 0 7	—	—			
4 "	"	0 0 6	—	—			
Gunmetal, magazine { 12 inch	"	0 1 8½	—	—			
{ 6 "	"	0 1 1½	—	—			
Files, bastard—							
Feather edge and herring bone—							
14 inch	doz.	0 17 6	—	—			
12 "	"	0 12 8	—	—			
10 "	"	0 8 9	—	—			
8 "	"	0 6 4	—	—			
7 "	"	0 5 3	—	—			
6 "	"	0 4 3	—	—			
5 "	"	0 3 8	—	—			
4 "	"	0 3 0	—	—			
Flat taper—							
16 inch	"	0 15 1	—	—			
14 "	"	0 10 6	—	—			
12 "	"	0 7 7	—	—			
10 "	"	0 5 3	—	—			
8 "	"	0 3 8	—	—			
7 "	"	0 3 0	—	—			
6 "	"	0 2 5½	—	—			
5 "	"	0 2 0	—	—			
4 "	"	0 1 8	—	—			
Half round—							
16 inch	"	0 15 1	—	—			
14 "	"	0 10 6	—	—			
12 "	"	0 7 7	—	—			
10 "	"	0 5 3	—	—			
8 "	"	0 3 8	—	—			
7 "	"	0 3 0	—	—			
6 "	"	0 2 5½	—	—			

TOOLS, ARTIFICERS.										Contract Rate.		
Files, bastard, continued—											£	s. d.
Half round—												
5 inch	doz.	0	2	0
4 "	"	0	1	8
3 "	"	0	1	8
Knife—												
9 inch	"	0	7	7
8 "	"	0	6	4
7 "	"	0	5	3
6 "	"	0	4	3
5 "	"	0	3	8
4 "	"	0	3	0
Parallel—												
Two safe sides, $\frac{1}{2}$ inch by $\frac{1}{2}$ inch { 6 inch										0	3	8
4 "										0	2	2 $\frac{1}{2}$
Pillar—												
12 inch	"	0	8	9
10 "	"	0	6	4
8 "	"	0	4	3
7 "	"	0	3	8
6 "	"	0	3	0
5 "	"	0	2	2 $\frac{1}{2}$
4 "	"	0	1	10
3 "	"	0	1	10
Round—												
16 inch	"	0	15	1
14 "	"	0	10	6
12 "	"	0	7	7
10 "	"	0	5	3
8 "	"	0	3	8
6 "	"	0	2	5 $\frac{1}{2}$
5 "	"	0	2	0
4 "	"	0	1	8
3 "	"	0	1	8
Rubbers, $\frac{1}{2}$ thick, 16 inch*..										lb.	0	0 5 $\frac{1}{2}$
Safe edge or hand—												
16 inch	doz.	0	17	6
14 "	"	0	12	8
12 "	"	0	8	9
10 "	"	0	6	4
8 "	"	0	4	3
6 "	"	0	3	0
5 "	"	0	2	2 $\frac{1}{2}$
4 "	"	0	1	10
3 "	"	0	1	10
Square—												
14 inch	"	0	10	6
12 "	"	0	7	7
10 "	"	0	5	3
8 "	"	0	3	8
7 "	"	0	3	0
6 "	"	0	2	5 $\frac{1}{2}$
5 "	"	0	2	0
4 "	"	0	1	8
3 "	"	0	1	8
Three square or triangular—												
14 inch	"	0	12	8
12 "	"	0	8	9
10 "	"	0	6	4
9 "	"	0	5	3
8 "	"	0	4	3

* Average weight of each 4 $\frac{1}{2}$ lbs.

(V.S.)

H

TOOLS, ARTIFICERS.											Contract Rate.
Files, bastard, continued—											£ s. d.
Three square or triangular—											
7 inch	doz.	0 3 8
6 "	"	0 3 0
5 "	"	0 2 2½
4 "	"	0 1 10
3 "	"	0 1 10
Warding—											
7 inch	"	0 3 0
6 "	"	0 2 5½
5 "	"	0 2 0
4 "	"	0 1 8
3 "	"	0 1 8
Cut on one side, 8½ inch											0 1 8
Files, rough—											
Flat taper—											
18 inch	"	1 1 0
16 "	"	0 15 1
14 "	"	0 10 6
12 "	"	0 7 7
10 "	"	0 5 3
8 "	"	0 3 8
7 "	"	0 3 0
6 "	"	0 2 5½
5 "	"	0 2 0
4 "	"	0 1 8
Half round—											
16 inch	"	0 15 1
14 "	"	0 10 6
12 "	"	0 7 7
10 "	"	0 5 3
8 "	"	0 3 8
7 "	"	0 3 0
6 "	"	0 2 5½
5 "	"	0 2 0
4 "	"	0 1 8
Round—											
16 inch	"	0 15 1
14 "	"	0 10 6
12 "	"	0 7 7
10 "	"	0 5 3
9 "	"	0 4 3
8 "	"	0 3 8
7 "	"	0 3 0
6 "	"	0 2 5½
5 "	"	0 2 0
4 "	"	0 1 8
Safe edge—											
14 inch	"	0 12 8
12 "	"	0 8 9
10 "	"	0 6 4
8 "	"	0 4 3
7 "	"	0 3 8
6 "	"	0 3 0
5 "	"	0 2 2½
4 "	"	0 1 10
Square—											
14 inch	"	0 10 6
12 "	"	0 7 7
10 "	"	0 5 3
8 "	"	0 3 8
7 "	"	0 3 0
6 "	"	0 2 5½
5 "	"	0 2 0
4 "	"	0 1 8

TOOLS, ARTIFICERS.										Contract Rate.		
										£ s. d.		
Files, rough, continued—												
Three square, or triangular—												
14 inch	doz.	0	12	8
12 "	"	0	8	9
10 "	"	0	6	4
9 "	"	0	5	3
8 "	"	0	4	3
7 "	"	0	3	8
6 "	"	0	3	0
5 "	"	0	2	2½
4 "	"	0	1	10
Files, saw—												
Gulleting, for pit and frame—												
10 inch	"	0	7	5
9 "	"	0	5	11
8 "	"	0	4	11
7 "	"	0	4	0
6 "	"	0	3	2
5½ "	"	0	2	10
5 "	"	0	2	5½
4½ "	"	0	2	2½
4 "	"	0	2	0½
Three square—												
Cross cut { 9 inch										0	5	9
{ 8 "										0	4	6
{ 7 "										0	3	7
Hand { 6 inch										0	2	10
{ 5½ "										0	2	5½
{ 5 "										0	2	1½
Sash or dovetail { 3½ inch										0	1	6½
{ 3 "										0	1	6½
Tenon { 4½ inch										0	1	11
{ 4 "										0	1	8½
Files, second, cut—												
Flat—												
14 inch	"	0	11	7
12 "	"	0	8	5
10 "	"	0	6	0
8 "	"	0	4	3
7 "	"	0	3	2
6 "	"	0	2	11
5 "	"	0	2	4½
4 "	"	0	1	11
Half round—												
14 inch	"	0	11	7
12 "	"	0	8	5
10 "	"	0	6	0
8 "	"	0	4	3
7 "	"	0	3	2
6 "	"	0	2	11
5 "	"	0	2	4½
4 "	"	0	1	11
One safe side, { 8 inch										0	4	9
square, taper { 6 "										0	3	5
Round—												
12 inch	"	0	8	5
10 "	"	0	6	0
8 "	"	0	4	3
7 "	"	0	3	2
6 "	"	0	2	11
5 "	"	0	2	4½
4 "	"	0	1	11

Section III.

TOOLS, ARTIFICERS.										Contract Rate.		
Files, second, cut, continued—										£	s.	d.
Safe edge—												
14 inch	doz.	0	13	8
12 "	"	0	9	6
10 "	"	0	7	0
8 "	"	0	4	9
7 "	"	0	4	3
6 "	"	0	3	5
5 "	"	0	2	8
4 "	"	0	2	1½
Square—												
8 inch	"	0	4	3
7 "	"	0	3	2
6 "	"	0	2	11
5 "	"	0	2	4½
4 "	"	0	1	11
Three square—												
8 inch	"	0	4	9
7 "	"	0	4	3
6 "	"	0	3	5
5 "	"	0	2	8
4 "	"	0	2	1½
Files, dead smooth—												
Flat—												
12 inch	"	0	14	0
10 "	"	0	10	0
8 "	"	0	7	0
6 "	"	0	5	1
4 "	"	0	3	7
Half round—												
12 inch	"	0	14	0
10 "	"	0	10	0
8 "	"	0	7	0
6 "	"	0	5	1
4 "	"	0	3	7
3 "	"	0	3	7
Round—												
12 inch	"	0	14	0
10 "	"	0	10	0
8 "	"	0	7	0
6 "	"	0	5	1
4 "	"	0	3	7
3 "	"	0	3	7
Safe edge—												
12 inch	"	0	15	9
10 "	"	0	12	3
8 "	"	0	8	3
6 "	"	0	6	2
4 "	"	0	4	0
3 "	"	0	4	0
Square—												
12 inch	"	0	14	0
10 "	"	0	10	0
8 "	"	0	7	0
6 "	"	0	5	1
4 "	"	0	3	7
Three square—												
12 inch	"	0	15	9
10 "	"	0	12	3
8 "	"	0	8	3
6 "	"	0	6	2
4 "	"	0	4	0
3 "	"	0	4	0

Section III.

117

TOOLS, ARTIFICERS.										Contract Rate.		
										£ s. d.		
Files, smooth—												
Flat, taper—												
16 inch	doz.	0	18	8
14 "	"	0	12	8
12 "	"	0	9	4
10 "	"	0	6	8
9 "	"	0	5	5
8 "	"	0	4	9
7 "	"	0	4	1
6 "	"	0	3	4
5 "	"	0	2	11
4 "	"	0	2	4½
Half round—												
14 inch	"	0	12	8
12 "	"	0	9	4
10 "	"	0	6	8
9 "	"	0	5	5
8 "	"	0	4	9
7 "	"	0	4	1
6 "	"	0	3	4
5 "	"	0	2	11
4 "	"	0	2	4½
3 "	"	0	2	4½
Herring bone or feather edge—												
10 inch.	"	0	10	6
8 "	"	0	8	1
7 "	"	0	6	8
6 "	"	0	5	5
5 "	"	0	4	9
4 "	"	0	4	1
Knife—												
9 inch	"	0	9	4
8 "	"	0	8	1
7 "	"	0	6	8
6 "	"	0	5	5
5 "	"	0	4	9
4 "	"	0	4	1
Pillar—												
16 inch	"	1	2	1
14 "	"	0	14	9
12 "	"	0	10	6
10 "	"	0	8	1
8 "	"	0	5	5
7 "	"	0	4	9
6 "	"	0	4	1
5 "	"	0	3	2
4 "	"	0	2	8
3 "	"	0	2	8
Round—												
12 inch	"	0	9	4
10 "	"	0	6	8
8 "	"	0	4	9
6 "	"	0	3	4
5 "	"	0	2	11
4 "	"	0	2	4½
3 "	"	0	2	4½
Safe edge—												
16 inch	"	1	2	1
14 "	"	0	14	9
12 "	"	0	10	6
10 "	"	0	8	1
8 "	"	0	5	5
7 "	"	0		9

TOOLS, ARTIFICERS.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	
Files, smooth, continued—		£ s. d.	£ s. d.	
Safe edge—				
6 inch	doz.	0 4 1	—	
5 "	"	0 3 2	—	
4 "	"	0 2 8	—	
3 "	"	0 2 8	—	
Square—				
14 inch	"	0 12 8	—	
12 "	"	0 9 4	—	
10 "	"	0 6 8	—	
8 "	"	0 4 9	—	
7 "	"	0 4 1	—	
6 "	"	0 3 4	—	
5 "	"	0 2 11	—	
4 "	"	0 2 4½	—	
Three square, or triangular—				
14 inch	"	0 14 9	—	
12 "	"	0 10 6	—	
10 "	"	0 8 1	—	
8 "	"	0 5 5	—	
7 "	"	0 4 9	—	
6 "	"	0 4 1	—	
5 "	"	0 3 2	—	
4 "	"	0 2 8	—	
3 "	"	0 2 8	—	
Flatters, smiths, 2 inch	each	—	0 2 7	
Froes, or splitting knives, 12 inch	"	0 1 9	—	
Fullers—				
Farriers and smiths.. .. .	"	0 1 0	—	
2½ inch by ½ inch { Bottom	"	—	0 2 3	
Top	"	—	0 2 3	
Gauges—				
Cutting	"	0 0 6	—	
Marking*	"	0 0 4½	—	
Mortice	"	0 1 3	—	
Steel, for side bars and arches of saddles (3 to a set)†	set	—	0 1 6	
Wire, trade	each	0 3 8	—	
Gimlets—				
Nail, common (12 sizes)	"	0 0 1½	—	
Screw (12 sizes)	"	0 0 1½	—	
Spike { ¼ inch	"	0 0 6	—	
½ "	"	0 0 4½	—	
¾ "	"	0 0 4½	—	
1 "	"	0 0 4½	—	
1½ "	"	0 0 3½	—	
2 "	"	0 0 3	—	
2½ "	"	0 0 2½	—	
Gauges, handled—				
Boxing { 2 inch	"	0 2 6	—	
1½ "	"	0 2 3	—	
1¼ "	"	0 2 0	—	
Firmer—				
2 inch	"	0 1 6	—	
1½ "	"	0 1 2	—	
1¼ "	"	0 0 11	—	
1 "	"	0 0 9½	—	
¾ "	"	0 0 8½	—	

as was described in the 1879 edition as "Single"
manufactured in Ordnance Store Department,

TOOLS, ARTIFICERS.										Contract Rate.			
Holdalls, leather—											£ s. d.		
Carpenters	{	No. 1..	each	0	4	1		
		" 2..	"	0	3	7		
		" 3..	"	0	3	7		
Collarmakers		"	0	9	7		
Smiths		"	0	1	9½		
Holders—											No. 1 B.S.		
Rivet head	{	0	5	10
											No. 2 B.S.		
											Contract.		
<i>Rivet head, with wood handle, for trailplate eye..</i>										..	0	3	0
Holdfasts, carpenters										..	0	9	0
Hooks, shave, plumbers—													
2 inch	0	1	0		
1½ "	0	0	9		
Hoops, truss, coopers*—													
30 inch	0	3	9		
27 "	0	3	6		
24 "	0	3	0		
20 "	0	2	6		
18 "	0	2	3		
16 †	0	2	0		
12½ "	0	1	6		
7 "	0	1	0		
Horses, tinmans										..	1	0	0
Howels, coopers—													
Barrel	0	2	6		
Butt	0	2	9		
Puncheon	0	3	0		
Irons—													
Collarmakers	{	Collar { 3½ inch	0	2	0	
		29 "	0	1	11		
		23 "	0	1	9		
		Pricking (3 to a set)	set	0	1	9		
Coopers	{	Bick, upon wood, field service	each	0	5	4		
		Bick	"	0	7	6		
		Chincing	"	0	0	4		
		Flagging	"	0	2	0		
		Jointer	"	0	1	6		
Plane—	{	Marking	"	0	2	0		
		2½ inch	"	0	1	2		
		2½ "	"	0	1	1		
		2½ "	"	0	1	0		
		2½ "	"	0	0	11½		
Double	{	2½ "	"	0	0	11½		
		2½ "	"	0	0	11		
		2½ "	"	0	0	10½		
		2½ "	"	0	0	4		
		2½ "	"	0	0	6		
<i>Grooving</i>	0	0	5
<i>Plough, ½ to ¾ inch</i>										..	0	0	6
<i>Rabbit, 1½ to 1 "</i>										..	0	0	5
Plumbers, soldering	{	7 lbs.	0	2	11		
		4 "	"	0	1	3		
Saddlers, pricking, 7 stitches	{	1½ "	0	1	0		
		11 "	"	0	0	10		
Seat stuffing	{	14 inch	0	1	0		
		11 "	"	0	0	10		
		Large, 105 lbs.	"	2	4	0		
		Middling { 75 lbs.	"	1	12	6		
Smiths, bick	{	40 "	0	17	6		
		Small, 2½ lbs.	"	0	10	0		

* These hoops are used by coopers to hold the barrel together during manufacture only.

† These hoops are identical with those shewn at page 146, as whole barrel.

Section III.

123

TOOLS, ARTIFICERS.											Contract Rate.		
Irons, continued—													
Tinmans	{	Creasing	{	11 lbs.	each	£	s.	d.
		Soldering	{	5 "	"	0	7	0
Jaws, for coopers stocks (3 sorts)					"	0	2	4½
Jiggers, coopers					"	0	0	9
Jointers, coopers—					"	0	1	10
Field service					"	1	2	6
Heading and side					"	0	17	6
Knives—													
Carpenters and wheelers, drawing					"	0	1	6
Clasp, with marline spike					"	0	1	1
Collarmakers	{	Half round			"	0	1	6½
		Head			"	0	0	6
Coopers	{	Cramming			"	0	2	1
		Drawing			"	0	2	0
		Hollowing, 9 inch			"	0	1	7
		Notching			"	0	0	6
Farriers	{	Drawing			"	0	0	5
		Paring			"	0	0	5
		Searching			"	0	0	5
		Toeing			"	0	0	5
Glaziers	{	Chisel			"	0	0	4½
		Hacking			"	0	0	4½
Plumbers	{	Cutting			"	0	0	9
		Drawing			"	0	2	0
Palette—													
15 inch					"	0	2	9
14 "					"	0	2	2
12 "					"	0	1	8½
10 "					"	0	1	3
9 "					"	0	0	11
8 "					"	0	0	10
7 "					"	0	0	9
Putty					"	0	0	4½
Saddlers, gauge, plough					"	0	10	10
Stopping, 5 inch					"	0	0	6
Tinmans, 5 inch, or laboratory, small					"	0	0	4
Ladles, iron, melting—													
8 inch diameter, 3 pints					"	0	2	0
7 " " quart					"	0	1	8
6 " " pint					"	0	1	6
4 " " ½ pint					"	0	1	0
Lead, punching—													
Collarmakers, 8 lbs.					piece	0	1	4½
Tinmans, 28 lbs.					"	0	5	5
Levels—													
			{	18 inch	each	0	4	2
				12 "	"	0	3	3
Spirit	{	Block, mahogany	{	10 "	"	0	2	8
				9 "	"	0	2	3½
				6 "	"	0	2	0
				Masons and platelayers, rule, boxwood, 12 inch	"	0	1	10½
Wood, masons	{	10 feet			"	0	9	9
		5 "			"	0	6	8
Lewis, iron, masons													
					"	0	5	6
Lines—													
Bricklayers and masons					doz.	0	0	10
Chalk, carpenters					each	0	0	3
Mallets—													
Bossing, plumbers					"	0	1	6
Boxwood, tinmans					"	0	1	6
Carpenters					"	0	1	4½
Collar					"	0	3	6
Masons					"	0	2	5

TOOLS, ARTIFICERS.							Contract Rate.			
							£	s.	d.	
Mandrills, hosemakers	each	0	1	0	
Mauls—										
Boxwood, plumbers	"	0	2	9	
Pin, wheeler	{	Handled	"	0	2	4	
	{	Unhandled	"	0	1	10	
Setting, masons	"	{ No. 1 B.S. 0 4 1 No. 2 B.S. 0 4 4 Contract 0 7 10			
Mullers, painters	"	0	7	10	
Needles—										
Collar, half-moon	{	4½ inch	100	0	13	0	
	{	5½ "	"	0	15	0	
	{	6½ "	"	0	18	6	
Collar or packing (six sizes, 1 to 6)	"	0	15	0	
Harness (four sizes, 2, 3, 5 and 6)	1000	0	3	10	
Quilting or darning, 4 inch	100	0	0	7½	
Sailmakers	{	Roping (two sizes, 4 inch, 3½ inch)				..	"	0	5	0
		(five sizes, 3½, 3¼, 3, 2¾, 2½)*				..	"	0	3	3
	{	Seaming 2½ inch				..	"	0	3	0
		2½ "				..	"	0	2	0
		2½ "	"	0	2	0	
Sewing, saddlers (four sizes, 1, 2, 3 and 5)	1000	0	3	4	
Stitching, saddlers	"	0	8	6	
Nippers—										
Or pincers, end cutting	pair	0	2	2	
Saddlers and collarmakers	"	0	0	6	
Side cutting (see Pliers).										
Tinmans	{	Large				..	"	0	3	0
		Small				..	"	0	2	0
Pads, or handles, wood, keyhole saws	each	0	0	9	
Palms—										
Collarmakers	"	0	0	8	
Sailmakers	{	Roping				..	"	0	0	6½
		Sewing				..	"	0	0	6½
Panniers, saddletreemakers and saddlers (see Chests, page 10½)										
Pencils, carpenters, blacklead	doz.	0	0	5½	
Pincers—										
Carpenters	pair	0	1	3½	
Farriers	"	0	2	7	
Magazine, metal	"	0	3	6	
Saddlers	"	0	1	7	
Tinmans, end cutting, and hosemakers	"	0	1	6	
Pins, iron—										
Drawbore	{	20 inch				..	each	0	0	10
		18 "				..	"	0	0	9
		16 "				..	"	0	0	7
		12 "				..	"	0	0	4
Line, bricklayers and masons	pair	0	0	9	
Pipes, blow, 12 inch	each	0	0	10	
Planes—										
Bead	{	½ inch				..	"	0	2	0
		⅜ "				..	"	0	2	0
		⅜ "				..	"	0	2	0
		⅜ "				..	"	0	2	0
		⅜ "				..	"	0	2	0

* Supplied in the following proportions:—

3½ inch	10 per 100
3¼ "	15 "
3 "	25 "
2½ "	25 "
2¼ "	25 "

TOOLS, ARTIFICERS.										Contract Rate.			
Planes, continued—											£	s.	d.
Compass or turning	each	0	2	4	
Grooving {	$\frac{1}{2}$ inch	"	0	3	4	
	$\frac{3}{4}$ "	"	0	3	4	
	$\frac{1}{2}$ "	"	0	3	4	
Hollows and rounds—													
No. 2	{												
" 4													
" 6													
" 8		pair	0	2	8	
" 10													
" 12	{												
" 14		"	0	2	9	
" 16		"	0	2	10	
" 18		"	0	3	0	
Jack, double iron	each	0	3	0	
Jointing, double iron, carpenters	0	5	6	
Match, or grooving {	$\frac{1}{2}$ inch	pair	0	3	8	
	$\frac{3}{4}$ "	"	0	3	6	
	$\frac{1}{2}$ "	"	0	3	0	
	$\frac{3}{4}$ "	"	0	2	6	
	$\frac{1}{2}$ "	"	0	2	0	
Panels, saddletreemakers	each	0	4	3	
Phillister {	Common or single*	"	0	9	6	
" {	Sash	"	0	11	6	
Plough, with 8 irons	"	0	13	0	
Skew, rabbet, $1\frac{1}{2}$ inch	"	0	1	10	
Smoothing, double iron	"	0	2	3 $\frac{1}{2}$	
Square rabbet {	2 inch	"	0	2	4	
	$1\frac{1}{2}$ "	"	0	1	10	
	1 "	"	0	1	8	
	$\frac{3}{4}$ "	"	0	1	8	
Toothing, 2 irons	"	0	2	2	
Trying, double iron..	"	0	3	10	
Plates—													
Breast, smiths, iron..	"	0	0	10	
Screw, 10 taps	"	0	4	11	
Files— {	Flat nose	pair	0	1	8	
Bright {	Round nose	"	0	1	8	
	Side cutting, or nippers	"	0	2	3	
Gas, two-hole	"	0	0	10 $\frac{1}{2}$	
Round nose, tinmans	"	0	1	4	
Plugs and feathers, masons (3 to a set)	set	0	0	4	
Points, masons	each	0	0	11	
Pokers—													
Portable forge	"	0	0	4	
Smiths or farriers	"	0	0	10	
Pests, boring, brace, ratchet—													
Large..	"	2	0	0	
Small	"	1	12	0	
Pets—													
Fire, tinmans	"	0	4	11	
Glue, double {	Copper, one pint	"	0	2	9	
	Iron, one quart	"	0	3	1	
Iron, melting	"	0	1	1	
Tin, writing	{	No. 1 B.S.	0	1	0 $\frac{1}{2}$
		No. 2 B.S.		0	1	1 $\frac{1}{2}$	
		Contract.		0	0	9	
Pritchels, farriers									

* This was also termed "Plane, phillister, moving or side iron," in the 1879 edition.

TOOLS, ARTIFICERS.										Contract Rate.		
										£	s.	d.
Punches—												
Brad, carpenters	each	0	0	3
Carpenters and wheelers, 7 inch	{	Large	"	0	0	6½
		Small..	"	0	0	6
Coopers {	Large, 10 inch	"	0	0	7½
	Small, 6 "	"	0	0	6
Hosemakers {	Cutting	"	0	0	4
	Hollow	"	0	0	3
	Setting	"	0	0	3
Oval {	No. 32	"	0	1	1
	" 31	"	0	1	0
	" 30	"	0	0	11
	" 29	"	0	0	10
	" 28	"	0	0	8
	" 27	"	0	0	7
	" 26	"	0	0	6
	" 25	"	0	0	6
	" 24	"	0	0	5
	" 23	"	0	0	4½
	" 22	"	0	0	4
	" 21	"	0	0	4
	" 20	"	0	0	4
	" 19	"	0	0	4
	" 18	"	0	0	4
	" 17	"	0	0	4
Round {	No. 1 to 17	"	0	0	6
	½ inch x 10 inches	"	0	0	9½
	1½ " x 4 "	"	0	0	3½
Smiths—												
Cold, 7 inch	"	0	0	6½
Hot {	½ "	"	0	0	9½
	1½ "	"	0	0	9
	2 "	"	0	0	8½
Tinmans—												
Flat, of sizes	"	0	0	7½
Hollow—												
2 inch	"	0	3	0
1½ "	"	0	2	0
1¼ "	"	0	2	6
1½ "	"	0	2	3
1¼ "	"	0	2	0
1 "	"	0	1	9
¾ "	"	0	1	5
½ "	"	0	1	2
¼ "	"	0	1	0
Rasps, coarse—												
Flat {	12 inch	doz.	0	7	7
	10 "	"	0	5	3
	8 "	"	0	3	8
	6 "	"	0	2	5½
Half round {	12 inch	"	0	7	7
	11 "	"	0	6	4
	10 "	"	0	5	3
	9 "	"	0	4	3
	8 "	"	0	3	8
	6 "	"	0	2	5½
Rasps, farriers—												
15 inch	"	0	12	8
14 "	"	0	10	6
Rasps, fine—												
Flat {	12 inch	"	0	9	4
	10 "	"	0	6	8
	8 "	"	0	4	9
	6 "	"	0	3	4

Section III.

127

TOOLS, ARTIFICERS.										Contract Rate.				
Rasps, fine, continued—										£	s.	d.		
Half round	{	12 inch	doz.	0	9	4			
		11 "	"	0	8	1			
		10 "	"	0	6	8			
		9 "	"	0	5	5			
		8 "	"	0	4	9			
		6 "	"	0	3	4			
Rasps, shoemakers, 10 inch										..	0	5	3	
Reels, wood, chalk line										each	0	0	4½	
Rippers, slaters										..	0	4	0	
Rods—														
Iron, for forging tools and snaps										..	0	0	4	
										..	No. 2 R. S.	0	0	4½
											Contract.	0	1	10
Wood, Chisel	{	Long	{	bundle of 50	0	1	6		
		Short			0	1	6		
Rules—														
2 feet, 4 fold, collarmakers										..	each	0	0	5½
Coopers, 18 inch										..	"	0	1	2
Glaziers	{	Flat, 2 feet	"	0	0	10½		
		T boxwood, 2 feet 6 inches			0	1	7½		
Masons, plumb, with bob										..	"	0	2	7
Saddletreemakers, iron, folding, 2 feet										..	"	0	1	2
2 feet, common, carpenters										..	"	0	0	5½
2 " folding, with brass slide										..	"	0	1	9
Sampsons, wheelers										..	"	1	15	6
Saws—														
Cross cut (see Blades, p., 107 and Handles, page 121).														
Dovetail	{	Brass back, 9 inch	"	0	2	1½		
		Iron			0	1	4		
Frame—														
Hand, 15 inch										..	"	0	3	0
Bow, complete, metal cutting	{	14 inch	"	0	4	6		
		12 "			0	4	3		
		10 "			0	4	0		
		9 "			0	3	6		
Hand { 26 inch										..	"	0	2	0½
Saddletreemakers, 24 inch										..	"	0	2	0
Keyhole, 9 inch										..	"	0	1	0½
Panel, 26 inch										..	"	0	2	6
Ripping										..	"	0	2	8
Sash	{	Brass back	"	0	2	0		
		Iron			0	1	9		
Tenon, iron back { 19 inch										..	"	0	2	4
14 "										..	"	0	2	0
Turning, or compass										..	"	0	0	10
Scissors—														
Curved for jointers tools										..	pair	0	1	1
Paperhangers										..	"	0	1	11
Tailors, 9 inch										..	"	0	1	4
Trimming, farriers										..	"	0	1	2
Scrapers—														
Plumbers (see Hooks, shave, plumbers, page 122).														
Steel, cabinetmakers										..	each	0	0	3½
Screws—														
Bench, carpenters	{	Double	"	0	7	3		
		Single			0	1	11½		
Thumb, 9 inch										..	"	0	4	2
Scribers										..	"	0	3	0
Setters, riveting, tinmans										..	"	0	0	4
Sets, saw—														
Hand										..	"	0	0	7
Pit and cross cut										..	"	0	1	6
Sextools, slaters										..	"	0	2	6

TOOLS, ARTIFICERS.	Rate.			
	Per	Contract	No. 1 Balance Sheet	No. 2 Balance Sheet.
Shaves—				
Collarmakers	each	£ s. d. 0 1 3	—	—
Coopers { Inside { Cask	"	0 2 3	—	—
{ Pail	"	0 2 3	—	—
{ Outside, cask	"	0 2 3	—	—
{ Two-hand, round	"	0 1 0	—	—
{ 4 inch	"	0 0 8	—	—
{ 3½ "	"	0 0 6	—	—
{ 3 "	"	0 0 5	—	—
{ 2½ "	"	0 0 4	—	—
Shears—				
Smiths, stock { Large	"	1 0 0	—	—
{ Small	"	0 16 0	—	—
Tinmans { Scotch or hand.. .. .	pair	0 4 11	—	—
{ Snip	"	0 1 8	—	—
{ Stock	"	0 16 0	—	—
Sheaths, leather, for scissors, curved (jointers tools)	each	0 0 2	—	—
Sieves, iron wire, 5 mesh, 18 inches dia- meter	"	0 1 11	—	—
Slices—				
Farriers or smiths	"	0 0 11	—	—
Smiths portable forge	"	0 1 0	—	—
Snap, riveting—				
1½ inch	"	—	0 5 4	0 5 11
1½ "	"	—	0 5 0	0 5 6
1½ "	"	—	0 4 9	0 5 3
1½ "	"	—	0 4 6	0 5 0
1 "	"	—	0 4 4	0 4 9
¾ "	"	—	0 4 1	0 4 6
½ "	"	—	0 4 0	0 4 5
¼ "	"	—	0 3 11	0 4 4
¼ "	"	—	0 3 9	0 4 2
Spanners—				
15 inch	"	0 5 2	—	—
McMahon's { 14 "	"	0 4 11	—	—
{ 12 "	"	0 4 5	—	—
{ 9 "	"	0 3 2	—	—
Whitworth's stocks (see Stocks, page 129).				
Spikes, marline, wood (see page 163) ..	"	0 2 3	—	—
Squares—				
Iron, figured	"	0 2 0	—	—
Or rules, boxwood, T, glaziers, 2 feet				
6 inches (see page 127)	"	0 1 7½	—	—
Steel, figured, 18 inches x 9 inches ..	"	0 2 2	—	—
Steel blade—				
18 inch	"	0 2 8	—	—
15 "	"	0 2 2	—	—
12 "	"	0 1 8½	—	—
10 "	"	0 1 7	—	—
9 "	"	0 1 5½	—	—
8 "	"	0 1 4	—	—
7 "	"	0 1 2	—	—
6 "	"	0 0 11	—	—
4 "	"	0 0 7	—	—
3 "	"	0 0 6	—	—
Wood, masons { 28 inch	"	0 2 0	—	—
{ 18 "	"	0 1 8	—	—
{ 12 "	"	0 1 8	—	—
Stakes, iron—				
Farriers pointing	"	0 0 8½	—	—
Tinmans { Hatchet.. .. .	"	0 6 6	—	—
{ Horse head (see Horses, tin-				
mans, page 122).				

TOOLS, ARTIFICERS.										Contract Rate.				
Stakes; iron, continued—											£	s.	d.	
Tinman's Round or bottoming { 2 inch						each	0	2	0		
						{ 1½ "	"	0	1	3	
Stamps, farriers..						"	0	0	10		
Sticks—														
Camel hair brushes	gross	0	3	0		
Saddlers and collarmakers, pannel or stuffing						each	0	0	½		
Stocks and dies, gas—														
Dies—														
1½ inch diameter, in 2 parts						set	0	4	3	
1½ "						"	0	4	3	
1 "						"	0	4	3	
¾ "						"	0	1	9	
¾ "						"	0	1	9	
¾ "						"	0	1	9	
¾ "						"	0	1	9	
¾ "						"	0	1	9	
¾ "						"	0	1	9	
¾ "						"	0	1	9	
¾ "						"	0	1	9	
Stocks { Large						each	0	16	6	
Small						"	0	7	0	
Taps—														
1½ inch diameter						{ 1st turn	"	0	5	0
						{ 2nd "	"	0	5	0
1½ inch diameter						{ 1st turn	"	0	3	9
						{ 2nd "	"	0	3	9
1 inch diameter						{ 1st turn	"	0	2	9
						{ 2nd "	"	0	2	9
¾ inch diameter						{ 1st turn	"	0	2	0
						{ 2nd "	"	0	2	0
¾ inch diameter						{ 1st turn	"	0	1	9
						{ 2nd "	"	0	1	9
¾ inch diameter						{ 1st turn	"	0	1	6
						{ 2nd "	"	0	1	6
¾ inch diameter						{ 1st turn	"	0	1	3
						{ 2nd "	"	0	1	3
¾ inch diameter						{ 1st turn	"	0	1	0
						{ 2nd "	"	0	1	0
Wrenches { Large..						"	0	12	0
Small..						"	0	6	6
Stocks and dies, Whitworth's—														
Dies—														
1½ inch diameter, in 3 parts						set	0	11	0	
1 "						"	0	11	0	
¾ "						"	0	11	0	
¾ "						"	0	11	0	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						"	0	7	6	
¾ "						..								

TOOLS, ARTIFICERS.										Contract Rate.			
Tongs, continued—											£	s.	d.
Gas	{ ½ inch	pair	0	1	11	
Smiths—	"	"	0	1	7	
Bolt	"	0	1	6	
Forebit	"	0	1	2	
Forge	{ Large or close, 3 lbs.	"	0	0	10½	
	{ Small	"	0	0	9	
Hammer	"	0	1	9	
Hollow bit	"	0	1	1	
Plier	"	0	0	9½	
Wheeler-fitters, riveting	"	No. 1. B.S.	0	1	8
										No. 2. B.S.	0	1	10
Tools—										Contract.			
Edge, saddlers, Nos. 1, 2, and 3 (3 to a set)	set	0	1	1	
Smiths, top and bottom—													
2 inch	pair	0	9	0	
1½ "	"	0	8	0	
1½ "	"	0	7	0	
1½ "	"	0	6	0	
1 "	"	0	5	0	
¾ "	"	0	4	3	
¾ "	"	0	4	0	
¾ "	"	0	3	9	
¾ "	"	0	3	6	
Travellers, 6 inches diameter	"	No. 1. B.S.	0	4	8
										No. 2. B.S.	0	5	2
Trowels—										Contract			
{ And plasterers, setting or round top										each	0	1	4
Bricklayers	{ Pointing	{ Cross joint		"	0	0	8½
		{ Stop joint		"	0	0	8½
		{ Tuck, horizontal		"	0	0	9½
	12 inch	"	0	1	5
Gauging	"	0	1	1
Masons, 10 inch	"	0	0	11
Modelling	"	0	0	10½
Plasterers, floating or laying	"	0	1	5
Vices—													
Bench, portable	{	Saddletreemakers, or forge wagon or cart		"	2	2	0
		Traversing, 12 lbs.		"	3	2	5
Coopers, screw	{	Gun-metal		"	0	4	6
		Iron		"	0	1	1½
Hand	{	20 ounces		"	0	2	3
		16 "		"	0	2	0
		12 "		"	0	1	9
		8 "		"	0	1	6
Standing	{	100 lbs.		"	1	4	0
		80 "		"	0	19	9
		60 "		"	0	13	6
		40 "		"	0	9	0
		36 "		"	0	8	4
Wedges, iron, sawyers, or splitting, wood—													
13 inch	"	0	1	6
12 "	"	0	1	5
10 "	"	0	1	2
9 "	"	0	0	11
8 "	"	0	0	9
7 "	"	0	0	8
Wrenches, tap—													
Small	"	0	3	5
Whitworth's stocks and dies (see Stocks and Dies, Whitworth's, page 129).													

Section IV.

MISCELLANEOUS STORES.

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Acid—				
Muriatic (or hydro-chloric)	lb.	£ s. d.	£ s. d.	£ s. d.
Nitric	"	0 0 0½	—	—
Oxalic	"	0 0 5	—	—
Sulphuric	"	0 0 0½	—	—
Alum	"	0 0 2	—	—
Ammonia—				
Carbonate of.. ..	"	0 0 8	—	—
Liquor	"	0 0 8	—	—
Anchors, iron, stocked, boat*—				
6 cwt.	cwt.	1 5 0	—	—
5 "	"	1 5 0	—	—
3 "	"	1 5 0	—	—
2 "	"	1 5 0	—	—
1½ "	"	1 6 0	—	—
1½ "	"	1 6 0	—	—
1 "	"	1 6 0	—	—
¾ "	"	1 10 3	—	—
½ "	"	1 10 3	—	—
Antimony	lb.	0 2 1	—	—
Anvils, small, 5 lbs.†..	"	0 2 7	—	—
Aprons, leather, basil—				
Brown	each	0 3 8	—	—
White	"	0 2 7	—	—
Arsenic—				
Lump	lb.	0 0 3	—	—
Powder	"	0 0 1½	—	—
Ash, pearl	"	0 0 5½	—	—
Bags, leather, brown, squad	each	2 7 4	—	—
Ballers, wood, water, for boat	"	—	0 2 1	0 2 2½
Balls, signal—				
Black, canvas covered, signal, for W.D. vessels	"	0 19 3	—	—
Or discs, 18 inch, Cuffin's pattern	"	0 10 0	—	—
Barrels, wood, tar, fitted to contain tar	"	0 2 6	—	—
Barricoes or breakers—				
10 gallons	"	0 6 7	—	—
6 "	"	0 5 4	—	—
5 "	"	0 4 6	—	—
With leather lip, 5 gallons.. ..	"	—	0 8 1	0 8 3
Barrows—				
Hand { Double } (see page 76) .. {	"	1 5 9	—	—
{ Single	"	0 7 2	—	—
{ With legs	"	0 18 0	—	—
Magazine { Double } (see page 192) {	"	—	10 18 9	11 19 7
{ Single	"	—	4 4 4	4 10 11

* In demanding anchors the weight should be given.

† For marking clothing and necessaries.

Section IV.

133

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Barrows, continued—		£ s. d.	£ s. d.	£ s. d.
Truck, or sack { Large	each	—	3 8 6	3 15 4
{ Medium	"	—	2 6 3	2 10 10
{ Small	"	—	2 2 4	2 6 7
Wheel, long, open { Complete	"	1 19 6	—	—
{ Bodies	"	0 16 6	—	—
{ Wheels, with axle ..	"	1 3 0	—	—
Bars—				
Copper, for hatchee*	"	—	—	—
Furnace { Annan's patent	cwt.	0 11 0	—	—
{ Dunn's	"	0 14 0	—	—
Baskets—				
Common { 2 bushel	each	0 3 11	—	—
{ 1½ "	"	0 3 3	—	—
{ 1 "	"	0 2 3	—	—
{ ½ "	"	0 1 3	—	—
For tin oil bottles { 5, 4, and 3 gallon	"	0 0 10	—	—
{ bottles	"	—	—	—
{ 2, 1, ½, ¼, ⅓ gallon	"	0 0 7	—	—
{ bottles	"	—	—	—
Storehouse, on 4 wheels	"	2 12 2	—	—
Beams—				
Gunmetal, for scales, weigh-	120 lbs. ..	2 15 0	—	—
ing, gunpowder	28 " ..	1 12 0	—	—
8 " ..	"	0 12 0	—	—
Iron, for scales, weighing—				
30 cwt.	"	6 0 0	—	—
20 "	"	4 7 6	—	—
10 "	"	2 6 3	—	—
5 "	"	1 19 0	—	—
2½ "	"	1 9 6	—	—
1 "	"	1 2 0	—	—
Benzole	lb.	0 1 0	—	—
Bismuth	"	0 16 0	—	—
Bladders, ox..	100	1 4 11	—	—
Blanks for keys—†				
Chest	each	0 0 0½	—	—
Cupboard	"	0 0 1½	—	—
Drawer	"	0 0 1½	—	—
Pad { Large	"	0 0 1½	—	—
{ Middling	"	0 0 1½	—	—
{ Small	"	0 0 1	—	—
Blocks, iron—				
Loading tackle, for 33 and 35 ton guns (see				
page 197)				
Snatch, 4 inch	"	0 6 0	—	—
With brass sheaves { 12 inch { double	"	1 16 0	—	—
{ treble	"	1 18 6	—	—
{ 15 inch, snatch	"	2 10 0	—	—
Blocks, wood, Admiralty—				
18 inch	"	1 19 0	—	—
15 "	"	1 8 0	—	—
Iron bound snatch { 12 "	"	0 18 8	—	—
{ 10 "	"	0 14 0	—	—
{ 8 "	"	0 10 9	—	—

* For War Department vessels.

† Demands for blank keys should give the full description of the locks and sizes of the keys, that is to say, 4 inch, 3½ inch, 3 inch, &c., as the case may be.

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Blocks, wood, Admiralty, continued—		£ s. d.	£ s. d.	£ s. d.
Rope, strapped—				
Double—				
12 inch each		0 9 7	—	—
10 " "		0 6 5	—	—
9 " "		0 5 2	—	—
8 " "		0 4 0	—	—
7 " "		0 3 0	—	—
6 " "		0 3 7	—	—
5 " "		0 2 9	—	—
4 " "		0 2 1	—	—
3 " "		0 1 10	—	—
Single—				
12 " "		0 6 5	—	—
10 " "		0 4 7	—	—
9 " "		0 3 9	—	—
8 " "		0 3 0	—	—
7 " "		0 2 4	—	—
6 " "		0 2 6	—	—
5 " "		0 2 0	—	—
4 " "		0 1 7	—	—
3 " "		0 1 5	—	—
Treble—				
12 " "		0 13 8	—	—
10 " "		0 8 10	—	—
9 " "		0 6 7	—	—
8 " "		0 5 3	—	—
7 " "		0 4 1	—	—
With brass sheaves, 6 inch		0 6 9	—	—
Blocks, wood, Bethway's, gun-metal sheaves—				
Double {				
18 inch "		9 16 0	—	—
15 " "		8 1 0	—	—
12 " "		3 7 0	—	—
10 " "		2 18 3	—	—
8 " "		1 10 0	—	—
Single {				
18 " "		6 18 8	—	—
15 " "		5 17 0	—	—
12 " "		2 10 0	—	—
10 " "		2 4 0	—	—
8 " "		1 4 8	—	—
Snatch, 22 inch "		5 15 6	—	—
22 inch { with ramshorn hooks		26 10 0	—	—
with single hooks		24 14 6	—	—
Treble {				
18 " "		12 13 0	—	—
15 " "		9 17 0	—	—
12 " "		4 10 0	—	—
10 " "		3 12 0	—	—
8 " "		1 18 0	—	—
Blocks, wood, Bethway's, with phosphor-bronze sheaves—				
Double {				
18 inch "		10 4 6	11 4 11	
15 " "		8 16 5	9 14 1	
12 " "		3 17 9	4 5 6	
10 " "		3 1 10	3 8 0	
8 " "		1 16 7	2 0 3	
Single {				
18 " "		7 10 2	8 5 2	
15 " "		6 11 2	7 4 3	
12 " "		2 18 6	3 4 4	
10 " "		2 7 0	2 11 8	
8 " "		1 6 2	1 8 9	

* Can be supplied with brass sheaves at 50 per cent. added to the price.

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Blocks, wood, Bothway's, with phosphor-bronze sheaves, continued—		£ s. d.	£ s. d.	£ s. d.
21 inch	each	—	24 2 6	26 10 9
18 "	"	—	13 2 0	14 8 2
15 "	"	—	11 2 7	12 4 10
Treble { 12 " with button	"	—	5 4 2	5 14 7
12 "	"	—	4 16 1	5 5 8
10 "	"	—	3 13 7	4 0 11
8 "	"	—	2 7 5	2 12 2
Blocks, wood, snatch, iron-bound, with phosphor-bronze sheaves—				
18 inch	(see page 198) {	—	7 11 8	8 6 10
15 "	"	—	5 0 6	5 10 7
Blocks, wood, wire rope strapped—				
Double—				
With wood sheaves * { 9 inch	"	0 14 4	—	—
8 "	"	0 13 3	—	—
7 "	"	0 10 9	—	—
6 "	"	0 8 9	—	—
With brass sheaves { 5 "	"	0 6 5	—	—
4 "	"	0 4 10	—	—
3 "	"	0 4 2	—	—
Single—				
With wood sheaves * { 9 "	"	0 11 2	—	—
8 "	"	0 10 8	—	—
7 "	"	0 8 2	—	—
6 "	"	0 6 3	—	—
With brass sheaves { 5 "	"	0 4 10½	—	—
4 "	"	0 3 7	—	—
3 "	"	0 3 1	—	—
Treble—				
With wood sheaves * { 9 "	"	0 16 0	—	—
8 "	"	0 14 0	—	—
7 "	"	0 12 0	—	—
With brass sheaves, 6 inches	"	0 11 7	—	—
Blocks, wood, type-holder	1,000	1 10 0	—	—
Boards, scale—				
30 cwt.	pair	2 14 0	—	—
20 "	"	1 18 0	—	—
10 "	"	1 5 0	—	—
Elm, weighing { 5 "	"	0 18 0	—	—
2½ "	"	0 15 0	—	—
1 "	"	0 12 6	—	—
Weighing powder, 120 lbs.	"	1 2 0	—	—
Borax	lb.	0 0 5	—	—
Bottles, earthenware, for oil for instruments, 1 pint	each	0 0 2½	—	—
Bottles, glass—				
Stoppered and ground { 2 quart	"	0 1 3	—	—
1 "	"	0 1 0	—	—
1 pint	"	0 0 8½	—	—
With capsules { 12 ounce	"	0 2 6	—	—
9 "	"	0 2 3	—	—
6 "	"	0 2 0	—	—
Narrow mouthed, stoppered, ground { 16 "	"	0 0 9½	—	—
12 "	"	0 0 7½	—	—
Without capsules { 8 "	"	0 0 7	—	—
6 "	"	0 0 6	—	—
4 "	"	0 0 5½	—	—
2½ "	"	0 0 4½	—	—
2 "	"	0 0 4½	—	—

* Can be supplied with brass sheaves at 50 per cent. added to the price.

MISCELLANEOUS STORES.	Rate.					
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Bottles, glass, continued—		£ s. d.	£ s. d.	£ s. d.	£ s. d.	
Wide mouthed, 20 ounce or pint .. each		0 0 11	—	—	—	
stoppered, { 8 ounce 5½ inches long.. "		0 0 8	—	—	—	
ground { 4 ounce 3 inches long.. "		0 0 6	—	—	—	
Bottles, glass, Corbyn,* stoppered,						
ground, 40 ounces or quart.. "		0 0 4	—	—	—	
Bottles, glass, Winchester,* stoppered,						
ground—						
90 ounce, or 4½ pints† "		0 0 5	—	—	—	
50 " " 2½ " ‡ "		0 0 4	—	—	—	
Bottles, gutta percha, for sal-ammoniac		0 1 9	—	—	—	
Bottles, stone—						
½ pint, ink, for marking accoutrements .. "		0 0 2	—	—	—	
With ground { 3 gallons "		0 2 6	—	—	—	
stoppers { 2 " "		0 1 7½	—	—	—	
1 " "		0 1 1½	—	—	—	
½ " "		0 0 9½	—	—	—	
With ground stoppers, and capped—						
{ 3 gallons "		0 3 4	—	—	—	
2 " "		0 2 4½	—	—	—	
With wickerwork { 1 " "		0 1 7½	—	—	—	
½ " "		0 1 3	—	—	—	
¼ " "		0 1 1	—	—	—	
Without wickerwork, ¼ gallon "		0 0 4	—	—	—	
Bottles, tin, for oil—						
With screw top, 2 quarts "		0 0 8½	—	—	—	
5 gallons "		0 1 8	—	—	—	
4 " "		0 1 7	—	—	—	
3 " "		0 1 5	—	—	—	
2 " "		0 1 1½	—	—	—	
1 " "		0 0 8½	—	—	—	
2 quarts "		0 0 6	—	—	—	
1 " "		0 0 4	—	—	—	
1 pint.. .. . "		0 0 3	—	—	—	
½ " "		0 0 2½	—	—	—	
¼ " "		0 0 2½	—	—	—	
Boxes, tin—						
Dubbing, 28 lbs. "		—	0 3 11	0 4 4	—	
Nail, horseshoe, for wood horseshoe boxes						
(see page 203) doz.		—	0 13 0	0 14 4	—	
To hold 100 yards of instantaneous fuze.. 100		—	19 13 1	20 16 8	—	
Wax, black, to contain { 12 lbs. "		0 16 4	—	—	—	
10 " "		0 15 9	—	—	—	
8 " "		0 14 11	—	—	—	
6 " "		0 11 3	—	—	—	
4 " "		0 10 7	—	—	—	
3 " "		0 9 5	—	—	—	
2 " "		0 8 2	—	—	—	
Boxes, tinder, complete each		0 2 0	—	—	—	
Boxes, wood—						
For industrial school materials "		2 2 6	—	—	—	
Tin-lined, instantaneous fuze "		0 9 7	—	—	—	
To contain sets of horseshoes, with tin box						
for nails "		0 5 3	—	—	—	

* Corbyn and Winchester bottles are made of pale green or blue glass, and are both plain and stoppered. The stoppers are ground. Corbyn bottles are in sizes of 5, 8, 10, 16, 20, 32, 40, and 48 ounces. Winchester bottles are in sizes of 1, 2, 3, 4, 6, 12, 14, 18, 24, 28, 30, 50, 60, 70, 80, 90, and 160 ounces, and are of exactly the same make and appearance as the Corbyns. The name "Corbyn," derived from the name of the druggist who first adopted these sizes, is used to distinguish them from the Winchesters.

† Described in previous editions as "two quart."

‡ Described in previous editions as "one quart."

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Brass*—				
Bar and bolt	lb.	£ s. d. 0 0 7	—	—
Old	} According to state of the market.			
Pig, or ingot				
Plate				
Sheet	"	0 0 7½	—	—
Bricks, Bath	100	0 6 11	—	—
Brimstone (see Sulphur).				
Brushes—				
Boat	each	0 2 1	—	—
Camel hair, { 3 inch	} (see page 108) {	0 0 10	—	—
flat, in tin { 2 "		0 0 7	—	—
{ 1 "		0 0 2½	—	—
Marking	"	0 0 1½	—	—
Paint (see page 108).				
Stencil, marking valves	doz.	0 1 7	—	—
Tar { Long	each	0 1 2½	—	—
{ Short	"	0 1 2	—	—
Water carriage	"	0 1 6	—	—
Buckets—				
Iron, tipping, coal, 7 cwt., with fittings†	"	8 0 0	—	—
Wood, ship or deck	"	—	0 2 11½	0 3 2
Bungs or corks—				
{ 5 gallons	gross	0 3 3	—	—
{ 4 "	"	0 2 9	—	—
{ 3 "	"	0 2 3	—	—
{ 2 "	"	0 2 1½	—	—
For tin oil bottles { 1 "	"	0 2 0	—	—
{ ½ "	"	0 1 4	—	—
{ 1 quart	"	0 1 0	—	—
{ 1 pint	"	0 0 9	—	—
{ ½ "	"	0 0 9	—	—
Jar, 4 quarts	doz.	0 1 0	—	—
Bunting for flags—				
Black	yard	0 0 5½	—	—
Blue	"	0 0 5½	—	—
Crimson	"	0 0 5½	—	—
Green	"	0 0 5½	—	—
Red	"	0 0 5½	—	—
Scarlet	"	0 0 5½	—	—
White	"	0 0 5½	—	—
Yellow	"	0 0 5½	—	—
Buoys—				
Iron, Nunn's	each	1 11 6	—	—
Life, Carte's, 26 inch	"	0 7 8	—	—
Calico, white, 36 inch	yard	0 0 6½	—	—
Campher—				
Powdered	lb.	0 1 6	—	—
Refined	"	0 0 11	—	—
Candles—				
Dip	12 lbs	0 5 4	—	—
Magazine { Foreign service	"	0 8 6	—	—
{ Home "	"	0 7 6	—	—
Mould	"	0 5 6	—	—
Paraffin	lb.	0 1 0	—	—
Sperm	"	0 1 6	—	—
Stearine { Ordinary	"	0 0 9	—	—
{ Special	"	0 1 6	—	—
Wax	"	0 1 9	—	—

* All demands must state dimensions.

† Departmental use in discharging coal vessels.

Section IV.

139

MISCELLANEOUS STORES.										Contract Rate.			
Casks, water—											£	s.	d.
108 gallons, butt	each		1	5	9	
72 " puncheon	"		1	1	6	
36 " barrel	"		0	11	5	
18 " kilderkin	"		0	5	0	
Under 18 gallons (see barricoes).													
Catgut, for lathes—													
1½ inch in circumference	yard		0	2	0	
1 " " "	"		0	0	8	
¾ " " "	"		0	0	5½	
½ " " "	"		0	0	4½	
Catties, or coyas, unhandled													
Chain, iron, crane for rigging cranes, and all services except cables—													
											</		

* The chain for each board consists of 4 lengths, connected at one end by a ring for the beam and having each at the other end a hook for the board. Two such chains form the complement of a scale, and make one pair or set. The above rates are for the chains for two scale boards, but the rates in the 1879 edition were for the chains for one scale board.

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Charcoal—		£ s. d.	£ s. d.	£ s. d.
Ground—				
Cylinder { Common	cwt.	—	1 9 9	1 16 11
{ Dogwood	"	—	3 0 8	3 15 3
Pit	"	—	1 13 4	2 1 4
Peat	"	0 6 0	—	—
Whole, pit	"	0 5 0	—	—
Chests—				
Book, <i>Regimental Surgeons</i>	each	2 12 6	—	—
For books, paper and music, Regimental Schoolmasters	"	—	2 9 9	2 12 9
Wood, for Royal Artillery records, Headquarters of Brigades	"	—	3 0 8	3 4 4
Chimneys, glass, for lamps, magazine, wall and passage	doz.	0 2 8	—	—
Chromium, sulphate of	lb.	0 8 0	—	—
Clogs, stokers..	pair	0 6 6	—	—
Cloth—				
Emery,* coarse, fine, flour or superfine, and middling	quire	0 0 10½	—	—
Glass,* coarse, fine, flour or superfine, and middling	"	0 0 8½	—	—
Cloths—				
Magazine, hair	each	3 7 6	—	—
Sponge { Cotton†	doz.	0 1 2	—	—
{ Silk	"	0 1 3½	—	—
Cocks, bib, driving, for beer—				
1 inch	each	0 7 0	—	—
½ "	"	0 5 2	—	—
¼ "	"	0 3 3	—	—
⅓ "	"	0 2 2	—	—
Compasses, with binnacle and lamp complete	"	3 0 0	—	—
Composition—				
For canvas { Black.. .. .	lb.	—	0 0 4½	0 0 4½
{ Stone colour.. .. .	"	—	0 0 4	0 0 4½
Copper‡—				
Bolt or rod	ton	73 18 9	—	—
Bar§	According to state of the market.			
Hoop.. .. .				
Old				
Plate.. .. .				
Sheet	"	73 0 0	—	—
Copper, sulphate of	cwt.	1 5 0	—	—
Copperas—				
Green	"	0 8 0	—	—
White	"	0 11 0	—	—
Cordage, coir—				
9 inch	"	1 5 3	—	—
7 "	"	1 5 3	—	—
6 "	"	1 5 3	—	—
5 "	"	1 5 3	—	—
4½ "	"	1 5 3	—	—
4 "	"	1 5 3	—	—

* In demanding emery or glass cloth the description must be stated.

† Weight 2½ ozs. per dozen.

‡ In demanding copper the dimensions must be given.

§ The market rates from July, 1879, to March, 1882, for bar copper ranged from £53 5s. to £73 15s. per ton, and the average of the market rates for that period was £62 1s. 3d. per ton.

Section IV.

141

MISCELLANEOUS STORES.								Contract Rate.
Cordage, coir, continued—								
3 inch	cwt.	£	s.	d.				
2½ "	"	1	5	3				
1 "	"	1	5	3				
Cordage, tarred—								
Bolt—								
4½ inch	fm.	0	1	9				
4¼ "	"	0	1	6½				
4 "	"	0	1	4½				
3¾ "	"	0	1	2				
3½ "	"	0	1	0½				
3¼ "	"	0	0	10½				
3 "	"	0	0	10				
2½ "	"	0	0	9				
2¼ "	"	0	0	7½				
2½ "	"	0	0	5				
2 "	"	0	0	4½				
1¾ "	"	0	0	3½				
1½ "	"	0	0	2½				
1¼ "	"	0	0	1½				
Common lashing { 4 inch.. fm. 0 1 1								
{ 3½ " .. "		0	0	10½				
{ 3 " .. "		0	0	7½				
Hawser, 3 strand—								
9 inch	fm.	0	5	0				
8 "	"	0	3	11				
7½ "	"	0	3	6				
7 "	"	0	3	0				
6½ "	"	0	2	8				
6 "	"	0	2	5				
5½ "	"	0	2	1				
5 "	"	0	1	8½				
4½ "	"	0	1	4½				
4 "	"	0	1	1				
3½ "	"	0	1	0				
3¼ "	"	0	0	10½				
3½ "	"	0	0	9				
3 "	"	0	0	7½				
2½ "	"	0	0	6½				
2¼ "	"	0	0	5½				
2½ "	"	0	0	4½				
2 "	"	0	0	3½				
1¾ "	"	0	0	2½				
1½ "	"	0	0	2				
1¼ "	"	0	0	1½				
1 "	"	0	0	1				
¾ "	"	0	0	0½				
½ "	"	0	0	0½				
Hawser 4 strand—								
9 inch	fm.	0	5	6				
8½ "	"	0	5	0				
7½ "	"	0	3	10				
7 "	"	0	2	7				
6 "	"	0	1	9				
5 "	"	0	1	5				
4½ "	"	0	1	1½				
4 "	"	0	0	5½				
Old, or junk .. cwt. 0 17 8								
Seizing, or nettlestuff .. cwt. 2 0 0								
Signal, halyard, 1½ inch fm. 0 0 1½								
Spun yarn, hemp { 6 thread cwt. 1 17 9								
{ 4 " .. "		1	17	9				
{ 3 " .. "		1	17	9				
{ 2 " .. "		1	17	9				
{ 1 " .. "		1	17	9				

MISCELLANEOUS STORES.										Contract Rate.			
Cordage, white—											£	s.	d.
Belt	6 inch	fm.	0	3	3		
	5 "	"	0	2	0		
	4 inch	"	0	1	4		
	3½ "	"	0	1	0		
	3 "	"	0	0	10		
Hawser, 3 strand—													
	15 inch	fm.	6	16	0		
	12 "	"	0	10	6		
	9 "	"	0	7	0		
	8 "	"	0	5	6		
	7½ "	"	0	4	10		
	7 "	"	0	4	2		
	6½ "	"	0	3	7		
	6 "	"	0	3	1		
	5½ "	"	0	2	8		
	5 "	"	0	2	2½		
	4½ "	"	0	1	9		
	4 "	"	0	1	5½		
	3½ "	"	0	1	1½		
	3½ "	"	0	1	0		
	3 "	"	0	0	10		
	2½ "	"	0	0	7		
	2 "	"	0	0	4½		
	1½ "	"	0	0	3½		
	1½ "	"	0	0	3		
	1½ "	"	0	0	1½		
	1 "	"	0	0	1½		
	¾ "	"	0	0	1½		
	¾ "	"	0	0	1		
Hawser, 4 strand, 3 inch										fm.	0	0	11½
Lasso, 2 inch										"	0	0	4½
Packing	15 thread, 2 inch	cwt.	1	9	6		
	12 " 1½ "	"	1	9	6		
	9 " 1½ "	"	1	9	6		
Signal halyard, 1½ inch										fm.	0	0	2
Spun yarn	Flax..	10 thread	cwt.	3	0	0		
		5 "	"	3	0	0		
		10 "	"	1	16	6		
		5 "	"	1	16	6		
	Hemp	4 "	"	1	16	6		
		3 "	"	1	16	6		
	2 "	"	1	16	6		
Corks—													
For tin oil bottles (see Bungs).													
Assorted*										gross	0	0	9
Corrosive sublimate										lb.	0	2	0
Cotton waste—													
Colored										cwt.	1	4	8
White										"	1	14	6
Covers, sail cloth†—													
30 feet × 20 feet										each	8	7	6
24 " 18 "										"	6	0	0
20 " 16 "										"	4	10	0
15 " 10 "										"	2	2	6
Crabs, iron—													
Hand { 1 ton } (see page 508) {										"	5	7	0
Hoisting gear to 50 tons† (see page 252)										"	4	0	0
Cranes, steam, portable										"	55	0	0
										"	45	0	0

* For Veterinary purposes.

† For War Department vessels.

‡ Treble and double purchase. Shown in 1879 edition as "5 ton, for sheer legs."

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Crates, packing	each	£ s. d. 0 6 0	—	—
Creepers, lce, with strap	pair	0 1 3	—	—
Cringles, iron—				
4 inch	each	0 1 2	—	—
3½ "	"	0 0 11	—	—
3 "	"	0 0 9	—	—
2½ "	"	0 0 6	—	—
Cushions, leather, for powder barrels (see page 253)	"	—	3 7 9	3 14 6
Cylinders, tin, paint*—				
No. 1	100	—	7 19 1	8 9 2
" 2	"	—	7 13 10	8 3 6
" 3†	"	—	4 19 11	5 6 4
" 4	"	—	4 1 10	4 6 7
" 5	"	—	3 9 8	3 13 10
" 6	"	—	5 0 6	5 7 2
" 7	"	—	3 17 8	4 2 8
" 8	"	—	1 16 2	1 18 3
Dextrine (material for marking ink) ..	lb.	0 0 6	—	—
Discs, plate glass, testing measures..	set	1 15 0	—	—
Dowells, turners or wheelers, 1½ inch (see page 111)	each	0 5 4	—	—
Eriers for paint—				
Dry	cwt.	0 17 0	—	—
Ground in oil	"	0 18 0	—	—
Patent	"	0 15 3	—	—
Drums, wrought iron—				
Colza oil, uncoated interior	each	0 4 0	—	—
Magnetic oxide paint, 1 cwt.	"	0 4 6	—	—
Mineral oil, 10 gallons	"	0 3 2	—	—
Naphtha, 10 gallons	"	0 5 0	—	—
Oil { 6 gallons	"	0 2 0	—	—
3 "	"	0 1 6	—	—
Soft soap { 1 cwt.	"	0 2 8	—	—
½ "	"	0 1 5	—	—
¼ "	"	0 1 0	—	—
Bubbing	lb.	—	0 0 4½	0 0 5
Bust—				
Bone	cwt.	0 11 7	—	—
Oil stone	lb.	0 0 6	—	—
Earth, fullers	cwt.	0 2 9	—	—
Ether, sulphuric	lb.	0 2 0	—	—
Fenders, cork, covered—				
With canvas	each	0 5 6	—	—
With leather, for boats	"	0 2 2	—	—
Filters, carbon, portable—				
Atkins	"	0 1 9	—	—
Silicated	"	0 1 7	—	—
Flags, or bulrushes, for coopers..	bdle.	0 10 0	—	—

* The cubic capacity of these cylinders is as follows, but paint is issued by weight and not by measure of capacity:—

No. 1	contains	3	imperial	gallons
" 2	"	5	"	quarts
† " 3	"	5½	"	pints
" 4	"	5½	"	"
" 5	"	2½	"	"
" 6	"	1½	"	"
" 7	"	¾	"	"
" 8	"	¾	"	"

† This cylinder has a portable lid, the other cylinders have closing plates.

MISCELLANEOUS STORES.										Contract Rate.		
Flags—										£	s.	d.
Ordnance ensign { 12 feet × 6 feet each										1	8	6
6 " " 3 " "										0	14	6
36 feet × 24 feet "										10	15	0
Royal Standard { 36 " " 21 " "										9	9	5
24 " " 12 " "										4	15	5
12 " " 6 " "										2	0	11
Union { Military* { Boat, 6 feet × 3 feet "										0	12	0
Vessels, 12 feet × 6 feet.. .. . "										1	12	0
24 feet × 12 feet "										2	7	8
Service { 21 " " 10½ " "										1	15	0
12 " " 6 " "										0	13	1
6 " " 3 " "										0	4	10
Flannel, coarse, 24 inch† yard										0	0	5½
Flax—												
Dressed lb.										0	0	6½
Undressed "										0	0	6
Flour, white, for paste "										0	0	1½
Funnels—												
Copper { 2 quarts each										0	3	6
1 " "										0	2	9
1 pint "										0	2	8
1 gill "										0	1	8
Tin { 2 quarts "										0	0	6
1 " "										0	0	3½
1 pint "										0	0	2½
½ " or 4 inch "										0	0	1½
½ " " 3 " "										0	0	1
Fuze—												
Instantaneous fm.										0	0	9½
Safety { No. 9 "										0	0	5
" 7 "										0	0	3½
Glasses, sand, of sizes each										0	2	0
Gloves, hedging pair										0	1	10½
Glue—												
Best town-made lb.										0	0	4
Marine "										0	0	7½
Graphite, granulated cwt.										0	8	0
Grapnels—												
50 lbs. each										0	12	6
40 " "										0	10	6
3 " "										0	3	0
2 " "										0	2	0
Grease—												
Lubricating, mineral, Field's cwt.										1	2	6
Price's composite "										1	1	6
Grindstones (see Stones, grind).												
Guards, hand, fencing stick each										0	3	7
Gum arabic lb.										0	0	9½
Gunmetal, old (market rates).												
Gutta percha, 2 feet by ¼ inch cwt.										22	18	0
Hair, horse, curled lb.										0	0	11
Hammers, stonebreaking, unhandled—												
6 lbs.. .. . each										0	1	6
4 " "										0	0	11½
2 " "										0	0	7
Hammocks, with clews "										0	7	2
Handcuffs, common, with 2 keys pair										0	3	9

* General Officers in command only.

† For horse-bandages.

Section IV.

145

MISCELLANEOUS STORES.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Handles—				
Cattie, or coyta	each	£ s. d. 0 1 2	£ s. d. —	£ s. d. —
Chest, iron { 5½ inch	pair	0 0 3	—	—
{ 4½ "	"	0 0 3	—	—
Grindstone { With spindles	each	0 4 6	—	—
{ Without spindles	"	0 2 6	—	—
Hammers, stone- { 6 and 4 lbs. (see p. 121)	"	0 0 4½	—	—
breaking { 2 lbs.	"	0 0 2½	—	—
Handspikes, common—				
7 feet	{	—	0 5 8	0 6 3
6 "	(see page 279) ..	—	0 5 1	0 5 7
6 " iron shod	{	—	0 6 7	0 7 2
Nasps, with staples, padlock—				
Large.. .. .	"	0 1 6	—	—
Middling	"	0 1 5	—	—
Small.. .. .	"	0 1 4	—	—
Helmets, wire, fencing, sea service..	"	0 11 3	—	—
Hemp—				
Dressed	cwt.	1 14 0	—	—
Undressed	"	1 5 8	—	—
Hides—	Average weight			
Tanned, or powder.. .. .	80 lbs. ..	lb. 0 1 1½	—	—
Rings—				
3 inch	pair	0 1 0	—	—
2½ "	"	0 0 6	—	—
Brass, butt { 2 "	"	0 0 4	—	—
{ 1½ "	"	0 0 2½	—	—
{ 1 "	"	0 0 1½	—	—
Cast-iron, butt, 2½ inch	"	0 0 4	—	—
{ 3½ inch	"	0 0 8	—	—
{ 3 "	"	0 0 7	—	—
{ Butt { 2½ "	"	0 0 6½	—	—
{ 2 "	"	0 0 4½	—	—
{ 2 "	"	0 0 2½	—	—
{ 1½ "	"	0 0 2½	—	—
Wrought-iron { 16 "	each	0 1 6	—	—
{ 12 "	"	0 1 0	—	—
{ Strap { 12 "	pair	0 0 2½	—	—
Table, 1½ inch				
Hooks, bent, without staves—				
Weight per doz.				
Copper, special	each	0 2 10	—	—
{ Large.. .. .	"	0 0 7	—	—
{ Small.. .. .	"	0 0 6	—	—
Iron { Galvanized { Large.. .. .	"	0 1 4	—	—
{ Small.. .. .	"	0 1 3	—	—
Hooks, iron, sailmakers	"	0 0 3	—	—
Hooks, tackle, with thimbles—				
Iron—				
Galvanized—				
13 lbs. 4 ozs.	"	0 3 9	—	—
10 " 12 "	"	0 3 0	—	—
5 " 6 "	"	0 1 7	—	—
4 " 8 "	"	0 1 5	—	—
3 " 14 "	"	0 1 3	—	—
2 " 1 "	"	0 0 9½	—	—
1 " 2 "	"	0 0 6½	—	—
12 ozs.	"	0 0 5	—	—
8 "	"	0 0 3½	—	—
3 "	"	0 0 2½	—	—
Ungalvanized—				
13 lbs. 4 ozs.	"	0 2 9	—	—
10 " 12 "	"	0 2 3	—	—
(V.S.)				

K

Section IV.

147

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Iron, branding, continued—		£ s. d.	£ s. d.	£ s. d.
½ inch—				
Figures { 0 to 8 (set of 9). set		0 2 8	—	—
Single.. each		0 0 3½	—	—
Letters—				
1 letter "		0 0 3½	—	—
2 " "		0 0 6½	—	—
3 " "		0 0 9½	—	—
4 " "		0 1 1½	—	—
¾ inch—				
Letters, single "		0 0 2½	—	—
Isinglass lb.		0 8 0	—	—
Jacks, lifting, hydraulic, Tangye's, to lift—				
22½ tons* each		14 10 0	—	—
15 " * "		10 0 0	—	—
7½ " * "		6 10 0	—	—
Jars, stone— To hold				
1 gallon, basketted, soldering solution "		0 1 0	—	—
56 lbs. "		—	—	—
28 " }		—	—	—
14 " }		—	—	—
10 " }		0 0 8	—	—
American potash {		—	—	—
Manganese salts "		0 0 8	—	—
Copper sulphate "		0 0 8	—	—
Junk (old rope) cwt.		0 17 8	—	—
Keys—				
Grease, No. 3, quarter each		—	0 3 0	0 3 2
{ No. 1, sixteenth 100		—	6 13 1	7 1 8
{ " 2, eighth "		—	7 10 0	7 19 8
Paint { " 3, quarter "		—	10 8 2	11 0 10
{ " 4, half "		—	18 13 2	19 17 2
{ " 5, whole "		—	28 11 6	30 3 11
Keys, for handcuffs each		0 0 6	—	—
Knives—				
Clasp, large "		0 0 8½	—	—
Copper, or gunmetal, magazine "		0 0 11	—	—
Laboratory, small (see page 123) "		0 0 4	—	—
Knotting gall.		0 8 9	—	—
Lacquer, blacklead, for bores of guns lb.		0 0 4	—	—
Ladders, wood—				
Scaling { 12 feet each		1 10 0	—	—
{ 8½ " light "		—	1 2 8	1 4 0
{ 6 " "		—	1 17 6	2 0 0
Standing—				
50 feet.. "		—	6 7 3	6 16 3
45 " "		—	5 5 6	5 12 3
40 " "		—	4 8 11	4 14 9
30 " "		—	3 1 6	3 5 1
28 " "		—	2 17 7	3 0 7
26 " "		—	2 12 1	2 15 2
24 " "		—	2 6 9	2 9 4
22 " "		—	2 1 6	2 3 8
20 " "		—	1 16 6	1 18 6
18 " "		—	1 10 9	1 12 9
16 " "		—	1 6 2	1 7 9
14 " "		—	1 1 6	1 2 10
12 " "		—	0 17 9	0 18 10
10 " "		—	0 14 2	0 15 2
7 " "		—	0 10 8	0 11 5

* These figures indicate the working power of the jack; the figures that were formerly used to designate these jacks, viz., 30, 20, and 10 tons, indicated the power to which the jack had been tested, and not its working pressure.

Section IV.

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Ladders, wood, continued—				
Step { Magazine, double { 14 feet each		£ s. d.	£ s. d.	£ s. d.
		4 17 0	—	—
		4 5 3	—	—
		3 9 0	—	—
		2 7 4	—	—
		1 18 0	—	—
		1 9 4	—	—
		1 1 6	—	—
		0 14 2	—	—
Lamps—				
Copper { Dioptric, 8 inches in diameter		1 16 4	—	—
		1 0 0	—	—
		0 12 0	—	—
		0 12 0	—	—
		0 16 11	—	—
		0 8 3	—	—
		0 9 9	—	—
		3 5 0	—	—
		2 13 0	—	—
		2 9 0	—	—
Lanterns—				
Bull's eye, police		0 2 4	—	—
Hand, copper, magazine		0 8 8	—	—
Lead—				
Black, dry cwt.		0 19 6	—	—
Pig, English and old (market rates).		1 0 0	—	—
Red, dry		1 18 3	—	—
Sugar of		1 1 8	—	—
White { Dry		1 2 10	—	—
		1 6 0	—	—
Leads, deep sea, from 7 to 28 lbs.		0 1 5	—	—
Leathers, or skins, chamois each		—	0 5 6	0 5 10
Legs, wood, grindstone-troughs (set of 4) set		—	—	—
Lime—				
Acetate of (material for marking ink) .. cwt.		2 16 0	—	—
Chloride of		0 10 6	—	—
Line—				
Box, 3 strand { Large lb.		0 0 4	—	—
		0 0 3½	—	—
Tarred, quilting, seizing or nettlestuff .. cwt.		3 8 0	—	—
White—				
4 lb. skeins skein		0 2 4	—	—
3		0 1 9	—	—
2½		0 1 6½	—	—
2		0 1 4	—	—
1½		0 0 9	—	—
1		0 0 7	—	—
½		0 0 5½	—	—
Linen—				
Or Osnaburgh, horse-bandage, 25" .. yard		0 0 4	—	—
Old ton		30 0 0	—	—
Linen—				
White, deep sea, 40 fathoms each		0 14 9	—	—
Hambro'		0 1 7	—	—
Liquor, tar, iron (material for marking ink), gall.		0 1 8	—	—
Litharge cwt.		1 0 11	—	—
Locks with keys—				
Chest, iron, 3½ inch each		0 1 0	—	—
Cupboard { Brass, 3½ inch		0 1 0	—	—
		0 0 9½	—	—
		0 0 9½	—	—
Door, ordinary		0 4 0	—	—

Section IV.

149

MISCELLANEOUS STORES.										Contract Rate.			
Locks with keys, continued—											£	s.	d.
Drawer	Brass	3½ inch	each	0	2	11	
		3 "	"	0	2	7	
		2½ "	"	0	2	3	
	Iron	3 "	"	0	0	7	
		2½ "	"	0	0	6½	
Pad, brass, small		(with two keys)	"	0	0	6	
Pad	Gunmetal	Large	"	0	0	10½	
		Middling	"	0	7	6	
		Small	"	0	4	6	
	Iron	Large	"	0	2	6	
		Middling	"	0	1	0	
		Small	"	0	0	8½	
		Small	"	0	0	6½	
Machines, coffee, Savage's patent—													
Grinding	"	15	0	0	
Roasting	"	15	0	0	
Machines, weighing, complete—													
Platform, with steelyard and weights ..	30 cwt.	"	10	14	4	
	20 "	"	8	7	0	
	10 "	"	4	17	0	
	5 "	"	3	1	10	
	2 "	"	2	0	0	
Sack of flour (see page 481)		1 "	"	1	16	0	
Without weights—		"	8	7	8	
With copper pans {		14 lbs.	"	0	15	0	
		7 "	"	0	10	3	
With enamelled pans, 14 lbs.	"	0	13	7	
With tin pans, 28 lbs.	"	0	18	1	
Manganese—													
Bin-oxide } *		lb.	0	0	2	
Per-oxide }		0	1	10	
Sulphate, pure, powdered†		"	0	0	7½	
Marline, 1 skein to a lb.	"	0	0	7½	
Mats, Russia, packing	each	0	0	11	
Measures—													
Glass, graduated, 4 ounces	"	0	0	9½	
Standard	set	17	10	0	
Tin, oil—													
5 gallons	each	0	4	6	
2 "	"	0	1	11	
1 "	"	0	1	3	
½ "	"	0	1	0	
1 quart	"	0	0	6	
1 pint	"	0	0	5	
½ "	"	0	0	4	
1 gill	"	0	0	3	
½ "	"	0	0	2½	
Wood, corn—													
2 bushels	"	3	10	0	
1 "	"	1	12	4	
½ "	"	1	0	0	
1 peck	"	0	10	0	
½ "	"	0	8	0	
¼ "	"	0	4	0	
Yard, round, lancewood	"	0	0	6	

* These terms represent the same article.

† Shewn in 1879 edition separately, as—

Manganese—

Pure, powdered.

Sulphate of.

MISCELLANEOUS STORES.						Contract Rate.		
Mercury—							£	s. d.
In large quantities	lb.	0	2 0
Per pound	0	2 6
Mixture, browning, mixed	gall.	0	3 6
Models, elementary	doz.	1	14 0
Nails, composition, cast—								
Deckheads—								
No. 300, length $4\frac{1}{2}$ inch, weight per M.	128	lb.	0	oz...	..	lb.	0	0 8 $\frac{1}{2}$
" 301, " $5\frac{1}{2}$ " " "	212	"	0	"	"	0	0 8 $\frac{1}{2}$
Dumps—								
No. 305, " $4\frac{1}{2}$ " " "	203	"	0	"	"	0	0 8 $\frac{1}{2}$
" 306, " 5 " " "	262	"	0	"	"	0	0 8 $\frac{1}{2}$
" 307, " 6 " " "	253	"	4	"	"	0	0 8 $\frac{1}{2}$
" 308, " 7 " " "	367	"	4	"	"	0	0 8 $\frac{1}{2}$
Sheathing—								
No. 312, " 0 $\frac{3}{4}$ " " "	3	"	5	"	"	0	0 9
" 313, " 1 " " "	5	"	10	"	"	0	0 8 $\frac{1}{2}$
" 314, " $1\frac{1}{4}$ " " "	8	"	6	"	"	0	0 8 $\frac{1}{2}$
" 315, " $1\frac{1}{2}$ " " "	9	"	8	"	"	0	0 8 $\frac{1}{2}$
" 316, " $1\frac{3}{4}$ " " "	9	"	12	"	"	0	0 8 $\frac{1}{2}$
" 317, " $1\frac{1}{2}$ " " "	11	"	0	"	"	0	0 8 $\frac{1}{2}$
" 318, " $1\frac{3}{8}$ " " "	11	"	12	"	"	0	0 8 $\frac{1}{2}$
Slatings—								
No. 322, " $1\frac{1}{2}$ " " "	5	"	14	"	"	0	0 8 $\frac{1}{2}$
" 323, " $1\frac{1}{4}$ " " "	6	"	6	"	"	0	0 8 $\frac{1}{2}$
" 324, " $1\frac{3}{4}$ " " "	8	"	1	"	"	0	0 8 $\frac{1}{2}$
Nails, copper, wrought—								
Boat, round points—								
No. 340, length $\frac{7}{8}$ inch, weight per M.	2	lb.	6	oz...	..	"	0	0 11 $\frac{1}{2}$
" 341, " $1\frac{1}{4}$ " " "	4	"	8	"	"	0	0 11
" 342, " $1\frac{1}{2}$ " " "	6	"	6	"	"	0	0 10 $\frac{1}{2}$
" 343, " $1\frac{3}{4}$ " " "	7	"	8	"	"	0	0 10 $\frac{1}{2}$
" 344, " 2 " " "	12	"	12	"	"	0	0 10 $\frac{1}{2}$
" 345, " $2\frac{1}{2}$ " " "	10	"	10	"	"	0	0 10 $\frac{1}{2}$
" 346, " $2\frac{1}{2}$ " " "	17	"	12	"	"	0	0 10 $\frac{1}{2}$
" 347, " $2\frac{1}{2}$ " " "	19	"	5	"	"	0	0 10 $\frac{1}{2}$
" 348, " 3 " " "	25	"	9	"	"	0	0 10 $\frac{1}{2}$
" 349, " $3\frac{1}{4}$ " " "	28	"	0	"	"	0	0 10 $\frac{1}{2}$
" 350, " $3\frac{1}{2}$ " " "	42	"	8	"	"	0	0 10 $\frac{1}{2}$
" 351, " 4 " " "	48	"	7	"	"	0	0 10 $\frac{1}{2}$
" 352, " $4\frac{1}{2}$ " " "	55	"	4	"	"	0	0 10 $\frac{1}{2}$
" 353, " 5 " " "	82	"	13	"	"	0	0 10 $\frac{1}{2}$
" 354, " $5\frac{1}{2}$ " " "	110	"	0	"	"	0	0 10 $\frac{1}{2}$
" 355, " 6 " " "	119	"	0	"	"	0	0 10 $\frac{1}{2}$
" 356, " $6\frac{1}{2}$ " " "	107	"	13	"	"	0	0 10 $\frac{1}{2}$
" 357, " 7 " " "	128	"	0	"	"	0	0 10 $\frac{1}{2}$
" 358, " $7\frac{1}{2}$ " " "	142	"	0	"	"	0	0 10 $\frac{1}{2}$
Boat, square points—								
No. 362, length 1 inch	3	"	10	"	"	0	0 11 $\frac{1}{2}$
" 363, " $1\frac{1}{4}$ " " "	6	"	0	"	"	0	0 11
" 364, " $1\frac{1}{2}$ " " "	6	"	15	"	"	0	0 10 $\frac{1}{2}$
" 365, " 2 " " "	9	"	4	"	"	0	0 10 $\frac{1}{2}$
" 366, " $2\frac{1}{4}$ " " "	23	"	12	"	"	0	0 10 $\frac{1}{2}$
" 367, " 3 " " "	30	"	8	"	"	0	0 10 $\frac{1}{2}$
" 368, " 4 " " "	59	"	9	"	"	0	0 10 $\frac{1}{2}$
Brads—								
No. 335, " $1\frac{1}{2}$ " " "	3	"	12	"	"	0	0 10
" 336, " 2 " " "	6	"	5	"	"	0	0 9 $\frac{1}{2}$
Dichheads—								
No. 392, " $2\frac{1}{4}$ " " "	14	"	12	"	"	0	0 10 $\frac{1}{2}$
" 393, " $2\frac{1}{2}$ " " "	29	"	4	"	"	0	0 10 $\frac{1}{2}$
" 394, " 3 " " "	40	"	0	"	"	0	0 10 $\frac{1}{2}$
" 395, " 4 " " "	80	"	1	"	"	0	0 10 $\frac{1}{2}$
" 396, " 5 " " "	80	"	6	"	"	0	0 10 $\frac{1}{2}$
" 397, " 5 " " "	126	"	14	"	"	0	0 10 $\frac{1}{2}$

Section IV.

151

MISCELLANEOUS STORES.					Contract Rate.		
Nails, copper, wrought, continued—						£	s. d.
Jagged—							
Fine—							
No. 402,	length $1\frac{1}{2}$ inch,	weight per M.	6 lb. 4 oz...	.. lb.	0	0	$11\frac{1}{2}$
" 405,	" $2\frac{1}{2}$ "	"	16,, 0 ,,,	.. "	0	0	$11\frac{1}{2}$
Middling—							
No. 408,	" $1\frac{1}{2}$ "	"	7,, 8 ,,,	.. "	0	0	$11\frac{1}{2}$
Strong—							
No. 412,	" $1\frac{1}{2}$ "	"	8,, 4 ,,,	.. "	0	0	$11\frac{1}{2}$
Mop—							
No. 416,	" $5\frac{1}{2}$ "	"	81,, 0 ,, (see page 483).	.. "	0	1	$2\frac{1}{2}$
Rosehead—							
Fine—							
No. 420,	" $\frac{1}{2}$ "	"	1,, 12 ,,,	.. lb.	0	0	$11\frac{1}{2}$
" 421,	" $\frac{1}{2}$ "	"	2,, 0 ,,,	.. "	0	0	$11\frac{1}{2}$
" 422,	" $1\frac{1}{2}$ "	"	3,, 0 ,,,	.. "	0	0	$11\frac{1}{2}$
" 423,	" $1\frac{1}{2}$ "	"	4,, 10 ,,,	.. "	0	0	$10\frac{1}{2}$
" 424,	" $1\frac{1}{2}$ "	"	6,, 4 ,,,	.. "	0	0	$10\frac{1}{2}$
" 425,	" 2 "	"	10,, 4 ,,,	.. "	0	0	$10\frac{1}{2}$
" 426,	" $2\frac{1}{2}$ "	"	11,, 12 ,,,	.. "	0	0	$10\frac{1}{2}$
" 427,	" $2\frac{1}{2}$ "	"	16,, 0 ,,,	.. "	0	0	$10\frac{1}{2}$
" 428,	" $2\frac{1}{2}$ "	"	20,, 0 ,,,	.. "	0	0	$10\frac{1}{2}$
" 429,	" 3 "	"	28,, 0 ,,,	.. "	0	0	$10\frac{1}{2}$
Middling—							
No. 436,	" 1 "	"	2,, 9 ,,,	.. "	0	0	11
" 437,	" $1\frac{1}{2}$ "	"	4,, 0 ,,,	.. "	0	0	11
" 438,	" $1\frac{1}{2}$ "	"	5,, 8 ,,,	.. "	0	0	$10\frac{1}{2}$
" 439,	" $1\frac{1}{2}$ "	"	8,, 12 ,,,	.. "	0	0	$10\frac{1}{2}$
" 440,	" 2 "	"	12,, 12 ,,,	.. "	0	0	$10\frac{1}{2}$
" 441,	" $2\frac{1}{2}$ "	"	14,, 8 ,,,	.. "	0	0	$10\frac{1}{2}$
" 442,	" $2\frac{1}{2}$ "	"	18,, 12 ,,,	.. "	0	0	$10\frac{1}{2}$
" 443,	" $2\frac{1}{2}$ "	"	25,, 12 ,,,	.. "	0	0	$10\frac{1}{2}$
" 444,	" 3 "	"	21,, 0 ,,,	.. "	0	0	$10\frac{1}{2}$
Strong—							
No. 451,	" 1 "	"	3,, 2 ,,,	.. "	0	0	11
" 452,	" $1\frac{1}{2}$ "	"	4,, 10 ,,,	.. "	0	0	$10\frac{1}{2}$
" 455,	" 2 "	"	14,, 8 ,,,	.. "	0	0	$10\frac{1}{2}$
" 457,	" $2\frac{1}{2}$ "	"	24,, 0 ,,,	.. "	0	0	$10\frac{1}{2}$
" 458,	" $2\frac{1}{2}$ "	"	29,, 0 ,,,	.. "	0	0	$10\frac{1}{2}$
" 459,	" 3 "	"	36,, 0 ,,,	.. "	0	0	$10\frac{1}{2}$
Tacks {							
No. 470,	length $\frac{1}{2}$ inch,	weight per M.	0 lb. 10 oz.	.. "	0	1	$2\frac{1}{2}$
" 471,	" $\frac{1}{2}$ "	"	0,, 13 ,,,	.. "	0	1	2
" 473,	" $\frac{1}{2}$ "	"	1,, 12 ,,,	.. "	0	1	$0\frac{1}{2}$
Nails, iron—							
Barge, No. 35,	length 3 inch,	weight per M.	32 lb. 0 oz.	.. cwt.	0	18	9
Bellows or scupper—							
No. 38,	length $\frac{1}{2}$ inch,	weight per M.	5 lb. 0 oz.	.. "	1	10	0
" 39,	" 1 "	"	7,, 0 ,,,	.. "	1	7	4
" 40,	" $1\frac{1}{2}$ "	"	9,, 0 ,,,	.. "	1	5	3
Boat—							
No. 44,	" 1 "	"	3,, 0 ,,,	.. "	2	4	7
" 45,	" $1\frac{1}{2}$ "	"	4,, 4 ,,,	.. "	1	16	1
" 46,	" $1\frac{1}{2}$ "	"	6,, 0 ,,,	.. "	1	10	8
" 47,	" 2 "	"	10,, 0 ,,,	.. "	1	5	10
" 48,	" $2\frac{1}{2}$ "	"	14,, 8 ,,,	.. "	1	2	7
" 49,	" 4 "	"	35,, 0 ,,,	.. "	0	18	6
" 50,	" 6 "	"	67,, 0 ,,,	.. "	0	16	10
Brad—							
Cut, fine—							
No. 1,	" $\frac{1}{2}$ "	"	0,, $7\frac{1}{2}$,,,	.. lb.	0	0	$4\frac{1}{2}$
" 2,	" $\frac{1}{2}$ "	"	0,, $12\frac{1}{2}$,,,	.. "	0	0	$2\frac{1}{2}$
" 3,	" 1 "	"	1,, 2 ,,,	.. "	0	0	2
" 4,	" $1\frac{1}{2}$ "	"	1,, 10 ,,,	.. "	0	0	$1\frac{1}{2}$

Section IV.

MISCELLANEOUS STORES.						Contract Rate.		
Nails, Iron, continued—						£ s. d.		
Brad—								
Wrought—								
No. 23,	length	$\frac{1}{2}$ inch,	weight per M.	0 lb. 8 oz.	.. lb.	0	1	0
" 24,	"	$\frac{3}{4}$ "	"	0 " 12 "	"	0	0	9 $\frac{1}{2}$
" 25,	"	1 "	"	1 " 0 "	"	0	0	9
" 26,	"	1 $\frac{1}{4}$ "	"	2 " 0 "	"	0	0	6
" 27,	"	1 $\frac{1}{2}$ "	"	3 " 0 "	"	0	0	4 $\frac{1}{2}$
" 28,	"	2 "	"	5 " 0 "	"	0	0	3 $\frac{1}{2}$
" 29,	"	2 $\frac{1}{4}$ "	"	10 " 8 "	"	0	0	2 $\frac{1}{2}$
" 30,	"	2 $\frac{1}{2}$ "	"	15 " 8 "	"	0	0	2 $\frac{1}{2}$
" 31,	"	3 $\frac{1}{4}$ "	"	20 " 0 "	"	0	0	2 $\frac{1}{2}$
Clasp—								
Cut—								
No. 61,	"	1 $\frac{1}{4}$ "	"	3 " 0 "	.. cwt.	0	13	11
" 62,	"	1 $\frac{1}{2}$ "	"	3 " 8 "	"	0	12	8
" 63,	"	2 "	"	8 " 0 "	"	0	11	8
" 64,	"	2 $\frac{1}{4}$ "	"	12 " 0 "	"	0	11	2
Wrought—								
Fine—								
No. 69,	length	1 inch,	weight per M.	1 lb. 12 oz.	.. "	2	19	7
" 70,	"	1 $\frac{1}{4}$ "	"	2 " 8 "	"	2	6	0
" 71,	"	1 $\frac{1}{2}$ "	"	4 " 0 "	"	1	14	11
" 72,	"	2 "	"	6 " 0 "	"	1	7	9
" 73,	"	2 $\frac{1}{4}$ "	"	10 " 0 "	"	1	3	3
" 74,	"	3 $\frac{1}{4}$ "	"	18 " 0 "	"	0	19	8
Strong—								
No. 79,	"	1 $\frac{1}{4}$ "	"	7 " 0 "	"	1	5	8
" 80,	"	2 $\frac{1}{4}$ "	"	10 " 0 "	"	1	3	0
" 81,	"	2 $\frac{1}{2}$ "	"	12 " 0 "	"	1	1	7
" 82,	"	2 $\frac{3}{4}$ "	"	14 " 0 "	"	1	1	2
" 83,	"	3 $\frac{1}{4}$ "	"	21 " 0 "	"	0	19	1
" 84,	"	3 $\frac{1}{2}$ "	"	25 " 0 "	"	0	18	3
" 85,	"	3 $\frac{3}{4}$ "	"	31 " 0 "	"	0	17	4
" 86,	"	4 "	"	40 " 0 "	"	0	16	4
Clout, wrought—								
Countersink head, strong—								
No. 100,	length,	$\frac{1}{2}$ inch	"	2 " 4 "	"	3	1	7
" 103,	"	1 $\frac{1}{4}$ "	"	5 " 0 "	"	1	18	5
" 104,	"	1 $\frac{1}{2}$ "	"	9 " 0 "	"	1	9	2
" 105,	"	1 $\frac{3}{4}$ "	"	16 " 0 "	"	1	5	6
" 106,	"	2 "	"	23 " 0 "	"	1	2	7
" 107,	"	2 $\frac{1}{4}$ "	"	32 " 0 "	"	1	1	2
" 108,	"	2 $\frac{1}{2}$ "	"	40 " 0 "	"	1	0	5
" 109,	"	3 "	"	50 " 0 "	"	0	18	11
" 110,	"	3 $\frac{1}{4}$ "	"	62 " 0 "	"	0	18	9
" 111,	"	3 $\frac{1}{2}$ "	"	90 " 0 "	"	0	18	5
Flathead—								
Fine—								
No. 90,	"	$\frac{1}{4}$ "	"	1 " 4 "	"	4	1	9
" 91,	"	1 "	"	2 " 0 "	"	2	18	11
" 92,	"	1 $\frac{1}{4}$ "	"	3 " 0 "	"	2	4	0
" 93,	"	1 $\frac{1}{2}$ "	"	4 " 0 "	"	1	18	6
" 95,	"	1 $\frac{3}{4}$ "	"	5 " 0 "	"	1	14	3
Middling, No. 94, length 1$\frac{1}{4}$ inch,								
Strong,	"	101,	"	$\frac{1}{2}$ "	"	8	5	3
"	"	"	"	"	"	2	13	11
Lath, cast, 1$\frac{1}{2}$ inch ..								
Rosehead, wrought—								
No. 120,	length,	$\frac{1}{4}$ inch,	weight per M.	2 lb. 0 oz.	.. "	2	17	7
" 121	"	1 $\frac{1}{4}$ "	"	4 " 0 "	"	1	13	5
" 122	"	1 $\frac{1}{2}$ "	"	7 " 0 "	"	1	6	1
" 123	"	2 "	"	10 " 0 "	"	1	3	3
" 124	"	2 $\frac{1}{4}$ "	"	16 " 0 "	"	0	19	11

MISCELLANEOUS STORES.						Contract Rate.		
Nails, iron, continued—						£ s. d.		
Rosehead, wrought—								
No. 125,	length	2½ inch,	weight per M.	21 lb. 0 oz.	..	cwt.	0 18	9
" 126	"	3½ "	"	28 "	0 "	"	0 17	9
" 127	"	3½ "	"	36 "	0 "	"	0 16	10
" 128	"	4 "	"	40 "	0 "	"	0 16	3
" 129	"	4 "	"	50 "	0 "	"	0 15	6
" 130	"	4½ "	"	72 "	0 "	"	0 15	2
" 131	"	5 "	"	88 "	0 "	"	0 14	3
" 132	"	5½ "	"	80 "	0 "	"	0 14	0
Rosehead, stamped—								
Fine	No. 146,	length	1½ inch,	weight per M.	3 lbs. 8 oz.	..	1 14	7
	" 147	"	1½ "	"	4 "	0 "	1 12	4
	" 149	"	2 "	"	7 "	0 "	1 5	6
	" 151	"	2½ "	"	11 "	0 "	1 2	1
Strong,	" 168	"	3 "	"	25 "	0 "	0 16	0
Shoe, horse or mule	No. 137,	length	2 inch,	weight per M.	6 lb. 0 oz.	..	3 7	3
	" 138	"	2½ "	"	7 "	8 "	3 1	2
	" 139	"	2½ "	"	9 "	0 "	2 17	0
	" 140	"	2½ "	"	10 "	0 "	2 14	9
Spike	" 141	"	2½ "	"	11 "	0 "	2 13	0
	No. 182,	length	5 inch,	weight per M.	190 lb. 0 oz.	..	0 12	3
	" 183	"	6 "	"	262 "	0 "	0 11	5
	" 184	"	7 "	"	375 "	0 "	0 11	5
	" 185	"	8 "	"	525 "	0 "	0 11	8
	" 186	"	9 "	"	626 "	0 "	0 12	2
	" 187	"	10 "	"	900 "	0 "	0 12	8
Tacks—								
Clout	No. 201,	length	½ inch,	weight per M.	1 lb. 12 oz.	..	lb.	0 0 7
	" 202	"	½ "	"	2 "	12 "	"	0 0 5½
	" 203	"	1½ "	"	3 "	8 "	"	0 0 4½
Cut	" 197	"	½ "	"	0 "	9 "	"	0 0 3
	" 198	"	½ "	"	0 "	11 "	"	0 0 2½
	" 199	"	½ "	"	0 "	14 "	"	0 0 2½
Flem- ish black	" 189	"	½ "	"	0 "	5 "	"	0 2 0
	" 190	"	½ "	"	0 "	7 "	"	0 1 6½
	" 191	"	½ "	"	0 "	9 "	"	0 1 4½
	" 192	"	½ "	"	0 "	14 "	"	0 0 11½
Tinned,	No. 194,	length	⅞ inch,	weight per M.	14 oz.	..	"	0 1 1
Tire, wrought	No. 206,	length	3½ inch,	weight per M.	187 lb. 8 oz.	..	cwt.	1 3 9
	" 207	"	4 "	"	218 "	12 "	"	1 3 9
Naphtha—								
Coal tar	gall.	0 2	2
Spirit	"	0 3	3
Needles—								
Darning, womens	100	0 0	7½
Packing	Common or collar (six sizes), (see page 124)					0 13 3
	Copper	doz.	0 9	0
Quilting or darning, 4 inch	Cutting	0 2	3
	100	0 0	7½
Sailmakers, seaming	3½ inch	(see page 124)			
	3½ "					..	0 3	3
	3 "				
	2½ "				
Sewing, assorted, womens	1000	0 3	10
Tacking or quilting, 16 inch	doz.	0 2	0
Tailors	1000	0 3	4
Twine	100	0 0	9½
Nitre, sweet, spirits of (browning mixture)	lb.	0 2	8
Nutgalls, bruised	"	0 1	6
Okum—								
Tarred	cwt.	1 7	6
White	"	1 18	6

MISCELLANEOUS STORES.										Contract Rate.		
										£	s.	d.
Oars, ash—												
Leathered—												
17 feet	each	0	8	9
16 "	"	0	8	6
15 "	"	0	8	3
14 "	"	0	8	0
13 "	"	0	7	9
12 "	"	0	7	6
11 "	"	0	7	0
10 "	"	0	6	9
9 "	"	0	6	0
8 "	"	0	6	0
Not leathered—												
20 feet	foot	0	0	5
19 "	"	0	0	5
18 "	"	0	0	5
17 "	"	0	0	5
16 "	"	0	0	5
15 "	"	0	0	5
14 "	"	0	0	5
13 "	"	0	0	5
12 "	"	0	0	5
11 "	"	0	0	5
10 "	"	0	0	5
9 "	"	0	0	5
8 "	"	0	0	5
7 1/2 "	"	0	0	5
Oars or sweeps, fir—												
28 feet	"	0	0	6 1/2
26 "	"	0	0	6 1/2
24 "	"	0	0	6 1/2
21 "	"	0	0	6 1/2
18 "	"	0	0	6 1/2
17 "	"	0	0	6 1/2
16 "	"	0	0	6 1/2
15 "	"	0	0	6 1/2
Oars, fir, spoon blade—												
Leathered { 16 feet	each	0	14	4
15 "	"	0	10	6
14 "	"	0	9	10
Not leathered { 15 feet	foot	0	1	1
14 "	"	0	1	1
Oars, fir, square, loomed and scoop blade, leathered, 15 feet										each	0	9 9
Oil—												
Castor	gall.	0	4	2
Cod	"	0	2	8
Colza	"	0	2	6
For instruments	"	0	10	0
Kerosine	"	0	1	8 1/2
Lard	"	0	5	0
Linseed { Boiled	"	0	2	3
Raw	"	0	2	2
Luccat†	"	0	4	3
Machinery, thin	"	0	1	10
Mineral*	"	0	1	9 1/2
Neatsfoot	"	0	3	5
Olive‡	"	0	3	0
Rangoon { For gun stocks	"	0	1	10 1/2
Machinery	"	0	1	8 1/2
Rape, refined or sweet	"	0	2	5 1/2
Sperm	"	0	7	4
Train	"	0	2	2
Orpiment										lb.	0	0 8

* For hydraulic buffers.

† For W.D. vessels.

‡ For making dubbing.

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Packages, for paint, magnetic oxide—				
Iron { 2 cwt.	each	£ s. d.	£ s. d.	£ s. d.
1 " " " " " "	"	0 6 0	—	—
1 " " " " " "	"	0 3 6	—	—
1 " " " " " "	"	0 2 6	—	—
1 " " " " " "	"	0 1 3	—	—
Wood { 2 cwt.	"	0 2 6	—	—
1 " " " " " "	"	0 1 9	—	—
1 " " " " " "	"	0 1 3	—	—
Packings, leather, for Tangye's hydraulic jacks—				
22½ tons	set	—	0 2 6	0 2 9
15 " " " " " "	"	—	0 2 3	0 2 6
7½ " " " " " "	"	—	0 2 3	0 2 6
Pads, fencing, sea service—				
Breast	10	—	1 15 0	1 18 6
Knee	"	—	0 13 4	0 14 8
Paint, dry—				
Black { Blue	cwt.	0 5 6	—	—
Ivory	"	0 9 6	—	—
Lamp, in 1 lb. paper packages (material for marking ink)	"	0 16 8	—	—
Blue { Prussian	"	9 16 4	—	—
Ultramarine	"	3 1 0	—	—
Brown—				
Purple*	"	0 17 0	—	—
Spanish, or red ochre	"	0 5 2	—	—
Terra de sienna { Burnt	"	2 13 0	—	—
Raw	"	1 4 0	—	—
Umber { Burnt	"	0 19 0	—	—
Common or English	"	0 5 3	—	—
Turkey	"	0 7 3	—	—
Vandyke	"	0 12 6	—	—
Green—				
Brunswick { Dark	"	1 7 6	—	—
Light	"	1 7 6	—	—
Chrome	"	2 2 0	—	—
Emerald†	"	3 12 3	—	—
Verdigris, powdered	"	7 0 0	—	—
Lead (see Lead, dry and ground).				
Litharge (see Litharge).				
Ochre { Red (see Brown, Spanish).				
Yellow { Burnt*	"	2 10 0	—	—
Spruce	"	0 4 1	—	—
Stone, Oxford	"	0 16 6	—	—
Pink, rose*	lb.	0 0 6	—	—
Red { Chinese	cwt.	2 14 0	—	—
Venetian	"	0 7 1	—	—
Vermilion	lb.	0 2 6	—	—
Yellow, chrome { Lemon	cwt.	4 13 6	—	—
Middling tint	"	4 13 6	—	—
Orange	"	4 13 6	—	—
Zinc, white, oxide*	"	1 10 0	—	—
Paint, ground in oil—				
Black { Ivory	lb.	0 0 3½	—	—
Lamp	"	0 0 4	—	—
Blue, ultramarine	"	0 1 2	—	—
Brown { Spanish, or red ochre	"	0 0 2	—	—
Burnt	"	0 0 9	—	—
Terra de sienna { Raw	"	0 0 7	—	—

* No further supplies will be made.

† In the 1879 edition this paint was also separately quoted as "Venetian green."

MISCELLANEOUS STORES.		Rate.						
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
Paint, ground in oil, continued—			£	s.	d.	£	s.	d.
Brown, Umber	{ Burnt	lb.	0	0	6	—	—	—
	{ Common, or English	0	0	3½	—	—	—
	{ Turkey	0	0	6	—	—	—
Green	{ Brunswick { Dark	0	0	3½	—	—	—
	{ Light	0	0	3½	—	—	—
	{ Emerald	0	0	9½	—	—	—
Lead, white (see Lead).								
Magnetic oxide	0	0	2	—	—	—
Ochre, yellow,	{ spruce	0	0	3½	—	—	—
	{ stone, Oxford	0	0	4½	—	—	—
Red	{ Chinese	0	1	0½	—	—	—
	{ Venetian	0	0	2½	—	—	—
	{ Vermilion	0	3	3	—	—	—
Yellow, chrome	{ Lemon	0	1	1	—	—	—
	{ Middling tint	0	1	1	—	—	—
	{ Orange	0	1	1	—	—	—
Zinc, white, oxide		cwt.	1	7	0	—	—	—
Prepared for use—								
Black, lamp		lb.	0	0	4½	—	—	—
Green	{ Brunswick { Dark	0	0	4½	—	—	—
	{ Light	0	0	4½	—	—	—
	{ Emerald	0	0	11	—	—	—
Lead .	{ Colour	0	0	5	—	—	—
	{ White	0	0	5	—	—	—
Magnetic oxide	0	0	3	—	—	—
Red	{ Chinese	0	1	4½	—	—	—
	{ Venetian	0	0	3½	—	—	—
Stone colour	0	0	5	—	—	—
Vermilion	0	3	7	—	—	—
Zinc, white	0	0	6½	—	—	—
Pans, scale, copper—								
With brass chains	{ 28 lbs.	pair	1	0	0	—	—	—
	{ 8	0	12	0	—	—	—
	{ 56	each	0	18	0	—	—	—
With iron chains	{ 28	0	16	0	—	—	—
	{ 14	0	14	0	—	—	—
	{ (see page 481)	0	14	0	—	—	—
Pans, tin, for oil or dubbing		doz.	—	0	12	6	0	13
Paper—								
Brown	{ Common (45 lbs.)	ream	0	14	3	—	—	—
	{ Veterinary, for packing	quire	0	0	6	—	—	—
Cartridge		ream	1	18	11	—	—	—
Glass, coarse, fine, Nos. 1½ and 1, and middling*	0	0	6	—	—	—
Old cuttings		cwt.	0	10	0	—	—	—
White	{ Fine, for balls	quire	0	0	9½	—	—	—
	{ Wrapping	ream	1	0	8	—	—	—
Whited brown	0	5	9	—	—	—
Paraffin, block—								
Black		lb.	0	1	0	—	—	—
White	0	1	0	—	—	—
Paraffin, soft	0	0	7	—	—	—
Pearl ash (see Ash, pearl).								
Photographs—								
Mounted	{ Cabinet size	each	0	1	0	—	—	—
	{ Demi	0	2	6	—	—	—
	{ Quarto	0	1	8	—	—	—
Unmounted	{ Demi	0	2	0	—	—	—
	{ Quarto	0	1	3	—	—	—

* In demanding glass paper the description should be stated.

Section IV.

157

MISCELLANEOUS STORES.	Per	Rate.					
		Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
		£	s.	d.	£	s.	d.
Pins of sorts, for veterinary purposes ..	ounce	0	0	1½	—	—	—
Pitch (average weight per barrel, 2½ cwt.) ..	cwt.	0	6	1	—	—	—
Plant, railway, old—*							
Chairs, with 2 trenails and 2 spikes ..	each	0	3	6	—	—	—
Fish-plates and bolts	set	0	2	9	—	—	—
Rails (72 lbs. per yard)	yard	0	1	7	—	—	—
Sleepers, 9 ft. × 9 inches × 4½ inches ..	each	0	5	0	—	—	—
Plaster of Paris	cwt.	0	2	9	—	—	—
Plates, base, with screws for jack, lifting, hydraulic, Tangye's, to lift 15 tons ..	each	—	—	—	1	1	5
Plates, paper, stencill, marking valises ..	doz.	0	1	3	—	—	—
Poles, wood, hammock, with spreaders ..	set	—	—	—	0	7	7
Polish, French, methyated	gall.	0	9	0	—	—	—
Potash—							
American, black	cwt.	1	9	2	—	—	—
Bichromate	lb.	0	0	9	—	—	—
Caustic	0	1	8	—	—	—
Chlorate	0	0	7½	—	—	—
Prussiate	0	1	1½	—	—	—
Potassium—							
Bromide	0	2	6	—	—	—
Cyanide	0	3	6	—	—	—
Iodide	ounce	0	2	0	—	—	—
Pots—							
Copper, watering { Large	each	0	6	9	—	—	—
{ Small	0	4	6	—	—	—
Tin, hook, quart	0	0	7½	—	—	—
Wood, marking	0	1	9	—	—	—
Powder, emery—							
Coarse	lb.	0	0	1½	—	—	—
Fine, No. 1	0	0	1½	—	—	—
Flour	0	0	1	—	—	—
Kent's, prepared, for knife cleaning ..	pint	0	0	8	—	—	—
Middling	lb.	0	0	1½	—	—	—
Pulleys, differential, Weston's patent—							
With pulleys and sprocket { 4 tons ..	each	7	14	0	—	—	—
wheel, to lift { 3	5	10	0	—	—	—
Without ratchet, to lift—							
8 tons	4	3	0	—	—	—
2	2	17	0	—	—	—
1½	2	10	0	—	—	—
1	2	0	0	—	—	—
12 cwt.	1	13	0	—	—	—
10	1	8	0	—	—	—
5	1	4	0	—	—	—
Pumps, spirit, copper	0	17	6	—	—	—
Putty	lb.	0	0	1	—	—	—
Reels, log line	each	0	4	0	—	—	—
Resin, black..	cwt.	0	6	5	—	—	—
Rivets, copper—							
Half barrels, No. 480, weight per M. 16 lb.							
14 oz.	lb.	0	0	11	—	—	—
{ No. 481, weight per M. 22							
lbs. 12 oz.	0	0	11	—	—	—
Whole barrel { No. 485, weight per M. 19							
lbs. 4 oz.	0	0	11	—	—	—
Half and quarter barrels, No. 486, weight							
per M. 12 lbs. 8 oz.	0	0	11	—	—	—

* For instruction of Cavalry Pioneers.

MISCELLANEOUS STORES.	Rate.							
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Rivets, iron, coopers—			£	s.	d.	£	s.	d.
No. 213, 3 lb. 4 oz., per M., for 1 inch iron hoops	lb.	0 0 3½	—	—	—	—	—	—
No. 214, 8 lb. 8 oz., per M., for 1½ inch and 1½ inch iron hoops	"	0 0 2½	—	—	—	—	—	—
No. 215, 16 lb. 0 oz., per M., for 2 inch iron hoops	"	0 0 2	—	—	—	—	—	—
No. 216, 2½ lb. 0 oz., per M., for 2½ inch iron hoops	"	0 0 2	—	—	—	—	—	—
No. 217, 38 lb. 0 oz., per M., for 3 inch and 4 inch iron hoops	"	0 0 1½	—	—	—	—	—	—
Rooves, copper, or washers for boat nails—								
Round points—								
No. 372, 1 lb. 10 oz. per M., for ½ inch, 1½ inch, and 1½ inch nails	"	0 0 11½	—	—	—	—	—	—
No. 373, 1 lb. 13 oz. per M., for 1½ inch and 2½ inch nails	"	0 0 11½	—	—	—	—	—	—
No. 374, 2 lb. 10 oz. per M., for 2½ inch nails	"	0 0 11½	—	—	—	—	—	—
No. 375, 4 lb. 0 oz. per M., for 3 inch and 3½ inch nails	"	0 0 11½	—	—	—	—	—	—
No. 376, 4 lb. 8 oz. per M., for 3½ inch and 4 inch nails	"	0 0 11½	—	—	—	—	—	—
No. 377, 6 lb. 14 oz. per M., for 4½ inch and 5 inch nails	"	0 0 11½	—	—	—	—	—	—
No. 378, 9 lb. 15 oz. per M., for 5½ inch and 6 inch nails	"	0 0 11½	—	—	—	—	—	—
No. 379, 10 lb. 4 oz. per M., for 6½ inch and 7 inch nails	"	0 0 11½	—	—	—	—	—	—
No. 380, 13 lb. 15 oz. per M., for 7½ inch nails	"	0 0 11½	—	—	—	—	—	—
Square points—								
No. 385, 4 lb. 3 oz. per M., for 1 inch, 1½ inch, and 1½ inch nails	"	0 0 11½	—	—	—	—	—	—
No. 386, 5 lb. 13 oz. per M., for 2 inch and 2½ inch nails	"	0 0 11½	—	—	—	—	—	—
No. 387, 12 lb. 4 oz. per M., for 3 inch and 4 inch nails	"	0 0 11½	—	—	—	—	—	—
Rooves, iron—								
No. 54, 3 lb. 12 oz. per M., for 1 inch, 1½ inch, and 1½ inch nails	"	0 0 7	—	—	—	—	—	—
No. 55, 7 lb. 0 oz. per M., for 2 inch and 2½ inch nails	"	0 0 6	—	—	—	—	—	—
No. 56, 13 lb. 8 oz. per M., for 4 inch nails	"	0 0 6	—	—	—	—	—	—
No. 57, 22 lb. 0 oz. per M., for 6 inch nails	"	0 0 5½	—	—	—	—	—	—
Rope, coir (see Cordage).								
Ropes, scale, weighing, powder, 120 lbs., with gun metal hooks	set	0 17 0	—	—	—	—	—	—
Rowlocks—								
Iron, galvanized { 1 lb. 14 oz.	each	0 1 8	—	—	—	—	—	—
{ 1 " 5 "	"	0 1 2	—	—	—	—	—	—
Gunmetal, with plates, 2 lbs.	"	0 4 2	—	—	—	—	—	—
Sacking, jute, 29 inch	yard	0 0 5	—	—	—	—	—	—
Sacks, coal, 3 bushel—								
Tarred { With beekets	each	0 4 3	—	—	—	—	—	—
{ Without beekets	"	0 3 9	—	—	—	—	—	—
Untarred { With beekets	"	0 4 2	—	—	—	—	—	—
{ Without beekets	"	0 3 6	—	—	—	—	—	—

MISCELLANEOUS STORES.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Sacks, corn—		£ s. d.	£ s. d.	£ s. d.
4 bushels	each	0 1 3	—	—
3 „	„	0 1 0½	—	—
2 „	„	0 0 8½	—	—
Sal-ammoniac—				
Powdered	lb.	0 0 5½	—	—
In lumps	„	0 0 5½	—	—
Salt	cwt.	0 3 0	—	—
Saltpetre—				
Grough	„	—	1 3 10	1 9 7
Refined	„	—	1 7 10	1 14 7
„ ground	„	—	1 10 3	1 17 7
Sand, silver	bushel	0 1 0	—	—
	cwt.	0 1 2	—	—
Sawdust	sack	0 0 8	—	—
	bushel	0 0 2	—	—
Scales, weighing, complete, without weights or triangles—				
Candle, to weigh 28 lbs.	each	1 0 6	—	—
Forage	„	6 14 6	—	—
Gunmetal beams, for powder—				
With boards and ropes, 120 lbs. ..	„	3 9 9	—	—
With brass chains and cop- { 28 lbs.	„	2 5 0	—	—
per pans { 8 „	„	1 3 6	—	—
Iron beams—				
Chains and elm boards { 30 cwt.	„	10 15 0	—	—
	„	7 17 6	—	—
	„	4 12 3	—	—
	„	3 15 0	—	—
	„	2 18 6	—	—
	„	2 5 6	—	—
Copper pans { 28 lbs. } (see page 488)	„	1 8 0	—	—
14 „	„	1 1 0	—	—
Pillar, for groceries, 7 lbs. ..	„	1 5 6	—	—
Spring balance, butchers—				
336 lbs. to 1 lb.	„	0 14 9	—	—
200 „ 1 „ } (see Balances, page 461)	„	0 8 3	—	—
80 „ ½ „	„	0 8 3	—	—
40 „ ¼ „	„	0 8 0	—	—
Tin scoop with beams, chains, and copper pan, for flour—				
56 lbs.	„	1 16 0	—	—
28 „	„	1 1 0	—	—
14 „	„	0 17 6	—	—
Scissors—				
9 inch, or tailors (see page 127) ..	pair	0 1 4	—	—
7 „ „ laboratory, small. ..	„	0 0 7½	—	—
5 „ „ mat makers	„	0 2 6	—	—
Lamp, with guard	„	0 1 0½	—	—
Womens	„	0 0 7	—	—
Scoops—				
Copper { 1 quart	each	0 3 6	—	—
1 pint	„	0 2 8	—	—
Tin, 2 quarts, flour (see page 481) ..	„	0 0 11	—	—
Scrapers, deck, triangular. ..	„	0 1 1½	—	—
Screws, brass, flat head, Nettlefold's—				
Fine—				
3 inch, gauge 16	gross	0 6 9	—	—
2½ „ „ 14	„	0 5 3	—	—
2½ „ „ 14	„	0 4 10	—	—

Section IV.

MISCELLANEOUS STORES.										Contract Rate.			
screws, brass, flat head, Nettlefold's, continued—										£	s.	d.	
Fine—													
2½	inch	gauge	13	gross	0	4	0
2	"	"	13	"	0	3	5
1½	"	"	12	"	0	2	9
1½	"	"	11	"	0	2	2½
1½	"	"	10	"	0	1	8½
1	"	"	8	"	0	1	2
¾	"	"	8	"	0	1	2
¾	"	"	7	"	0	0	10
¾	"	"	6	"	0	0	8½
¾	"	"	6	"	0	0	7½
¾	"	"	3	"	0	0	6½
¾	"	"	3	"	0	0	6
Middling—													
3	inch,	"	16..	"	0	6	8
2½	"	"	16..	"	0	6	3
2½	"	"	16..	"	0	5	9
2	"	"	14..	"	0	3	10
1½	"	"	14..	"	0	3	4
1½	"	"	13..	"	0	2	8
1½	"	"	13..	"	0	2	3½
1	"	"	12..	"	0	1	9
¾	"	"	11..	"	0	1	6
¾	"	"	10..	"	0	1	2
¾	"	"	9..	"	0	0	11
¾	"	"	9..	"	0	0	10
¾	"	"	7..	"	0	0	10
Strong—													
3	inch,	gauge	24..	"	0	12	7
2½	"	"	24..	"	0	11	10
2½	"	"	22..	"	0	9	7
2	"	"	22..	"	0	7	9
1½	"	"	20..	"	0	5	4
1½	"	"	18..	"	0	3	11
1	"	"	16..	"	0	2	8
¾	"	"	14..	"	0	2	1½
¾	"	"	13..	"	0	1	7½
¾	"	"	13..	"	0	1	6½
screws, copper, flathead, Nettlefold's—													
Fine—													
3	inch,	gauge	16	"	0	11	2
2½	"	"	14	"	0	9	6
2½	"	"	14	"	0	8	0
2½	"	"	13	"	0	6	8
2	"	"	13	"	0	6	7
1½	"	"	12	"	0	4	10
1½	"	"	11	"	0	3	10
1½	"	"	10	"	0	3	0
1	"	"	8	"	0	2	0
¾	"	"	8	"	0	2	0
¾	"	"	7	"	0	1	6
¾	"	"	6	"	0	1	2½
¾	"	"	6	"	0	0	11
¾	"	"	3	"	0	0	11
¾	"	"	3	"	0	0	11
Middling—													
3	inch,	gauge	16..	"	0	11	2
2½	"	"	16..	"	0	10	3
2½	"	"	16..	"	0	9	6
2	"	"	14..	"	0	6	6
1½	"	"	14..	"	0	5	11
1½	"	"	13..	"	0	4	8

Section IV.

161

MISCELLANEOUS STORES.											Contract Rate.			
Screws, copper, flathead, Nettlefold's, continued—												£	s.	d.
Middling—														
1½	inch,	gauge	13..	gross	0	4	0	
1	"	"	12..	"	0	3	9	
¾	"	"	11..	"	0	3	6	
¾	"	"	10..	"	0	3	0	
¾	"	"	9..	"	0	2	9	
¾	"	"	9..	"	0	2	6	
¾	"	"	7..	"	0	1	1	
Strong—														
3½	inch,	gauge	28..	"	1	16	0	
3	"	"	24..	"	1	0	10	
2½	"	"	24..	"	1	0	0	
2½	"	"	22..	"	0	18	0	
2	"	"	22..	"	0	13	8	
1½	"	"	20..	"	0	9	6	
1½	"	"	18..	"	0	6	11	
1	"	"	16..	"	0	4	9	
¾	"	"	14..	"	0	3	9	
¾	"	"	13..	"	0	2	11	
¾	"	"	13..	"	0	2	3	
Screws, iron, flathead, Nettlefold's—														
Fine—														
3½	inch,	Book No.	516,	gauge	18	"	0	2	10	
3½	"	"	515	"	16	"	0	2	3	
3	"	"	514	"	16	"	0	1	10	
2½	"	"	513	"	14	"	0	1	5	
2½	"	"	512	"	14	"	0	1	3½	
2½	"	"	511	"	13	"	0	1	1	
2	"	"	510	"	13	"	0	0	11½	
1½	"	"	509	"	12	"	0	0	9	
1½	"	"	508	"	11	"	0	0	8	
1½	"	"	507	"	10	"	0	0	6½	
1	"	"	506	"	8	"	0	0	5	
¾	"	"	505	"	8	"	0	0	5	
¾	"	"	504	"	7	"	0	0	4½	
¾	"	"	503	"	6	"	0	0	3½	
¾	"	"	502	"	6	"	0	0	3½	
¾	"	"	501	"	3	"	0	0	2½	
¾	"	"	500	"	3	"	0	0	2½	
Middling—														
5	inch,	Book No.	535,	gauge	24	"	0	7	0	
4	"	"	534	"	20	"	0	3	8	
3½	"	"	533	"	20	"	0	3	5	
3	"	"	532	"	16	"	0	1	10	
2½	"	"	531	"	16	"	0	1	7½	
2½	"	"	530	"	16	"	0	1	6	
2	"	"	529	"	14	"	0	1	1	
1½	"	"	528	"	14	"	0	0	11½	
1½	"	"	527	"	13	"	0	0	9	
1½	"	"	526	"	13	"	0	0	8	
1	"	"	525	"	12	"	0	0	6½	
¾	"	"	524	"	11	"	0	0	6	
¾	"	"	523	"	10	"	0	0	4½	
¾	"	"	522	"	9	"	0	0	4½	
¾	"	"	521	"	9	"	0	0	4½	
¾	"	"	520	"	7	"	0	0	3½	
Strong—														
3½	inch,	Book No.	550,	gauge	28	"	0	6	0	
3	"	"	549	"	24	"	0	3	8	
2½	"	"	548	"	24	"	0	3	3	
2½	"	"	547	"	22	"	0	2	4	
2	"	"	546	"	22	"	0	2	0	

(v.s.)

I.

MISCELLANEOUS STORES.										Contract Rate.			
Screws, iron, flathead, Nettlefold's, continued—											£	s.	d.
Strong—													
1½ inch, Book No. 545	gauge 20	gross		0	1	6	
1¼ " " " 544	" 18	"		0	1	2	
1 " " " 543	" 16	"		0	0	10	
¾ " " " 542	" 14	"		0	0	8	
¾ " " " 541	" 13	"		0	0	6½	
¾ " " " 540	" 13	"		0	0	6½	
Screws, iron, round head, Nettlefold's—													
Middling—													
4 inch, gauge 20	"		0	3	1	
3½ " " " 20	"		0	3	0	
3 " " " 16	"		0	1	7½	
2½ " " " 16	"		0	1	5½	
2½ " " " 16	"		0	1	3½	
2 " " " 14	"		0	0	11	
1½ " " " 14	"		0	0	9½	
1½ " " " 13	"		0	0	8	
1¼ " " " 13	"		0	0	7	
1 " " " 12	"		0	0	5½	
¾ " " " 11	"		0	0	5	
¾ " " " 10	"		0	0	4½	
¾ " " " 9	"		0	0	4	
¾ " " " 9	"		0	0	3½	
Screws, iron galvanized, with washers—													
3 inch	(see page 516).	{	"	0	15	0	
2½ " "									"	0	15	0	
Sculls—													
Ash	12 feet	foot		0	1	1	
	11 " "	"		0	1	1	
	10 " "	"		0	1	1	
	8 " "	"		0	1	1	
	6 " "	"		0	1	1	
Fir	14 feet	"		0	0	10	
	12 " "	"		0	0	10	
	11 " "	"		0	0	10	
	10 " "	"		0	0	10	
Shalloon—													
Blue	yard		0	1	4	
Red	"		0	1	4	
White	"		0	1	4	
Yellow	"		0	1	4	
Sheers, portable, complete, to lift 40 tons										set	655	0	0
Shellac—													
Brown	lb.		0	1	1½	
Orange	"		0	1	1½	
Shoes, horse—													
Artillery—													
No. 4	Fore	pair		0	0	9	
	Hind			0	0	9½	
No. 4a, Hind		"		0	1	0	
No. 5	Fore	"		0	0	11½	
	Hind			0	1	0	
No. 5A, Hind		"		0	1	0	
No. 6	Fore	"		0	1	2	
	Hind			0	1	3	
Cavalry—													
No. 1	Fore	"		0	0	6½	
	Hind			0	0	7½	
No. 2	Fore	"		0	0	7½	
	Hind			0	0	9	
No. 3	Fore	"		0	0	10	
	Hind			0	0	10	

Section IV.

163

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shoes, mule—		£ s. d.	£ s. d.	£ s. d.
Fore	cwt.	1 13 6	—	—
Hind	"	1 13 6	—	—
Shovels—				
Coal, flat	each	0 2 5½	—	—
Coal-heavers		0 3 6	—	—
Coal pan		0 2 9	—	—
Coal, square, D handled		0 2 1½	—	—
Copper { Large } (see page 381) ..	"	0 3 2	—	—
{ Small }		0 2 10	—	—
Wood { Corn } (see page 489) ..		0 4 5	—	—
{ Potato }		0 2 6	—	—
Size, gold (see Varnish, japan).				
Snuffers, gunmetal	each	0 2 6	—	—
Soap—				
Mottled	cwt.	1 12 0	—	—
Soft—				
In iron drums* { 1 cwt. .. }	"	0 15 0	—	—
{ ½ " .. }				
{ ¼ " .. }				
In kegs† { 112 lbs. { Fir }	"	0 17 0	—	—
{ Oak }		0 19 9	—	—
{ 56 " { Fir }		0 17 3	—	—
{ Oak }		1 0 9	—	—
{ 28 " { Fir }		0 17 6	—	—
{ Oak }		1 3 0	—	—
White, in iron drums*	cwt.	0 12 0	—	—
Windsor	lb.	0 1 2	—	—
Yellow, best	cwt.	1 5 8	—	—
Soda—				
Acetate of	lb.	0 0 10	—	—
Bi-carbonate of	"	0 0 6	—	—
Carbonate, dry	"	0 0 8	—	—
Common	cwt.	0 4 6	—	—
Phosphate of	lb.	0 1 0	—	—
Solder—				
Plumbers	"	0 0 4½	—	—
Tinmans	"	0 0 6	—	—
Solution, soldering (chloride of zinc) ..	gall.	0 5 0	—	—
Spanners, steel, hydraulic jack (Tangye's)				
with tommy	each	—	0 16 6	0 18 2
Spelter—				
Brass	lb.	0 0 9½	—	—
Copper	"	0 1 0	—	—
Zinc	cwt.	0 19 0	—	—
Spikes, marline, sailmakers—				
Iron, 12 inch	each	0 0 6	—	—
Wood	"	0 2 3	—	—
Well steeled { 2½ lb. }	"	0 0 8½	—	—
{ 1½ " }		0 0 5	—	—
Stamps—				
Brass or gunmetal, on wood, for marking				
buff leather—				
¼ inch—				
Figures { Sets (0 to 8) }	set	0 4 8	—	—
{ Single }	each	0 0 6½	—	—
Letters { 1 letter }	"	0 0 4	—	—
{ 2 " }	"	0 0 8	—	—

* Drums supplied from store. For prices of drums, see page 143.

† Price of kegs included.

MISCELLANEOUS STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Stamps, continued—		£ s. d.	£ s. d.	£ s. d.
Brass or gunmetal, on wood, for marking				
buff leather—				
$\frac{1}{4}$ inch—				
Letters { 3 letters..	each	0 1 0	—	—
4	"	0 1 4	—	—
Type-holder { Figures, single	"	0 0 4 $\frac{1}{2}$	—	—
Letters	"	0 0 4 $\frac{1}{2}$	—	—
$\frac{1}{8}$ inch—				
Letters, single	"	0 0 4	—	—
Copper, inlaid, $\frac{1}{4}$ inch—				
Figures { Sets (0 to 8)..	set	0 5 3	—	—
Single	each	0 0 7	—	—
Letters { 1 letter	"	0 0 9	—	—
2 "	"	0 1 6	—	—
3 "	"	0 2 3	—	—
4 "	"	0 2 9	—	—
Type-holder { Figures, single	"	0 0 6	—	—
Letters "	"	0 0 6	—	—
Iron, for leather or wood—				
$\frac{1}{4}$ inch—				
Figures { Sets (0 to 8)	set	0 1 9	—	—
Single	each	0 0 2 $\frac{1}{2}$	—	—
Letters { 1 letter	"	0 0 3	—	—
2 "	"	0 0 8	—	—
3 "	"	0 1 0	—	—
4 "	"	0 1 4	—	—
$\frac{1}{8}$ inch—				
Figures { Sets (0 to 8)	set	0 1 7	—	—
Single	each	0 0 2 $\frac{1}{2}$	—	—
Letters { 1 letter	"	0 0 3	—	—
2 "	"	0 0 8	—	—
3 "	"	0 1 0	—	—
4 "	"	0 1 4	—	—
Steel—				
For iron, W.D. { $\frac{1}{4}$ inch	"	0 1 0	—	—
$\frac{3}{8}$ "	"	0 1 0	—	—
$\frac{1}{2}$ "	"	0 1 0	—	—
$\frac{5}{8}$ "	"	0 1 3	—	—
$\frac{1}{4}$ inch—				
Letters, single	"	0 0 2 $\frac{1}{2}$	—	—
$\frac{1}{8}$ inch—				
Letters, single	"	0 0 2 $\frac{1}{2}$	—	—
$\frac{1}{2}$ inch—				
Figures { Sets (0 to 8)	set	0 1 3	—	—
Single	each	0 0 2	—	—
Letters—				
Set	set	0 3 9	—	—
1 letter	each	0 0 2	—	—
2 "	"	0 0 8	—	—
3 "	"	0 1 0	—	—
4 "	"	0 1 4	—	—
Staples, iron—				
Lashing { Common	100	—	0 2 6	0 2 9
{ With plates { Double	"	1 8 6	—	—
Single	"	0 18 6	—	—
Treble	"	1 18 0	—	—
Round crowned { Large	"	—	0 4 2	0 4 7
Middling	"	—	0 2 7	0 2 10
Small	"	—	0 1 8	0 1 10
Staves—				
Boat-hook { 18 feet..	foot	0 0 4	—	—
16 "	"	0 0 4	—	—
14 "	"	0 0 3 $\frac{1}{2}$	—	—

Section IV.

165

MISCELLANEOUS STORES.	Per	Rat.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Staves, continued—		£ s. d.	£ s. d.	£ s. d.	
Boat-hook { 12 feet.. .. .	foot	0 0 3½	—	—	
" { 10 "	"	0 0 3½	—	—	
Constables, common.. .. .	each	0 1 6	—	—	
Steel—					
Blister { Flat	cwt.	0 18 7	—	—	
" { Square	"	0 16 6	—	—	
{ Bolt or round	"	1 10 0	—	—	
" { Flat	"	1 12 6	—	—	
" { Hexagonal	"	1 14 0	—	—	
Cast { Octagonal	"	1 11 10	—	—	
" { Plate.. .. .	"	1 14 0	—	—	
" { Round edge	"	1 14 3	—	—	
" { Square	"	1 10 0	—	—	
Old scrap (market rates).					
{ Bolt	"	1 6 3	—	—	
Shear { Flat	"	1 9 9	—	—	
" { Plate	"	1 14 0	—	—	
" { Square	"	1 10 4	—	—	
Spring, flat	"	0 13 0	—	—	
Tincture of	lb.	0 2 0	—	—	
Sticks, fencing, ash, plain.. .. .	each	0 0 2½	—	—	
Stone—					
Pumice	cwt.	0 18 3	—	—	
Rotten	lb.	0 0 1½	—	—	
Stones, grind,* Yorkshire, fine grit—					
36 inches × 4 inches	each	0 14 3	—	—	
30 " " 4 "	"	0 7 8	—	—	
24 " " 4 "	"	0 4 8	—	—	
Straw, wheat, thatching†	ton	3 3 3	—	—	
Sulphur—					
Grough	cwt.	—	0 6 11	0 8 7	
Refined	"	—	0 13 9	0 17 1	
Sublimed	"	—	1 16 3	2 5 0	
Surplices, linen, chaplains‡	each	1 5 2	—	—	
Syphons, copper, large	"	0 13 0	—	—	
Tallow, Russian	cwt.	2 1 3	—	—	
Tannin	lb.	0 12 0	—	—	
Tape, white, fine linen, ½ inch§	piece	0 0 5½	—	—	
Taps, gunmetal—					
Large.. .. .	each	0 6 6	—	—	
Middling	"	0 4 6	—	—	
Small.. .. .	"	0 2 8	—	—	
Tar—					
Coal (25 gallons to a barrel)	barrel	0 3 6	—	—	
Stockholm (25 gallons to a barrel)	"	0 18 8	—	—	
Tarpaulins—					
30 feet × 30 feet	each	6 17 0	—	—	
30 " " 20 "	"	4 15 0	—	—	

* Stones of 30 and 24 inches are supplied with iron troughs, handles and spindles, which are, however, to be demanded separately.

† For instruction of Cavalry Pioneers. Future supplies will be obtained from Commissariat Department.

‡ In demanding surplices the chaplain's height should be stated.

§ For Veterinary purposes—9 yards in a piece.

Section IV.

MISCELLANEOUS STORES.										Contract Rate.		
Tarpaulins, continued—										£	s.	d.
30 feet × 16 feet	each	3	16	0
30 " " 12 " "	"	2	17	0
*30 " " 15 " "	"	3	11	3
*28 " " 11 " "	"	2	9	7
*27 " " 14 " "	"	2	19	10
*27 " " 10 " "	"	2	2	9
*26 " " 13 " "	"	2	13	6
24 " " 18 " "	"	3	8	5
*24 " " 13 " "	"	2	9	5
*23 " " 11 " "	"	2	0	0
22 " " 12 " "	"	2	2	8
*21 " " 13 " "	"	2	3	3
*21 " " 12 " "	"	1	19	11
*21 " " 11 " "	"	1	16	7
*20 " " 18 " "	"	2	17	0
20 " " 16 " "	"	2	10	8
20 " " 10 " "	"	1	11	8
*19 " " 11 " "	"	1	13	1
*18 " " 15 " "	"	2	2	9
*18 " " 12 " " 6 inches	"	1	15	8
*18 " " 12 " "	"	1	14	3
*18 " " 11 " "	"	1	11	5
*17 feet 6 inches × 12 feet	"	1	13	3
*16 " 6 " " 12 " 6 inches	"	1	12	8
*16 " 6 " " 11 " 6 "	"	1	10	0
*15 " 0 " " 11 " "	"	1	6	2
*15 " 0 " " 10 " 6 inches	"	1	5	0
15 " 0 " " 10 " "	"	1	3	9
*14 " 0 " " 12 " "	"	1	6	8
*14 " 0 " " 8 " "	"	0	17	9
13 " 0 " " 11 " 6 inches	"	1	3	8
13 " 0 " " 10 " "	"	1	0	7
*12 " 0 " " 12 " "	"	1	2	10
12 " 0 " " 10 " "	"	0	19	0
11 " 9 " " 10 " 6 inches	"	0	19	6
11 " 0 " " 9 " "	"	0	15	9
*11 " 0 " " 8 " "	"	0	14	0
10 " 0 " " 6 " "	"	0	10	9
8 " 6 " " 7 " "	"	0	10	8
*6 " 3 " " 5 " 6 inches	"	0	6	3
Timbales, iron—												
Rope { Large	"	0	0	2½
Small	"	0	0	1½
Sail, galvanized—												
4½ inch	"	0	0	8
4 " "	"	0	0	7
3½ " "	"	0	0	6
3 " "	"	0	0	5
2½ " "	"	0	0	4
2½ " "	"	0	0	3
1½ " "	"	0	0	2
1 " "	"	0	0	2
Tackle hook—												
Galvanized—												
1 lb. 8 ozs.	"	0	0	5
1 " 0½ "	"	0	0	3½
6 ozs.	"	0	0	1½
2½ "	"	0	0	1
2 "	"	0	0	1
0½ "	"	0	0	0½

* For War Department vessels.

Section IV.

167

MISCELLANEOUS STORES.										Contract Rate.			
Thimbles, iron, continued—													
Tackle hook—												£ s. d.	
Ungalvanized—													
1 lb. 8 ozs.	each	0	0	3½		
1 „ 0½ „	„	0	0	2½		
6 ozs.	„	0	0	1½		
2½ „	„	0	0	1		
2 „	„	0	0	0½		
0½ „	„	0	0	0½		
Thread—													
Black, 2 cord *	lb.	0	3	6		
Dutch, 2 thread	„	0	1	3		
Flax, sewing, white *	„	0	2	6		
Packing {	Large	„	0	0	6		
	Middling	„	0	0	6½		
	Small	„	0	0	7		
Timber—													
Ash, English—													
In the log, rough, round	{ load of 50 cub. feet	5	5	6		
Plank—													
8 inch	ft. sup	0	2	4		
7½ „	„	0	2	2		
7 „	„	0	2	1		
6½ „	„	0	1	11		
6 „	„	0	1	9		
5½ „	„	0	1	7½		
5 „	„	0	1	6		
4½ „	„	0	1	4		
4 „	„	0	1	2		
3½ „	„	0	1	0		
3 „	„	0	0	10½		
2½ „	„	0	0	9		
2 „	„	0	0	7		
1½ „	„	0	0	5½		
1½ „	„	0	0	4		
1 „	„	0	0	3½		
¾ „	„	0	0	3		
¾ „	„	0	0	2		
Scantling, in sizes										ft. cub	0	4	6
Beech, English—													
In the log, rough, round	{ load of 50 cub. feet	8	12	0		
Plank—													
6 inch	ft. sup	0	1	3		
5½ „	„	0	1	1½		
5 „	„	0	1	0		
4½ „	„	0	0	11		
4 „	„	0	0	10		
3½ „	„	0	0	8½		
3 „	„	0	0	7½		
2½ „	„	0	0	6		
2 „	„	0	0	5		
1½ „	„	0	0	4		
1½ „	„	0	0	3½		
1 „	„	0	0	2½		
¾ „	„	0	0	2		
¾ „	„	0	0	1½		
Scantling, in sizes										ft. cub	0	2	9

* For stitching accoutrements.

Section IV.

MISCELLANEOUS STORES.										Contract Rate.			
Timber, continued—											£	s.	d.
Boxwood									ton	16	0	0	
Cedar	{ In the log								ft.cub	0	6	0	
	{ Plank in the inch								ft.sup	0	0	6	
	{ Scantling, in sizes								ft.cub	0	9	6	
Deals—													
American yellow pine—													
3	inch	× 20	inch	ft.run	0	1	3	
3	"	"	19	"	"	0	1	2	
3	"	"	18	"	"	0	1	1½	
3	"	"	17	"	"	0	1	0½	
3	"	"	12	"	"	0	0	9	
2½	"	"	12	"	"	0	0	7½	
2	"	"	12	"	"	0	0	6	
1½	"	"	12	"	"	0	0	4½	
1½	"	"	12	"	"	0	0	4	
1	"	"	12	"	"	0	0	3	
¾	"	"	12	"	"	0	0	2½	
¾	"	"	12	"	"	0	0	2	
¾	"	"	12	"	"	0	0	1	
¾	"	"	11	"	"	0	0	8	
2½	"	"	11	"	"	0	0	7	
2	"	"	11	"	"	0	0	6	
1½	"	"	11	"	"	0	0	4½	
1½	"	"	11	"	"	0	0	4	
1	"	"	11	"	"	0	0	3	
¾	"	"	11	"	"	0	0	2½	
¾	"	"	11	"	"	0	0	2	
¾	"	"	11	"	"	0	0	1	
Baltic, yellow—													
3	inch	× 11	inch	"	0	0	6½	
2½	"	"	11	"	"	0	0	5½	
2	"	"	11	"	"	0	0	4½	
1½	"	"	11	"	"	0	0	3½	
1½	"	"	11	"	"	0	0	3	
1	"	"	11	"	"	0	0	2½	
¾	"	"	11	"	"	0	0	2	
¾	"	"	11	"	"	0	0	1½	
¾	"	"	11	"	"	0	0	1	
¾	"	"	9	"	"	0	0	5	
2½	"	"	9	"	"	0	0	4½	
2	"	"	9	"	"	0	0	3½	
1½	"	"	9	"	"	0	0	2½	
1½	"	"	9	"	"	0	0	2½	
1	"	"	9	"	"	0	0	2	
¾	"	"	9	"	"	0	0	1½	
¾	"	"	9	"	"	0	0	1	
¾	"	"	9	"	"	0	0	0½	
White—													
3	inch	× 11	inch	"	0	0	3½	
2½	"	"	11	"	"	0	0	3	
2	"	"	11	"	"	0	0	2½	
1½	"	"	11	"	"	0	0	2½	
1½	"	"	11	"	"	0	0	2	
1	"	"	11	"	"	0	0	2	
¾	"	"	11	"	"	0	0	1½	
¾	"	"	11	"	"	0	0	1	
¾	"	"	11	"	"	0	0	1	
¾	"	"	9	"	"	0	0	3	
2½	"	"	9	"	"	0	0	2½	
2	"	"	9	"	"	0	0	2	
1½	"	"	9	"	"	0	0	2	
1½	"	"	9	"	"	0	0	1½	

Section IV.

169

MISCELLANEOUS STORES.										Contract Rate.		
Timber, continued—										£	s.	d.
Deals—												
White—												
1 inch × 9 inch	ft.run		0	0	1½
¾ " " 9 "	"		0	0	1½
¾ " " 9 "	"		0	0	1
¾ " " 9 "	"		0	0	1
Feather edge	"		0	0	1
Elm—												
American—												
In the log	{ load of 50 cu. ft.		5	2	3
Plank, in the inch	ft.sup		0	0	3½
Scantling, in sizes	ft.cub		0	4	6½
English—												
In the log, rough hewn	{ load of 50 cu. ft.		2	6	6
Plank—												
9 inch	ft.sup		0	1	6
8½ "	"		0	1	5
8 "	"		0	1	4
7½ "	"		0	1	3
7 "	"		0	1	2
6½ "	"		0	1	1
6 "	"		0	1	0
5½ "	"		0	0	11
5 "	"		0	0	10
4½ "	"		0	0	9
4 "	"		0	0	8
3½ "	"		0	0	7
3 "	"		0	0	6
2½ "	"		0	0	5
2 "	"		0	0	4
1½ "	"		0	0	3
1½ "	"		0	0	2½
1 "	"		0	0	2
¾ "	"		0	0	1½
¾ "	"		0	0	1
Scantling in sizes	ft.cub		0	2	9
Fir, Baltic—												
Red or yellow baulk, dock measure	"		0	2	9
In the log { Best middling	{ load of 50 cu. ft.		4	12	6
Crown			5	0	0
Plank—												
6 inch	ft.sup		0	1	3
5½ "	"		0	1	2
5 "	"		0	1	0½
4½ "	"		0	0	11½
4 "	"		0	0	10
3½ "	"		0	0	9
3 "	"		0	0	7½
2½ "	"		0	0	6½
2 "	"		0	0	5
1½ "	"		0	0	4
1½ "	"		0	0	3
1 "	"		0	0	2½
¾ "	"		0	0	2
¾ "	"		0	0	1½
Scantling in sizes	ft.cub		0	2	9
Hornbeam { Plank, in the inch										0	0	3½
Scantling, in sizes	ft.cub		0	5	0

Section IV.

MISCELLANEOUS STORES.										Contract Rate.			
Timber, continued—											£	s.	d.
Iron bark	{	In the log	ft.cub	0	4	6		
		Plank in the inch	ft.sup	0	0	7		
		Scantling, in sizes	ft.cub	0	7	6		
Laths for plastering, bundle of 500 feet running—													
Double	bundle	0	3	6		
Lath and half	"	0	2	9		
Single	"	0	1	10		
Lignum vitae	ton	12	0	0		
Mahogany	{	In the log	ft.cub	0	5	0		
		Plank, in the inch	ft.sup	0	0	6½		
		Scantling, in sizes	ft.cub	0	7	6		
Oak—													
African	{	In the log	"	0	4	6		
		Plank, in the inch	ft.sup	0	0	6		
		Scantling, in sizes	ft.cub	0	8	0		
English—													
In the log	{	Rough hewn	{	load of 50 cub.ft.	3	15	0	
		For crooks			4	0	0	
Plank—													
10 inch	ft.sup	0	3	11		
9½ "	"	0	3	8		
9 "	"	0	3	6		
8½ "	"	0	3	4		
8 "	"	0	3	2		
7½ "	"	0	3	0		
7 "	"	0	2	11		
6½ "	"	0	2	6		
6 "	"	0	2	4		
5½ "	"	0	2	2		
5 "	"	0	2	0		
4½ "	"	0	1	9		
4 "	"	0	1	6		
3½ "	"	0	1	5		
3 "	"	0	1	2		
2½ "	"	0	0	11		
2 "	"	0	0	9		
1½ "	"	0	0	6		
1½ "	"	0	0	5		
1 "	"	0	0	4		
¾ "	"	0	0	3		
½ "	"	0	0	2		
Rails, arras, 9 feet 6 inches long (section 8½ inch × 6 inch × 6 inch)										each	0	5	0
Scantling in sizes										ft.cub	0	5	6
Pine, Kauri—													
In the log	{	{	load of 50 cub.ft.	8	6	0	
			
Plank, in the inch										ft.sup	0	0	4½
Scantling, in sizes										ft.cub	0	5	6
Planks	{	Bridging service	14 feet × 9 inches × 1½ or 2 inches	each	0	3	6		
			14 " × 6 " × 1½ " 2 "	"	0	2	6		
			12 " × 8 " × 4 inches	"	0	5	10		
			12 " × 9 " × 2½ or 3 inches	"	0	4	9		
			10 " × 12 " × 1½ inch	"	0	3	6		
Flooring,* 10 feet × 9 inches × 1½ inch										..	0	2	9
Planks, model bridging, 3 feet 6 inches × 3 inches × ½ inch										..	0	0	1½
In the log	{	{	cub.ft.	0	5	6	
			
Sabion													
{	{	Plank, in the inch	ft.sup	0	0	6		
		Scantling, of sizes	ft.cub	0	8	3		

* For bridging purposes.

MISCELLANEOUS STORES.						Contract Rate.		
Timber, continued—						£	s.	d.
Spars, bridging, model—								
8 feet 9 inches long, diameter at butt	2½ inches, tip	1½ inch..	each			0	0	6
7 " 6 " " " " "	2½ " " "	1½ " " "	"			0	0	6
7 " 6 " " " " "	1½ " " "	1½ " " "	"			0	0	6
6 " 3 " " " " "	2 " " "	2 " " "	"			0	0	6
5 " 6 " " " " "	1½ " " "	1½ " " "	"			0	0	6
5 " 0 " " " " "	1½ " " "	1½ " " "	"			0	0	3
3 " 9 " " " " "	2½ " " "	2½ " " "	"			0	0	3
3 " 9 " " " " "	1½ " " "	1½ " " "	"			0	0	3
1½ inch to 1 inch diameter at tip	{ 50 ft. run. }		0	3	0
Spars, bridging, service—								
50 feet long, diameter at tip	4 inches	each		1	6	6
35 " " " " " "	diameter at butt	10 inches, tip	6 inches..	"		1	0	9
35 " " " " " "	mean diameter	8 inches	"		1	1	0
30 " " " " " "	diameter at butt	12 inches, tip	8 inches ..	"		1	10	10
30 " " " " " "	" " "	10 " "	6 " "	"		1	0	9
30 " " " " " "	" " "	6 " "	6 " "	"		0	12	0
25 " " " " " "	" " "	10 " "	7 " "	"		0	19	9
25 " " " " " "	" " "	8 " "	8 " "	"		0	15	8
24 " " " " " "	diameter at tip	7 inches	"		0	16	0
22 " " " " " "	diameter at butt	9 to 10 inches, tip	7 inches ..	"		0	18	8
22 " " " " " "	" " "	6 " "	6 " "	"		0	8	9
20 " " " " " "	" " "	6 " "	6 " "	"		0	8	1
20 " " " " " "	" " "	5 " "	3½ " "	"		0	4	4
20 " " " " " "	" " "	3 " "	3 " "	"		0	3	4
20 " " " " " "	mean diameter	3 to 6 inches	"		0	4	4
16 " " " " " "	diameter at butt	9 inches, tip	9 inches ..	"		0	18	2
16 " " " " " "	" " "	7 " "	7 " "	"		0	15	8
16 " " " " " "	" " "	6 " "	6 " "	"		0	6	0
16 " " " " " "	mean diameter	4 inches	"		0	3	9
16 " " " " " "	" " "	3 or 4 inches	"		0	3	6
15 " " " " " "	diameter at butt	10 inches, tip	10 inches ..	"		0	15	8
15 " " " " " "	" " "	6 " "	6 " "	"		0	5	7
15 " " " " " "	mean diameter	4 inches	"		0	3	6
14 " " " " " "	" " "	8 or 9 inches	"		0	13	2
12 " " " " " "	" " "	5 inches	"		0	3	11
Slight or poles	ft.run		0	0	1
Spars, for sheers and derricks								
{ From 19 inches diameter to 22 inches						ft.cub		
{ 16 " " " " " "						"		0 4 3
{ 13 " " " " " "						"		0 3 6
{ 10 " " " " " "						"		0 3 0
{ 12 " " " " " "						"		0 2 6
Splinter proof, model	each		0	0	0½
{ Memel, 3 inches						"		0 3 0
{ Quebec { Double						"		0 2 5
{ Single						"		0 1 0
{ In the log..						ft.cub		0 5 10
{ Plank, in the inch						ft.sup		0 0 8
{ Scantling, in sizes						ft.cub		0 8 9
Uphirs, Norway	ft.run		0	0	2
{ In the log ..						ft.cub		0 6 9
{ Plank, in the inch ..						ft.sup		0 0 9
Walnut, plank—								
6 inch	ft.sup		0	3	11
5 " "	"		0	3	3
4 " "	"		0	2	7
3 " "	"		0	1	11½
2 " "	"		0	1	3½
1 " "	"		0	0	8
½ " "	"		0	0	6
{ Convertible						{ cords of 108 cub.ft }		3 0 0
{ Refuse						"		1 18 0
{ Slab, for dunnage						"		2 10 0

MISCELLANEOUS STORES.		Rate.							
		Per	Contract.		No. 1 Balance Sheet.		No. 2 Balance Sheet.		
Tin—			£	s.	d.	£	s.	d.	
Grain.. .. .		lb.	0	0	11½	—	—	—	
Ingot or block		"	0	0	10½	—	—	—	
Plates, charcoal, 18 inch x 15 inch, No. 33		100	1	3	9	—	—	—	
Sheets	{ double	{ x	1	4	0	—	—	—	
		{ x x	1	6	0	—	—	—	
		{ x x x	1	11	0	—	—	—	
		{ x x x x	2	1	0	—	—	—	
	{ single	{ x	225	1	5	0	—	—	
		{ x x	"	1	10	0	—	—	
		{ x x x	"	1	15	0	—	—	
		{ x x x x	"	2	0	0	—	—	
		Tow, for veterinary purposes—							
		Coarse	cwt.	0	14	0	—	—	—
Fine	"	1	9	0	—	—	—		
Treacle		lb.	0	0	2	—	—	—	
Triangles, iron, for scales—									
30 cwt.	each	1	8	6	—	—	—		
20 "	"	1	2	0	—	—	—		
10 "	"	0	17	0	—	—	—		
5 "	"	0	17	0	—	—	—		
Tripoli		lb.	0	3	0	—	—	—	
Troughs, cast-iron—									
Grindstone, 30 and 24 inch, complete, with handle, legs, and spindle		each	—			0 18 8	0 19 0		
Single, armourers		"	1	13	6	—	—	—	
Trumpets, speaking—									
Large.. .. .	"	0	10	0	—	—	—	—	
Middling	"	0	7	6	—	—	—	—	
Small	"	0	5	0	—	—	—	—	
Turpentine, spirits of* (13 gallons = 1 cwt.)		gall.	0	2	7	—	—	—	
Twine—									
Baling, 3-thread	{ Blue strand	..	0	0	8	—	—	—	
	{ Plain	..	0	0	7½	—	—	—	
Choking	{ Armstrong	..	0	0	9½	—	—	—	
	{ 5 ply	..	0	0	9½	—	—	—	
	{ 3 ply	..	0	1	6	—	—	—	
Packing	{ Large	..	0	0	5½	—	—	—	
	{ Middling	..	0	0	7½	—	—	—	
	{ Small	..	0	0	7½	—	—	—	
Sail	{ Roping	{ Dipped	..	0	1	0	—	—	
		{ Plain	..	0	0	11	—	—	
	{ Sewing	{ Dipped	..	0	1	0½	—	—	
		{ Plain	..	0	0	11	—	—	
Tarred, small		"	0	0	5½	—	—	—	
Whipping		"	0	0	9½	—	—	—	
Type-holders, iron		each	0	2	1½	—	—	—	
Varnish—									
Black	{ Brunswick..	0	3	6	—	—	—	
	{ Imperial, for ironwork	..	0	2	0	—	—	—	
Bright		"	0	0	11	—	—	—	
Crystal		"	0	16	0	—	—	—	
Copal, 2A and 2B		"	0	9	3	—	—	—	
Dark oil		"	0	9	0	—	—	—	
For bright work		"	0	7	0	—	—	—	
Hard, spirit	{ Brown	0	6	0	—	—	—	
	{ White	0	6	0	—	—	—	

* Subject to great variations in price. The market rates from July, 1879, to March, 1882, ranged from 1s. 7½d. to 3s. 6½d. per gallon, the average rate for that period being 2s. 6½d. per gallon.

MISCELLANEOUS STORES.										Contract Rate.			
Varnish, continued—											£	s.	d.
Japan	{	Black	gall.	0	10	0	
		Gold size, No. 2	"	0	6	0	
Mastic, No. 1	"	2	0	0	
Naphtha	"	0	5	9	
Oak, No. 2	"	0	7	0	
Spirit, shellac	"	0	9	0	
Vats (see Casks, vat).											0	1	10
Vinegar, best quality	"	0	0	3	
Vitriol, blue	lb.	0	0	3	
Wadmilltilts—													
Large, 14½ feet x 12 feet	each	1	7	9	
Small, 9 " 6 "	"	0	8	4	
Wax—													
Bees	lb.	0	1	2½	
Black	"	0	1	0	
Red, sealing	"	0	2	3	
Web, white, worsted, 1½ inch	yard	0	0	1½	
Weights, avoirdupois—													
Brass, flat	{	8 ounce	each	0	0	7	
		4 "	"	0	0	4	
		2 "	"	0	0	2	
		1 "	"	0	0	1½	
		½ "	"	0	0	1	
		¼ "	"	0	0	1	
Gunmetal, bell shaped	{	28 lbs.	"	1	13	0	
		14 "	"	0	17	0	
		7 "	"	0	9	0	
		4 "	"	0	5	3	
		2 "	"	0	2	7	
		1 "	"	0	1	4	
Iron, ring	{	56 lbs.	"	0	4	1	
		28 "	"	0	2	5½	
		14 "	"	0	1	5	
		7 "	"	0	0	10	
		4 "	"	0	0	8	
		2 "	"	0	0	4½	
		1 "	"	0	0	3½	
		½ "	"	0	0	3	
Standard	{	set	14	15	0	
		0	1	2½
Whiting, fine, best English, in lumps										cwt.	0	1	2½
Wick, cotton, for lamps and lanterns—													
Common or ball, agitable hand, bakers oven, passage and exterior; hand for gas; signal side; tin miners; naphtha; bull's-eye police; coloured H.P. marquee; burners of tin lanterns, with plate glass slides ..										lb.	0	0	10
Flat	{	1 inch, kerosine	yard	0	0	0½	
		¾ " paraffin, hanging and standing	"	0	0	0½	
		½ inch, copper, hand, magazine, also distinguishing, red and green	"	0	0	0½	
		¾ " fire brigade, and brass, globular	"	0	0	0½	
Round	{	1 inch, bull's-eye, large	lb.	0	1	4	
		¾ " small	"	0	1	4	
Wicks, cotton, for lamps and lanterns—													
Coarse, 1½ inch Argand, solar, and Royal Engineer wagon										{ doz. wicks	0	0	3
Fine	{	1½ " moderator	"	0	0	2½	
		1½ " surgical, large	"	0	0	2½	
Winches, steam, to lift 2 tons (see page 522)										each	7½	0	0
Wine, spirits of, methylated										gall.	0	3	1½

MISCELLANEOUS STORES.										Contract Rate.				
Wire, hard or soft*—											£	s.	d.	
Brass	{	No. 1 to 20 W. G.	lb.	0	0	6½			
		" 21 and 22	"	0	0	7			
		" 23 and 24	"	0	0	7			
Copper	{	No. 1 to 20 W.G.	"	0	0	10			
		" 21	"	0	0	10			
		" 22	"	0	0	10			
		" 23	"	0	0	10			
Iron	{	" 24	"	0	0	10			
		No. 1 to 20 W.G.	"	0	0	1½			
		" 21	"	0	0	2			
		" 22	"	0	0	2			
Steel—	{	" 23	"	0	0	2			
		" 24	"	0	0	2			
		Galvanised 3-strand 18 B.W.G. (see page 522)	mile	1	2	6			
No. 1 to 11 W.G.										lb.	0	0	3	
		" 12	"	0	0	3			
		" 13	"	0	0	3			
		" 14	"	0	0	3			
		" 15	"	0	0	3			
		" 16	"	0	0	3			
		" 17	"	0	0	3			
		" 18	"	0	0	3			
		" 19	"	0	0	3			
		" 20	"	0	0	3			
		" 21	"	0	0	3			
		" 22	"	0	0	3			
		" 23	"	0	0	3			
		" 24	"	0	0	3			
Wool, cotton											0	3	0	
Worsted—														
		Blue, grey	"	0	3	6			
		Grey	"	0	1	8			
White	{	No. 14	"	0	1	7			
		" 20	"	0	2	5			
For Flags	{	Black..	"	0	2	4½			
		Blue	"	0	2	5½			
		Red	"	0	2	8			
		Scarlet	"	0	2	7			
		White	"	0	2	1½			
		Yellow	"	0	2	5			
Yokes, for carrying barrels (250 lbs.), suitable for 2 men										..	each	0	8	4
Zinc—														
		Chloride of, pure	lb.	0	4	0			
		Old	cwt.	0	15	6			
		Plate†	ton.	33	10	0			
		Sheet†	cwt.	1	0	6			

* In demanding wire, it must be stated whether hard or soft is required.

† In demanding zinc, plate or sheet, the dimensions must be given.

Section V.

ORDNANCE.

ORDNANCE.	Rate.			
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Adapters, shell, general service, fuze hole—		£ s. d.	£ s. d.	
Rifled	100	1 18 3	2 0 7	
Spherical	„	1 9 3	1 11 0	
Apparatus—				
<i>Drying gun-cotton—</i>				
Complets	each	8 12 6	9 2 10	
<i>Parts of—</i>				
Boiler, copper, complets	„	3 0 7	3 4 3	
Bottom, false, for steam chest (2 halves per chest)	„	0 4 5	0 4 8	
Boxes, wood, on cork bearing, and enveloped in cotton wool, for thermometer	„	0 2 7	0 2 9	
Chest, steam, for drying chamber	„	1 5 7	1 7 1	
Cover, tin, for drying chamber	„	0 13 8	0 14 6	
Glass, plate, in wood frame, for testing moisture	„	0 6 8	0 7 1	
Hood, felt, for tin cover	„	0 18 0	0 19 1	
Lining, felt, for wood stand	„	0 5 5	0 5 9	
Stands { Iron, for boiler	„	0 10 5	0 11 0	
Wood, for drying chamber	„	0 12 10	0 13 7	
Thermometer	„	0 10 6	0 11 1	
Tray, for stand, iron, for boiler	„	0 1 10	0 2 0	
For use in filling cartridges { 12½ inch	„	0 13 0	0 13 9	
12 „	„	0 9 7	0 10 2	
Lifting, 38 ton guns—				
Sliema Point pattern	„	35 7 5	38 18 2	
Hurst Castle pattern	„	162 6 6	178 11 2	
				No. to a set. Sliema Point pattern. Hurst Castle pattern.
Parts of—				
Blocks, wood	—	20		
Bolts, bent, wrought-iron—				
With 2 conical nuts each—				
Cascable	1	—		
Trunnion	2	—		
With 2 spherical nuts each, trunnion	—	2		
Box, beam, wrought-iron	—	1		
Frame, wood	—	1		
Pins, steel, with split key (top nut of main screw)	3	—		
Plates, washer, wrought-iron—				
Cascable	1	—		
Trunnion	2	—		
Plates, supporting plates, washer, wrought-iron { Cascable	2	—		
Trunnion	4	—		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Apparatus, continued—		£ s. d.	£ s. d.
Lifting, 38 ton guns—			
Parts of—			
Screws, main, wrought-iron—	No. to a set.		
With 2 spherical nuts each—	Silema Point pattern. Hurst Castle pattern.		
Cascable	1 —	each 3 6 10	3 13 6
Trunnion	2 —	" 3 6 10	3 13 6
With 1 flat and 2 spherical nuts each	— 2	" 4 19 8	5 9 8
Stands, wrought-iron, hydraulic jack	2 2	" 3 14 6	4 1 11
Tommies, steel (bottom nut of main screw)	3 2	" 0 2 0	0 2 2
Proving tubes, primers, and detonators of fuzes	"	15 18 10	16 18 0
Proving tubes and primers complete— (Mark II)	"	20 7 8	21 12 1
Component parts of—			
Stands, cast-iron (fitted with vents, guide plate, and friction tube pin)	"	11 18 0	12 12 3
Vents, brass { (A) lower part, copper tubes	"	0 13 11	0 14 9
{ (A) upper part, copper tubes	"	0 12 9	0 13 6
Receivers powder puff (A), copper tubes	"	0 15 11	0 16 11
Vents, brass { (B) lower part, quill tubes	"	0 13 11	0 14 9
{ (B) upper part, quill tubes	"	0 12 9	0 13 6
Receivers powder puff (B), quill tubes	"	0 15 11	0 16 11
Vents, brass { With receiver (C*) tubes, 7 pounder R.M.L.	"	1 0 8	1 1 11
{ (D) primers, vent piece	"	1 4 1	1 5 6
Receivers, powder puff (D) primers, vent piece	"	0 8 11	0 9 5
Vents, brass, with receiver (E) primers, shrapnel	"	1 0 4	1 1 7
Caps, brass, covering, vent (E) primers shrapnel	"	0 2 11	0 3 1
Spanners, iron (2 per set)	set	0 7 7	0 8 0
(Mark III)	each	20 10 9	21 15 5
Component parts of—			
Stands, cast-iron (fitted with vents, guide plate, and friction tube pin)	"	17 16 3	12 10 6
Vents, brass { (A) lower part, copper tubes	"	0 14 2	0 15 0
{ (A) upper	"	0 12 9	0 13 6
Receivers powder puff (A), copper tubes	"	0 16 0	0 17 0
Vents, brass { (B) lower part, quill tubes	"	0 13 11	0 14 9
{ (B) upper	"	0 12 9	0 13 6
Receivers powder puff (B), quill tubes	"	0 16 0	0 17 0
Vents, brass { With receiver (C) tubes, 7 pounder R.M.L.	"	1 0 10	1 2 1
{ Bent (D) primers, vent piece	"	1 4 3	1 5 8
Receivers powder puff (D), primers, vent piece	"	0 8 11	0 9 5
Vents, brass, with receiver (E) primers, shrapnel	"	1 0 4	1 1 7
Caps, brass, covering vent (E), primers, shrapnel	"	0 2 10	0 3 0
Spanners, iron { large (1 per set)	set	0 4 9	0 5 0
{ small (2	"	0 7 0	0 7 5

ORDNANCE.	Per	Rate.		
		No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Apparatus, continued—		£ s. d.	£ s. d.	
Proving detonators of fuzes, complete—				
(Mark II)	each	20 3 8	21 7 11	
Component parts of—				
Stands, complete (consisting of base plate, 4 adjusting screws, anvil bed, 3 pillars, 3 guide bars, suspenders, &c.)	„	12 16 11	13 12 4	
Anvils, steel—				
(F) detonating balls of Pettman fuzes* ..	„	0 13 5	0 14 3	
(H) detonators, B.L. wood fuzes ..	„	0 19 6	1 0 8	
(I) „ (Mark I) R.L. percussion fuzes, and B.L. plain*	„	0 19 6	1 0 8	
(J) detonators, (Mark II) R.L. percussion fuzes*	„	0 19 6	1 0 8	
(G) steady plugs, Pettman fuzes* ..	„	0 19 6	1 0 8	
Weights, brass, steel pointed*—				
1 ounce (N) (Mark I) R.L. percussion fuzes, and B.L. plain	„	0 9 4	0 9 11	
1 ounce (O) (Mark II) R.L. percussion fuzes	„	0 9 4	0 9 11	
Weights, steel* { 7½ ounces (M)	„	0 13 3	0 14 1	
18 „ (L)	„	0 16 1	0 17 0	
Plugs, steel, (K) detonators of B.L. time fuzes*	„	0 3 4	0 3 6	
Lever, steel, adjusting screws*	„	0 4 0	0 4 3	
Mark (III)	„	23 2 6	24 10 3	
Component parts of—				
Stands, complete (consisting of base plate, 4 adjusting screws, anvil bed, 3 pillars, 3 guide bars, suspenders, &c.)	„	14 13 10	15 11 5	
Anvils, steel†—				
(F) detonating balls of Pettman's fuzes ..	„	0 13 5	0 14 3	
(I) detonators, (Mark I) R.L. percussion fuzes and B.L. plain	„	0 19 6	1 0 8	
(J) detonators, (Mark II) R.L. percussion fuzes	„	0 19 6	1 0 8	
(G) steady plugs, Pettman fuzes ..	„	0 19 6	1 0 8	
Weights, brass, steel pointed†—				
1 ounce (N), (Mark I) R.L. percussion fuzes, and B.L. plain	„	0 9 4	0 9 11	
1 ounce (O), (Mark II) R.L. percussion fuzes	„	0 9 4	0 9 11	
Weights, steel† { 7½ ounces (M)	„	0 13 3	0 14 1	
18 „ (L)	„	0 16 2	0 17 2	
Plugs, steel (K), detonators of B.L. time fuzes†	„	0 3 4	0 3 6	
Lever, steel, adjusting screws†	„	0 4 0	0 4 3	
Blocks, steel (R), direct action and wood time fuzes with detonators	„	0 19 4	1 0 6	
Drifts, steel { (S) wood time fuzes with deto- nator	„	0 10 1	0 10 8	
(T) direct action fuzes	„	0 11 11	0 12 7	
Aprons, canvas—				
Bakery, and bread and meat, wagon	„	0 17 0	0 18 8	
B.M.L. 7 pounder, 200 lbs., and 150 lbs., steel gun, mountain	„	0 1 3	0 1 5	
Aprons, lead—				
Large, for cast-iron howitzer	„	0 0 8	0 0 9	
Small, for bronze ordnance	„	0 0 5	0 0 6	

* Interchangeable with those of Mark III apparatus.

† Interchangeable with those of Mark II apparatus.

(V.S.)

M

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Aprons, leather—		£ s. d.	£ s. d.
Ambulance wagon—			
Equirota	each	1 16 0	1 19 7
Lock under { Front	"	1 19 0	2 2 11
{ Rear	"	1 17 0	2 0 9
Cloak, Limber	"	0 5 6	0 6 1
Arms, elevating, steel, carriages—			
R.M.L.—			
Wrought-iron, garrison, sliding { 12·5 inch ..	"	10 15 6	11 17 1
{ 12 inch, 35 ton ..	"	11 6 5	12 9 1
Steel, travelling, field, 13 pounder	"	2 18 6	3 4 4
Steel naval, sliding, R.B.L., 6 inch	"	1 11 4	1 14 6
Arms, elevating, wrought-iron—			
Beds, R.M.L. howitzer { 8 inch	"	1 14 8	1 18 2
{ 6·6 "	"	1 13 0	1 16 4
{ 6·3 "	"	1 7 7	1 10 4
Carriage, wrought-iron, field, R.M.L.—			
25 pounder, also siege	"	1 8 0	1 10 10
7 "	"	1 12 10	1 16 1
Carriage, wrought-iron, garrison—			
Sliding—			
Double plate, R.M.L.—			
11 or 12 inch, 25 tons { Left	"	1 12 9	1 16 0
{ Right	"	1 12 9	1 16 0
10 inch (Mark I) { Left	"	1 11 3	1 14 5
{ Right	"	1 11 3	1 14 5
10 inch (Mark II) { Left	"	1 11 3	1 14 5
{ Right	"	1 11 3	1 14 5
9 inch, also naval, { Left	"	1 8 5	1 11 3
9 inch, service, O.P. { Right	"	1 8 5	1 11 3
7 inch, also naval { Left	"	1 5 10	1 8 5
{ Right	"	1 5 10	1 8 5
Single plate, R.M.L.—			
11 or 12 inch, 25 tons { Left	"	1 12 9	1 16 0
{ Right	"	1 12 9	1 16 0
9 inch { Casemate { Left	"	1 8 5	1 11 3
{ Right	"	1 8 5	1 11 3
{ Dwarf { Left	"	1 8 10	1 11 9
{ Right	"	1 8 10	1 11 9
7 inch { Casemate { Left	"	1 5 10	1 8 5
{ Right	"	1 5 10	1 8 5
{ Dwarf { Left	"	1 6 3	1 8 11
{ Right	"	1 6 3	1 8 11
64 pounder, 64 cwt., right	"	2 7 8	2 12 5
Moncrieff, R.M.L., 7 inch (Mark I) { Left	"	2 0 3	2 4 3
{ Right	"	2 14 0	2 19 5
Carriage, wrought-iron, naval, sliding—			
Double plate, R.M.L.—			
12 inch, 25 tons, "Belleisle" type { Left	"	1 15 2	1 18 8
{ Right	"	1 15 2	1 18 8
11 inch, "Téméraire" type { Left	"	1 15 3	1 18 9
{ Right	"	1 15 3	1 18 9
10 inch, "Hercules" { Left	"	3 15 6	4 3 1
and "Sultan" type { Right	"	3 15 6	4 3 1
10 inch, "Sultan" type, O.P. { Left	"	1 13 7	1 16 11
{ Right	"	1 13 7	1 16 11
10 inch, gunboat { Left	"	3 15 6	4 3 1
{ Right	"	3 15 6	4 3 1
9 inch { Service { Left	"	4 8 2	4 17 0
{ Right	"	4 8 2	4 17 0
{ "Stauneh" { Left	"	1 14 3	1 17 8
{ Right	"	1 14 3	1 17 8

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Arms, elevating, wrought-iron, continued—		£ s. d.	£ s. d.
Carriage, wrought-iron, naval, sliding—			
Double plate, R.M.L.—			
9 inch "Sultan" type { Left each		3 4 6	3 10 11
Right "		3 4 6	3 10 11
9 inch, "Sultan" type, O.P. { Left "		1 4 4	1 6 9
Right "		1 4 4	1 6 9
9 inch, service, O.P., and "Plucky," { Left "		1 8 5	1 11 3
also garrison { Right "		1 8 5	1 11 3
8 inch { Left "		3 8 11	3 15 10
Right "		3 8 11	3 15 10
O.P. { Left "		1 7 2	1 9 11
Right "		1 7 2	1 9 11
7 inch, also garrison { Left "		1 5 10	1 8 5
Right "		1 5 10	1 8 5
Single plate, R.M.L.—			
9 inch, also casemate { Left "		1 8 5	1 11 3
Right "		1 8 5	1 11 3
8 inch { Left "		1 7 2	1 9 11
Right "		1 7 2	1 9 11
7 inch, 6½ tons, also casemate { Left "		1 5 10	1 8 5
Right "		1 5 10	1 8 5
7 inch, 90 cwt. { Left "		1 6 1	1 8 8
Right "		1 6 1	1 8 8
64 pounder, 64 cwt. { (Mark I) right "		1 5 3	1 7 9
{ (Mark II) right "		1 5 3	1 7 9
R.B.L. 20 pounder { Gun vessel, right "		0 19 3	1 1 2
{ Upper deck, and wood, gun vessel, right "		0 18 7	1 0 5
Carriage, naval, sliding—			
Steel, R.M.L., 64 pounder, right { (Mark III) "		1 5 3	1 7 9
{ (Mark IV) "		2 12 3	2 17 6
Wood, R.B.L., 20 pounder, gun vessel (as upper deck) "		0 18 7	1 0 5
Carriage, wrought-iron, naval, turret—			
Double plate, { 12 inch, 35 tons* "		12 3 4	13 7 8
R.M.L. { 9 inch { Double and { Left "		1 8 4	1 11 2
{ single turret { Right "		1 8 4	1 11 2
{ "Wyvern" { Left "		1 15 4	1 18 10
{ Right "		1 15 4	1 18 10
Carriage R.M.L.—			
Wrought-iron, siege—			
64 pounder gun, or 8 inch howitzer, 70 cwt.. .. "		1 8 11	1 11 10
40 " " or 6½ inch howitzer "		1 13 0	1 16 4
25 " " also field "		1 8 0	1 10 10
8 inch howitzer, 46 cwt. "		1 14 3	1 17 8
6½ inch " "		1 5 10	1 8 5
Top, overbank { 64 pounder "		6 19 10	7 13 10
{ 40 " "		4 14 3	5 3 8
{ 25 " "		4 1 8	4 9 10
Wood, 7 inch, with band "		9 9 4	10 8 3
Arms, metal, graduated,† platforms, traversing, wrought-iron, R.M.L.—			
Casemate—			
12½ inch 60° set		4 5 1	4 13 7
11 or 12 inch, 25 tons "		4 9 3	4 18 2
10 inch "		4 9 3	4 18 2
9 " "		4 6 5	4 15 1

* Right or left according to carriage.

† As these vary in lengths, the average number of degrees per set is given.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Arcs, metal, graduated,* platforms, traversing, wrought-iron, R.M.L., <i>continued</i> —		£ s. d.	£ s. d.
Casemate—			
On turntables†—			
12.5 inch { 7 feet recoil 120°	set	4 18 0	5 7 10
10 inch	"	4 15 6	5 5 1
10 inch	"	4 15 6	5 5 1
Dwarf— { 11 or 12 inch, 25 tons 60°	"	4 9 3	4 18 2
" A " { 10 inch	"	4 9 3	4 18 2
9 "	"	4 6 5	4 15 1
12.5 inch	"	2 16 5	3 2 1
12 " 35 tons	"	2 16 5	3 2 1
" C " { 11 or 12 inch, 25 tons	"	2 16 5	3 2 1
10 inch	"	2 16 5	3 2 1
9 "	"	2 16 5	3 2 1
12.5 inch	"	4 3 3	4 11 7
" D " { 11 or 12 inch, 25 tons 180°	"	2 18 4	3 4 2
10 inch	"	2 18 4	3 4 2
9 "	"	2 1 11	2 6 1
Arcs, segment, wrought-iron—			
Carriages, wrought-iron, sliding, rear roller, R.M.L.—			
12 inch, 25 tons, with securing screws, " Belle- isle," right	each	3 4 3	3 10 8
10 inch right { With bolts	"	2 12 11	2 18 3
{ With securing screws	"	3 4 3	3 10 8
Arms, wheel, R.M.L., 7 pounder, 200 lbs., steel mountain gun—			
Near } (see page 93) {	"	1 5 9	1 8 4
Off }	"	1 5 9	1 8 4
Arms, wood, for spare wheel, ammunition wagon—			
Wrought-iron, 2nd class	"	1 5 7	1 8 2
Wood { 2nd class	"	1 4 4	1 6 9
{ 3rd class	"	1 3 0	1 5 4
Axles, wrought-iron, with split keys, for metal rollers, front—			
Carriage, garrison, sliding—			
Wrought-iron—			
Double plate, R.M.L.—			
Small port { 12.5 inch	"	0 14 1	0 15 5
{ 10 "	"	0 7 8	0 8 5
12.5 inch	"	0 13 3	0 14 7
12 " 35 tons	"	0 7 0	0 7 8
11 or 12 inch, 25 tons	"	0 7 0	0 7 8
10 inch (Mark I)	"	0 9 4	0 10 3
10 inch (Mark II), also 10 inch, " Sultan "	"	0 9 4	0 10 3
type and gunboat	"	0 5 4	0 5 10
9 " also naval 9 inch service, turret	"	0 5 4	0 5 10
and 8 inch	"	0 5 4	0 5 10
7 " also naval	"	0 5 4	0 5 10
Single plate, R.M.L.—			
Casemate { 11 or 12 inch, 25 tons	"	0 5 11	0 6 6
{ 9 inch	"	0 5 11	0 6 6
{ 7 "	"	0 5 11	0 6 6
Dwarf { 9 inch	"	0 5 11	0 6 6
{ 7 "	"	0 5 11	0 6 6
64 pounder, 64 cwt. { 5 feet 6 inch parapet	"	0 4 9	0 5 3
{ 6 " 0 "	"	0 6 2	0 6 9
Wood, also wood, naval	"	0 2 3	0 2 5

* As these vary in lengths, the average number of degrees per set is given.

† In pairs, right and left port, 60° each piece.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Axles, wrought-iron, with split keys, for metal rollers, front, continued—			
Carriage, naval, sliding, R.M.L.—			
Wrought-iron—			
Double plate—			
12 inch, 25 tons, "Belleisle" type ..	each	0 9 9	0 10 9
11 inch, "Téméraire" type ..	"	0 12 9	0 14 0
"Hercules" type ..	"	0 9 4	0 10 3
10 inch { "Sultan" type ..	"	0 9 4	0 10 3
Gunboat, also casemate, 10 inch (Mark II) ..			
"Sultan" type ..	"	0 5 5	0 5 11
9 inch { Service, also turret and 9 inch garrison ..	"	0 5 4	0 5 10
8 inch ..			
7 inch, also garrison ..	"	0 5 4	0 5 10
Single plate—			
9 or 8 inch, also 12 inch 25 tons, to 9 inch garrison ..	"	0 5 11	0 6 6
7 inch, also garrison ..	"	0 5 11	0 6 6
7 inch, 90 cwt. ..	"	0 5 4	0 5 10
64 pounder, 64 cwt. { (Mark I) ..	"	0 4 11	0 5 5
(Mark II) ..			
Steel, 64 pounder (Mark III) ..	"	0 3 11	0 4 4
Carriage, wrought-iron, naval turret, R.M.L.—			
12 inch, 35 tons ..	"	0 14 3	0 15 8
12 inch, 25 tons ..	"	0 13 3	0 14 7
10 inch ..			
Axles, wrought-iron, for metal rollers, rear, eccentric carriage, wrought-iron—			
Garrison, sliding—			
Double plate, R.M.L., 7 inch { Left ..	"	0 17 2	0 18 11
Right ..			
Single plate, R.M.L., 7 inch, with split keys ..	"	0 17 7	0 19 4
Naval, sliding—			
Double plate, R.M.L.—			
11 inch, "Téméraire" { Left ..	"	3 10 10	3 17 11
type { Right ..			
9 or 8 inch ..	"	1 1 7	1 3 9
7 inch ..	"	0 17 2	0 18 11
{ 9 or 8 inch ..	"	1 2 6	1 4 9
{ 6½ tons, also garrison ..			
Single plate, 7 inch { 90 cwt. { Left ..	"	0 16 0	0 17 7
R.M.L. { Right ..			
64 pounder, 64 cwt. { Left ..			
(Mark I and II) { Right ..			
Axles, wrought-iron, with split keys—			
For metal rollers, rear, eccentric carriage, naval, sliding, wood—			
R.B.L., 7 inch ..	"	0 18 5	1 0 3
{ 64 pounder 71 cwt. ..			
R.M.L. { 7 inch ..	"	0 18 5	1 0 3
{ 64 pounder ..			
S.B.—			
Eccentric { 10 inch ..	"	0 18 5	1 0 3
{ 68 pounder ..			
{ 8 inch ..	"	0 2 2	0 2 5
32 pounder and R.B.L. 40 pounder ..			

* Interchangeable with S.B. eccentric axles.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Axles, wrought-iron, with split keys, continued—		£ s. d.	£ s. d.
Platform, traversing, wrought-iron, R.M.L.—			
Roller guide, chain, endless—			
12·5 inch, dwarf { "C" } { "D" }	each	0 4 10	0 5 4
12 inch, 35 tons, dwarf "C"			
Wheel, chain, endless—			
12·5 inch { Casemate { Small port .. { 7 feet recoil .. { 6 " " " " .. { "C" " " " " .. { "D" " " " " ..	"	0 9 3	0 10 2
12 inch, 35 tons, dwarf, "C"			
Axles, wrought-iron, for metal rollers—			
Carriage, iron, naval, sliding, R.M.L., 9 { Left .. inch, "Staunch," with cranks and { Right .. keys	"	2 16 8	3 2 4
Slides, front, with—			
Feathers and screws, steel, R.B.L. 6 inch ..	"	0 7 6	0 8 3
Split keys—			
Wrought-iron, R.B.L. 20 pr., upper deck ..	"	0 3 11	0 4 4
Wood, heavy	"	0 4 0	0 4 5
Slides—			
Centre, eccentric—			
Wrought-iron, R.M.L.—			
9 inch { "Sultan" and "Raleigh" type .. { "Shannon"	"	1 11 5	1 14 7
8 inch { Service, and "Lord Clyde" .. {	"	1 11 5	1 14 7
7 inch { 6½ tons { 90 cwt.	"	1 1 8	1 3 10
6½ pounder, { (Mark I) { (Mark II)	"	0 19 7	1 1 7
6½ cwt. { (Mark III, IV, V, and VI) .. {	"	0 16 8	0 18 4
Wood, heavy, with split key	"	0 18 11	1 0 10
Rear, eccentric—			
Wrought-iron, R.M.L.—			
9 inch, "Lord Clyde," also { Left .. 9 or 8 inch, service { Right ..	"	1 2 1	1 4 4
7 inch { 6½ tons { Left { Right { 90 cwt. { Left { Right	"	0 18 8	1 0 6
64 pounder (Mark II) { Left and III) { Right	"	0 18 8	1 0 6
Wood, heavy { Left { Right	"	1 3 2	1 5 6
Wrought-iron, R.B.L. 20 pounder, upper deck	"	0 18 5	1 0 3
steel, R.B.L. 6 inch, with feathers and screws	"	0 18 5	1 0 3
Axles, wrought-iron, for trucks, platform, tra- versing —			
Wrought-iron, Moncrieff, R.M.L., with collars—			
Plain { With nuts, 9 inch { With pins { 7 inch (Mark II) .. { ½ pounder, .. { 58 cwt. (Mark II) } Front ..	"	1 12 10	1 16 2
Bevel wheel . { With nuts, 9 inch { With pins, 7 inch (Mark II) ..	"	1 0 11	1 3 0
Wood, casemate and dwarf, with keys	"	0 17 3	0 19 0
	"	1 3 11	1 6 4
	"	1 12 10	1 16 2
	"	1 2 6	1 4 9
	"	0 2 11	0 3 3

ORDNANCE.	Rate.			
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Axles, wrought-iron, with collar and split key,				
gear, winch, slide, wrought-iron, naval, R.M.L.—				
7 inch { 6½ tons	each	£ 0 11 6	£ 0 12 8	
{ 90 cwt. with flange	"	1 5 8	1 8 3	
64 pounder (Mark III, IV, and V) with flange	"	1 4 9	1 7 3	
Axles, steel—				
With nuts, for rollers, carriage, naval sliding—				
Steel, R.B.L. 6 inch	"	0 11 4	0 12 6	
R.M.L. 64 pounder, 64 cwt. { Front	"	0 13 0	0 14 4	
{ Rear	"	0 9 3	0 10 2	
(Mark IV, V and VI)				
With collar and key, for trucks, plain, platforms,				
wrought-iron, traversing, R.M.L.—				
12½ inch—				
Casemate and small port { Front	"	1 14 1	1 17 6	
{ Rear	"	1 12 2	1 15 4	
Dwarf, "C" or "D," and 12 inch, { Front	"	1 14 1	1 17 6	
{ Rear	"	1 13 5	1 16 9	
35 tons, dwarf, "C"				
11 or 12 inch, 25 ton—				
Casemate, front	"	1 6 6	1 9 2	
Dwarf, "A" front	"	1 6 6	1 9 2	
11 inch, dwarf, "C" front or rear	"	1 6 6	1 9 2	
With nuts, for trucks, plain, platforms, wrought-				
iron, traversing, R.M.L.—				
Casemate, 10 inch { (Mark I), front				
{ (Mark II), front				
{ (Mark II), front, special				
{ Small port, front	"	1 2 9	1 5 0	
Dwarf—				
10 inch { "A" front				
{ "D" rear				
{ "C" { Front				
{ Rear	"	1 2 9	1 5 0	
9 inch, "C" { Front				
{ Rear				
7 inch { "A" rear	"	0 15 1	0 16 7	
{ "D" front				
{ "C" { Front				
{ Rear				
Casemate—				
9 or 7 inch, front, also 7 inch, rear	"	0 15 1	0 16 7	
Dwarf, 9 or 7 inch { "A" front				
{ "D" rear	"	0 11 7	0 12 9	
7 inch, Moncrieff (Mark I)	"			
With collar and keys, for trucks, plain, platform,				
iron, traversing, R.M.L.—				
64 pounder, 64 cwt. { Front	"	0 10 6	0 11 7	
{ Rear				
Bevel wheel for trucks, platform, iron, traversing,				
R.M.L.—				
With collars and keys, 11 or 12 inch, 25 tons—				
Casemate, rear	"	1 9 10	1 12 10	
Dwarf { "A" rear	"	1 9 10	1 12 10	
{ "C" { Front	"	1 9 10	1 12 10	
{ Rear	"	1 5 5	1 7 11	
{ (Mark I), rear	"	1 5 7	1 6 2	
{ Small port, rear	"			
{ (Mark II), rear	"	1 5 7	1 6 2	
With { Casemate { Mark II, rear (special				
nuts, { { for Spiritbank Forts				
10 inch { "A" rear	"	1 5 7	1 6 2	
{ Dwarf { "C" { Rear	"	1 5 9	1 5 2	
{ Front	"			

ORDNANCE.	Rate.			
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Axles, steel, continued—				
Bevel wheel for trucks, platform, iron, traversing R.M.L.—		£ s. d.	£ s. d.	
With nuts—				
10 inch, dwarf, "D" front	each	1 5 9	1 8 4	
9 inch { Casemate, rear	"	0 17 2	0 18 10	
{ "A" rear	"	0 17 2	0 18 10	
{ Dwarf { "C" { Front	"	0 17 2	0 18 10	
{ Rear	"	0 17 2	0 18 10	
{ "D" front	"	0 17 2	0 18 10	
7 inch, Moncrieff (Mark I)	"	1 5 3	1 7 9	
For metal rollers, slide iron, R.M.L. 64-pounder (Mark III, IV, and V), side front	"	0 7 0	0 7 8	
With split keys, for metal rollers, bed, R.M.L. howitzer, 8 inch, 6.6 inch, or 6.3 inch	"	0 6 10	0 7 6	
With split keys, for metal rollers, slide, iron, naval R.M.L.—				
12 inch, 25 ton, "Belleisle," with collars, front and rear	"	1 4 1	1 6 6	
11 inch, "Téméraire," front and rear	"	1 15 10	1 19 5	
10 inch, front and rear	"	1 8 8	1 11 6	
9 inch { "Lord Clyde," front	"	0 10 1	0 11 1	
{ Service, front				
8 inch, front	"			
9 inch { "Sultan" type, side { Front	"	1 2 6	1 4 9	
{ "Sultan" type, revolving "Shannon," side and revolving front { Rear				
9 inch, "Audacious," upper deck { Front	"	0 14 3	0 15 8	
{ Rear	"	0 14 3	0 15 8	
7 inch { 6½ ton, front	"	0 7 11	0 8 9	
{ 90 cwt., front	"	0 8 1	0 8 11	
64 pounder { (Mark II, III, IV, and V) revolving front)	"	0 8 6	0 9 4	
{ (Mark IV and V), rear	"	0 10 0	0 11 0	
Axles, steel, with keep screws, for metal rollers, slide, iron, naval, R.M.L., 9 inch, "Sultan" type, revolving, "Shannon," side, and revolving, rear	"	1 1 6	1 3 8	
Axletrees, cast-iron, carriages, garrison, cast-iron—				
32 pounder { Fore, 4½ inch arm	"	1 3 1	1 5 5	
{ Hind	"	1 9 1	1 12 0	
24 pounder { Fore, 4 inch arm	"	0 19 10	1 1 10	
{ Hind	"	1 6 5	1 9 1	
13 pounder { Fore, 4 inch arm	"	0 19 5	1 1 4	
{ Hind	"	1 4 8	1 7 2	
12 pounder { Fore, 4 inch arm	"	0 15 8	0 17 3	
{ Hind	"	0 17 1	0 18 10	
9 pounder { Fore, 4 inch arm	"	0 13 3	0 14 7	
{ Hind	"	0 17 1	0 18 10	
6 pounder { Fore, 4 inch arm	"	0 11 11	0 13 1	
{ Hind	"	0 13 11	0 15 4	
Carronade { 24 pounder, 4 inch arm	"	0 16 9	0 18 5	
{ 18	"	0 15 6	0 17 1	
Axletrees, steel, travelling, 2nd class, R.M.L., 13 pounder	"	14 10 6	15 19 7	
Axletrees, wrought-iron—				
Carriages, garrison, wrought-iron, common, standing or rear chock—				
Fore, 4 inch arm	"	9 2 10	10 1 1	
Hind	"	9 8 9	10 7 8	

ORDNANCE.				Rate.					
				Per.	No. 1 Balance Sheet.	No. 2 Balance Sheet.			
Axletrees, wrought-iron, continued—									
Drugs—									
Gun	{	Heavy, to 25 tons	{ Fore	each	9 19 9	10 19 9			
			{ Hind		9 6 8	10 5 4			
			{ To 5 tons and large		{ Fore	2 4 11	2 9 5		
					{ Hind	2 4 11	2 9 5		
Medium	{	Fore		1 4 8	1 7 2				
		Hind		1 4 8	1 7 2				
West India	{	Fore		1 0 6	1 2 7				
		Hind		1 0 6	1 2 7				
Travelling—									
First class—									
For iron naves, wagon, wrought-iron, sling, light					22 3 10	24 8 3			
For metal naves, carriages, wrought-iron, siege, R.M.L. Howitzer	{	64 pounder ..	{	"	7 17 8	8 13 5			
							40 " ..	6.6 or 6.3 inch	
									8 " ..
For wood naves	{	Carriage, wood, siege, R.B.L.	"	8 4 2	9 0 7				
		Cart, sling		4 4 6	4 12 11				
		Wagon, sling, wood, service		4 4 6	4 12 11				
					4 7 10	4 16 7			
Second class—									
For iron naves —									
Carts, transport, spring, cavalry, also wagon, bakery, bread and meat, hind					4 0 1	4 8 1			
Limber, wrought-iron, sling, wagon, light..					4 0 1	4 8 1			
Wagons	{	General service, spring, heavy	{ Hind, also cart, transport, tip	"	4 0 1	4 8 1			
			{ Fore ..						
							Bakery, fore		
								Bread and meat, fore ..	
Carts, ammunition, small arm.. ..					2 15 6	3 1 1			
For metal naves, field—									
Carriages, wrought-iron, R.M.L.—									
25 pounder.. ..					4 10 1	4 19 1			
16 pounder { (Mark I)					4 7 6	4 15 3			
{ (Mark II)					4 7 6	4 16 3			
9 pounder { (Mark I)					4 2 11	4 11 2			
{ (Mark II)*					4 2 11	4 11 2			
Limber, wrought-iron (Mark II)*					4 1 11	4 10 1			
Wagons, wrought-iron—									
Ammunition, R.M.L. 16 or 9 pounder				"	4 4 3	4 12 8			
(Mark II), also 40 and 25 pounder									
Forge (Mark II)									
Store									
Limber, wrought-iron (Mark I)									
Wagons, wrought-iron—									
Ammunition, R.M.L. 16 or 9 pounder				"	3 11 8	3 18 10			
(Mark I), also 40 and 25 pounder									
Forge (Mark I)									
For metal naves, siege, limber, wrought-iron					4 7 1	4 15 10			
For metal or wood naves, wagon, ammunition and store, Royal Artillery—									
Fore					2 10 8	2 15 9			
Hind					2 10 8	2 15 9			
For wood naves—									
Carriages and limbers, mortar, 10 and 8 inch					2 6 11	2 11 7			

- The same pattern axletree, except in the drilling of the holes.

ORDNANCE.	Rate.		
	Per	No 1 Balance Sheet.	No. 2 Balance Sheet.
Axletrees, wrought-iron, continued—			
Travelling—		£ s. d.	£ s. d.
Second class—			
For wood naves—			
Carriages—			
Devil	each	2 9 6	2 14 5
Timber, large, 6 feet wheel ..			
Spider	"	2 17 6	3 3 3
Timber { Medium	"	2 8 0	2 12 10
Large, 10 feet wheel	"	2 10 6	2 15 7
Carts—			
Coal or dust			
Shot.. .. .	"	2 4 3	2 8 8
Gibraltar { Large			
Small	"	2 2 6	2 6 9
Fatigue	"	2 4 3	2 8 8
Trench	"	2 6 2	2 10 9
Watering box	"	2 4 3	2 8 8
Wagons, siege, equirota			
Field { Light wheel			
Heavy			
Limber, wood, sling, { Service..			
wagon { Heavy, iron	"	2 9 6	2 14 5
Limber, wood, siege			
Wagons—			
Platform { Hind			
Fore	"	2 9 6	2 14 5
Wagons, Flanders—			
Fore { O.P.			
Lock under	"	2 7 5	2 12 2
Hind	"	2 6 2	2 10 9
Limber, transporting, iron platforms ..	"	2 6 8	2 11 4
Third class—			
For iron naves—			
Cast, malleable—			
Carts { Maltese			
Water	"	2 6 9	2 11 5
Wagons { Light, spring, or surgery, fore			
Ambulance, lock under, and	"	1 19 1	2 3 0
pharmacy, fore			
Wrought, wagon, ambulance, converted	"	3 3 11	3 10 4
from light supply, fore			
Cast, malleable, wagons—			
Light, spring, or surgery, hind ..	"	1 19 1	2 3 0
Ambulance, lock under, and pharmacy,			
hind	"	3 3 11	3 10 4
Wrought—			
Wagon, ambulance, converted from light			
supply, hind	"	3 3 11	3 10 4
Cart, transport, spring (Mark II) ..	"	1 19 1	2 3 0
Wagons, Royal Engineers (see { Fore			
page 502) { Hind ..	"	1 19 1	2 3 0
For malleable cast-iron or wood naves—			
Carts, tip, general service	"	1 19 4	2 3 2
Wagons, general service, lock under—			
(Mark III), also wagon, powder { Fore			
Hind	"	1 19 10	2 3 10
(Mark IV) { Fore			
Hind	"	1 19 1	2 3 0
For metal naves, field gun—			
Carriages, { Gatling, 0.45 inch			
wrought iron { R.M.L. 7 pounder, Colonial	"	2 3 8	2 8 0
	"	3 10 2	3 17 2

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Axletrees, wrought-iron, continued—		£ s. d.	£ s. d.
Travelling—			
Third Class—			
For metal naves, field gun—			
Limbers, iron { Gatling, 0.45 inch	each	2 12 7	2 17 10
{ R.M.L. 7 pounder, Colonial ..	"	3 10 2	3 17 2
For wood naves—			
Carts { Forage	"	1 7 6	1 10 3
{ Forge			
{ Maltese			
{ Tip, Royal Engineers			
{ Water			
Field, R.B.L. 6 pounder, special ..	"	1 6 3	1 8 11
Wagons, ambulance, equirota ..			
Carriage, timber, small			
Carts { Hand	"	1 11 4	1 14 6
{ Low, for heavy projectiles ..			
Field gun { R.B.L. 6 pounder, service ..	"	1 5 11	1 8 6
{ carriage { S.B. 3 pounder			
Wagons, general service, equirota ..	"	1 8 0	1 10 10
Naval, for metal naves—			
Carriages, wrought-iron, { 0.65 inch	"	1 16 9	2 0 5
{ 0.45	"	4 15 11	5 5 6
Limber, wrought-iron, 0.45 inch Gatling gun (Mark I)	"	1 17 10	2 1 7
Naval, for wood naves, carriages and limber, wood—			
R.B.L. { 12 pounder	"	1 11 2	1 14 3
{ 9			
{ R.M.L. 9 pounder			
Naval torpedo carriage for metal naves ..	"	0 17 5	0 19 2
Special for metal naves—			
Carriages—			
Steel, mountain, R.M.L., 7 pounder gun, 400 lbs. ..	"	4 0 0	4 8 0
Wrought-iron, { R.M.L. 7 pounder { 200 lbs. ..	"	1 5 7	1 8 2
{ steel gun { 150	"	1 5 7	1 8 2
{ S.B. howitzer, 4½ inch	"	2 5 11	2 10 6
Limbers, { R.M.L. 7 pounder steel gun, ..	"	2 9 6	2 14 5
wrought-iron, { 200 lbs.			
mountain { S.B. howitzer, 4½ inch	"	2 5 11	2 10 6
Special for wood naves—			
Barrows { China pattern	"	0 14 4	0 15 9
{ Powder	"	0 14 4	0 15 9
Carriage, wood, R.M.L. 7 pounder, 150 lbs., steel gun (Gold Coast)	"	1 8 10	1 11 9
Carts, chaise or market	"	1 15 0	1 18 6
Limber, transporting, wood, traversing platform ..	"	1 6 0	1 8 7
Axletrees, wood—			
Carriages, wood, garrison—			
Fore—			
S.B. 10 inch or 68 pounder 8½ inches	"	1 17 3	2 1 0
R.B.L. 64 pounder, 61 cwt. 7½ "	"	1 9 5	1 12 4
R.M.L. 4½ pounder, 58 cwt. 7½ "	"	1 8 7	1 11 5
S.B.—			
8 inch			
32 pounder { 63 cwt. 7½ "			
{ 56			
{ 50			
24 pounder, 50 cwt. 7½ "	"	1 0 0	1 2 0
Howitzer { 10 inch 7½ "			
{ 8			
R.B.L. 40 pounder 6½ "	"	1 0 0	1 2 0

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Axletrees, wood, continued—			
Carriages, wood, garrison—			
Fore—			
{ 48 cwt. .. 6½ inches }			
{ 32 pounder 45 " .. 6½ " }	each	1 5 5	1 8 0
{ 42 " .. 6½ " }			
{ 39 " .. 6½ " }			
S.B. { 18 pounder, 42 cwt. .. 6½ " }			
{ 32 " .. 6½ " }		1 3 5	1 5 9
{ 68 pounder 7½ " }		1 5 8	1 8 3
{ Carronade, 32 " .. 7½ " }		1 3 10	1 6 3
{ block, trail 24 " .. 6½ " }			
{ 18 " .. 6½ " }		0 18 2	1 0 0
Hind—			
S.B. { 8 inch 7½ " }			
{ 32 pounder, 63 cwt. .. 7½ " }		1 13 4	1 16 8
R.M.L. { ½ pounder, 58 cwt. .. 7½ " }			
{ 58 or 56 cwt. 7½ " }		1 11 9	1 14 11
{ 50 cwt. .. 7½ " }			
{ 48 " .. 6½ " }			
{ 32 pounder 45 " .. 6½ " }		1 8 0	1 10 10
{ 42 " .. 6½ " }			
S.B. { 39 " .. 6½ " }			
{ 32 " .. 6½ " }		1 7 2	1 9 11
{ 24 pounder 6½ " }			
{ 18 " 6½ " }		1 7 4	1 10 1
Carriages, wood, naval—			
Fore—			
R.M.L. { 64 pounder, 64 cwt. .. 7½ " }		1 7 2	1 9 11
{ 64 pounder 71 " .. 6½ " }			
S.B. 8 inch 6½ " }		1 3 11	1 6 4
R.B.L. 40 pounder 6½ " }			
S.B. 32 " 6½ " }		0 19 11	1 1 11
R.B.L. 20 " 5 " }			
S.B. howitzer, 24 pounder .. 5 " }		0 13 1	0 14 5
R.B.L. { 12 or 9 pounder .. 5 " }		0 14 6	0 15 11
{ 6 pounder 3½ " }		0 7 10	0 8 7
S.B. { 9 pounder, 28 cwt. .. 5 " }		0 12 9	0 14 0
{ 6 " 17 " .. 5 " }		0 11 7	0 12 9
{ Carronade, 68 pounder 6½ " }		0 14 3	0 15 8
R.M.L. 7 pounder bronze gun .. 3½ " }		0 5 2	0 5 8
Hind—			
R.M.L. { 64 pounder, 64 cwt. .. 6½ " }		1 11 9	1 14 11
{ 64 pounder 71 " .. 6½ " }			
{ 8 inch, and R.B.L. 40 pr. .. 6½ " }		1 9 5	1 12 4
S.B. { 32 pounder 6½ " }		1 3 3	1 5 7
{ 9 " 28 cwt. .. 5 " }		0 15 8	0 17 3
{ 6 " 17 " .. 5 " }		0 17 5	0 19 2
{ Carronade, 68 pounder .. 6½ " }		1 4 8	1 7 2
Backs, forge, cast-iron, with pins and keys—			
Forge { (Mark II) }		0 6 3	0 6 11
{ (Mark III) }		0 5 8	0 6 3
Bags, blowing charges—			
Calico, rifled common shell, 7 inch B.L., or 80 pounder M.L., and lower natures		0 0 4½	0 0 4½
Shalloon, mortar { 13, 10 and 8 inch	100	2 7 7	2 10 5
{ 5½ inch }		1 10 6	1 12 4
Bags, calico—			
Bursting, empty { No. 1, to contain 20 drams and under		0 3 1	0 3 3
{ No. 2, to contain from 20 to 30 drams		0 3 6	0 3 9

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance. Sheet.
Bags, calico, continued—		£ s. d.	£ s. d.
Bursters, empty { No. 3, to contain from 30 to 70 drams	100	0 5 2	0 5 6
For metal lined cases and pentagon cases (Mark I), land service.	each	0 1 8	0 1 10
Bags, canvas—			
For instruments extract- { 12·5 inch to 10 inch .. ing projectiles { 9, 8 and 7 inch, and 64 pounder	100	14 17 5	15 16 6
Small store, platform wagon.	7 16 11	8 7 8
..	0 2 11	0 3 1
Bags, for iron cylinders—			
Canvas { half barrel	10 1 0	10 13 3
.. { quarter „	4 18 3	5 4 3
Flannel { half barrel	15 17 11	16 17 4
.. { quarter „	9 10 10	10 2 3
Bags, flannel, for powder—			
Empty, to hold 15 lbs. or under	4 8 10	4 14 2
Filled { 15 lbs. L.G.	42 19 0	45 10 6
.. { 10 „ L.G.	30 4 5	32 0 8
Bags, paper, burster, shell—			
No. 1 (to contain 20 drams and under)	1000	0 9 11	0 10 6
„ 2 (to contain 20 to 30 drams)	0 10 2	0 10 9
„ 3 (to contain 30 to 70 drams)	0 10 9	0 11 5
Bags, serge—			
Blue, for 15 blank 3½ dram cartridges	100	1 3 5	1 4 10
Burster—			
R.B.L. shell, common—			
7 inch { Large	2 18 3	3 1 9
.. { Small	2 11 1	2 14 2
R.M.L. shell—			
Battering, 64 pounder	1 9 4	1 11 3
Common—			
Studded—			
12·5 inch	7 2 1	7 10 7
12 inch { 35 ton	5 18 9	6 5 6
.. { 25 „	5 3 7	5 9 10
11 „	4 10 0	4 15 7
10 „	4 4 8	4 9 8
9 „ { Mark I to V shells	8 18 10	4 3 7
.. { Mark VI shells	3 9 9	3 13 11
8 „	3 11 10	3 16 2
7 „	2 10 10	2 14 3
Studless—			
16 inch	14 5 2	15 2 3
12·5 inch	9 6 8	9 17 10
12 „ { 35 ton	8 3 5	8 13 3
.. { 25 „	7 9 6	7 18 6
11 „	7 13 6	8 2 8
10 „	7 11 4	8 0 5
9 „	6 12 8	7 0 7
Double, 7 inch gun	3 10 6	3 14 10
Palliser—			
Studded—			
12·5 inch	3 1 1	3 4 9
12 „ { 35 ton	2 14 6	2 17 9
.. { 25 „	4 1 3	4 6 2
11 „ { Large capacity	2 12 6	2 15 10
.. { Small „	2 5 0	2 8 9
10 „	2 7 5	2 10 7
9 „ { Large capacity	2 1 3	2 4 2
.. { Small „	1 7 10	1 9 10

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bags, serge, continued—		£ s. d.	£ s. d.
Burster—			
R.M.L. shell—			
Palliser—			
Studded—			
8 inch { Large capacity	100	2 4 5	2 7 1
{ Small "	"	1 13 8	1 15 8
7 "	"	1 9 7	1 11 3
Studless—			
16 inch	"	5 19 4	6 6 6
12.5 "	"	3 0 8	3 3 10
12 " { 35 ton	"	2 17 2	3 0 7
{ 25 "	"	2 13 5	2 16 7
11 "	"	2 9 4	2 13 3
10 "	"	2 6 8	2 9 6
9 "	"	2 4 1	2 6 9
Bags, shalleon, primer, 7 drams, F.G.	"	0 5 2	0 5 6
Balls, light—			
Ground { 10 inch	"	185 17 4	197 16 11
{ 8 "	"	142 15 1	150 6 11
{ 5½ "	"	54 18 10	58 1 4
{ 4½ " { Section	each	0 4 6	0 4 9
{ Whole	100	45 18 3	48 13 4
Parachute, Boxer { 10 inch, whole	"	231 1 8	247 7 6
{ 8 " { Section	each	2 12 9	2 15 11
{ Whole	100	171 10 8	180 12 6
{ 5½ "	"	124 14 0	132 3 8
Balls, smoke—			
13 inch	"	176 11 9	187 3 8
10 "	"	108 7 4	114 17 4
8 "	"	60 14 7	64 7 6
5½ " { Section	each	0 6 0	0 6 4
{ Whole	100	31 12 8	33 10 8
4½ "	"	25 0 8	26 10 8
Bands, bronze, derrick—			
With four screws, fixing, and two hinge screws, complete, R.M.L.—			
12.5 inch, 38 ton (Mark I)	each	4 11 0	5 5 11
12 " 35 " (Mark I)	"	4 11 0	5 5 11
10 " 18 " (Mark I and II)	"	3 12 0	4 3 10
9 " 12 " { (Mark I)	"	3 19 2	4 12 2
{ (Mark II, III, IV, and V)	"	3 19 2	4 12 2
With four screws, fixing, and two eyebolts, complete, R.M.L., 11 inch, 25 ton (Mark II)	"	3 12 0	4 3 10
Bands, copper, 14 W.G., for boxes, R.M.L.—			
Axletree { 25 to 9 pounder	doz.	1 10 2	1 13 2
{ 7 pounder	"	1 7 0	1 9 8
Ammunition { Centre	"	1 5 11	1 8 6
{ Side	"	1 14 11	1 18 5
Bands, steel—			
Barrow, projectile, road { 12.5 inch, 38 ton	each	—	—
{ 12 " 35 "	"	—	—
Elevating R.M.L. gun, 16 inch*	"	32 18 0	40 3 0
Friction brake, drum, gear retaining with bolts, carriage, garrison, wrought-iron, Moncrieff, R.M.L., 7 inch (Mark I)—			
Left	"	3 8 3	3 15 1
Right	"	3 8 3	3 15 1
Bands, wrought-iron—			
Axletrees, transporting { 9 inch, "Sultan" type	"	0 14 5	0 15 10
slide, iron, R.M.L. { 9 and 8 inch (Mark I)	"	0 14 5	0 15 10

* For sea service only.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bands, wrought-iron, continued—			
	each	£ s. d.	£ s. d.
		0 14 5	0 15 10
Axletree, transporting slide iron, R.M.L. { 7 inch { 6½ tons		
	..		
	..	0 14 7	0 16 0
	..		
	..		
	..	0 15 4	0 16 10
	..		
	..	1 4 4	1 6 9
Friction, clutch, platform, traversing, wrought-iron, R.M.L., 12½ inch—			
Casemate { 7 feet recoil }	..		
	..	1 11 10	1 15 0
Dwarf { "C" }	..		
	..	1 17 8	2 1 5
Friction, brake, drum, gear, retaining, with bolts, carriage, garrison, wrought-iron, Moncrieff—			
R.B.L., 7 inch, left	2 5 7	2 10 2
R.M.L.—			
9 inch (Mark II) { Left }	..	4 8 0	4 16 10
	..	4 8 0	4 16 10
7 " (Mark II) { Left }	..	2 5 7	2 10 2
	..	2 5 7	2 10 2
¾ pr., 58 cwt., left	2 5 7	2 10 2
Or irons, under { 40, 25, { (Mark I) { Front	..	0 3 5	0 3 9
box, ammuni- { 16, or 9 { (Mark II) { Rear	..	0 2 11	0 3 3
tion wagon, { pounder { (Mark II) { Front	..	0 3 5	0 3 9
R.M.L. { 13 pounder { Front	..	0 2 11	0 3 3
	..	0 2 7	0 2 10
	..	0 2 11	0 3 3
With loops for rammer staves, R.M.L.—			
12½ inch }	..	0 5 10	0 6 5
12 inch, 35 ton }	..		
11 or 12 inch, 25 ton }	..	0 5 9	0 6 4
10 inch }	..	0 4 8	0 5 2
9 " (Mark I) }	..		
Barrels, cartridge—			
Half	100	13 18 9	14 15 6
Quarter	10 5 0	10 17 4
Barrels (without copper hoops)—*			
Ammunition, gun, whole	54 10 6	57 15 11
Budge, quarter	16 4 4	17 4 1
Powder—			
(Mark III)† { Whole }	..	19 19 11	21 4 0
	..	15 7 10	16 6 4
	..	10 12 8	11 5 5
(Mark II)‡ { Whole }	..	17 15 8	18 17 0
	..	14 6 10	15 4 1
	..	10 8 6	11 1 0
Barrows, wood—			
Ammunition, China pattern..	each	14 7 0	15 15 8
Charge, with cover	5 5 0	5 11 4
For trays of magazine lamps	3 19 3	4 3 10

* For prices of the copper hoops belonging to these barrels, see page 283.

† Barrels, powder (Mark III), are each fitted, the whole barrel with 4 copper and 12 ash hoops; the half barrel with 4 copper and 10 ash hoops; and the quarter barrel with 4 copper and 8 ash hoops.

‡ Barrels, powder (Mark II), are each fitted with 4 copper and 6 ash hoops.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Barrows, wood, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>
Magazine { Double	each	10 18 9	11 19 7
{ Single	"	4 4 4	4 10 11
Powder, covered, two wheel.. .. .	"	12 9 5	13 10 7
Tool, sighting guns	"	9 8 0	9 19 3
Truck, transporting heavy R.M.L. projectiles ..	"		
Land service { 12 inch and 12·5 inch	"	7 10 1	8 4 5
{ 7 inch to 12 inch	"	3 15 0	4 2 0
Sea service, 9, 8, or 7 inch	"	3 0 10	3 5 6
Barrows or trucks, wrought-iron, transport-			
ing R.M.L. projectiles, land and sea service—			
12·5 inch	"	14 14 0	16 3 5
12 inch, 35 tons	"	14 14 0	16 3 5
11 " or 12 inch, 25 tons	"	12 3 8	13 8 0
10 "	"	11 3 0	12 5 4
Barrows, wrought-iron, projectile, road, 12·5			
inch, 38 ton and 12 inch, 35 ton	"	—	—
Bars, compressor—			
Steel slide, steel, R.B.L., 6 inch	set	7 3 6	7 17 10
Wrought iron—			
Carriage, garrison, wrought-iron, sliding, double			
plate, R.M.L., 12·5 inch (3 to a set)	"	2 18 0	3 3 10
Directing bar, bed, R.M.L., 8 inch, 6·6 inch,			
or 6·3 inch howitzer	"	2 0 0	2 4 0
For wrought-iron naval slides, R.M.L.—			
12 inch, 25 ton, "Belleisle" type	"	27 14 8	30 10 2
11 inch, "Téméraire" type	"	30 12 0	33 13 2
10 inch { "Hercules"	"	27 1 9	29 15 11
{ "Sultan" and gunboat type	"	27 1 9	29 15 11
{ "Superb," upper deck	"	24 13 1	27 2 5
{ "Plucky"	"	4 1 6	4 9 8
9 inch { "Staunch"	"	6 2 0	6 14 2
{ "Sultan" type	"	15 3 5	16 13 9
{ Service	"		
8 inch	"	4 14 8	5 4 2
7 inch { 6½ tons	"		
{ 90 cwt.	"	4 10 4	4 19 4
64 pounder { (Mark I and II)	"	2 1 8	2 5 10
{ (Mark III)	"	2 1 10	2 6 0
{ (Mark IV and V)	"	1 13 6	1 16 10
Bars, connecting, wrought-iron—			
Axles, eccentric, with sockets, carriage, wrought-iron,			
naval, sliding—			
9 inch { Service	each	1 16 0	1 19 7
{ "Staunch"	"	4 17 0	5 6 8
Double plate, R.M.L. { 8 inch	"	1 15 6	1 19 1
{ 7 inch, 6½ tons	"	1 14 11	1 18 5
{ 7 inch, 90 cwt.	"	1 14 10	1 18 4
Single plate, R.M.L. { 64 pounder { (Mark I)	"	1 11 8	1 14 10
{ (Mark II)	"	1 9 6	1 12 5
Gear retaining, with bolts, carriages, garrison,			
wrought-iron Moncrieff—			
R.B.L. 7 inch { Left	"	3 1 8	3 7 10
{ Right	"	3 1 8	3 7 10
R.M.L.—			
9 inch (Mark II) { Left	"	4 19 6	5 9 5
{ Right	"	4 19 6	5 9 5
7 inch (Mark II) { Left	"	4 2 8	4 10 11
{ Right	"	4 2 8	4 10 11
½ por. 58 cwt. { Left	"	2 17 9	3 3 6
{ Right	"	2 17 9	3 3 6
Bars, crab, capstan, wood	"	0 19 10	1 1 10

Section V.

193

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bars, directing—			
Bed, wrought-iron, { 8 inch	each	£ s. d. 31 3 0	£ s. d. 34 5 4
howitzer, R.M.L. { 6·6 or 6·3 inch	"	30 13 0	33 14 4
Pointer, with screws—			
Metal, gear, lifting, carriage, garrison, wrought-iron, R.M.L., small port, 10 inch	"	1 2 3	1 4 6
Wrought-iron, gear, following-up, carriage, garrison, wrought-iron, R.M.L., small port, 12·5 inch.	"	0 15 4	0 16 10
Bars, inner, compound hind turret sight—*			
Centre or intermediate	"	21 5 0	25 18 6
Wing	"	21 5 0	25 18 6
Specialty graduated for charges of practice gun on turret roof—			
Centre or intermediate	"	21 5 0	25 18 6
Wing	"	21 5 0	25 18 6
Bars, radius, wrought-iron, gear, elevating, carriage, garrison, wrought-iron, Moncrieff—			
R.B.L. 7 inch { Left	"	3 1 4	3 7 6
Right	"	3 1 4	3 7 6
R.M.L.—			
9 inch (Mark II) { Left	"	6 2 6	6 14 9
Right	"	6 2 6	6 14 9
7 inch (Mark II) { Left	"	4 11 9	5 0 11
Right	"	4 11 9	5 0 11
¾ pr., 58 cwt. { Left	"	3 1 4	3 7 6
Right	"	3 1 4	3 7 6
Bars, shifting, R.M.L., 7 pounder, 400 lbs.	"	0 19 6	1 3 10
Bars, splinter, travelling carriage—			
Lumber—			
Field { Wrought-iron, { 40, 25, 16, or 9 pounder	"	2 1 2	2 5 3
R.M.L. { 13 pounder	"	2 1 2	2 5 3
7 " colonial	"	2 1 2	2 5 3
Wood, R.B.L. { 20 to 9 pounder	"	0 17 4	0 19 3
6 pounder	"	0 16 8	0 18 3
Siege { Wrought-iron	"	4 7 10	4 16 7
Wood	"	1 12 8	1 15 11
Sling wagon, wood, service	"	1 18 5	2 2 3
Wagon—			
Flanders	"	0 14 0	0 15 5
General service { Equirotal	"	0 14 9	0 16 3
Lock under, also ammunition and store, Royal Artillery ..	"	0 13 4	0 14 8
Platform	"	1 10 10	1 13 11
Royal Engineers (see page 502)	"	0 13 4	0 14 8
Bearers, shot or shell—			
R.B.L., 7 inch	"	0 14 7	0 16 4
9 inch	"	3 5 1	3 15 0
7 inch	"	2 0 3	2 7 2
R.M.L. { 80 pounder	"	2 15 4	3 4 2
8 inch howitzer { 70 cwt. and 46 cwt... ..	"	4 0 5	4 13 3
46 "	"	3 3 0	3 12 5
6·6 inch howitzer.. .. .	"	4 0 5	4 13 3
Spherical—			
13 inch	100	28 18 0	32 2 2
10 "	"	19 15 5	21 15 11
8 " or 100 pounder	"	17 6 5	19 1 0
32 pounder	"	14 13 5	16 10 5

* In demanding these articles the name of the vessel should be given.
(V.S.)

N

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bearers, shot or shell, continued—		£ s. d.	£ s. d.
Spherical—			
24 pounder.. .. .	100	9 8 0	10 8 11
18 "	"	9 6 0	10 6 6
12 "	"	9 3 11	10 4 4
9 "	"	7 9 5	8 6 0
6 "	"	7 7 8	8 4 1
3 "	"	7 5 10	8 2 0
Bearers, wood—			
Cartridge cylinders, { Under 12.5 inch (Mark II)	each	0 1 9	0 1 10
R.M.L. { 12.5 inch (Mark III)	"	0 2 6	0 2 8
Lifting R.M.L., 7 pounder, { Breech { 200 lbs. ..	"	0 9 7	0 10 6
steel gun, mountain { 150 " ..	"	0 10 3	0 11 3
{ Carriage 400 " ..	"	0 4 3	0 4 8
Rock-staff, forge, cart or wagon	"	0 4 3	0 4 8
Bearings, metal, nut, screw, adjusting, platform,			
traversing, wrought-iron, R.M.L., 12.5 inch—			
Casemate { Small port	"	0 6 5	0 7 1
{ 7 feet recoil			
{ 6 " "			
{ "C" "			
Dwarf { "D" "	"	0 6 5	0 7 1
{ "D" "			
Beds, cast-iron—			
Carriages, cast-iron, garrison—			
Carronade { 24 pounder.. .. .	"	0 13 8	0 15 0
{ 18 "	"	0 12 3	0 13 6
{ 32 pounder, 56 cwt.	"	0 12 1	0 13 4
Gun { 24 " 50 "	"	0 11 10	0 13 0
{ 18 " 42 "	"	0 10 9	0 11 10
{ 12 " 34 "	"	0 10 7	0 11 8
{ 9 " 28 "	"	0 10 1	0 11 1
{ 6 " 23 "	"	0 8 5	0 9 3
Mortar, land service, { 13 inch, 86 cwt.	"	27 10 0	30 5 0
with coils { 10 " 18 "	"	14 4 0	15 12 5
{ 8 " 9 "	"	8 18 0	9 15 10
Beds, wrought-iron, carriages, garrison—			
Wrought iron—			
Common, standing, or rear chock—			
R.B.L. { 64 pounder	"	2 2 6	2 6 9
{ 40 "			
S.B. { 8 inch			
{ 32 pounder, 58 or 56 cwt. ..	"	2 2 6	2 6 9
Wood—			
Common, standing—			
R.M.L. 44 pounder, 58 cwt.	"	2 2 6	2 6 9
S.B.—			
8 inch			
32 pounder { 63 cwt.			
{ 58 " or 56 cwt.	"	2 2 6	2 6 9
{ 50 "	"	2 2 6	2 6 9
24 pounder 50 cwt.	"	2 2 6	2 6 9
18 pounder 42 cwt.	"	2 2 6	2 6 9
Sliding, also { R.B.L. 7 inch	"	1 19 6	2 3 5
rear chock { S.B. { 10 inch, 86 cwt. ..			
{ 68 pounder, 95 cwt. ..			
Sliding { R.M.L. 44 pounder	"	1 19 6	2 3 5
{ S.B. 56 pounder			
Sliding, also { S.B. 8 inch, 65 or 60 cwt. ..			
rear chock { R.M.L. 44 pounder, 58 cwt. ..	"	1 19 6	2 3 5
Sliding { S.B. 32 pounder { 68 cwt. ..			
{ 58 or 56 cwt. ..	"	1 19 6	2 3 5

ORDNANCE.	Per	Rate.		No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£	s. d.	£	s. d.
Beds, wrought-iron, carriages, garri- son, continued—					
Wood—					
Sliding { 24 pounder, 50 cwt. .. }	each	1	19 6	2	3 5
S.B. { 18 " 42 " .. }	"	2	7 0	2	11 8
Sliding, also { S.B. { 8 inch, 54 cwt. .. }	"	1	19 6	2	3 5
rear chock { R.B.L. 64 pounder, 61 cwt. .. }	"	1	19 6	2	3 5
Sliding, also common, standing, R.B.L. 40 pounder ..	"	1	16 6	2	0 2
Sliding, also rear chock, S.B. { 10 inch ..	"	0	10 3	0	11 3
howitzer { 8 " ..	"	0	9 10	0	10 10
Depression, $\frac{3}{4}$ pounder, 58 cwt. ..	"	2	4 6	2	8 11
Beds, wrought-iron, carriages, mountain, with screw coin arrangement, R.M.L.—					
Steel, 7 pounder, 400 lbs. ..	"	7	17 6	8	13 3
Wrought-iron { 7 pounder, 200 lbs. ..	"	5	17 0	6	8 8
" { 7 " 150 " ..	"	4	19 0	5	8 11
Beds, wrought-iron—					
With cross bar, bed, iron, R.M.L. 7 pounder, 200 lbs.	"	2	0 5	2	4 6
R.M.L. { 7 pounder, 200 lbs. steel gun ..	"	16	0 0	17	12 0
" { 8 inch howitzer, 46 cwt. ..	"	183	5 1	200	13 1
Beds, steel, R.M.L. howitzer—					
6·6 inch* ..	"	173	0 0	190	6 0
6·3 inch* ..	"	176	10 0	194	3 0
Beds, wood, axletree, in the rough—					
Carriage, travelling—					
Field, R.B.L. { 20 pounder ..	"	0	13 2	0	14 6
" { 12 or 9 pounder. ..	"	0	12 4	0	13 7
Siege ..	"	0	17 0	0	18 8
Carts—					
Ammunition, small arm ..	"	0	4 9	0	5 3
Coal ..	"	0	6 3	0	6 11
Hand ..	"	0	8 1	0	8 11
Maltese, or water ..	"	0	7 3	0	8 0
Tip, general service ..	"	0	7 3	0	8 0
Limber—					
Field { R.B.L. 9 pounder and upwards. ..	"	0	8 5	0	9 3
" { R.M.L. { 16 pounder ..	"	0	8 5	9	9 3
" { 9 " ..	"	0	7 3	0	8 0
Siege ..	"	0	7 3	0	8 0
Wagon—					
Ambulance, equirota { Fore ..	"	0	3 0	0	3 4
" { Hind ..	"	0	3 9	0	4 2
Ammunition { R.B.L. 9 pounder and upwards. ..	"	0	5 8	0	6 3
" { R.M.L. { 16 pounder ..	"	0	5 8	0	6 3
" { 9 " ..	"	0	8 6	0	9 4
General service, equirota { Fore ..	"	0	5 7	0	6 2
" { Hind ..	"	0	5 7	0	6 2
Beds, wood, axletree, prepared—					
Cart, trench ..	"	0	6 4	0	7 0
Wagon, platform { Fore ..	"	0	7 8	0	8 5
" { Hind ..	"	0	7 8	0	8 5
Beds, wood—					
Carriage, garrison—					
Cast-iron S.B. { 8 inch ..	"	0	16 6	0	18 2
" { 32 pounder ..	"	0	16 6	0	18 2
" { 24 " ..	"	0	16 6	0	18 2

* Differ from each other only in elevating arrangement.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Blts, vent, continued—				
23 inch, land and sea service	each	£ s. d.	£ s. d.	£ s. d.
17 " " " " " " " " " " " "	"	—	0 1 8	0 2 0
12 " " " " " " " " " " " "	"	—	0 1 6	0 1 10
7½ " " " " " " " " " " " "	"	—	0 1 0	0 1 1
7½ " " " " " " " " " " " "	"	—	0 1 4	0 1 8
Blocks, bronze, preserving muzzle sight, R.M.L. gun, 13 pounder, 8 cwt.	"	—	0 10 0	0 12 3
Blocks, cast-iron—				
Depression, for cast-iron gar- { 2½ pounder	"	—	0 8 6	0 9 4
rison carriages, carronade { 18 " "	"	—	0 7 11	0 8 9
Pivot, platforms, traversing—				
Wrought-iron, R.M.L.—				
9 inch or 7 inch, C and D pivots ..	"	—	11 19 2	13 3 1
64 pounder, 64 cwt., 5 feet 6 inch, or	"	—		
6 feet, parapet	"	—	9 2 4	10 0 7
Moncrieff, R.M.L.—				
9 inch (Mark II)	"	—	29 10 10	32 9 11
7 inch { (Mark I) with fixed plug	"	—	5 15 2	6 6 8
{ (Mark II)	"	—	15 13 11	17 5 4
¾ pounder, 58 cwt., also 7 inch B.L.	"	—	6 10 10	7 3 11
Wood, C, D, E, and F pivots	"	—	8 6 8	9 3 4
Pivot, slide, wrought-iron, R.M.L. 7 inch	"	—	19 18 11	21 18 10
Blocks, dismounting, R.M.L., 7 pounder, 400 lb.	"	—	2 3 9	2 13 5
Blocks, malleable cast-iron*—				
Loading tackle, 5 inch, with iron sheaves—				
For 2 inch { With hooks { Double ..	"	0 10 6	—	—
white rope { Single ..	"	0 7 0	—	—
{ With shackles, double ..	"	0 15 0	—	—
For 2½ inch { With hooks { Double ..	"	0 12 6	—	—
white rope { Treble ..	"	0 18 6	—	—
{ With large hook for	"	0 19 6	—	—
loading bar, treble ..	"	1 1 0	—	—
{ With shackles, treble ..	"	—	—	—
Snatch, with hook, muzzle derrick, 4 inch,	"	0 6 0	—	—
for 2 inch white rope	"	—	—	—
Blocks, wrought-iron—				
Loading tackle, with phosphor bronze				
sheaves for—				
2½ inch white rope—				
6 inch { With large hook for load-	"	—	1 10 0	1 13 10
ing bar, treble ..	"	—	1 7 9	1 10 6
{ With shackle, treble ..	"	—	1 8 9	1 11 8
7 inch { With hook, treble ..	"	—	1 6 1	1 8 8
{ With hook, double ..	"	—	—	—
2 inch white rope—				
6 inch { With shackle, double ..	"	—	1 2 8	1 4 11
{ With hook, single ..	"	—	0 19 10	1 1 10
7 inch, with hook double ..	"	—	1 5 5	1 8 0
Snatch, with hook, muzzle-derrick, 4 inch,	"	—	1 6 10	1 9 6
for 2 inch white rope	"	—	—	—
Blocks, wrought-iron, with metal sheaves—				
Lanyard, nipping gear—				
Double, carriage, iron, naval, R.M.L.—				
Sliding, 11 inch, "Téméraire" type	"	—	1 11 3	1 14 5
" " " " " " " " " " " "	"	—	1 11 3	1 14 5
Turret { 12 { 35 tons ..	"	—	1 11 3	1 14 5
inch { 25 { "Glatton" ..	"	—	—	—
tons { "Monarch" ..	"	—	1 11 3	1 14 5
type ..	"	—	—	—
10 inch	"	—	1 11 3	1 14 5

* These blocks and all their parts are galvanized.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Blocks, wrought-iron, with metal sheaves, <i>continued—</i>		£ s. d.	£ s. d.
Lanyard, nipping-gear—			
Single, carriage, iron, naval, sliding, R.M.L.—			
12 inch, 25 tons, "Belleisle" type	each	1 2 1	1 4 4
12 inch { "Hercules"	"	1 2 1	1 4 4
10 inch { "Sultan" type, also garrison, 12·5	"	1 2 1	1 4 4
inch, small port	"	2 6 5	2 11 1
Rear of wood slides, R.M.L. 7 inch	"		
Running back—			
Treble, carriage and platform, iron, R.M.L. 11			
or 12 inch, 25 ton	"	2 8 6	2 13 4
Double—			
Carriages, iron, R.M.L. 10 inch (Mark II) ..	"	1 17 10	2 1 7
Carriages and platforms, iron, R.M.L. 10 inch			
(Mark I) and 9 inch	"	1 17 9	2 1 6
Platform, iron, R.M.L. 10 inch (Mark II), and			
special	"	1 15 2	1 18 8
Snatch, 5 inch, for loading tackle, wrought-iron,			
traversing platform, R.M.L.—			
Without shackle	"	1 0 0	1 2 0
With shackles for—			
12·5 inch	}	1 7 7	1 10 4
12 " 35 tons			
11 "			
10 inch { (Mark I)	}	1 8 3	1 11 1
(Mark II) and special			
Small port			
12 inch, for single plate carriages	"	1 8 3	1 11 1
Winch gear, R.M.L., 7 inch or 6½ pounder (6 to			
a set)	set	7 0 0	7 14 0
Blocks, metal, for tangent scales, R.M.L.			
7 pounder, bronze	each	0 12 6	0 14 6
Blocks, trunnion—			
Gear, lifting, wrought-iron carriage, wrought-iron			
sliding, R.M.L., 10 inch, small port—			
Left	"	13 8 2	14 15 0
Right	"	13 7 8	14 14 5
R.M.L. 7 pounder, 400 lb.	"	0 15 0	0 18 4
Blocks, wood—			
Anvil, forge, cart or wagon	"	0 14 3	0 15 8
Or cleats, ship, car- { Fore	"	0 3 8	0 4 0
riage, axletree { Hind, also garrison	"	0 1 8	0 1 10
Platform, cross, rear, with rivets	"	5 16 5	6 8 1
21 inch	"	11 1 11	12 4 1
Snatch, iron bound { 18	"	7 11 8	8 6 10
15	"	5 0 6	5 10 7
12	"	3 19 8	4 7 7
10	"	2 16 6	3 2 2
Blocks (or prisms), wood, oak, dismounting, siege,			
16" x 6" x 5"	"	0 2 8	0 2 11
Boards, prepared—			
Foot, limber	"	0 6 1	0 6 8
Platform { Limber	"	0 15 7	0 17 2
Wagon { Centre	"	0 13 2	0 14 6
Front	"	0 7 10	0 8 7
Boards—			
Range for batteries	"	0 5 0	0 5 4
Scale, raising projectiles, with chains, 3 feet x 2			
feet 9 inches	"	5 6 2	5 11 9

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bellards, cast-iron, platform, traversing, wrought-iron, R.M.L.—		£ <i>r</i> s. d.	£ s. d.
Casemate—			
Small port, 10 inch	each	1 0 8	1 2 9
To work within length—			
11 or 12 inch, 25 tons	"	1 1 0	1 3 1
10 inch { (Mark I)	"	1 1 0	1 3 1
{ (Mark II)			
9 inch	"	1 1 0	1 3 1
11 or 12 inch, 25 tons { Side.. .. .	"	1 1 0	1 3 1
{ Rear			
10 inch { Side.. .. .	"	1 1 0	1 3 1
{ Rear			
{ (Mark II)	"	1 1 0	1 3 1
9 inch { Side			
{ Rear	"	1 1 0	1 3 1
Single plate carriage, 11 or 12 inch, 25 tons, to work within length			
Dwarf—	"	1 1 0	1 3 1
11 or 12 inch, 25 tons { "A" rear	"	1 1 0	1 3 1
{ "C" { Central			
{ Side	"	1 1 0	1 3 1
10 inch { "A" { Side			
{ "C" { Rear	"	1 1 0	1 3 1
{ Central			
{ "D" side	"	1 1 0	1 3 1
9 inch { "A" rear			
{ "C" { Central	"	1 1 0	1 3 1
{ Side.. .. .			
{ "D" side	"	1 1 0	1 3 1
Bellards, wood, prepared—			
Carriage, wrought-iron, R.M.L.—			
7 inch { 6½ tons	"	0 3 6	0 3 11
{ 90 cwt.	"	0 4 3	0 4 8
64 pounder.. .. .	"	0 4 2	0 4 7
Slides, wrought-iron, R.M.L.—			
9 or 8 inch	"	0 4 8	0 5 2
7 inch { 6½ tons	"	0 5 6	0 6 1
{ 90 cwt.	"	0 6 1	0 6 8
64 pounder.. .. .	"	0 5 0	0 5 6
Slides, wood, heavy and medium	"	0 3 10	0 4 3
Belts, eye, for trunnion R.M.L. 64 pounder, 58 cwt., mounted on Moncrieff carriage	"	1 15 0	1 19 0
Belts, metal, or pins, octagon, deck—			
13 inch, sea service, mortars (see Pins).			
Belts, iron, elevating, eye, complete, with washer and keep-pin—			
20 pounder	"	0 12 8	0 14 8
R.B.L. { 12 "	"	0 12 8	0 14 8
{ 9 "	"	0 12 8	0 14 8
{ 6 "	"	0 12 8	0 14 8
{ 25, 16, or 9 pounder, 8 cwt... .. .	"	0 12 8	0 14 8
R.M.L. { 13 pounder	"	0 12 8	0 14 8
{ 9 pounder, 6 cwt. { (Mark I)	"	0 12 8	0 14 8
{ (Mark II)	"	0 12 8	0 14 8
Belts, vent, with spring and nut, R.B.L. gun, 6 inch, Mark I	"	—	—

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bolts, wrought-iron—		£ s. d.	£ s. d.
Bracket, elevating, R.M.L. gun, 16 inch*..	each	3 3 9	3 17 9
Drop, slide, wrought-iron, R.B.L. 20 pounder	"	0 18 4	1 0 2
Fighting, slide—			
Boat—			
Iron, R.M.L. { 9 pounder	"	0 7 6	0 8 3
{ 7 " 200 steel guns ..	"	0 7 6	0 8 3
{ 9 " with feathers ..	"	0 7 1	0 7 10
Wood—			
R.B.L. 12 pounder, with feathers ..	"	0 7 2	0 7 11
R.M.L. 9 " 8 cwt., with feathers ..	"		
R.B.L. 12 " long	"	0 7 10	0 8 7
R.M.L. 9 " 8 cwt., long ..	"		
R.B.L. { 12 " short	"	0 7 6	0 8 3
{ 9 " "	"		
R.M.L. 9 " 6 cwt., short ..	"	0 7 6	0 8 3
Wood { Gun vessel, R.B.L. 20 pounder ..	"	0 7 6	0 8 3
{ Siege equipment, R.B.L. 7 inch ..	"	0 10 2	0 11 2
Flange, for wood traversing platforms, with collars and nuts—			
Casemate, front	"	0 5 8	0 6 3
Dwarf { Front, or casemate, rear	"	0 7 0	0 7 8
{ Rear	"	0 8 0	0 8 10
Gear, elevating, carriage, garrison, wrought-iron			
Moncrieff, R.M.L., 9 inch (Mark II)—			
Cascable, with nut and collar	"	0 17 2	0 18 11
Connecting links, with nut	"	1 15 6	1 19 1
Guide, lanyard, R.M.L. gun, 12·5 inch, Mark II	"	0 5 9	0 7 0
Bolts, wrought-iron, with nuts—			
Boss head, $\frac{1}{2}$ inch \times $3\frac{1}{2}$ inch	100	0 14 5	0 15 10
Cheese head, $\frac{3}{8}$ inch \times $3\frac{1}{2}$ inch	"	1 1 1	1 3 3
Clip plate, carriage, iron, naval, sliding, R.M.L. 10 inch—			
4 inches long	"	2 0 7	2 4 8
$3\frac{1}{2}$ " "	"	1 17 5	2 1 2
Countersunk head—			
$\frac{1}{2}$ inch \times 3 inches long	"	0 18 6	1 0 4
" " $2\frac{1}{2}$ " "	"	0 17 6	0 19 3
" " $2\frac{1}{2}$ " "	"	0 13 10	0 15 3
" " $2\frac{1}{2}$ " "	"	0 14 4	0 15 9
" " 2 " "	"	0 14 1	0 15 6
Bevelled { $\frac{1}{2}$ inch \times $4\frac{1}{2}$ inches long	"	0 16 7	0 18 3
{ " " $3\frac{1}{2}$ " "	"	0 15 3	0 16 9
{ " " $4\frac{1}{2}$ " "	"	0 15 6	0 17 1
{ " " $2\frac{1}{2}$ " "	"	0 14 7	0 16 0
V { $\frac{3}{8}$ inch \times $3\frac{1}{2}$ inches long	"	1 0 6	1 2 7
{ " " $2\frac{1}{2}$ " "	"	0 16 7	0 18 3
{ " " $1\frac{1}{2}$ " "	"	0 15 7	0 17 2
{ " " $1\frac{1}{2}$ " "	"	0 12 6	0 13 9
Hexagon head—			
$1\frac{1}{2}$ inch \times $5\frac{1}{2}$ inches long	"	8 9 10	9 6 10
$1\frac{1}{2}$ " " $3\frac{1}{2}$ " "	"	8 0 0	8 16 0
1 " 4 " " turned	"	7 6 4	8 1 0
1 " 3 " " "	"	—	—
$\frac{1}{2}$ " $1\frac{1}{2}$ " " "	"	1 6 0	1 8 7
$\frac{1}{2}$ " $3\frac{1}{2}$ " " turned	"	5 12 4	6 3 7
$\frac{1}{2}$ " $3\frac{1}{2}$ " " turned	"	5 10 8	6 1 9
$\frac{1}{2}$ " $3\frac{1}{2}$ " " "	"	1 7 5	1 10 2
$\frac{1}{2}$ " $2\frac{1}{2}$ " " "	"	1 3 9	1 6 2
$\frac{1}{2}$ " $1\frac{1}{2}$ " " "	"	1 1 11	1 4 1

* For sea service only.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bolts, wrought-iron, with nuts, continued—		£ s. d.	£ s. d.
Hexagon head—			
$\frac{1}{8}$ inch \times $6\frac{1}{2}$ inches long.. .. .	100	1 4 10	1 7 4
$\frac{1}{8}$ " $2\frac{1}{2}$ " " " " " "	"	0 17 9	0 19 6
$\frac{1}{8}$ " $2\frac{1}{2}$ " " " " " "	"	0 17 2	0 18 11
$\frac{1}{8}$ " $2\frac{1}{2}$ " " " " " "	"	0 16 7	0 18 3
$\frac{1}{8}$ " 2 " " " " " "	"	0 16 0	0 17 7
$\frac{1}{8}$ " $1\frac{1}{2}$ " " " " " "	"	0 15 2	0 16 8
$\frac{1}{8}$ " $2\frac{1}{2}$ " " " " " "	"	0 14 5	0 15 10
$\frac{1}{8}$ " $2\frac{1}{2}$ " " (2 nuts) " " "	"	0 17 8	0 19 6
$\frac{1}{8}$ " 2 " " " " " "	"	0 13 10	0 15 3
$\frac{1}{8}$ " $1\frac{1}{2}$ " " " " " "	"	0 13 8	0 15 0
$\frac{1}{8}$ " $1\frac{1}{2}$ " " " " " "	"	0 13 3	0 14 7
$\frac{1}{8}$ " 2 " " " " " "	"	0 9 4	0 10 3
$\frac{1}{8}$ " $1\frac{1}{2}$ " " " " " "	"	0 8 9	0 9 8
$\frac{1}{8}$ " $1\frac{1}{2}$ " " " " " "	"	0 8 7	0 9 5
$\frac{1}{8}$ " 1 " " " " " "	"	0 8 6	0 9 4
Nave wheel { 1st class	12	0 11 8	0 12 10
{ 2nd "	"	0 8 1	0 8 11
{ 3rd "	"	0 6 8	0 7 4
{ 7 pounder,mountain { 150and 200lbs.	"	0 6 1	0 6 8
{ 400 lbs.	"	0 6 4	0 7 0
Tire wheel, with collar { 1st class	100	0 16 2	0 17 10
{ 2nd "	"	0 13 5	0 14 9
{ 3rd "	"	0 10 0	0 11 0
Bolts, wrought-iron, without nuts—			
Hexagon head—			
$\frac{1}{8}$ inch \times $1\frac{1}{2}$ inches long	"	0 9 9	0 10 9
$\frac{1}{8}$ " $3\frac{1}{2}$ " " " " " "	"	0 7 6	0 8 3
$\frac{1}{8}$ " $1\frac{1}{2}$ " " " " " "	"	0 5 9	0 6 4
$\frac{1}{8}$ " $\frac{1}{2}$ " " " " " "	"	0 5 7	0 6 2
Bolts, shaft, limber (see Pins, shaft, limber).			
Bolts, steel, pivot, with collar, nut, and split key,			
carriage, iron, naval, 0·45 inch Gatling	each	0 7 6	0 8 3
Boots, leather, magazine	100 pairs }	80 19 9	86 12 1
Bottoms, wood, shell or shot—			
Elm—			
Conical—			
10 inch	100	2 6 7	2 9 5
8 " or 68 pounder	"	1 12 3	1 14 2
32 pounder	"	1 2 9	1 4 1
24 "	"	0 18 10	1 0 0
12 "	"	0 15 10	0 16 9
Cylindrical—			
56 pounder	"	1 3 2	1 4 7
42 pounder	"	1 1 11	1 3 3
18 "	"	0 17 8	0 18 9
9 "	"	0 12 0	0 12 9
6 "	"	0 11 0	0 11 8
3 "	"	0 10 6	0 11 2
Hemispherical { $5\frac{1}{2}$ inch	"	0 18 1	0 19 2
{ $4\frac{1}{2}$ "	"	0 15 8	0 16 7
Mortar { 13 inch	"	4 17 5	5 3 3
{ 10 "	"	2 3 3	2 5 10
{ 8 "	"	1 11 0	1 12 10
Naval { 10 inch	"	2 6 7	2 9 5
{ 8 "	"	1 12 0	1 13 11
{ 32 pounder	"	1 2 7	1 3 11

ORDNANCE.	Rate.							
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Bottoms, wood, shell or shot, continued—			£	s.	d.	£	s.	d.
Teak—								
{ 10 inch	100	—	7	7	6	7	16	4
{ 8 „ or 68 pounder	—	4	16	0	5	1	9
Conical { 32 pounder	—	2	17	9	3	1	3
{ 24 „	—	2	3	6	2	6	6
{ 12 „	—	1	7	7	1	9	3
{ 56 pounder	—	4	6	0	4	11	2
Cylindrical { 42 pounder	—	3	13	0	3	17	5
{ 18 „	—	1	14	8	1	16	9
{ 9 „	—	1	4	10	1	6	4
{ 6 „	—	1	1	4	1	2	7
Hemispherical { 5½ inch howitzer	—	2	7	7	2	10	5
{ 4½ „	—	1	16	0	1	18	6
Mortar { 13 inch	—	7	19	9	8	9	4
{ 10 „	—	7	16	2	8	5	6
{ 8 „	—	5	3	1	5	9	3
Naval { 10 inch	—	7	7	6	7	16	4
{ 8 „	—	4	16	0	5	1	9
{ 32 pounder	—	2	17	9	3	1	3
Bouches, metal, fork, tightening chain, plat-								
form, traversing, wrought-iron, R.M.L.—								
Casemate, { Small port								
{ 7 feet recoil								
12½ inch { 6 „	each	—	0	6	2	0	6	9
Dwarf f { 12½ inch { “C”								
{ “D”								
{ 12 inch, 35 tons “C”								
Boxes—								
Copper, for lock of rocket machine	—	0	7	9	0	8	3
Leather, mountain, R.M.L. 7 pounder steel								
guns—								
150 lb. gun—								
Ammunition	—	1	10	10	1	13	11
Double shell, near or off, with carry-								
ing strap	—	2	8	8	2	13	6
Miscellaneous { Near	—	2	11	11	2	17	1
{ Off	—	2	12	2	2	17	5
Projectile, { With carrying strap	—	2	6	1	2	10	8
near or off { Without	—	2	4	3	2	8	8
{ Near or off	—	0	15	0	0	16	6
Small stores { Rocket, 9 pounder,	—	0	13	11	0	15	4
{ Hales	—						
200 lb. gun—								
Ammunition { Common and	—	5	4	9	5	15	3
Punjab pattern { Shrapnel shell	—	5	3	9	5	14	2
{ Double shell	—	2	1	2	2	5	3
Small stores { Near	—	2	1	2	2	5	3
{ Off	—	2	1	2	2	5	3
Leather, general mountain service, veteri-								
nary instruments and medicines	—	1	12	10	1	16	1
Leather tube, { Large	0 4 7						
sea service { Small	0 3 9						
Boxes, pipe, for wheels—								
Cast-iron { 1st class	—	0	5	6	0	6	0
{ 2nd „	—	0	3	3	0	3	7
{ 3rd „	—	0	1	10	0	2	0
Gunmetal—								
Iron or metal naves { 1st class	—	2	1	3	2	5	5
{ 2nd „	—	1	3	8	1	6	0
{ 3rd „	—	0	13	0	0	14	3

Section V.

203

ORDNANCE.	Rate.			
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Boxes, pipe, for wheels, continued—				
Gunmetal—				
Wood, naves, { B.L. 12 or 9 pounder, and M.L. naval, rifled { 9 pounder	each	0 15 1	0 16 7	
{ B.L. 6 pounder	"	0 11 6	0 12 8	
Phosphor bronze—				
Iron nave, 2nd class, cart, small arm ammunition, also metal nave, 9 pounder, naval	"	1 11 9	1 14 11	
Iron or metal naves { 1st class	"	3 8 6	3 15 4	
{ 2nd "	"	1 18 7	2 2 5	
{ 3rd "	"	0 19 2	1 1 1	
Metal naves { 13 pounder	"	1 10 2	1 13 2	
{ 7 " mountain { 150 lbs.	"	0 18 5	1 0 3	
{ 200 "	"	0 17 9	0 19 6	
{ 400 "	"	0 17 5	0 19 2	
Wood naves { 2nd class.. .. .	"	1 12 10	1 16 1	
{ 3rd "	"	0 18 6	1 0 4	
Boxes, tin—				
Cartridge—				
{ 25 pounder	doz.	1 10 6	1 13 7	
Axletree, { 16 " (Mark II)	"	1 10 4	1 13 4	
R.M.L. { 9 "	"	1 6 10	1 9 6	
{ 7 " { Large	"	2 3 9	2 8 2	
{ Colonial { Small	"	1 8 1	1 10 11	
R.M.L., 7 pounder, Gold Coast	"	1 8 1	1 10 11	
4 ounces	100	8 0 0	8 16 0	
Dubbing or soft soap (forge limber box)	doz.	1 17 6	2 1 3	
Fuze—				
Boxer's life-saving apparatus (Mark III)	100	16 1 7	17 0 11	
Common, black, to hold 10 or 8 fuzes	"	3 17 1	4 1 9	
Diaphragm, Shrapnel, to hold 12, 10 or 8 fuzes	"	3 17 1	4 1 9	
Percussion, travelling carriage—				
Plain, B.L., to hold 20, R.B.L. 20, 12 or 9 pounder	doz.	2 5 6	2 10 1	
R.L. to hold { 18, R.M.L. 13 pounder	"	2 16 0	3 1 7	
{ 16 "	"	2 7 6	2 12 3	
{ 12, R.M.L. 7 pounder	"	2 4 8	2 9 2	
{ 10, R.B.L. 40 pounder	"	2 10 6	2 15 7	
Sensitive { Field, to hold 15	"	2 7 6	2 12 3	
{ Mountain, R.M.L. 7 pounder, to hold 11	"	2 4 8	2 9 2	
R.B.L. 6 pounder	"	1 6 2	1 8 9	
Grease { Half round { 3 lb.. .. .	"	0 18 2	1 0 0	
{ 1 "	"	1 2 3	1 4 6	
{ Magazine { 14 lb.	"	1 12 1	1 15 3	
{ 7 "	"	1 10 6	1 13 7	
Nail, horse shoe	"	0 13 0	0 14 4	
Plug and wad { Cylindrical	100	3 17 1	4 1 9	
{ Rectangular	"	3 17 1	4 1 9	
Primer for lights	"	0 15 3	0 16 2	
Primer, 40 pounder R.B.L.	each	0 2 6	0 2 8	
Tube, garrison { Large	doz.	1 1 3	1 2 7	
{ Small	"	0 15 3	0 16 0	
Wax, black (store limber box)	"	1 8 4	1 11 2	
Boxes, wood, ammunition, small arm—				
With tin lining—				
Bullock	each	0 5 10	0 6 2	
Camel	"	0 7 9	0 8 2	
Revolver, Adams { 600 rounds (Mark I)	100	22 6 8	23 13 6	
{ 600 " { " II)	"	12 0 8	12 14 8	
{ 240 " { " III)	"	17 6 4	18 7 1	

ORDNANCE.	Pcr	Rate.	
		No. 1 Balance Sheet.	No. 2. Balance Sheet.
Boxes, wood, ammunition, small arm, contd.—		£ s. d.	£ s. d.
With tin lining—			
Revolver, Enfield { 600 rounds sea service ..	100	22 6 9	23 13 7
240 „ land service ..	„	13 17 1	14 13 9
Service Pattern—			
(Mark I).. .. .	„	34 1 6	36 2 5
(Mark II)	„	44 3 4	46 16 4
(Mark III and IV) (land service only) ..	„	32 3 6	34 2 1
(Mark V) (land and sea service)—			
All mahogany.. .. .	„	37 13 3	39 13 5
Mahogany, deal and elm	„	31 3 4	33 0 9
(Mark VII)	„	35 18 5	38 1 6
(Mark VIII)	„	38 14 6	41 1 0
(Mark IX)	„	38 14 6	41 1 0
(Mark X) (for home and special service only)	„	24 5 8	25 14 10
Without tin lining (Mark VI)	„	30 13 8	32 10 6
Boxes, wood, ammunition, limber—			
Centre— { 40 pounder	each	2 3 0	2 7 4
40 „ converted from 18 pounder ..	„	2 3 0	2 7 4
R.B.L. { 20, 12 or 9 pounder	„	2 3 0	2 7 4
Special	„	2 5 0	2 9 6
6 pounder { Service, also wagon body,			
and 6 pr., naval	„	2 11 0	2 16 1
R.M.L. { 40 pounder	„	2 11 9	2 16 11
25 „	„	2 11 9	2 16 11
16 or 9 pounder.. .. .	„	2 13 0	2 18 4
7 pounder, Colonial	„	2 11 9	2 16 11
Naval { R.B.L., 12 or 9 pounder	„	2 1 0	2 5 1
R.M.L., 9 pounder	„	2 1 0	2 5 1
S.B. { 12 pounder gun	„	1 18 2	2 2 0
32 pounder howitzer	„	1 18 2	2 2 0
Gatling 0.45 inch { Field { Near	„	8 2 11	8 19 3
{ Off	„	8 6 3	9 2 11
{ Naval	„	9 14 2	10 13 7
R.B.L.—			
40 pounder { Near	„	5 5 0	5 15 6
{ Off	„	5 5 0	5 15 6
40 pounder converted from 18 pounder { Near ..	„	5 5 0	5 15 6
{ Off	„	5 5 0	5 15 6
20 pounder { Near	„	5 8 6	5 19 4
{ Off	„	5 8 6	5 19 4
12 pounder { Near	„	5 6 3	5 16 11
{ Off	„	5 6 3	5 16 11
9 pounder { Near	„	5 6 3	5 16 11
{ Off	„	5 6 3	5 16 11
6 pounder { Special { Near	„	5 15 2	6 6 8
{ Off	„	5 15 2	6 6 8
{ Service and Naval { Near	„	3 18 4	4 6 2
{ Off	„	3 18 4	4 6 2
R.M.L.—			
40 pounder { Near	„	5 15 10	6 7 5
{ Off	„	5 15 10	6 7 5
Field—			
25 pounder { Near	„	6 4 11	6 17 5
{ Off	„	6 4 11	6 17 5
16 pounder { Near	„	6 1 7	6 13 9
{ Off	„	6 1 7	6 13 9
13 pounder { Near	„	15 15 8	17 7 3
{ Off	„	15 15 8	17 7 3
9 pounder { Near	„	5 15 11	6 7 6
{ Off	„	5 15 11	6 7 6
7 pounder, Colonial { Near	„	5 17 5	6 9 2
{ Off	„	5 17 5	6 9 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 1 Balance Sheet.
Boxes, wood, ammunition, limber, continued—			
Naval—			
R.B.L., 12 or 9 pounder { Near	each	£ 3 16 9	£ 4 4 5
Off	"	3 16 9	4 4 5
R.M.L., 9 pounder { Near	"	3 16 9	4 4 5
Off	"	3 16 9	4 4 5
S.B.—			
18 pounder { Near	"	4 4 9	4 13 3
Off	"	4 4 9	4 13 3
12 pounder { Carriage { Near	"	3 7 9	3 14 6
Off	"	3 7 9	3 14 6
Wagon { Near	"	4 2 6	4 10 9
Off	"	4 2 6	4 10 9
9 pounder { Near	"	3 16 6	4 4 2
Off	"	3 16 6	4 4 2
6 pounder { Near	"	3 16 6	4 4 2
Off	"	3 16 6	4 4 2
3 pounder	"	2 10 0	2 15 0
Howitzer—			
32 pounder { Carriage { Near	"	8 7 0	3 13 8
Off	"	3 7 0	3 13 8
Wagon { Near	"	4 2 0	4 10 2
Off	"	4 2 0	4 10 2
24 " { Near	"	3 12 9	4 0 0
Off	"	3 12 9	4 0 0
12 " { Near	"	3 12 9	4 0 0
Off	"	3 12 9	4 0 0
4½ inch { Near	"	2 9 0	2 13 11
Off	"	2 9 0	2 13 11
Boxes, wood, ammunition wagon—			
Centre—			
40 pounder	"	2 1 6	2 5 8
R.B.L. { 40 pounder, converted from 18 pounder	"	2 1 6	2 5 8
2, 12 or 9 pounder	"	1 19 6	2 3 5
6 pounder, special	"	2 1 0	2 5 1
Fore—			
R.B.L., 40 pounder, converted from 18 pounder	"	5 0 0	5 10 0
R.M.L., 13 pounder { Near	"	6 10 0	7 3 0
Off	"	6 10 0	7 3 0
S.B. gun { 18 pounder	"	4 12 6	5 1 9
12 "	"	4 9 4	4 18 3
9 "	"	4 9 3	4 18 2
6 "	"	4 9 9	4 18 9
S.B. howitzer { 32 pounder	"	4 10 3	4 19 3
24 "	"	4 8 6	4 17 4
12 "	"	4 9 6	4 18 5
Fore, near, or hind, off—			
40 pounder	"	5 0 0	5 10 0
20 "	"	5 8 6	5 19 4
R.B.L. { 12 "	"	5 1 3	5 11 4
9 "	"	5 1 3	5 11 4
6 " special	"	5 10 2	6 1 2
40 "	"	5 11 10	6 3 0
R.M.L. { 25 "	"	6 0 11	6 13 0
16 "	"	5 17 7	6 9 4
9 "	"	5 11 11	6 3 1
Fore, off, or hind, near—			
40 pounder	"	5 0 0	5 10 0
20 "	"	5 8 6	5 19 4
R.B.L. { 12 "	"	5 1 3	5 11 4
9 "	"	5 1 3	5 11 4
6 " special	"	5 10 2	6 1 2

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Boxes, wood, ammunition, wagon, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>
Fore, off, or hind, near—			
R.M.L. { 40 pounder each		5 11 10	6 3 0
{ 25 " "		6 0 11	6 13 0
{ 16 " "		5 17 7	6 9 4
{ 9 " "		5 11 11	6 3 1
Hind—			
R.B.L. 40 pounder, converted from 18 pounder	"	5 0 0	5 10 0
R.M.L. 13 pounder { Near "		15 15 8	17 7 3
{ Off "		15 15 8	17 7 3
S.B. gun { 18 pounder "		4 12 6	5 1 9
{ 12 " "		4 9 4	4 18 3
{ 9 " "		4 9 3	4 18 2
{ 6 " "		4 9 9	4 18 9
S.B. howitzer { 32 pounder "		4 10 3	4 19 3
{ 24 " "		4 8 6	4 17 4
{ 12 " "		4 9 6	4 18 5
Boxes, wood, axletree, carriages—			
Field—			
Gatling, 0.45 inch { Near "		3 19 9	4 7 9
{ Off "		3 19 9	4 7 9
R.B.L.—			
20 pounder { Near "		2 0 0	2 4 0
{ Off "		2 0 0	2 4 0
12 " { Near "		1 18 9	2 2 8
{ Off "		1 18 9	2 2 8
9 " { Near "		1 19 0	2 2 11
{ Off "		1 19 0	2 2 11
6 " special { Near "		1 17 9	2 1 6
{ Off "		1 17 9	2 1 6
6 " service, also naval { Near "		1 17 9	2 1 6
{ Off "		1 14 3	1 17 8
R.M.L.—			
25 pounder { Near "		5 9 7	6 0 7
{ Off "		5 10 5	6 1 6
16 pounder, complete* { (Mark I) { Near "		9 1 4	9 19 6
{ Off "		9 2 4	10 0 7
{ (Mark II) { Near "		9 1 4	9 19 6
{ Off "		9 2 4	10 0 7
9 pounder, complete* { (Mark I) { Near "		8 12 6	9 9 9
{ Off "		8 14 9	9 12 3
{ (Mark II) { Near "		8 12 6	9 9 9
{ Off "		8 14 9	9 12 3
7 pounder, Colonial, complete* { Near "		8 16 4	9 14 0
{ Off "		8 17 6	9 15 3
S.B. gun—			
12 pounder, off "		1 5 0	1 7 6
9 " { Near "		0 18 3	1 0 1
{ Off "		1 4 6	1 6 11
6 " { Near "		0 19 0	1 0 11
{ Off "		1 4 6	1 6 11
3 " { Near "		0 16 3	0 17 11
{ Off "		0 19 0	1 0 11
S.B. howitzer—			
32 pounder { Near "		0 18 6	1 0 4
{ Off "		1 4 0	1 6 5
24 " { Near "		0 18 6	1 0 4
{ Off "		1 4 0	1 6 5
12 " { Near "		0 18 3	1 0 1
{ Off "		1 4 0	1 6 5

* With guard irons and steps.

ORDNANCE.		Rate.			
		Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Boxes, wood, axletree, carriages, continued—			£ s. d.	£ s. d.	
Naval {	R.B.L. 12 or 9 pounder and R.M.L.	each			
	9 pounder, wood		1 1 0	1 3 1	
	R.M.L. 9 pounder, 8 or 6 cwt., steel ..		1 1 3	1 3 5	
Boxes, wood—					
	Cartridge, gun, 28½ inch × 11½ inch × 10½ inch..	"	0 5 0	0 5 4	
	Lantern for forge wagon	"	0 7 0	0 7 5	
Life-saving apparatus—					
	Lights (Mark II)	"	0 9 6	0 10 1	
	Lights, small	"	0 7 2	0 7 7	
	Portfires (Mark I).. .. .	"	0 8 6	0 9 0	
Limber—					
	Scales, hanging, R.M.L. 40 pounder, or 25 pounder	"	1 12 2	1 15 5	
Siege, store,	R.M.L. {	"	6½ pounder* gun and 8 inch howitzer, 70 cwt.	4 19 6	5 9 5
			6'6 inch gun	4 19 6	5 9 5
			8* inch howitzer, 46 cwt. ..	4 19 6	5 9 5
			6'6* "	4 19 6	5 9 5
	6'3* "	"	4 19 6	5 9 5	
	Siege, transporting bed, { 8 inch, 46 cwt. ..	"	5 4 0	5 14 5	
	R.M.L. howitzer { 6'6 and 6'3 inch ..	"	5 4 8	5 15 2	
Small, store, or centre, S.B.—					
Gun {	" wagon	"	18 pounder	0 8 6	0 9 4
			12 "		
			9 "		
			6 "		
Howitzer {	24 pounder	"	12 "	8 2 3	8 18 6
			"		
Wagon {	Forge {	"	(Mark I)	8 2 3	8 18 6
			(Mark II)		
	Store	"	7 11 1	8 6 2	
	Mahogany, for sections of fuzes	"	0 12 0	0 12 9	
Mountain service—					
	No. 1, tools and materials, smiths	"	2 14 11	2 18 2	
	" 2, " farriers and shoeing smiths.. ..	"	2 14 11	2 18 2	
	" 3, " and materials, collarmakers.. ..	"	2 14 11	2 18 2	
	" 4, " and materials, wheelers	"	2 14 11	2 18 2	
	" 5, materials, repair of carriages	"	2 12 1	2 15 2	
	" 6, shoes and nails and general service ..	"	2 12 1	2 15 2	
Pack transport	{	"	Cartridges, R.M.L. 16 pounder or 9 pounder	0 10 9	0 11 5
			Shells, common or { 16 pounder ..	0 6 8	0 7 1
			Shrapnel, R.M.L. { 9 " ..	0 6 7	0 7 0
			Shot, case, R.M.L. { 16 " ..	0 6 11	0 7 4
	9 " ..	"	0 6 10	0 7 3	
Pound shot	{ 13 or 10 inch	100	7 0 0	7 8 5	
	8 inch	"	5 6 1	5 12 5	
Rocket, packing—					
	24 pounder (to hold 3 rockets)—				
	(Mark I).. .. .	each	1 6 0	1 7 7	
	(Mark II)	"	1 6 0	1 7 7	
	(Mark III)	"	1 1 6	1 2 9	
	9 pounder	"	0 4 8	0 4 11	
Shell and shot—					
	R.B.L.—	To hold.			
	20 pounder { Common 4	"	0 3 9	0 4 0	
	Case shot 4	"	0 3 9	0 4 0	

* These are interchangeable, except as regards the position of the fittings, to carry the spare arc.

ORDNANCE.		Rate.			
		Per	No. 1 Balance Sheet.	No. 1 Balance Sheet.	
Boxes, wood, continued—			£ s. d.	£ s. d.	
Shell and Shot—					
R.B.L.—					
	To hold.				
12 pounder	{ Shrapnel or common .. 6	each	0 3 7	0 3 10	
	{ Case shot .. 6	"	0 3 6	0 3 9	
9 "	{ Shrapnel or common .. 8	"	0 3 10	0 4 1	
	{ Case shot .. 8	"	0 3 10	0 4 1	
6 "	Case shot .. 12	"	0 4 0	0 4 3	
R.M.L.—					
16 inch Shrapnel 1	"	0 10 2	0 10 9	
12½ inch, Shrapnel 1	"	1 0 3	1 1 5	
12 inch	{ 35 ton, Shrapnel .. 1	"	0 14 11	0 15 10	
	{ 25 " " .. 1	"	0 13 6	0 14 4	
11 "	Shrapnel .. 1	"	0 12 7	0 13 4	
10 "	" .. 1	"	0 10 1	0 10 8	
9 "	" .. 1	"	0 7 8	0 8 2	
	{ Shrapnel .. 1	"	0 6 0	0 6 4	
8 "	{ Howitzer, common, with gas				
	{ check .. 1	"	0 5 5	0 5 9	
	{ Case shot .. 1	"	0 3 9	0 4 0	
7 "	Shrapnel .. 1	"	0 4 10	0 5 1	
80 pounder	{ Shrapnel .. 1	"	0 3 4	0 3 6	
	{ Common .. 1	"	0 3 4	0 3 6	
80 or 64 pounder, case shot 1	"	0 2 6	0 2 8	
64 pounder	{ Shrapnel .. 1	"	0 3 6	0 3 8	
	{ Common .. 1	"	0 3 5	0 3 7	
	{ Battering, with gas check	"	0 3 5	0 3 7	
63 inch Howitzer, common, with gas 1				
check 1	"	0 3 3	0 3 5	
40 pounder	{ Shrapnel, or common,				
	{ with gas check .. 2	"	0 3 3	0 3 5	
	{ Case shot .. 2	"	0 2 11	0 3 1	
	{ Shrapnel .. 4	"	0 3 10	0 4 1	
25 "	{ Common .. 4	"	0 3 9	0 4 0	
	{ Case shot .. 4	"	0 3 8	0 3 11	
16 "	{ Shrapnel or common .. 6	"	0 4 3	0 4 6	
	{ Case shot .. 6	"	0 3 6	0 3 9	
9 "	{ Shrapnel or common .. 8	"	0 4 2	0 4 5	
	{ Case shot .. 8	"	0 4 0	0 4 3	
	{ Shrapnel or common .. 10	"	0 4 3	0 4 6	
	{ Case shot .. 10	"	0 4 0	0 4 3	
7 "	{ Double .. 6	"	0 3 8	0 3 11	
	{ Star shell .. 10	"	0 4 2	0 4 5	
Shell and shot, S.B., elm and fir—					
No. 1	"	0 3 9	0 4 0	
" 2	"	0 2 5	0 2 7	
" 3	"	0 2 3	0 2 5	
" 4	"	0 2 3	0 2 5	
" 5	"	0 1 7	0 1 8	
" 6	"	0 2 5	0 2 7	
" 7	"	0 2 5	0 2 7	
" 8	"	0 2 5	0 2 7	
" 9	"	0 2 5	0 2 7	
" 10	"	0 3 2	0 3 4	
" 11	"	0 3 0	0 3 2	
" 12	"	0 3 2	0 3 4	
Side, forge	{ Cart { Near	"	2 9 6	2 14 5	
		"	2 9 6	2 14 5	
		"	2 9 6	2 14 5	
		"	2 9 6	2 14 5	
	{ Wagon { Near	"	2 9 6	2 14 5	
	{ Off	"	2 9 6	2 14 5	
Stationery, store wagon		"	9 5 1	10 3 7	

ORDNANCE.		Rate.			
		Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Boxes, wood, continued—					
Store wagon, general service, equirota	each	£ s. d.	£ s. d.		
Tin-lined, stars, incendiary, to hold 200	100	13 13 4	14 9 9		
Tool { Cart, forge	each	0 18 0	0 19 10		
Wagon, platform	"	3 10 6	3 17 7		
Tube { Large	100	94 7 3	100 0 6		
Small	"	85 10 7	90 13 2		
Under, wagon ammunition—					
R.B.L.—					
Grease { Except 6 pounder service	each	0 8 6	0 9 4		
magazine { 6 pounder, service	"	0 7 3	0 8 0		
Horse- { Except 6 { Long	"	0 10 3	0 11 3		
shoe { pounder service { Short	"	0 9 6	0 10 5		
6 pounder, service	"	0 9 0	0 9 11		
R.M.L. 40, 25, 16 or { Near, grease magazine ..	"	0 8 3	0 9 1		
9 pounder { Off, also forge (Mark ..	"				
II) and store wagon ..	"	0 10 6	0 11 7		
S.B. { Grease magazine	"	0 8 3	0 9 1		
Horseshoe { Long	"	0 11 0	0 12 1		
Short	"	0 10 6	0 11 7		
Under, wagon, forge (Mark I)	"	0 8 3	0 9 1		
Veterinary stores	"	2 13 1	2 18 5		
Vice, forge, cart or wagon	"	1 0 0	1 2 0		
Boxes, wrought-iron, under wagon forge ..	"	0 15 10	0 17 5		
Boxes, zinc, for—					
Percussion caps	100	2 14 3	2 17 6		
Primers, Shrapnel shell	"	0 11 3	0 11 11		
Brackets, bronze, sight, trunnion, with 3 fixing screws, R.B.L. gun, 6 inch (Mark II)	each	1 4 9	1 10 0		
Brackets, elevating—					
Compound hind turret sight, with hand-wheel and worm shaft complete, with fixing screws—*					
Centre	"	12 7 3	15 1 9		
Intermediate	"	12 7 3	15 1 9		
Wing	"	12 7 3	15 1 9		
Bronze, with 2 steel pivots, 2 keep { (Mark I) ..	"	7 4 0	8 15 9		
pins, and 5 fixing screws, R.B.L. { (Mark II) ..	"	7 4 0	8 15 9		
gun, 6 inch	"				
Wrought { With 2 fixing screws, R.M.L. gun, ..	"	16 17 3	20 12 0		
iron { 16 inch†	"	19 12 5	23 8 11		
Bands, R.M.L. gun, 16 inch†	"				
Brackets, metal					
Levers, iron pointed, platforms, traversing iron ..	set	0 15 6	0 17 1		
Roof for sockets, compound hind turret sight—					
Centre	each	15 8 9	18 16 9		
Intermediate	"	15 8 9	18 16 9		
Wing	"	15 8 9	18 16 9		
Winch gear, slides, iron, naval, R.M.L. 7 inch—					
6½ tons	"	2 10 8	2 15 9		
90 cwt. { Left	"	2 4 2	2 8 7		
Right	"	2 4 2	2 8 7		
Brackets, metal, complete, with two screws—					
Centre foresight, 64 pounder, 58 cwt.	"	0 5 4	0 6 4		
Trunnion sight—					
80 pounder, 5 tons { Left hand	"	0 5 4	0 6 4		
Right hand	"	0 5 4	0 6 4		
64 pounder, 71 cwt. { Left hand	"	0 5 4	0 6 4		
Right hand	"	0 5 4	0 6 4		

* In demanding these articles, the name of the vessel should be given.

† Land service only.

‡ Sea service only.

(V.S.)

O

ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Brackets, wrought-iron—		£ s. d.	£ s. d.	£ s. d.
Blocks, snatch, 5 inch, loading tackle,				
wrought-iron, traversing platform,				
R.M.L. 12·5 inch, with bolts and screws				
for fixing each	—	0 9 0	0 9 11	
Handspike, for carriage, { Iron "	—	0 6 2	0 6 9	
R.M.L. 7 inch { Wood "	—	0 5 1	0 5 7	
Retaining, carrier, with 2 fixing screws,				
R.B.L. gun, 6 inch (Mark I) "	1 13 0	—	—	
Sidearm, R.M.L., platforms, wrought-				
iron, traversing—				
Front, double—				
11 or 12 inch, 25 tons "	—	0 6 9	0 7 5	
10 inch case- { (Mark I) and dwarf	—	0 6 9	0 7 5	
mate { (Mark II) to work				
within length,	—	0 6 11	0 7 7	
and small port..				
9 inch { Except casemate, to work	—	0 6 10	0 7 6	
within length "				
Casemate, to work within	—	0 6 10	0 7 6	
length "				
7 inch "	—	0 6 10	0 7 6	
64 pounder, 64 cwt. "	—	0 5 5	0 6 0	
Rear, double—				
12 inch, 25 tons "	—	0 7 0	0 7 8	
11 " "	—	0 7 0	0 7 8	
10 inch { Casemate (Mark II), to	—	0 7 6	0 8 3	
work within length "				
Dwarf, "A" rear, and	—	0 7 0	0 7 8	
"C" central "				
9 inch { Casemate, to work within	—	0 6 10	0 7 6	
length "				
Dwarf, "A" and "C" "	—	0 6 10	0 7 6	
Rear, single, rammer—				
10 inch { Casemate (Mark I), also	—	0 2 3	0 2 6	
(Mark II), not to work				
within length "	—	0 2 4	0 2 7	
Dwarf, "C" and "D" side	—	0 2 3	0 2 6	
Small port.. .. "				
9 inch { Casemate, rear and side,	—	0 2 3	0 2 6	
not to work within				
length "	—	0 2 4	0 2 7	
Dwarf, "D" "				
7 inch { Casemate "	—	0 2 3	0 2 6	
Dwarf "	—	0 2 4	0 2 7	
Rear, single, sponge—				
10 inch { Casemate (Mark I), and	—	0 3 6	0 3 10	
dwarf, "C" and "D,"				
side, also casemate (Mark	—	0 3 6	0 3 10	
II), front and rear, not to				
work within length "				
Small port.. .. "				
9 inch casemate, rear and side, not	—	0 3 6	0 3 10	
to work within length, also dwarf				
"D" "	—	0 3 6	0 3 10	
7 inch "	—	0 3 6	0 3 10	
64 pounder, 64 cwt. "	—	0 3 0	0 3 4	
Braid, silk, for cartridges—				
Broad 144 yds	0 3 2	—	—	
Narrow "	0 1 4	—	—	

211

* 20 brushes and 6½ lbs. of cement are allowed for 1,000 wads.
† The staves of howitzer Piaasaba brushes are shorter than those for corresponding nature of guns.

ORDNANCE.	Per	Contract.	Rate.								
			No. 1 Balance Sheet.		No. 2 Balance Sheet.						
			£	s.	d.	£	s.	d.	£	s.	d.
Brushes, gun, continued—											
Piasaba, without staves—											
8 inch M.L. gun or howitzer	each		0	8	3	—	—	—			
7 „ M.L. or B.L.	„		0	6	6	—	—	—			
6 „ B.L., 80 and 64 pounder M.L. gun or 63 inch howitzer	„		0	5	9	—	—	—			
40 pounder M.L. or B.L.	„		0	3	11	—	—	—			
25 „ M.L. or 20 pounder B.L. ..	„		0	3	3	—	—	—			
16 „ M.L.	„		0	3	3	—	—	—			
13, 9, and 7 pounder M.L., or 12, 9, and 6 pounder B.L.	„		0	2	8	—	—	—			
Soft, or Turk's head { Large	„		0	2	9	—	—	—			
{ Middling	„		0	2	8	—	—	—			
{ Small	„		0	2	6	—	—	—			
Buckets, sponge—											
Leather, travel ing, { 40 pounder.. ..	„		—	—	—	1	3	0	1	5	4
carriage, K.B.L. { 20 „	„		—	—	—	1	2	6	1	4	9
{ 12 or 9 pounder	„		—	—	—	1	2	0	1	4	2
{ 6 pounder.. ..	„		—	—	—	1	1	8	1	3	10
Wood, garrison, gun	100		—	—	—	20	8	10	21	13	2
Buckles, iron, japanned, roller, for securing straps of carriages—											
1 inch	gross		0	3	10	—	—	—			
1/2 „	„		0	4	6	—	—	—			
1/4 „	„		0	4	6	—	—	—			
Buffers, complete, hydraulic—											
Carriages—											
Garrison, wrought-iron, sliding—											
R.M.L., { casemate { 7 feet recoil ..	each		—	—	—	32	15	0	36	0	6
12.5 „ { Or dwarf	„		—	—	—	30	18	0	33	19	10
inch { Small port { Left	„		—	—	—	34	16	6	38	6	2
{ Right	„		—	—	—	34	16	6	38	6	2
S.B.B.L. 32 pounder, 42 cwt. ..	„		—	—	—	7	18	0	8	13	10
Naval—											
Sliding—											
Steel, 64 pounder, 64 cwt. (Marks IV and V)	„		—	—	—	16	9	0	18	1	11
Wrought-iron, { 10-inch gunboat..	„		—	—	—	11	14	0	12	17	5
R.M.L. { 64 pounder, 64 cwt. (Mark VI)	„		—	—	—	17	17	0	19	12	8
Turret, wrought-iron, R.M.L.—											
12-inch, 35 tons	„		—	—	—	27	14	0	30	9	5
12 „ 25 „ “Monarch” type ..	„		—	—	—	24	0	0	26	8	0
10 „ “Abyssinia” type	„		—	—	—	21	0	0	23	2	0
9 „ { “Prince Albert”	„		—	—	—	15	10	0	17	1	0
{ “Wyvern”	„		—	—	—	15	1	3	16	11	5
Travelling, siege R.M.L. 8 inch and 6.6 inch howitzers	„		—	—	—	27	10	6	30	5	7
Platforms, wrought-iron—											
Traversing, R.M.L.—											
{ Casemate { 7 feet, recoil..	„		—	—	—	23	4	8	25	11	2
6 „	„		—	—	—	21	15	10	23	19	5
12.5 inch { Small port { Left..	„		—	—	—	21	10	4	23	13	5
{ Right	„		—	—	—	21	10	4	23	13	5
{ Dwarf	„		—	—	—	20	9	10	22	10	10
12 inch, 35 ton	„		—	—	—	20	9	10	22	10	10
11 or 12 inch, 25 ton	„		—	—	—	19	3	9	21	2	2
10 inch { Casemate and dwarf ..	„		—	—	—	19	3	9	21	2	2
{ Casemate, small port ..	„		—	—	—	19	3	9	21	2	2
9 inch	„		—	—	—	15	1	3	16	11	5

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Buffers, complete, hydraulic, continued—		£ s. d.	£ s. d.
Platforms, wrought-iron—			
Traversing, R.M.L.—			
7 inch	each	15 1 3	16 11 5
6½ pounder	"	16 11 1	18 4 2
6½ pounder 64 cwt., circular	"	113 0 0	124 6 0
Turret, R.M.L., 16 inch, 80 tons	"	194 0 0	213 8 0
Slides, wrought-iron—			
R.M.L.—			
12 inch, 25 ton, "Belleisle" type	"	16 11 1	18 4 2
11 " " "Téméraire" type	"	13 6 5	14 13 1
10 " { "Sultan," revolving	"	16 7 5	18 0 2
{ "Téméraire," and side, "Sultan"	"	16 11 1	18 4 2
{ "Hercules"	"	16 12 0	18 5 2
7 " 90 cwt.	"	11 7 8	12 10 5
Boat, R.M.L. { 9 pounder	"	8 19 11	9 17 11
{ 200 lbs. steel gun	"	7 16 8	8 12 4
R.B.L. 20 pounder { Gun vessel	"	9 10 2	10 9 2
{ Upper deck	"	8 19 2	9 17 1
Slides, wood—			
R.B.L. 20 pounder gun vessel	"	9 1 0	9 19 1
Boat { R.B.L. 12 pounder, and R.M.L. 9	"	9 1 0	9 19 1
{ pounder, 8 cwt.	"	9 1 0	9 19 1
{ R.B.L. 9 pounder, and R.M.L. 9	"	9 1 0	9 19 1
{ pounder, 6 cwt.	"	9 1 0	9 19 1
Buffers, complete, turret, with india-rubber rings, metal washer and key, carriage, iron, R.M.L. 9 inch	"	5 19 0	6 11 0
Bullets, service (see Shot, lead, ball).			
Bungs—			
Brass, for pentagon cases { Whole	100	9 12 1	10 3 7
{ Half	"	5 3 2	5 9 4
Powder cases { Whole	"	9 10 8	10 2 1
{ Half	"	7 11 0	8 0 1
{ Quarter	"	4 15 0	5 0 8
Bursters, iron, for R.B.L. segment shell, filled—			
20 pounder	"	2 11 1	2 14 2
12 "	"	2 6 6	2 9 3
9 "	"	2 0 9	2 3 2
6 "	"	1 9 5	1 11 2
Bushes for R.B.L. guns—			
Breech—			
40 pounder	each	0 8 0	0 9 9
20 "	"	0 7 6	0 8 10
Copper { 12 or 9 pounder	"	0 6 4	0 7 5
{ 6 pounder	"	0 4 0	0 4 6
Iron, 7 inch { Thick	"	1 1 3	1 3 9
{ Thin	"	1 1 3	1 3 9
Copper, vent piece, sets—			
7 inch	"	0 2 0	0 2 3
40 pounder	"	0 2 2	0 2 4
20 "	"	0 1 6	0 1 8
12 "	"	0 1 2	0 1 3
9 "	"	0 1 2	0 1 3
6 "	"	0 0 10	0 0 11
Cages, metal, for lifting—			
All cylinders to 13 inch (Mark I)	"	1 10 1	1 11 11
Cylinders for { "A," for 12 inch, 25 ton and under	"	1 12 0	1 13 10
cartridges { (Mark II)	"	2 1 1	2 3 6
{ "B," for 12 inch, 35 ton (Mark I)	"	2 11 2	2 14 4
{ "C," for 12½ inch (Mark I)	"	2 6 6	2 9 10
Shells, R.B.L., 7 inch	"	2 6 6	2 9 10

ORDNANCE.	Rate.		
	Per	No. 1 Balance. Sheet.	No. 2 Balance Sheet.
Cams, metal, gear, elevating, carriage, garrison, wrought-iron, sliding, R.M.L., small port, 12·5 inch	each	£ s. d. 1 9 3	£ s. d. 1 12 2
Cans, tin, for stores, forge, limber—			
6 quarts, oil, or 14 lbs., paint	"	0 4 6	0 4 11
½ lb., paint	"	0 2 9	0 3 0
½ pint, turpentine	"	0 3 8	0 4 0
Cans, tin, oil, lubricating, travelling, carriage—			
Naval R.B.L. 12 pounder, and 9 pounder; siege, R.M.L. 40 pounder, and field, 25 pounder, and 16 pounder (Mark I)	"	0 3 10	0 4 3
Naval, R.M.L. 9 pounder, 8 or 6 cwt.	"	0 3 10	0 4 3
Field, R.B.L. 12 pounder, 9 pounder, and 6½ pounder, and R.M.L. 9 pounder, and 7 pounder, Gatling 0·45 inch, siege, R.M.L. 64 pounder, and howitzer, 8 inch, 6·6 inch, and 6·3 inch (Mark II).	"	0 3 11	0 4 4
R.B.L. 20 pounder.	"	0 3 11	0 4 4
Naval, Gatling, 0·45 inch.	"	0 5 8	0 5 10
Siege, R.B.L. 40 pounder.	"	0 3 10	0 4 3
Caps, canvas, mortar, muzzle—			
18 inch { Land service	"	0 6 10	0 7 6
{ Sea service	"	0 8 9	0 9 8
10 inch { Land service	"	0 5 11	0 6 6
{ Sea service	"	0 7 2	0 7 11
8 inch.	"	0 5 3	0 5 9
5½ "	"	0 2 9	0 3 0
4½ "	"	0 2 7	0 2 10
Caps, canvas, sponge—			
Gun—			
R.B.L.—			
7 inch, 6 inch, also R.M.L. 7 inch, and howitzer 0·6 inch and S.B. 42 pounder	doz.	1 5 9	1 8 5
6 inch (see 7 inch).			
64 pounder (see 64 pounder R.M.L.).			
40 pounder, also R.M.L. 40 pounder	"	1 2 0	1 4 2
20 " 25 "	"	0 15 6	0 17 1
12 or 9 pounder, also R.M.L. 9 pounder	"	0 11 9	0 12 11
6 pounder	"	0 10 0	0 11 0
R.M.L.—			
16 inch	"	3 6 0	3 13 7
12·5 inch.	"	2 6 6	2 11 2
12 inch, 25 and 35 tons.	"	2 2 9	2 7 0
11 "	"	1 18 9	2 2 8
10 "	"	1 10 9	2 0 5
9 "	"	1 11 9	1 14 11
8 " also S.B. 68 pounder	"	1 9 6	1 12 5
7 " (see 7 inch R.B.L.).			
64 pounder	"	1 4 0	1 6 5
64 " also R.B.L. 64 pounder	"	1 4 0	1 6 5
40 " (see 40 pounder R.B.L.).			
25 " (see 20 pounder R.B.L.).			
16 and 13 pounder	"	0 12 3	0 13 6
9 pounder (see 12 or 9 pounder, R.B.L.).			
7 " (see 6 pounder S.B.)			
Howitzer, R.M.L. { 8 inch, also S.B. 8 inch, and 8 inch S.B. gun or mortar.	"	1 9 6	1 12 5
{ 6·6 inch (see 7 inch R.B.L.).			
{ 6·3 inch	"	1 4 0	1 6 5

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Caps, canvas, sponge, continued—		£ s. d.	£ s. d.
S.B.—			
Gun—			
100 pounder	doz.	1 11 9	1 14 11
10 inch, also 10 inch howitzer, 13 and 10 inch mortars	"	1 16 9	2 0 5
8 inch (see 8 inch howitzer R.M.L.).			
68 pounder (see 8 inch R.M.L.).			
56 pounder or carronade, 68 pounder	"	1 9 6	1 12 5
42 pounder (see 7 inch R.B.L.).			
32 " or carronade, 42 pounder	"	1 5 0	1 7 6
24 " " 32 "	"	1 4 0	1 6 5
18 " " 24 "	"	0 18 0	0 19 10
12 " " 18 "	"	0 16 3	0 17 11
9 " " 12 "	"	0 13 6	0 14 10
6 " also 7 pounder R.M.L.	"	0 12 3	0 13 6
3 " or 4½ inch howitzer	"	0 10 6	0 11 7
Howitzers { 32 pounder	"	0 18 0	0 19 10
{ 24 " or 5½ inch	"	0 16 6	0 18 2
{ 12 "	"	0 15 6	0 17 1
Mortar { 5½ inch	"	0 11 0	0 12 1
{ 4½ "	"	0 10 9	0 11 10
Caps, percussion—			
Pistol, Deane's or Colt's	1,000	0 2 6	0 2 8
Service	100,000	15 6 7	16 5 0
Capsquares, steel, carriage, steel, field, R.M.L.,			
13 pounder—			
Left	each	1 5 10	1 8 5
Right	"	1 5 10	1 8 5
Capsquares, wrought-iron, for carriages—			
Steel mountain R.M.L., 7 { Left	"	1 3 10	1 6 3
pounder steel gun, 400 lbs. { Right	"	1 3 10	1 6 3
Wrought-iron—			
Field, R.M.L.—			
25 pounder { Left	"	1 1 2	1 3 3
{ Right	"	1 1 2	1 3 3
16 pounder { (Mark I) { Left	"	0 17 2	0 18 10
{ (Mark I) { Right	"	0 17 2	0 18 10
{ (Mark II) { Left	"	0 17 2	0 18 10
{ (Mark II) { Right	"	0 17 2	0 18 10
9 pounder { (Mark I) { Left	"	0 16 11	0 18 7
{ (Mark I) { Right	"	0 16 11	0 18 7
{ (Mark II) { Left	"	0 16 11	0 18 7
{ (Mark II) { Right	"	0 16 11	0 18 7
7 pounder, Colonial { Left	"	0 13 7	0 14 11
{ Right	"	0 13 7	0 14 11
Garrison, sliding, R.M.L., small port, { Left	"	7 18 6	8 14 4
10 inch, with loops and screws { Right	"	7 18 6	8 14 4
Mountain, R.M.L. { 200 lbs. { Left	"	0 10 8	0 11 9
{ 200 lbs. { Right	"	0 10 8	0 11 9
7 pr. steel gun { 150 lbs. { Left	"	0 10 3	0 11 3
{ 150 lbs. { Right	"	0 10 3	0 11 3
Siege, R.M.L. { 64 pounder and 8 inch howitzer,	"	1 9 5	1 12 4
{ 70 cwt.	"		
{ 40 pounder, 6-6 inch or 6-3 inch	"		
howitzer	"	1 8 9	1 11 8
{ 8 inch howitzer, 46 cwt.	"	1 14 6	1 13 11
Topj overbank, R.M.L. { 64 pounder	"	2 0 5	2 4 6
{ 40 "	"	1 14 8	1 18 2
{ 25 "	"	1 9 2	1 12 1
Capstan, crab, complete	"	15 12 7	16 19 4

ORDNANCE.	Per	Rate.			
		No 1 Balance Sheet.		No 2 Balance Sheet.	
Capstan-heads, cast-iron, carriage, Moncrieff—					
R.B.L. 7 inch.	each	£	s. d.	£	s. d.
R.M.L. $\frac{1}{2}$ pounder, 58 cwt.	"	0	19 3	1	1 2
Capstan-heads, with feathers, wrought-iron—					
Elevating, carriage—					
Garrison, wrought-iron, sliding, R.M.L.—					
Double plate, 7 inch	"	1	9 11	1	12 11
Single plate { 9 inch { Casemate { 7 inch { Dwarf .. } (As naval 9, { Casemate 8, and 7 inch)	"	1	9 11	1	12 11
Naval, sliding—					
Wrought-iron, R.M.L.—					
12 inch, 25 tons, "Belleisle" type	"	2	0 2	2	4 2
11 inch "Téméraire" type	"	2	0 2	2	4 2
10 "	"	1	10 1	1	13 1
9 inch, 8 inch, 7 inch, $6\frac{1}{2}$ tons, and 90 cwt., also garrison 7 inch, and 9 inch single plate	"	1	9 11	1	12 11
64 pounder, 64 cwt. (Mark I and Mark II), also steel	"	1	6 2	1	8 10
Wood, R.M.L., 7 inch	"	1	6 2	1	8 10
Carcasses, loose—					
Empty—					
13 inch	100	59	18 10	63	10 9
Prepared for bottoms—					
10 inch	"	31	8 4	33	6 0
8 "	"	17	4 6	18	5 2
32 pounder	"	10	4 6	10	16 9
24 " or $5\frac{1}{2}$ inch	"	8	9 8	8	19 10
18 "	"	7	0 7	7	9 0
12 " or $4\frac{1}{2}$ inch	"	5	14 9	6	1 8
Filled, mortar { 13 inch	"	88	4 11	93	10 10
{ 10 "	"	49	9 5	52	8 9
{ 8 "	"	28	3 3	29	17 1
{ $5\frac{1}{2}$ "	"	15	11 10	16	10 7
{ $4\frac{1}{2}$ "	"	10	7 10	11	0 4
Carcasses, riveted to bottoms—					
Filled, gun or howitzer—					
Elm—					
10 inch { Whole	"	51	8 0	54	9 8
{ Section	each	1	3 9	1	5 2
8 inch	100	30	2 7	31	18 9
32 pounder { Whole	"	20	1 0	21	5 1
{ Section	each	0	16 1	0	17 1
24 "	100	17	1 5	18	1 11
18 "	"	14	12 9	15	10 4
12 "	"	12	3 0	12	17 7
$5\frac{1}{2}$ inch	"	17	1 5	18	1 11
$4\frac{1}{2}$ "	"	12	3 0	12	17 7
Teak—					
10 inch	"	57	12 3	61	1 5
8 "	"	35	5 7	37	7 11
32 pounder	"	23	12 9	25	1 1
24 "	"	20	5 4	21	9 8
12 "	"	14	2 8	14	19 8
$5\frac{1}{2}$ inch	"	20	5 4	21	9 8
$4\frac{1}{2}$ "	"	14	2 8	14	19 8
Carriages, garrison, complete—					
Cast-iron, S.B.—					
Carronade { 24 pounder	each	10	6 0	11	6 7
{ 18 "	"	9	11 0	10	10 1

ORDNANCE.	Per	Rate.			
		No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Carriages, garrison, complete, continued—		£	s.	d.	£ s. d.
Cast-iron, S.B.—					
Common, standing—					
32 pounder, 56 cwt.	each	16	1	0	17 13 0
24 " 50 "	"	14	19	0	16 9 0
18 " 42 "	"	13	6	0	14 12 6
12 " 34 "	"	12	2	0	13 6 0
9 " 28 "	"	11	1	0	12 3 0
6 " 23 "	"	9	19	0	10 19 0
Wood—					
Common, standing—					
R.B.L. { 40 pounder	"	24	12	0	27 1 2
40 " non-recoil, converted ..	"	40	16	0	44 17 7
R.M.L. { 64 pounder, 71 cwt., with wood trucks* 8 inch	"	20	0	0	22 0 0
54 pounder, 58 cwt., depression ..	"	33	0	0	36 6 0
54 " 58 " with Allen's brakes	"	29	14	3	32 13 2
S.B.—					
Carronade, block trail { 68 pounder	"	23	10	0	25 17 0
32 "	"	11	4	0	12 6 0
24 "	"	10	9	0	11 9 0
18 "	"	9	1	2	9 19 0
Gun—					
8 inch, 65 cwt., with Allen's brakes ..	"	30	9	3	33 9 8
32 pounder—					
63 cwt.	"	25	2	0	27 12 2
58 or 56 cwt.	"	24	19	0	27 8 11
50 cwt.	"	23	10	0	25 17 0
48 "	"	21	10	0	23 13 0
45 "	"	21	10	0	23 13 0
42 "	"	20	15	0	22 16 6
39 "	"	19	18	0	21 17 10
32 "	"	18	15	0	20 12 6
24 pounder, 50 cwt.	"	23	0	0	25 6 0
18 " 42 "	"	22	5	0	24 9 6
Rear chock—					
Gun—					
R.B.L. 64 pounder, 61 cwt... ..	"	26	6	0	28 18 7
S.B. 8 inch { 65 or 60 cwt.	"	32	4	0	35 8 4
54 cwt.	"	28	18	0	31 15 9
Howitzer, S.B. { 10 inch	"	27	0	0	29 14 0
8 "	"	24	12	0	27 1 2
Sliding—					
Casemate—					
Gun—					
R.B.L. { 7 inch	"	34	10	0	37 19 0
64 pounder, 61 cwt.	"	33	15	0	37 2 6
40 "	"	31	13	0	34 16 3
R.M.L. 54 pounder, or S.B. 68 pounder, 95 cwt.	"	31	0	0	34 2 0
S.B. { 10 inch, 86 cwt.	"	35	2	0	38 12 2
8 " 65 or 60 cwt.	"	32	14	0	35 19 5
8 " 54 cwt.	"	32	14	0	35 19 5
Dwarf—					
Gun—					
R.B.L. { 7 inch { Heavy	"	36	17	0	40 10 8
Light	"	36	0	0	39 12 0
64 pounder, 61 cwt.	"	35	0	0	38 10 0
40 "	"	32	11	0	35 16 1
R.M.L. { 64 pounder 8 inch 71 cwt. and S.B. 8 inch 65 or 60 cwt.	"	34	15	0	38 4 6
54 pounder	"	37	13	0	41 8 4

* Converted from carriage, naval, S.B., common, 8 inch, 65 cwt.

ORDNANCE.	Per	Rate.	
		No. 1 Balance. Sheet.	No. 2 Balance Sheet.
Carriages, garrison, complete, continued—		£ s. d.	£ s. d.
Wood—			
Sliding—			
Dwarf—			
Gun—			
S.B.—			
68 pounder { 95 cwt.	each	37 13 0	41 8 4
112 „	„	41 1 0	45 3 1
10 inch, 86 cwt.	„	37 13 0	41 8 4
56 pounder, 95 cwt.	„	39 14 0	43 13 5
8 inch 54 cwt.	„	34 15 0	38 4 6
32 pounder { 63 cwt.	„	34 15 0	38 4 6
58 or 56 cwt.	„	34 9 0	37 17 11
50 cwt.	„	32 13 0	35 18 4
24 pounder, 50 cwt.	„	31 19 0	35 2 11
18 „ 42 „	„	29 15 0	32 14 6
Howitzer, S.B. { 10 inch	„	29 4 0	32 2 5
8 „	„	28 3 0	30 19 4
Wrought-iron—			
Common, standing, or rear chock—			
No: 1 { R.B.L. 64 pounder, 61 cwt.; and	„	69 0 0	75 8 0
R.M.L. 64 pounder, 64 cwt. ..	„	70 9 0	77 10 0
With trunnion plates, S.B. 8 inch, 65	„	70 0 0	77 0 0
or 54 cwt.	„	69 8 0	76 7 0
No: 2, with { R.B.L. 40 pounder ..	„	69 13 0	76 12 0
trunnion plates { S.B. 32 pounder, 58 cwt. ..	„		
No: 2, with trunnion plates and collars—			
S.B. 32 pounder, 56 cwt.	„		
Sliding—			
Double plate—			
Casemate, R.M.L.—			
12.5 inch, 7 feet recoil, with hydraulic			
buffers	„	398 0 0	437 16 0
12.5 inch	„	900 0 0	990 0 0
Small port { 12.5 „ with hydraulic buffers	„	980 0 0	1078 0 0
10 inch	„	700 0 0	770 0 0
10 inch (Mark II, low)	„	222 12 10	240 2 8
Casemate or dwarf, R.M.L.—			
12.5 inch, 38 tons	„	370 0 0	407 0 0
12.5 „ 38 „ with hydraulic buffers	„	396 0 0	435 12 0
12 inch, 35 tons	„	372 0 0	409 4 9
11 „ or 12 inch, 25 tons	„	244 16 5	263 2 5
10 „	„	206 18 8	222 13 8
9 „	„	217 0 0	238 14 0
7 „	„	135 0 0	148 10 0
R.B.L., 7 inch, 82 cwt.	„	170 0 0	187 0 0
R.M.L., 7 inch, 6½ tons	„	—	—
Single plate—			
Casemate, R.M.L. { 11 or 12 inch	„	235 0 0	258 10 0
9 inch	„	185 0 0	203 10 0
7 „	„	150 10 0	165 10 0
Dwarf, R.M.L. { 9 inch	„	187 0 0	205 14 0
7 „	„	153 0 0	168 6 0
R.B.L. 7 inch	„	125 0 0	137 10 0
For circular buffer, 64 pounder,			
64 cwt., Mark III gun, 6 feet			
parapet	„	162 0 0	178 4 0
R.M.L. { 7 inch (converted from carriage,	„	160 0 0	176 0 0
naval, 6½ tons)	„		
64 pounder, 64 cwt., 5 feet			
6 inches parapet	„	109 0 0	115 15 0
S.B.B.L., 32 pounder, 42 cwt.	„	60 0 0	66 0 0

Section V.

219

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Carriages, garrison, complete, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Monerieff, with platform—			
R.B.L. 7 inch	each	725 0 0	797 10 0
R.M.L. { 9 inch (Mark II)*	"	1450 0 0	1595 0 0
{ 7 " 7 ton { (Mark I)	"	1035 0 0	1138 10 0
{ 4½ pounder, 58 cwt.	"	1025 0 0	1127 10 0
Turret, R.M.L., 16 inch, 80 tons..	"	496 0 0	537 2 0
Carriages, naval, complete—			
Steel—			
R.M.L.—			
Sliding, 64 { with hydraulic { (Mark IV) ..	"	165 0 0	181 10 0
{ pounder, { buffers { (Mark V) ..	"	165 0 0	181 10 0
{ 64 cwt. { (Mark III)	"	98 0 0	107 16 0
Travelling, 9 pounder, 8 or 6 cwt. (without	"		
limber)	"	70 4 0	76 16 0
Sliding, R.B.L. { 6 inch, 80 or 81 cwt.	"	156 0 0	171 12 0
{ 25 pounder, 13½ cwt.,	"		
" " " type, with	"		
hydraulic buffer	"	80 0 0	88 0 0
Wood—			
Common—			
R.B.L. 40 pounder	"	19 2 0	21 0 2
R.M.L. { 64 pounder, 71 cwt., and S.B. gun, 8	"		
{ 8 inch, 65 or 60 cwt.	"	17 2 0	18 16 2
{ 64 pounder, 64 cwt.	"	24 0 0	26 8 0
S.B.—			
Carronade, 68 pounder	"	16 0 0	17 12 0
Gun—			
8 inch { 65 or 60 cwt. (see R.M.L.	"		
{ 64 pounder, 71 cwt.), 54 cwt. ..	"	16 3 0	17 15 4
32 pounder, 58 or 56 cwt. { Main deck ..	"	17 10 0	19 5 0
{ Upper deck	"	15 10 0	17 1 0
32 " 50 " 45 " { Main deck ..	"	15 10 0	17 1 0
{ Upper deck	"	14 10 0	15 19 0
32 " 42 "	"	14 14 0	16 3 5
9 " 28 "	"	10 18 0	11 1 10
6 " 17 "	"	7 13 0	8 8 4
Rear chock { R.B.L., 20 pounder	"	11 17 0	13 0 8
{ R.M.L., 7 pounder, 200 lbs. bronze	"		
gun	"	9 16 0	10 15 7
{ S.B., 24 pounder, howitzer ..	"	9 9 0	10 7 11
Sliding, for hydraulic buffer—			
Boat { R.B.L. { 12 pounder	"	13 0 0	14 6 0
{ 9 "	"	13 0 0	14 6 0
{ R.M.L. 9 pounder { 8 cwt.	"	13 15 0	15 2 6
{ 6 "	"	13 15 0	15 2 6
Gun vessel R.B.L. 20 pounder	"	16 5 0	17 17 6
Sliding, self-acting, compressor—			
Boat, or top, R.B.L. { 12 pounder	"	18 4 0	20 0 5
{ 9 "	"	18 2 0	19 18 2
Gun vessel, R.B.L. 20 pounder	"	19 3 0	21 1 4
R.B.L. 6 pounder { Bottom	"	5 15 0	6 6 6
{ Top	"	3 9 0	3 15 11
Under R.B.L. { 12 pounder	"	6 7 0	6 19 8
{ 9 "	"	6 5 0	6 17 6

* Mark I is only experimental.

ORDNANCE.	Per	Rate.			
		No. 1	No. 2		
		Balance	Balance		
		Sheet.	Sheet.		
Carriages, naval, complete, continued—		£ s. d.	£ s. d.		
Wood—					
Sliding—					
R.B.L. { 7 inch { 82 cwt.	each	52 5 0	57 9 6		
{ 72 "	"	50 10 0	55 11 0		
{ 40 pounder	"	47 4 0	51 18 5		
R.M.L. { 7 inch	"	103 8 0	113 14 10		
{ 64 pounder, 71 cwt.)	"	50 9 0	55 9 11		
{ 64 pounder, 64 cwt.	"	52 4 7	57 3 8		
S.B. { 10 inch, 86 cwt.	"	54 10 0	59 19 0		
{ 68 pounder, 95 cwt.	"	54 18 0	60 7 10		
{ 8 inch, 65 or 60 cwt.	"	50 9 0	55 9 11		
{ 32 pounder, 58 or 56 cwt.	"	50 5 0	55 5 6		
Transporting, R.M.L. 9, 8 or 7 inch guns	"	19 4 8	21 1 3		
Travelling (without limbers)—					
R.B.L. { 12 pounder	"	28 9 0	31 5 11		
{ 9 "	"	27 5 0	29 19 6		
{ 6 "	"	24 10 0	26 19 0		
R.M.L. 9 pounder { 8 cwt.	"	30 10 0	33 11 0		
{ 6 "	"	30 5 0	33 5 6		
8 inch mortar	"	41 10 0	45 13 0		
Wrought-iron—					
Sliding, with hydraulic buffers, R.M.L.—					
10 inch gunboat	"	432 0 0	475 4 0		
64 pounder 64 cwt. (Mark VI)	"	169 10 0	186 9 0		
Sliding, for hydraulic buffers—					
Double plate, R.M.L.—					
12 inch, 25 tons, "Belleisle" type	"	410 0 0	451 0 0		
11 inch, "Téméraire" type	"	430 0 0	473 0 0		
10 " { "Hercules"	"	440 0 0	484 0 0		
{ "Sultan" type	"	440 0 0	484 0 0		
{ "Téméraire" type	"	399 0 0	438 18 0		
{ "Hercules" type	"	440 0 0	484 0 0		
Single plate, R.M.L., 7 inch, 90 cwt.	"	140 16 4	154 2 3		
Boat, R.M.L. { 9 pounder, 8 or 6 cwt.	"	30 0 0	33 0 0		
{ 7 " 200 lbs., steel gun	"	17 5 0	18 19 6		
R.B.L. 20 pounder { Gun vessel	"	32 4 2	35 1 3		
{ Upper deck	"	35 11 6	38 7 0		
Turret, with hydraulic buffers—					
Double plate, R.M.L.—					
12 inch, 35 tons, "Devastation" type	"	1350 0 0	1485 0 0		
12 inch, 25 tons, "Monarch" type	"	973 7 2	1065 19 6		
10 " "Abyssinia"	"	880 0 0	968 0 0		
9 " " "	"	280 10 0	308 11 0		
9 " "Wyvern"	"	320 0 0	352 0 0		
Sliding, R.M.L.—					
Double plate—					
9 inch { "Neptune"	"	220 0 0	242 0 0		
{ "Plucky"	"	249 4 0	273 0 0		
{ "Shannon"	"	217 0 0	238 14 0		
{ "Staunton"	"	—	—		
{ "Sultan" type	"	262 0 0	288 4 0		
9 " { " " " with O.P. gear	"	209 14 10	226 4 2		
{ "service"	"	268 0 0	294 16 0		
{ " " " with O.P. gear	"	218 3 9	231 13 8		
8 " { " " "	"	237 0 0	260 14 0		
8 " { " " "	"	203 0 0	223 6 0		
7 " { 6½ tons*	"	172 0 0	189 4 0		

* In some exceptional cases these carriages are also in use for land service.

ORDNANCE.	Rate.						
	Per	No. 1 Balance Sheet.			No. 2 Balance Sheet.		
		£	s.	d.	£	s.	d.
Carriages, naval, complete, continued—							
Wrought-iron—							
Sliding R.M.L.—							
Single plate—							
9 inch	each	206	0	0	226	12	0
8 "	"	198	0	0	217	16	0
7 " 6½ tons*	"	160	0	0	176	0	0
64 pounder, 64 cwt. { (Mark I)	"	100	0	0	110	0	0
(Mark II)	"	101	0	0	111	2	0
Turret, double plate, R.M.L.—							
12½ inch, 38 tons, " Neptune "	"	—	—	—	—	—	—
12 inch, 35 tons	"	1258	0	0	1383	16	0
12 " 25 " " Glatton "	"	975	0	0	1072	10	0
10 " { " Hecate " type	"	921	0	0	1013	2	0
{ " Rupert "	"	924	0	0	1016	8	0
9 inch, " Scorpion "	"	253	0	0	278	6	0
Travelling, without limbers—							
R.M.L. 7 pounder, 200 lbs. steel gun	"	36	0	0	39	12	0
Gatling gun { 0·65 inch	"	41	10	0	45	13	0
{ 0·45 " †	"	49	10	0	54	9	0
With bed, top of turret, R.M.L.—							
9 pounder, 8 cwt. Mark II, and 6 cwt. Mark III guns	"	90	0	0	99	0	0
7 pounder, 200 lbs. steel gun	"	65	0	0	71	10	0
Carriages, wrought-iron, top, overbank, for carriages, travelling, siege, R.M.L.—							
64 pounder	"	100	0	0	110	0	0
40 "	"	80	0	0	88	0	0
25 "	"	75	0	0	82	10	0
Carriages, travelling, complete—							
Steel (without limbers)—							
Field, R.M.L. 13 pounder	"	143	0	0	157	6	0
Mountain service, R.M.L. 7 pounder, steel gun, 400 lbs.	"	53	0	0	58	6	0
Siege, Moncrieff, H.P., R.M.L. 6·6 inch gun, 66 cwt.	"	—	—	—	—	—	—
Wood—							
Devil	"	18	10	0	20	7	0
Field (without limbers)—							
{ 20 pounder	"	59	15	0	65	14	6
{ 12 "	"	50	12	0	55	13	2
R.B.L. { 9 "	"	35	6	0	38	16	7
{ 6 " { service	"	23	14	0	26	1	5
{ special	"	26	5	0	28	17	6
R.M.L. 7 pounder, 150 lbs. steel gun (Gold Coast) ‡	"	26	0	0	28	12	0
{ 12 pounder	"	45	1	0	49	11	1
S.B. gun { 9 "	"	42	18	0	47	3	10
{ 6 "	"	36	18	0	40	11	10
{ 3 "	"	24	0	0	26	8	0
S.B. howitzer { 32 pounder	"	47	15	0	52	10	6
{ 24 "	"	46	6	0	50	18	7
{ 12 "	"	40	6	0	44	6	7
Siege (without limbers)—							
Gun { R.B.L. 40 pounder	"	91	9	0	100	11	11
{ R.M.L. 64 "	"	63	13	0	70	0	4

* In some exceptional cases these carriages are also in use for land service.

† With spare linch pin and washer.

‡ With grease box, cartridge box, and spare linch pin and washer.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Carriages, travelling, complete, continued—		£ s. d.	£ s. d.
Wood—			
Siege (without limbers)—			
Gun S.B. or O.P. { 32 pounder, 50 cwt. ..	each	61 14 0	67 17 5
{ 24 " 50 " ..	"	60 12 0	66 5 6
{ 18 " 42 " ..	"	56 6 0	61 18 7
Mortar { 10 inch, 18 cwt. ..	"	48 15 0	53 12 6
{ 8 " 9 " ..	"	41 19 0	46 2 11
Siege equipment, R.B.L. 7 inch (see Carriages, wood, naval, complete, sliding 7 inch, 72 cwt.).			
Spider	"	19 0 0	20 18 0
Timber { Large { 10 feet wheel ..	"	70 5 0	77 5 6
{ Medium { 6 " " ..	"	28 15 7	30 18 6
{ Small	"	18 0 0	19 16 0
{ Small	"	14 0 0	15 8 0
Wrought-iron—			
Field (without limbers)—			
Gatling gun, 0.45 inch*	"	50 10 0	55 11 0
R.M.L. gun—			
25 pounder†	"	119 10 0	131 9 0
16 " † { (Mark I)	"	95 0 0	104 10 0
{ (Mark II)	"	93 0 0	102 6 0
9 " † { (Mark I)	"	91 0 0	100 2 0
{ (Mark II)	"	88 0 0	96 16 0
7 " 200 lbs. steel gun (Colonial)†	"	80 0 0	88 0 0
S.B. howitzer, 4½ inch§.	"	30 0 0	33 0 0
Mountain service, R.M.L. 7 pounder, steel gun—			
200 lbs. (without limbers) 	"	35 0 0	38 10 0
200 " (India)	"	35 0 0	38 10 0
150 " ¶	"	33 0 0	36 6 0
Siege, R.M.L. (without limbers)—			
Gun { 64 pounder**	"	165 10 0	182 1 0
{ 40 " ** { (Mark I)	"	147 10 0	162 5 0
{ (Mark II)	"	156 10 0	172 3 0
Howit-zer { With hydraulic	"	225 0 0	247 10 0
{ buffer	"	273 10 0	300 17 0
{ 8 inch †† { 70 cwt. ..	"	216 0 0	237 12 0
{ 46 " ..	"	160 6 0	176 6 7
{ 6.3 inch †† §§	"		
Carriers, bronze, complete—			
With hinge pin —			
R.B.L. gun { 6 inch (Mark II)	"	30 9 9	37 4 3
{ 25 pounder { 22½ cwt.	"	14 13 4	17 18 0
{ 13½ " 	"	14 13 4	17 18 0
S.B., B.L. gun, 32 pounder, 42 cwt.	"	30 9 9	37 4 3

* With oil can and spare linch pin and washer.

† With 4 cartridge boxes, 2 handspikes, set of scales and spare linch pin and washer.

‡ With 4 cartridge boxes, oil can, 2 handspikes, and spare linch pin and washer.

§ With handspike and spare linch pin and washer.

|| With spare linch pin and 2 washers.

¶ With grease box and spare linch pin and washer.

** With 5 handspikes, lever, shifting roller, set of scales, and spare linch pin and washer.

†† With 4 handspikes, set of scales, and spare linch pin and washer.

‡‡ Same as for 40 pounder R.M.L. (Mark II), but requires a special arc and two additional pinions.

§§ With 5 handspikes, set of scales, and spare linch pin and washer.

||| Consisting of carrier with plate cover and four fixing screws, having within at Lever A, spindle and spring for ditto, Lever B, spindle, stop and spring for ditto.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Carriers, bronze, complete, continued—		£ s. d.	£ s. d.	£ s. d.
With hinge pin, washer, and keep pin, R.B.L. gun 6 inch (Mark I)	each	15 15 0	—	—
Cartouches, canvas—				
R.B.L.—				
40 pounder	"	—	0 6 8	0 7 4
20 "	"	—	0 6 9	0 7 5
12 " or 9 pounder, and 6 pounder special	"	—	0 6 2	0 6 9
6 pounder service	"	—	0 6 0	0 6 7
R.M.L.—				
40 pounder	"	—	0 6 7	0 7 3
25 "	"	—	0 6 2	0 6 9
16 "	"	—	0 5 11	0 6 6
13 " { Limber and wagon, hind..	"	—	0 6 9	0 7 5
Field	"	—	0 7 8	0 8 5
9 " { Field	"	—	0 5 11	0 6 6
Naval	"	—	0 5 9	0 6 4
7 pounder—				
Field, Colonial	"	—	0 6 6	0 7 2
Mountain— { Common and Shrapnel				
400 lbs. ... shell.. ..	"	—	0 4 6	0 4 11
Case shot	"	—	0 3 1	0 3 5
200 lbs. steel and { Common and				
224 lbs. bronze { Shrapnel shell	"	—	0 4 0	0 4 5
gun	"	—	0 4 0	0 4 5
150 lbs. { Double shell ..	"	—	0 3 1	0 3 5
S.B. limber—				
18 pounder	"	—	0 7 11	0 8 9
12 pounder { Carriage { Centre	"	—	0 6 2	0 6 9
Side	"	—	0 6 4	0 7 0
Wagon	"	—	0 6 3	0 6 11
9 pounder	"	—	0 6 0	0 6 7
6 "	"	—	0 5 8	0 6 3
3 " also wagon	"	—	0 6 0	0 6 7
S.B. howitzer, limber—				
32 pounder { Carriage { Centre	"	—	0 5 2	0 5 8
Side { Large ..	"	—	0 6 1	0 6 8
Small.. ..	"	—	0 4 10	0 5 4
Wagon	"	—	0 6 5	0 7 1
24 "	"	—	0 6 7	0 7 3
12 "	"	—	0 6 3	0 6 11
4½ inch	"	—	0 4 8	0 5 2
Wagons—				
S.B. gun—				
18 pounder	"	—	0 7 6	0 8 3
12 " { Large	"	—	0 6 8	0 7 4
Small	"	—	0 5 10	0 6 5
9 " { Large	"	—	0 6 7	0 7 3
Small	"	—	0 6 0	0 6 7
6 " { Large	"	—	0 7 0	0 7 8
Medium	"	—	0 6 6	0 7 2
Small	"	—	0 5 11	0 6 6
S.B. howitzer—				
32 pounder { Large.. ..	"	—	0 7 1	0 7 10
Small.. ..	"	—	0 5 2	0 5 8
24 "	"	—	0 7 0	0 7 8
12 " { Large	"	—	0 6 7	0 7 3
Small	"	—	0 5 6	0 6 1
Cartouches, canvas, waterproof, pack transport, R.M.L., 16 pounder or 9 pounder	"	—	—	—
Cartouches, leather—				
Black { Large	"	0 16 0	—	—
Small	"	0 10 0	—	—

Section V.

ORDNANCE.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartouches, leather (<i>continued</i>)—			£ s. d.	£ s. d.	£ s. d.
Brown { Large	each	0 14 8	—	—	—
{ Small	"	0 9 11	—	—	—
Cartridges,* calico, bursters—					
Filled with service { 24 pounder, 40 drams	100	—	0 18 3	0 19 4	
{ 18 " 30 "	"	—	0 14 0	0 14 10	
pistol powder in { 12 " 24 "	"	—	0 12 5	0 13 2	
paper bags { 9 " 18 "	"	—	0 10 4	0 10 11	
{ 6 " 10 "	"	—	0 8 3	0 8 8	
Cartridges, drill (a)—					
Canvas and felt, R.M.L. gun—					
17.72 inch, or 16 inch	each	—	1 12 10	1 14 10	
12.5 inch { 130 lbs. (Mark II) with stick†	"	—	2 3 4	2 5 11	
{ 80 lbs. (½ charge) (Mark III)	"	—	1 8 7	1 10 4	
{ 52½ lbs. (¼ charge) (Mark I)†	"	—	0 18 8	0 19 9	
Leather, R.B.L.—					
7 inch, 11 lb.†	100	—	47 1 0	49 18 0	
6½ pounder, 9 lb.†	"	—	38 1 9	40 14 10	
40 pounder, 5 lb.† { (Mark I)	"	—	39 15 0	42 2 8	
{ (Mark II)	"	—	39 15 0	42 2 8	
20 " 2½ " †	"	—	15 12 6	16 13 8	
12 " 1½ " †	"	—	12 16 10	13 11 11	
9 " 1 " 2 ozs.†	"	—	9 8 4	10 0 0	
6 " ½ " †	"	—	8 17 4	9 8 0	
Raw hide—					
R.M.L.—					
Gun—					
12.5 inch { 50 lbs. (½ charge) with stick†	each	—	1 11 5	1 13 7	
{ 130 lbs. without stick†	"	—	1 5 5	1 7 1	
{ 110 lbs. { (Mark I)†	100	—	154 19 7	164 5 7	
{ (Mark II)†	"	—	193 10 6	205 2 9	
12 inch { 85 " { (Mark III)†	"	—	135 19 6	144 2 8	
{ 70 " { (Mark IV)†	"	—	165 17 9	175 16 10	
{ 70 " { (½ charge) (Mark I) with stick†	"	—	153 0 5	162 4 0	
{ 85 lbs. { (Mark I) without stick†	"	—	139 10 2	147 17 7	
11 " { 85 lbs. { (Mark II) with stick†	"	—	172 11 6	182 18 7	
{ 70 " { (Mark III)†	"	—	120 8 3	127 12 9	
10 " { 70 " { (Mark IV)†	"	—	146 17 1	153 13 4	
9 " { 50 " { (Mark IV)†	"	—	99 17 0	105 16 10	
8 " { 35 " { (Mark V)†	"	—	120 6 4	127 10 8	
7 " { 30 " { (Mark I)†	"	—	101 19 4	108 1 8	
{ 30 " { (Mark II)†	"	—	74 11 11	79 1 5	
{ 30 " { (Mark V)†	"	—	87 8 1	92 13 0	
8½ pounder, 10 lb.†	each	—	0 8 7	0 9 2	
6½ " 8 " †	"	—	0 7 0	0 7 5	
40 " 7 " †	"	—	0 4 11	0 5 3	
25 " 4 " †	"	—	0 4 3	0 4 6	
16 " 3 " †	"	—	0 3 1	0 3 3	
13 " 3 " 2 ozs.†	"	—	0 3 7	0 3 10	
9 " 1½ " †	"	—	0 2 4	0 2 6	
7 " 1 " †	"	—	0 2 3	0 2 5	
Howitzer—					
8 inch, 16 cwt. 10 lb.†	"	—	0 9 9	0 10 4	
6.6 " 5 lb.†	"	—	0 5 5	0 5 9	
6.3 " 4 " †	"	—	0 4 3	0 4 7	

* Blowing, for mortars (see Bags).

(a) NOTE.—The weights given are those of the service cartridges. The drill cartridges marked thus † are of the same weights as the respective service cartridges, but those marked thus ‡ are not of the weight of the respective service cartridges.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, drill, (a) continued—		£ s. d.	£ s. d.
Raw hide—			
Smooth bore—			
Gun—			
100 pounder, 25 lb. †	each	0 11 3	0 12 0
10 inch, 12 lb. †	"	0 10 0	0 10 7
8 " 10 " †	"	0 8 8	0 9 2
68 pounder, 16 lb. †	"	0 8 6	0 9 1
42 " 14 " †	"	0 7 9	0 8 3
32 " 10 " †	"	0 7 0	0 7 5
24 " 8 " †	"	0 6 0	0 6 4
18 " 6 " †	"	0 5 4	0 5 8
9 " 2½ lb. †	"	0 3 8	0 3 11
6 " 1½ " †	"	0 2 9	0 2 11
Howitzer—			
8 inch, 4 lb. †	"	0 5 11	0 6 3
24 pounder, 2½ lb. †	"	0 5 6	0 5 10
12 " 1½ " †	"	0 3 3	0 3 5
Cartridges, fannel, empty—			
R.B.L. gun—			
Exercise—			
7 inch, 7 lb.	100	2 19 0	3 2
6½ pounder, 5 lb.	"	2 13 11	2 17
40 pounder, 3 "	"	2 4 11	2 7
20 " 4 " 8 oz.	"	2 2 0	2
12 or 9 pounder, 1 lb.	"	2 0 5	2 2 1
6 pounder, 10 oz.	"	1 11 10	1 13
Service—			
7 inch { 11 lb.	"	2 14 4	2 17 10
10 " { 10 "	"	4 1 2	4 6 4
6½ pounder, 9 lb.	"	3 5 9	3 8 11
40 pounder { 5 lb., L.S.	"	2 13 4	2 16 6
5 "	"	2 3 1	2 5 10
20 pounder, 2 lb. 8 oz.	"	1 13 10	1 15 10
12 " 1 " 8 "	"	1 8 11	1 10 8
9 " 1 " 2 "	"	1 7 10	1 9 6
6 " 12 oz.	"	1 1 10	1 3 2
R.M.L.—			
Gun—			
12 inch, 55 lb. P. or 50 lb. R.L.G.	"	10 8 4	11 0 10
11 " 60 "	"	11 18 6	12 12 10
10 inch { 70 " P. or 60 lb. R.L.G.	"	12 16 7	13 12 0
44 " " 40 " "	"	9 16 9	10 8 7
50 " " 43 " "	"	10 13 4	11 6 2
9 inch { 33 " " 30 " " or L.G.	"	6 16 3	7 4 5
35 " " 30 " "	"	8 3 4	8 13 2
8 inch { 21 " " 20 " " or L.G.	"	5 1 9	5 7 10
30 " " 22 " "	"	7 17 10	8 7 4
7 inch { 17 " " 14 " " or L.G.	"	4 5 8	4 10 10
10 lb. and S.B. 32 pounder	"	3 1 3	3 4 11
80 pounder, 12 lb. P. or 80 or 64 pounder,	"		
10 lb. R.L.G. or L.G.	"	3 9 2	3 13 4
64 pounder { 10 lb. (see 80 pounder).	"		
8 "	"	3 1 4	3 5 0
6 "	"	2 9 4	2 12 4
40 pounder, 7 lb.	"	2 10 0	2 13 0
25 " 4 "	"		

(a) NOTE.—The weights given are those of the service cartridges. The drill cartridges marked thus † are of the same weights as the respective service cartridges, but those marked thus ‡ are not of the weight of the respective service cartridges.

(V.S.)

P

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, flannel, empty, continued—		£ s. d.	£ s. d.
R.M.L.—			
Gun—			
16 pounder, 3 lb.	100	2 0 10	2 3 3
9 pounder { 1 lb. 12 oz.	"	1 8 1	1 9 8
{ 1 " 8 "	"	1 11 0	1 14 1
{ 12 oz. F.G. or R.F.G.	"	1 0 0	1 1 2
7 " { 8 "	"	0 15 7	0 16 6
{ 6 "	"	0 10 4	0 11 1
Howitzer—			
8 inch { 10 lb.	"	3 15 5	3 19 11
{ 5 "	"	3 7 10	3 11 11
{ 2½ "	"	2 4 9	2 7 5
{ 4 lb.	"	1 11 5	1 13 4
6·3 inch { 3 "	"	1 10 3	1 12 1
{ 2 "	"	1 8 1	1 9 9
{ 1 "	"	1 5 7	1 7 1
Smooth bore—			
Carronade—			
68 pounder, 5 lb.	"	2 1 9	2 5 3
42 " 3 " 8 oz.	"	1 15 9	1 17 11
32 " 2 " 11 "	"	1 14 8	1 16 9
24 " 2 " 0 "	"	1 10 0	1 11 10
18 " 1 " 8 "	"	1 3 10	1 5 3
12 " 1 " 0 "	"	0 19 1	1 0 3
6 " 0 " 10 "	"	0 14 0	0 14 10
Gun—			
100 pounder { 25 lb.	"	6 9 3	6 17 0
{ 20 "	"	4 14 11	5 0 7
{ 12 "	"	3 19 7	4 4 4
10 inch { 12 lb.	"	3 13 3	3 17 8
{ 8 "	"	3 2 4	3 6 1
{ 10 "	"	2 19 2	3 2 9
8 inch { 8 "	"	2 14 5	2 17 8
{ 5 "	"	2 7 7	2 10 5
68 pounder—			
18 lb.	"	3 19 1	4 3 10
16 "	"	3 14 3	3 18 8
14 "	"	3 0 2	3 13 4
12 "	"	3 4 0	3 7 10
10 "	"	2 18 8	3 2 2
8 "	"	2 13 11	2 17 2
6 "	"	2 4 9	2 7 5
56 pounder { 14 lb.	"	3 10 3	3 14 6
{ 8 "	"	2 8 11	2 11 10
{ 14 "	"	3 12 4	3 16 8
42 pounder { 12 "	"	2 18 10	3 2 4
{ 10½ "	"	2 11 10	2 14 11
{ 8 "	"	2 4 11	2 7 7
32 pounder—			
10 lb.	"	2 9 0	2 11 11
8 "	"	2 3 5	2 6 0
7½ "	"	2 0 3	2 2 8
7 "	"	1 18 10	2 1 2
6 "	"	1 18 8	2 1 0
5 "	"	1 16 3	1 18 5
4 "	"	1 13 8	1 15 8
3 "	"	1 10 7	1 12 5
2½ "	"	1 9 2	1 10 11
2 "	"	1 5 9	1 7 4
24 pounder—			
8 lb.	"	2 3 2	2 5 9
6 "	"	1 18 8	2 1 0

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, flannel, empty, continued—		£ s. d.	£ s. d.
Smooth bore—			
Gun—			
4 pounder—			
5 lb.	100	1 11 9	1 13 8
4 " " " " " " " "	"	1 10 6	1 12 4
3 " " " " " " " "	"	1 8 5	1 10 1
2½ " " " " " " " "	"	1 7 3	1 8 11
6 lb.	"	2 0 7	2 3 0
4½ " " " " " " " "	"	1 16 7	1 18 9
18 pounder { 4 " " " " " " " "	"	1 14 5	1 16 6
3 " " " " " " " "	"	1 10 9	1 12 7
2 " " " " " " " "	"	1 7 2	1 8 10
4 " " " " " " " "	"	1 12 11	1 14 11
12 pounder { 3 " " " " " " " "	"	1 5 10	1 7 5
2½ " " " " " " " "	"	1 3 8	1 5 1
3 " " " " " " " "	"	1 4 4	1 5 10
9 pounder { 2 " " " " " " " "	"	1 1 11	1 3 3
2 " " " " " " " "	"	0 18 1	0 19 2
1½ " " " " " " " "	"	0 17 0	0 18 0
2 lb. 0 oz.	"	1 1 3	1 2 6
1 " 8 " " " " " " "	"	0 19 5	1 0 7
1 " 0 " " " " " " "	"	0 17 3	0 18 3
6 pounder { 0 " 12 " " " " " " "	"	0 14 9	0 15 8
0 " 10 " " " " " " "	"	0 14 9	0 15 8
0 " 4 " " " " " " "	"	0 10 2	0 10 9
0 " 12 " " " " " " "	"	0 14 2	0 15 0
3 pounder { 0 " 10 " " " " " " "	"	0 14 2	0 15 0
Howitzer—			
10 inch { 7 lb.	"	2 12 5	2 15 7
4 " " " " " " " "	"	2 8 0	2 10 11
8 inch { 4 " " " " " " " "	"	2 0 9	2 3 2
3 " " " " " " " "	"	1 19 5	2 1 9
5½ inch, 2 lb.	"	1 2 9	1 4 1
4½ inch { 8 oz.	"	0 12 7	0 13 4
4 " " " " " " " "	"	0 10 2	0 10 9
32 pounder { 3 lb.	"	1 5 9	1 7 4
2 " " " " " " " "	"	1 1 3	1 2 6
24 pounder { 2 " 8 oz.	"	1 11 0	1 12 10
1 " 8 " " " " " " "	"	1 4 9	1 6 3
2 " 0 " " " " " " "	"	1 6 10	1 8 5
12 pounder { 1 " 4 " " " " " " "	"	1 3 7	1 5 0
1 " 0 " " " " " " "	"	1 0 11	1 2 2
Mortar— { 20 lb.	"	6 1 2	6 8 5
13 inch { 16 " " " " " " " "	"	4 18 5	5 4 4
9 " " " " " " " "	"	3 6 4	3 10 4
10 inch { 9 lb. 8 oz.	"	3 6 4	3 10 4
4 " 0 " " " " " " "	"	3 6 4	3 9 10
8 inch, 2 lb.	"	2 10 2	2 12 10
5½ inch, 7 oz.	"	0 16 10	0 17 10
4½ " 5 " " " " " " "	"	0 13 6	0 14 6
Saluting chamber { 1½ lb.	"	0 19 10	1 1 3
1 " " " " " " " "	"	0 14 0	0 15 1
Cartridges, flannel, filled with powder—*			
R.B.L. guns—			
Exercise, blank R.L.G. or L.G.—			
7 inch 7 lbs. 0 oz.	"	18 10 2	18 14 10

* If any cartridges should be filled with a different powder from that specified in the Vocabulary, the price given will require altering to accord with that of the powder used.

ORDNANCE.		Rate.		
		Per	No. 1 ¹ Balance Sheet.	No. 2 Balance Sheet.
Cartridges, flannel, filled with powder,* contd.—			£ s. d.	£ s. d.
R.B.L. guns—				
Exercise, blank R.L.G. or L.G.—				
64 pounder 5 lbs.		100	14 1 9	14 6 2
40 " 3 lbs. 0 oz.		"	9 7 2	9 10 10
20 " 1 " 8 "		"	5 19 1	6 2 6
12 or 9 pounder, 1 lb. 0 oz.†		"	4 15 1	4 18 3
6 pounder, 0 lbs. 10 oz.†		"	3 10 10	3 13 7
Service—				
7 inch { 11 lb. L.G.‡		"	34 19 8	43 18 6
10 " " " ‡		"	30 14 8	40 17 8
64 pounder, 9 lbs. L.G.§		"	32 10 6	40 1 6
40 pounder { 5 lb.‡ { L.G.		"	18 4 1	22 8 1
{ R.L.G.		"	17 0 9	21 3 11
{ 5 lbs. land service { L.G.		"	21 1 8	25 9 2
{ R.L.G.		"	19 18 4	24 5 0
20 pounder, 2 lbs. 8 oz. { L.G.		"	12 5 6	14 11 4
{ R.L.G.		"	11 13 10	13 19 3
{ R.L.G. ²		"	11 4 3	12 16 6
12 " 1 " 8 " § { L.G.		"	7 15 0	9 3 0
{ R.L.G.		"	7 8 1	8 15 9
{ R.L.G. ²		"	7 2 4	8 2 1
9 " 1 " 2 " § { L.G.		"	6 14 10	7 17 0
{ R.L.G.		"	6 9 7	7 11 6
{ R.L.G. ²		"	6 5 4	7 1 4
6 " 0 " 12 " § { L.G.		"	4 19 3	5 14 7
{ R.L.G.		"	4 15 9	5 10 11
{ R.L.G. ²		"	4 12 11	5 4 2
R.M.L. guns—				
12 inch, 55 lb. P.		"	124 13 11	150 3 0
11 " 60 "		"	136 6 6	164 2 3
10 inch { 70 lb. P.		"	157 15 5	190 2 3
{ 44 " "		"	101 7 5	121 16 8
9 inch { 50 lb. P.		"	114 10 6	137 14 9
{ 43 " R.L.G.		"	111 5 1	144 18 8
{ 33 " P.		"	75 15 0	91 1 7
{ 30 " R.L.G.		"	77 6 9	100 16 4
8 inch { 35 lb. P.		"	81 2 7	97 8 8
{ 30 " R.L.G.		"	78 12 2	102 3 3
{ 21 " P.		"	49 2 10	58 19 0
{ 20 " R.L.G.		"	52 5 1	67 18 11
{ 30 lb. P.		"	70 8 8	84 9 3
{ 22 " R.L.G.		"	59 13 8	77 1 7
7 inch { 17 " P.		"	39 19 5	47 18 6
{ 14 " R.L.G.		"	37 8 6	48 9 3
And S.B. 32 pounder, 10 lb. L.G.		"	29 5 9	37 5 4
80 or 64 pounder { 12 lbs. P.		"	28 8 6	34 1 0
{ 10 " L.G.		"	29 4 8	37 4 2
{ 8 " "		"	23 15 0	30 3 0
{ 6 " "		"	18 1 2	22 17 6
40 pounder { 7 lb. L.G.		"	20 12 9	26 4 7
{ 7 " R.L.G.		"	19 0 1	24 10 9
{ 7 " R.L.G. ²		"	17 13 3	21 7 2

* If any cartridges should be filled with a different powder from that specified in the Vocabulary, the price given will require altering to accord with that of the powder used.

† With sawdust wads.

‡ With paper cylinders and wood sockets.

§ With lubricators.

|| With paper cylinders and lubricators.

ORDNANCE,		Rate.		
		Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, flannel, filled with powder,* <i>contd.</i>—			£ s. d.	£ s. d.
R.M.L. guns—				
25 pounder	4 lb. L.G.	100	12 15 5	16 0 6
	4 " R.L.G.	"	11 16 9	15 1 2
	4 " R.L.G. ²	"	11 1 5	13 4 10
16 pounder	3 lb. L.G.	"	9 19 11	12 9 2
	3 " R.L.G.	"	9 5 11	11 14 8
	3 " R.L.G. ²	"	8 14 5	10 7 5
9 pounder	1 lb. 12 oz. L.G.	"	6 7 9	7 17 2
	1 " 12 " R.L.G.	"	5 19 7	7 8 8
	1 " 12 " R.L.G. ²	"	5 12 11	6 12 10
	1 " 8 " L.G.	"	5 13 8	6 19 1
	1 " 8 " R.L.G.	"	5 6 8	6 11 10
7 pounder	1 " 8 " R.L.G. ²	"	5 0 11	5 18 2
	12 oz. F.G.	"	3 2 6	3 15 0
	8 " "	"	2 6 0	2 14 8
	6 " "	"	1 18 1	2 4 9
R.M.L. Howitzer—				
8 inch	10 lb. R.L.G.	"	27 13 3	35 12 0
	5 " "	"	15 14 5	19 16 1
	2½ " "	"	8 15 8	10 17 8
6·3 inch	4 lb. R.L.G.	"	11 2 9	14 16 4
	3 " "	"	8 15 4	11 3 6
	2 " "	"	6 6 11	7 19 7
	1 " "	"	3 18 2	4 15 4
S.B.—				
Carronades	68 pounder, 5 lb. L.G.	"	15 3 5	19 3 0
	42 " 3 " 8 oz. L.G.	"	11 1 0	13 14 5
	32 " 2 " 11 " "	"	8 18 5	11 2 7
	24 " 2 " 0 " "	"	6 18 9	8 12 0
	18 " 1 " 8 " "	"	5 7 0	6 12 2
	12 " 1 " 0 " "	"	3 16 10	4 13 11
	6 " 0 " 10 " "	"	2 12 8	3 3 7
Guns—				
100 pounder	25 lb. { L.G.	"	71 1 8	90 18 1
	{ R.L.G. ²	"	60 9 2	73 10 2
	20 " { L.G.	"	56 12 9	72 9 7
	{ R.L.G. ²	"	48 2 9	58 11 3
	12 " { L.G.	"	35 10 1	45 2 0
10 inch	{ R.L.G. ²	"	30 8 1	36 15 0
	12 lb. { L.G.	"	34 12 2	44 3 1
	{ R.L.G. ²	"	29 10 2	35 16 1
	8 " { L.G.	"	23 16 9	30 4 11
	{ R.L.G. ²	"	20 8 9	24 13 7
8 inch	10 lb. { L.G.	"	28 16 3	36 15 4
	{ R.L.G. ²	"	24 11 3	29 16 2
	8 " { L.G.	"	23 8 10	29 16 6
	{ R.L.G. ²	"	20 0 10	24 5 2
	5 lb. L.G. { With coal dust wads	"	17 10 10	21 14 1
68 pounder	{ Without coal dust wads	"	15 9 3	19 10 0
	18 lb. { L.G.	"	50 4 2	64 8 5
	{ R.L.G. ²	"	42 11 2	51 17 11
	16 " { L.G.	"	44 17 6	57 10 5
	{ R.L.G. ²	"	38 1 6	43 7 9
	14 " { L.G.	"	39 10 7	50 12 3
	{ R.L.G. ²	"	33 11 7	40 17 5
	12 " { L.G.	"	34 2 6	43 12 9
	{ R.L.G. ²	"	29 0 6	35 5 4

* If any cartridges should be filled with a different powder from that specified in the Vocabulary, the price given will require altering to accord with that of the powder used.

ORDNANCE.						Rate.		
						Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, flannel, filled with powder,* contd.—							£ s. d.	£ s. d.
S.B.—								
Gun—								
18 pounder	3 lb. 0 oz.	{	L.G.	100	9 10 3	11 19 0
			R.L.G. ²	"	8 4 9	9 17 3
	2 " 0 "	{	L.G.	"	6 15 8	8 8 9
			R.L.G. ²	"	5 18 8	7 0 11
12 pounder	4 " 0 "	{	L.G.	"	12 3 6	15 7 11
			R.L.G. ²	"	10 9 6	12 12 0
	3 " 0 "	{	L.G.	"	9 5 6	11 14 0
			R.L.G. ²	"	8 0 0	9 12 3
	2 " 8 "	{	L.G.	"	7 17 10	9 18 6
			R.L.G. ²	"	6 16 8	8 3 8
9 pounder	3 " 0 "	{	L.G.	"	9 4 0	11 12 5
			R.L.G. ²	"	7 18 6	9 10 8
	2 " 8 "	{	L.G.	"	7 15 10	9 16 5
			R.L.G. ²	"	6 14 8	8 1 7
	2 " 0 "	{	L.G.	"	6 6 7	7 19 1
			R.L.G. ²	"	5 9 7	6 11 3
6 pounder	1 " 8 "	{	L.G.	"	4 19 8	6 4 4
			R.L.G. ²	"	4 7 0	5 3 5
	2 " 0 "	{	L.G.	"	6 10 0	8 2 8
			R.L.G. ²	"	5 13 0	6 14 10
	1 " 8 "	{	L.G.	"	5 2 5	6 7 4
			R.L.G. ²	"	4 9 9	5 6 5
3 pounder	1 " 0 "	{	L.G.	"	3 14 6	4 11 4
			R.L.G. ²	"	3 6 0	3 17 5
	0 " 4 "	{	L.G.	"	1 9 3	1 14 0
			R.L.G. ²	"	1 7 1	1 10 7
3 pounder	12 oz. L.G.	{	"	2 18 8	3 11 6
	10 " "	{	"	2 12 4	3 3 2
Howitzers—								
10 inch	7 lb. L.G.	{	"	20 15 9	26 7 10
	4 " "	{	"	12 18 4	16 3 8
	4 " "	{	"	12 11 1	15 15 11
8 inch	3 " "	{	"	9 18 10	12 8 1
	2 " "	{	"	7 6 6	9 0 2
5½ inch, 2 "	" "	{	"	6 11 0	8 3 9
4½ inch	8 oz. L.G.	{	"	2 4 4	2 13 3
	4 " "	{	"	1 9 3	1 14 0
32 pounder	3 lb. L.G.	{	"	9 5 2	11 13 8
	2 " " "	{	"	6 9 9	8 2 5
24 pounder	2 " 8 oz. L.G.	{	"	8 4 11	10 6 0
	1 " 8 " "	{	"	5 7 5	6 12 7
12 pounder	2 " L.G.	{	"	6 15 4	8 8 4
	1 " 4 oz. L.G.	{	"	4 13 6	5 14 8
	1 " 0 " "	{	"	3 18 2	4 15 3
Mortars—								
20 lb. L.G.	20 lb. L.G.	{	"	57 7 5	73 5 2
	16 " "	{	"	46 1 0	58 15 5
	9 " "	{	"	26 11 3	33 15 2
10 inch	9 lb. 8 oz. L.G.	{	"	27 17 3	35 8 11
	4 " 0 " "	{	"	13 16 8	17 3 1
8 inch, 2 lb. L.G.	" "	{	"	7 18 4	9 12 4
5½ " 7 oz. "	" "	{	"	2 5 5	2 13 7
4½ " 5 " "	" "	{	"	1 16 4	2 2 4
Saluting chamber	1½ lb.	{	"	4 9 0	4 10 7
	1 " "	{	"	3 2 0	3 3 2

* If any cartridges should be filled with a different powder from that specified in the Vocabulary, the price given will require altering to accord with that of the powder used.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, shalloon—		<i>£ s. d.</i>	<i>£ s. d.</i>
R.M.L.—			
13 pounder, 1 lb. 3 oz. { Empty.. ..	100	1 7 8	1 9 4
{ Filled, blank R.L.G. ²			
{ R.L.G. or L.G. ..	"	4 6 9	4 9 0
7 pounder, 4 oz. L.G. { Empty.. ..	"	0 10 7	0 11 3
{ Filled	"	1 13 2	1 13 2
Cartridges, silk cloth, empty—			
R.B.L. gun—			
12 inch	"		
10-4 "	"		
9-2 "	"		
8 "	"		
6 inch { (Mark I) 34 lb. P.	"		
{ (Mark I) 25 " P.	"		
{ (Mark II) 21 " P. ² (half charge) ..	"	5 16 2	6 3 2
50 pounder.. ..	"		
40 " 5 lb. R.L.G. ²	"	2 3 7	2 6 1
30 "	"		
25 " { 22½ cwt. 14 lbs. P.	"		
{ 13½ "	"		
12½ "	"		
R.M.L.—			
Gun—			
17-72 inch { 112½ lb., Prism ² (¼ charge) ..	"	32 17 9	34 17 3
16 inch { 112½ lb., Prism ¹ (¼ charge) ..	"	36 13 11	38 17 11
12-5 inch { 130 lb. P. ² { (Mark I)	"	14 5 7	15 2 9
{ (Mark II) without stick	"	14 5 7	15 2 9
{ 100 " " half charge, without stick	"	13 8 9	14 6 1
{ 80 " " Prism ¹ (¼ charge) ..	"	12 13 4	13 10 8
12 inch—			
110 lb. P	"	12 16 11	13 12 11
85 " or 67 lb. R.L.G.	"	9 13 4	10 10 4
70 lb. P. ² , half charge, without stick ..	"	13 1 9	14 0 0
55 " P or 50 lb. R.L.G.	"	5 19 4	6 7 3
11 inch { 85 lb. P, without stick, or 70 lb. R.L.G. ..	"	10 14 5	11 7 9
{ 60 " P, or 50 lb. R.L.G.	"	9 4 3	9 16 1
{ 53 " P, without stick	"	17 7 8	18 8 6
10 inch { 70 " " or 60 lb. R.L.G.	"	10 11 6	11 3 10
{ 44 " " 40 " "	"	7 18 3	8 6 10
{ 50 " " 43 " "	"	8 9 2	8 18 5
9 inch { 33 " " R.L.G. or L.G.	"	5 15 6	6 2 5
{ 30 " " P or 30 lb. R.L.G.	"	5 16 7	6 3 1
{ 35 " "	"	6 18 2	7 7 1
8 inch { 21 " " R.L.G. or L.G.	"	4 5 10	4 11 0
{ 20 " " P or 22 lb. R.L.G.	"	4 5 10	4 11 0
{ 30 " "	"	5 13 11	6 0 3
{ 22 " "	"	4 3 7	4 8 8
7 inch { 17 " " R.L.G. or L.G.	"	3 9 7	3 13 9
{ 14 " "	"	3 10 7	3 14 4
{ 10 " Blank	"	1 19 7	2 2 3

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, silk cloth, empty, continued—		£ s. d.	£ s. d.
R.M.L.—			
Gun—			
6.6 inch { 25 lb.	100	5 16 10	6 3 10
5 lb.	"	1 10 4	1 12 2
80 pounder 12 lb. P., or 80 or 64 pounder,			
10 lb. R.L.G. or L.G.	"	2 3 5	2 5 11
80, 64 or S.B. 32 pounder, 5 lb.	"	1 8 7	1 10 1
12 lb. R.L.G. or 11 lb. R.L.G. ²	"	2 9 10	2 12 6
64 pounder { 8 "	"	1 14 6	1 16 7
6 "	"	1 6 9	1 8 3
40 pounder, 7 lb.	"	2 5 10	2 7 11
25 " 4 "	"	1 16 3	1 18 2
16 pounder { 8 lb.	"	1 10 3	1 11 10
1½ "	"	1 0 8	1 1 11
13 pounder, 3 lb. 2 oz.	"	1 8 0	1 9 10
9 pounder { 1½ lb.	"	0 18 8	0 19 11
1½ "	"	0 18 8	0 19 11
1 "	"	0 17 4	0 18 4
7 pounder { 1½ "	"	1 1 7	1 2 11
12 oz.	"	0 13 11	0 14 9
8 "	"	0 10 5	0 11 1
6 "	"	0 9 0	0 9 7
Howitzer—			
8 inch, 70 cwt. { 11½ lb. R.L.G. ²	"	3 8 0	3 12 1
7 " "	"	2 18 8	3 2 2
3½ " "	"	1 19 3	2 1 7
10 " "	"	2 6 3	2 9 6
8 inch, 46 cwt. { 5 "	"	1 16 0	1 18 6
2½ "	"	1 7 7	1 9 7
25 lbs. P.	"	5 10 2	5 17 9
6.6 inch { 5 " R.L.G. ²	"	1 5 3	1 7 0
3 " "	"	1 10 7	1 12 5
1 " "	"	1 5 7	1 7 1
4 lb. "	"	1 5 1	1 6 9
6.3 inch { 3 "	"	1 3 5	1 4 10
2 "	"	1 1 8	1 3 1
1 "	"	1 1 3	1 2 4
S.B. gun—			
10 inch, 8 lb.	"	1 16 3	1 18 9
68 pounder, 8 lb.	"	1 14 3	1 16 7
8 inch, 6 lb.	"	1 14 1	1 16 3
56 pounder, 6 lb.	"	2 9 7	2 12 7
42 pounder, 6 lb.	"	2 6 0	2 8 9
32, and 80 or 54 pounder R.M.L. 5 lb.	"	1 6 6	1 8 1
24 pounder, 3 lb.	"	1 1 1	1 2 3
18 " 3 "	"	1 1 8	1 2 10
12 " 2 "	"	0 13 11	0 14 11
9 " 1 " 8 oz.	"	0 11 1	0 11 11
6 " 1 "	"	0 10 7	0 11 4
S.B. B.L., gun, 32 pounder, 3 lb.	"	—	—
Cartridges, silk cloth, filled with powder—			
R.B.L. gun—			
12 inch	"		
10.4 "	"		
9.2 "	"		
8 "	"		
6 inch { (Mark I) 34 lb. P.	"		
(Mark I) 25 " P.	"		
(Mark II) 21 " P. ² (½ charge)	"	56 12 0	69 3 4
50 pounder	"		

ORDNANCE.	Rate.						
	Per	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Cartridges, silk cloth, filled with powder, <i>contd.</i>—		£	s.	d.	£	s.	d.
R.B.L. gun—							
40 pounder, 5 lb. R.L.G. ²	100	13	7	2	16	0	9
30 " " " " " " " " " " " "	"						
25 " { 22½ cwt. 14 lbs. P... .. .	"						
13½ " { 13½ " " " " " " " " " "	"						
12½ " " " " " " " " " " " "	"						
R.M.L.—							
Gun— { 112½ lb., Prism ² (¼ charge)	"	319	2	9	386	15	6
17.72 inch {							
16 inch { 112½ lb. Prism ¹ (¼ charge)	"	597	15	2	598	18	8
12.5 inch { 130 lb. P. ² { (Mark I)	"	332	11	10	409	6	4
80 " " " { (Mark II)	"	332	11	10	409	6	4
52½ " " " half charge	"	257	16	3	317	0	2
12 inch—							
110 lb. P.	"	242	5	9	292	15	11
85 " " " " " " " " " " " "	"	187	4	10	226	5	1
55 " " " " " " " " " " " "	"	121	4	4	146	9	11
70 " P. ² half charge	"	187	0	2	228	18	5
67 " R.L.G.	"	166	8	8	218	9	11
50 " " " " " " " " " " " "	"	122	18	11	161	15	0
85 lb. P. { (Mark I)	"	188	0	11	227	2	7
60 lb. P. { (Mark II)	"	188	0	11	227	2	7
11 inch { 53 " " " " " " " " " " " "	"	134	14	11	162	9	6
70 " R.L.G.	"	126	5	1	151	2	11
50 " " " " " " " " " " " "	"	174	6	7	228	15	5
70 " P. " " " " " " " " " "	"	126	2	8	165	2	9
10 inch { 44 " " " " " " " " " " " "	"	156	17	2	189	2	6
60 " R.L.G.	"	100	3	8	120	10	7
40 " " " " " " " " " " " "	"	150	13	6	197	7	5
50 " P. " " " " " " " " " "	"	101	12	3	132	15	8
9 inch { 43 " R.L.G.	"	113	2	6	136	4	1
33 " P. " " " " " " " " " "	"	109	1	10	142	11	10
30 " R.L.G.	"	74	13	7	89	18	10
30 " L.G. " " " " " " " " " "	"	76	6	5	99	14	3
35 " P. " " " " " " " " " "	"	83	6	5	106	19	3
80 " R.L.G.	"	79	17	5	96	2	7
21 " P. " " " " " " " " " "	"	75	15	3	91	2	5
20 " R.L.G.	"	48	6	11	58	2	2
20 " L.G. " " " " " " " " " "	"	52	5	9	67	19	8
7 inch—							
30 lb. P.	"	56	19	1	72	16	4
22 " " " " " " " " " " " "	"	68	14	11	82	13	1
22 " R.L.G.	"	50	12	10	60	17	5
17 " P. " " " " " " " " " "	"	57	10	9	74	15	8
14 " R.L.G.	"	39	7	4	47	5	8
14 " L.G. " " " " " " " " " "	"	36	13	3	47	13	1
10 " R.L.G.	"	39	18	7	51	0	9
10 " Blank R.L.G. ² , R.L.G. or L.G.	"	25	17	10	38	14	9
6.6 inch { 25 lbs., P.	"	23	12	0	23	15	7
5 " R.L.G. ²	"	59	0	6	71	5	4
		12	14	11	15	7	11

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, silk cloth, filled with powder, contd.—		£ s. d.	£ s.
R.M.L.—			
Gun—			
80 pounder, 12 lb. P.	100	27 15 2	33 6 10
10 " R.L.G.	"	26 4 8	34 1 8
80 or 64 pounder { 10 " L.G.	"	28 11 4	36 0 0
Or S.B. 32 pounder, 5 lb. blank R.L.G. ² , R.L.G. or L.G. . .	"	12 2 11	12 5 0
64 pounder—			
12 lb. L.G.	"	33 19 8	43 9 5
12 " R.L.G.	"	31 3 8	40 11 5
11 " R.L.G. ²	"	26 15 3	32 9 11
10 " L.G. { See 80 or			
10 " R.L.G. { 64 pounder }			
10 " R.L.G. ²	"	24 6 4	29 10 10
8 " L.G.	"	22 12 2	28 18 10
8 " R.L.G.	"	20 14 10	27 0 2
8 " R.L.G. ²	"	19 4 2	23 7 6
6 " L.G.	"	17 1 1	21 16 1
6 " R.L.G.	"	15 13 1	20 7 1
6 " R.L.G. ²	"	14 10 1	17 12 7
40 pounder { 7 lb. L.G.	"	20 11 1	26 2 2
7 " R.L.G.	"	18 18 5	24 8 4
7 " R.L.G. ²	"	17 11 7	21 4 9
25 pounder { 4 " L.G.	"	12 6 10	15 11 1
4 " R.L.G.	"	11 8 2	14 11 9
4 " R.L.G. ²	"	10 12 10	12 15 5
3 " L.G.	"	9 14 10	12 3 8
3 " R.L.G.	"	9 0 10	11 9 2
3 " R.L.G. ²	"	8 9 4	10 1 11
16 pounder { 1½ " L.G.	"	5 8 11	6 14 2
1½ " R.L.G. ²	"	4 16 2	5 13 3
1½ " blank R.L.G. ² , R.L.G. or L.G. . .	"	4 15 0	4 17 0
13 pounder, 3 lb. 2 oz., R.L.G. ² . .	"	8 10 1	10 4 0
9 pounder—			
1½ lb. L.G.	"	5 17 4	7 6 4
1½ " R.L.G.	"	5 9 2	6 17 10
1½ " R.L.G. ²	"	5 2 6	6 2 0
1½ " L.G.	"	5 4 8	6 9 9
1½ " R.L.G.	"	4 17 8	6 2 6
1½ " R.L.G. ²	"	4 11 11	5 8 10
1 " R.L.G.	"	3 13 2	4 10 1
1 " R.L.G. ²	"	3 9 4	4 1 0
1 " blank R.L.G. ² , R.L.G. or L.G. . .	"	3 8 7	3 10 2
7 pounder { 1½ lb. R.L.G. ²	"	4 11 9	5 8 7
12 oz. F.G.	"	2 16 7	3 8 10
12 " R.F.G.	"	3 1 7	3 12 7
8 " F.G.	"	2 1 1	2 9 6
8 " R.F.G.	"	2 4 4	2 11 11
6 " F.G.	"	1 13 7	2 0 0
6 " R.F.G.	"	1 16 1	2 1 10
Howitzers—			
8 inch, 70 cwt.—			
11½ lb. R.L.G. ²	"	28 14 10	34 16 0
7 " "	"	18 10 7	22 5 7
3½ " "	"	9 19 9	11 18 1
8 inch, 46 cwt.—			
10 lb. L.G.	"	28 12 8	36 12 0
10 " R.L.G.	"	26 6 0	34 3 8
5 " L.G.	"	15 3 11	19 4 9
5 " R.L.G.	"	14 0 7	18 0 7

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cartridges, silk cloth, filled with powder, contd.—		£ s. d.	£ s. d.
R.M.L.—			
Howitzers—			
8 inch, 46 cwt.—			
2½ lb. L.G.	100	8 5 4	10 6 7
2½ „ R.L.G.	„	7 13 8	9 14 6
6 6 inch—			
25 lbs. P.	„	59 3 10	70 19 3
5 „ R.L.G.²	„	12 9 10	15 2 9
3 „ „	„	8 19 8	11 8 1
1 „ „	„	4 2 2	4 19 7
6 3 inch—			
4 lb. L.G.	„	12 15 1	16 0 4
4 „ R.L.G.	„	11 16 5	15 1 0
3 „ R.L.G.	„	9 3 10	11 12 7
3 „ L.G.	„	9 17 10	12 7 1
2 „ L.G.	„	7 2 3	8 15 8
2 „ R.L.G.	„	6 12 11	8 6 0
1 „ L.G.	„	4 7 10	5 5 4
1 „ R.L.G.	„	4 3 2	5 0 6
S.B. Guns, exercising or saluting—			
10 inch 8 lb. blank R.L.G.², R.L.G. or L.G. ..	„	18 17 8	19 0 7
8 „ 6 „ „ „ „ „ ..	„	14 11 10	14 14 6
68 pounder 8 „ „ „ „ „ ..	„	18 15 9	18 18 6
56 pounder 6 lb. blank R.L.G.², R.L.G. or L.G. ..	„	15 7 8	15 11 2
42 pounder 6 lb. blank R.L.G.², R.L.G. or L.G. ..	„	15 4 1	15 7 4
32 pounder and 80, or 64 pounder R.M.L., 5 lb. blank R.L.G.², R.L.G. or L.G. ..	„	12 2 11	12 5 0
24 pounder 3 lb. blank R.L.G.², R.L.G. or L.G. ..	„	7 13 9	7 15 6
18 „ 3 „ „ „ „ ..	„	7 14 4	7 16 1
12 „ 2 „ „ „ „ ..	„	5 4 7	5 6 0
9 „ 1 lb. 8 oz. „ „ „ ..	„	4 0 11	4 2 1
6 „ 1 „ „ „ „ ..	„	2 19 7	3 0 9
S.B., B.L., gun, 32 pounder, 3 lb.	„	—	—
Cartridges, small arm—			
Ball—			
Rifle { B.L. Martini-Henry	1000	3 2 0	3 7 1
{ M.L. /53 pattern and Lancaster	„	1 18 11	2 2 2
Rifle or carbine, B.L. Snider { Buckshot	„	3 4 0	3 8 8
{ Service	„	2 6 11	2 10 8
Carbine { B.L. Martini-Henry	„	3 2 8	3 7 7
{ M.L. Artillery and Cavalry	„	1 17 9	2 0 9
Pistol { M.L.	„	1 8 7	1 10 9
{ Revolver { Adams', B.L.	„	1 14 3	1 16 6
{ Colt's, skin	„	2 2 9	2 5 6
{ Enfield, B.L.	„	2 4 5	2 7 4
Blank { Rifle or carbine { B.L. Boxer	„	1 4 5	1 5 8
{ { M.L.	„	0 17 4	0 18 0
{ Pistol, M.L.	„	0 8 5	0 8 9
{ Boxer, B.L., without bullets	„	1 7 0	1 10 6
Proof { Musket, rifled, M.L., pattern /53, with bullets	„	2 6 9	2 11 5
Cartridges, machine gun, ball—			
Gatling { 0.65 inch	„	23 15 7	25 8 5
{ 0.45 „	„	4 9 4	4 16 1
{ 0.45 „ light	„	4 9 2	4 15 9
Nordenfelt, 1 inch { Service	„	32 12 4	34 8 8
{ Practice	„	43 5 0	46 6 0
{ Dummy drill	„	„	„

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Carts, complete—		£ s. d.	£ s. d.
Ammunition, small arm, regimental reserve, iron frames*	each	50 15 6	54 0 0
Brake	"	38 10 0	42 7 0
Chaise or market	"	40 18 9	44 7 0
Coal or dust†	"	41 8 6	44 0 2
Duck	"	70 7 0	74 14 0
Fatigue‡	"	35 17 0	38 1 10
Forge§	"	27 0 0	29 14 0
Forge, with springs (formerly medical store)¶	"	34 0 0	37 8 0
Forge 	"	54 12 0	58 1 8
Gibraltar { Large	"	39 10 0	43 9 0
{ Small	"	37 0 4	40 10 8
Hand { Common*	"	18 14 4	20 10 2
{ Watering	"	23 0 0	25 6 0
Low, for heavy projectiles, iron frames	"	29 10 0	32 9 0
Maltese§ { (Mark I)	"	17 5 0	18 19 6
{ (Mark II)	"	22 5 0	24 9 6
{ (Mark III)	"	25 18 0	28 9 9
Shot†	"	40 0 0	44 0 0
Sling service†	"	65 19 2	70 1 1
Tip, general service 	"	45 10 4	49 16 11
Tip, Royal Engineers (see page 528)	"	38 0 0	41 16 0
Transport spring, { Second class axle	"	75 5 0	82 15 6
{ Third class axle	"	69 9 0	76 7 11
Transport tip, iron frames*	"	65 0 0	71 10 0
Trench*	"	21 4 0	23 4 5
Water, 108 gallons† { (Mark I)	"	21 10 0	23 13 0
{ (Mark II)	"	26 10 0	29 3 0
{ (Mark III)	"	28 7 11	31 4 9
Watering† { Barrel	"	32 16 5	35 19 0
{ Box	"	53 2 10	56 8 11
Cascables, wrought-iron, removeable, R.M.L. gun, 12·5 inch (Mark II)	"	23 19 0	29 4 8
Cases, brass, powder—			
Cylindrical, 16 inch	"	15 4 4	16 2 7
Pentagon { Half	"	2 8 11	2 11 10
{ Whole	"	3 10 3	3 14 6
Rectangular—			
Corrugated—			
Under 10 inch, "A"	100	235 12 10	251 7 1
10 inch, "B"	"	252 9 10	267 10 1
12 " 25 ton, "C"	"	316 13 3	335 13 6
12 " 35 " "D"	"	373 13 10	399 11 6
11 " "E"	"	321 3 0	341 17 10
12 " 35 ton, or 12·5 inch, "F"	"	408 0 8	431 9 3
12·5 " "G"	"	429 5 1	459 10 4
Plain	each	4 3 0	4 8 0
Cases, cartridge**—			
Clarkson's material—			
No. 8, 24" x 7", 7 inch, R.M.L. guns	"	2 2 2	2 6 5
" 9, 23" x 8", 8 " " " "	"	2 7 1	2 11 10
" 10, 23" x 9", 9 " " " " "	"	2 12 2	2 17 5

* With grease box.

† With grease box and swingletree.

‡ With grease box, 4 bale hoops, canvas cover, and swingletree.

§ With grease box, canvas cover, lashing rope, and swingletree.

|| With grease box and canvas cover.

¶ With grease box, canvas cover, and 4 bale hoops.

** The dimensions are the internal height and diameter of the cases.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance. Sheet.
Cases, cartridge,* continued—		£ s. d.	£ s. d.	£ s. d.
Clarkson's material—				
No. 11, 29" x 10", 10 inch, R.M.L. guns	each	—	3 4 2	3 10 7
" 12, 26½" x 11", 11 " "	"	—	3 10 0	3 17 0
" 13, 24½" x 12", 12 " "	"	—	3 12 9	4 0 0
" 70 lbs. or 85 lbs. cartridges ..	"	—	3 18 0	4 5 10
" 14, 29" x 12", 12 inch, R.M.L.	"	—	5 8 10	5 19 9
guns, 110 lbs. cartridges ..	"	—		
" 15, 35½" x 12½ 12½ inch, R.M.L.	"	—		
guns, 130 lbs. cartridges ..	"	—		
" 16, 27½" x 12½", 12½ inch, R.M.L.	"	—		
guns, 100 lbs., 80 lbs., or two	"	—		
52½ lbs. cartridges ..	"	—	4 11 3	5 0 5
" 17, 29" x 6½", 6 inch R.B.L. gun..	"	—	2 17 0	3 2 8
Leather—				
No. 1, 9½" x 7½", 13 inch land service				
mortar, 10 inch S.B. gun, howitzer, or	"	0 8 9	—	—
mortar ..	"			
No. 2, 15" x 7½", 7 inch R.B.L. gun 68.				
56, or 42 pounder, S.B. guns, and 8 inch	"	0 9 9	—	—
R.M.L. howitzer ..	"	0 9 6	—	—
No. 3, 6½" x 6½", 8 inch S.B. gun ..	"			
No. 4, 14½" x 6½", 80, 61 and 40 pounder.	"			
R.M.L., or 40 pounder R.B.L. (land	"			
service) guns, 32 pounder, 63 to 56 cwt.,	"	0 9 0	—	—
S.B. guns, and 63 inch R.M.L., how-	"			
itzer ..	"			
No. 5, 10½" x 6½", 40 pounder and 20	"			
pounder R.B.L. guns, 32 pounder, 50	"	0 8 6	—	—
to 39 cwt., 24 pounder, 50 or 48	"			
cwt. S.B. guns, and 8 inch S.B.	"			
howitzer ..	"			
No. 6, 7½" x 6½", 12 and 9 pounder R.B.L.	"			
or 9 and 7 pounder R.M.L. guns, 32	"			
pounder, 32 or 25 cwt., 24 pounder,	"			
20 cwt. S.B. guns, 24 and 12 pounder	"			
S.B. howitzers, 8 inch, 5½ inch and	"	0 8 2	—	—
4½ inch mortars, all carronades, and	"			
smaller natures of guns ..	"			
No. 7, 13½" x 8½", 13 inch sea service	"	0 9 9	—	—
mortar, and 100 pounder S.B. gun ..	"			
No. 7, 9½" x 5½", 18 pounder S.B. guns,	"			
and 40 pounder and 20 pounder R.B.L.	"	0 8 3	—	—
sea service guns ..	"	0 14 3	—	—
" A" 20" x 6½", 7 inch R.M.L. guns..	"	0 18 0	—	—
" B" 22½" x 7½", 8 " " " ..	"	0 19 3	—	—
" C" 22" x 8½", 9 " " " ..	"			
" D" 19½" x 10½", 150 pounder S.B.	"	1 3 4	—	—
gun ..	"			
Cases, leather—				
Boat, magazine ..	"	—	1 1 6	1 2 9
Carbine, for limbers, Field Artillery ..	"	—	0 6 10	0 7 5
Clinometer, Watkin's ..	"	0 5 0	—	—
Pocket { Fuze ..	"	—	0 4 3	0 4 8
{ Tube ..	"	—	0 4 1	0 4 4
Tape, range finder ..	"	—	0 8 2	0 9 0
Vent piece, R.B.L. 40 pounder ..	"	—	0 12 0	0 13 2
Cases, rocket 23" x 4", war, Halo's 24				
pounder, Clarkson's material ..	"	—	1 0 9	1 2 9

* The dimensions are the internal height and diameter of the cases.

Section V.

239

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cases, tin—		£ s. d.	£ s. d.	£ s. d.
Containing phosphide of calcium for night life buoys doz.	—	—	2 5 4	2 8 7
Safety fuze, boat, magazine	—	—	2 8 10	2 11 9
To hold 1 lb. powder 100	—	—	2 8 7	2 11 6
With lid, and glass bottle, containing 2 oz. of priming composition (see page 548) ..	—	—	15 13 4	16 12 2
Cases, wood, facing implements, without padlock, R.B.L.—				
7 inch each	—	—	1 17 6	1 19 9
40 pounder	—	—	1 10 3	1 12 0
20	—	—	1 4 7	1 6 0
12 or 9 pounder	—	—	1 4 11	1 6 5
6 pounder	—	—	1 0 2	1 1 4
Cases, wood, packing—				
Gunners' quadrants	0 2 6	—	—	—
Laboratory stores—				
ft. in. ft. in. ft. in.				
No. 1, 2 8½ × 1 0½ × 0 9½ ..	—	—	0 4 6	0 4 9
2, 2 0 „ 1 2½ „ 1 0 ..	—	—	0 3 8	0 3 11
„ 3, 1 10 „ 1 3½ „ 0 10½ ..	—	—	0 5 6	0 5 10
„ 4, 1 8½ „ 1 0½ „ 1 0½ ..	—	—	0 4 0	0 4 3
„ 5, 1 6½ „ 1 3½ „ 0 7½ ..	—	—	0 5 10	0 6 2
„ 6, 0 11½ „ 0 6½ „ 0 6½ ..	—	—	0 3 11	0 4 2
„ 7, 1 4 „ 0 10½ „ 2 1½ ..	—	—	0 5 0	0 5 4
„ 8, 1 1½ „ 1 0½ „ 1 9½ ..	—	—	0 3 2	0 3 4
„ 9, 1 3½ „ 0 10½ „ 1 6½ ..	—	—	0 3 9	0 4 0
„ 10, 1 6½ „ 0 11½ „ 1 3½ ..	—	—	0 2 1	0 2 2
12, 9, 8, and 7 inch, 1 foot 7 inches × 8½ inches ..	—	—	0 2 4	0 2 7
10 inch, 1 foot 8 inches × 9½ inches × 9 inches ..	—	—	0 5 7	0 5 11
64 pounder, 1 foot 7 inches × 5 inches × 3 inches ..	—	—	0 5 3	0 5 7
„ ..	—	—	0 4 7	0 4 10
„ ..	—	—	0 4 9	0 5 0
Sights, R.M.L. guns—				
12, 9, 8, and 7 inch, 1 foot 7 inches × 8½ inches ..	—	—	0 3 1	0 3 3
10 inch, 1 foot 8 inches × 9½ inches × 9 inches ..	—	—	0 3 11	0 4 2
64 pounder, 1 foot 7 inches × 5 inches × 3 inches ..	—	—	0 2 2	0 2 4
„ ..	—	—	0 5 3	0 5 7
Straight edge, testing face of breech screw With fittings for R.B.L. guns—				
7 inch	—	—	1 17 8	1 19 11
40 pounder	—	—	1 3 8	1 5 1
20	—	—	0 15 1	0 16 0
12	—	—	0 9 1	0 9 8
9	—	—	0 9 1	0 9 8
6	—	—	0 7 3	0 7 8
Cases, wood, powder, metal lined—				
Half	—	—	1 8 8	1 10 5
Quarter	—	—	1 1 0	1 2 3
Whole	—	—	2 1 10	2 4 4

* Without fittings.

† With fittings.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Casks, water—		£ s. d.	£ s. d.
5 gallons, general service, with $\frac{1}{2}$ inch brass tap, plate, keep chain and staple	each	0 9 6	0 10 1
Catches, metal, for slides—			
Wrought-iron, R.M.L., 9 or 8 inch { Front	"	0 5 8	0 6 3
.. .. . { Rear	"	0 5 4	0 5 10
Wood { Front	"	0 3 3	0 3 7
.. .. . { Rear	"	0 4 3	0 4 8
Catches, steel—			
Carrier—		—	—
R.B.L. gun { 6 inch { (Mark I)	"	1 12 6	1 10 8
.. .. . { (Mark II)	"	1 2 0	1 6 10
25 pounder { 22 $\frac{1}{2}$ cwt.	"	1 2 0	1 6 10
.. .. . { 13 $\frac{1}{2}$ "	"	1 12 6	1 19 8
S.B. B.L. gun, 32 pounder, 42 cwt.	"	1 12 6	1 19 8
Clip, retaining lever, R.B.L. gun—			
6 inch { (Mark I)	"	2 0 9	2 7 7
.. .. . { (Mark II)	"	6 7 2	7 15 2
25 pounder { 22 $\frac{1}{2}$ cwt.	"	6 7 2	7 15 2
.. .. . { 13 $\frac{1}{2}$ "	"	6 7 2	7 15 2
Cement for wads, in filled shell, naval*	6 $\frac{1}{2}$ lb.	0 6 9	0 7 2
Chains, wrought-iron—			
Check, carriage, travelling, siege, R.M.L. 8 inch howitzer, 46 cwt., and 64 pounder gun (2 to a set)	set	2 7 0	2 11 8
Connecting, wagon, ambulance, equirota	each	0 1 11	0 2 1
Drag shoe—			
Carriages, field—			
R.B.L. 20 pounder and 12 pounder, R.M.L. 25, 16, and 9 pounder, S.B. 9 and 6 pounder, also 12 pounder howitzer, and wagon, iron, ammunition, forge and store	"	0 6 9	0 7 5
R.B.L. 9 pounder	"	0 6 9	0 7 5
R.M.L. { 13 pounder	"	0 5 4	0 6 10
.. .. . { 7 " Colonial	"	0 5 1	0 5 7
S.B. { 12 pounder	"	0 6 9	0 7 5
.. .. . { 32 and 24 pounder howitzer	"	0 6 9	0 7 5
Carriages, siege—			
R.B.L. 40 pounder	"	0 10 8	0 11 9
R.M.L. { Iron, gun and howitzer	"	0 16 1	0 17 8
.. .. . { Wood, 64 pounder	"	0 16 1	0 17 8
S.B. { 32 and 24 pounder	"	0 16 1	0 17 8
.. .. . { 18 pounder	"	0 16 1	0 17 8
Mortar { 10 inch	"	0 6 3	0 6 11
.. .. . { 8 "	"	0 6 3	0 6 11
Wagons—			
Ammunition—			
Iron, and forge and store (see Carriages, field)			
Wood	"	0 6 9	0 7 5
Ambulance, lock under, and pharmacy	"	0 4 3	0 4 8
General service { Lock under	"	0 2 0	0 2 2
.. .. . { Heavy spring, bakery, bread and meat	"	0 5 6	0 6 1
Light spring, or surgery	"	0 4 0	0 4 5
Platform	"	0 6 11	0 7 7
Sling, iron, light, and wood service	"	0 15 6	0 17 1
Draught, transporting, iron traversing platforms	"	0 8 1	0 8 11
Endless—			
Running in and out, slide, { 9 inch " Sultan "	"	6 7 5	7 0 2
.. .. . { type	"	5 12 0	6 3 3
iron, naval, R.M.L. { 8 inch	"		

* 20 brushes and 6 $\frac{1}{2}$ lbs. of cement are allowed for 1,000 wads.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Chains, wrought-iron, continued—		£ s. d.	£ s. d.
Endless—			
Traversing and running back, platform, wrought-iron, R.M.L.—			
Casemate, { Small port each		11 18 3	13 2 1
12·5 inch { 7 feet recoil "		12 8 2	13 13 0
6 " { " " " " " " " " "		11 6 4	12 9 0
Dwarf { 12·5 inch { " C " " " " " "		12 17 8	14 3 5
12 inch, 35 tons " D " " " " " "		12 17 8	14 3 5
12 inch, 35 tons " C " " " " " "		12 17 8	14 3 5
Loading, with hook, carriage, } 9 inch (Mark II)		0 7 11	0 8 9
garrison, wrought-iron, Mon- } 7 " (Mark II)		0 13 6	0 14 10
creiff.			
Pole, wagon		0 2 1	0 2 3
Sheers, heavy, { With shackle, bolt and			
70 feet, short { special thimble for 1½ inch		17 1 10	18 16 0
link, 12½ { bight, to take hook 1 "		8 12 2	9 9 5
fathoms { of 21 inch block			
With 5 inch rings at 1½ inch		14 2 2	15 10 5
ends ½ "		3 12 10	4 0 1
Skid, carriage, field, R.M.L. 7 pounder, Colonial..		0 4 6	0 4 11
Charcoal, ground—			
Cylinder and pit (see page 140).			
Chests, wood—			
Gatling gun (Mark II)—			
0·65 inch { Gun "		1 14 3	1 16 4
{ Spare parts "		2 2 10	2 5 6
{ Special tools "		2 7 6	2 10 4
0·45 inch { Gun "		1 10 7	1 12 5
{ Spare parts "		1 15 7	1 15 9
{ Special tools "		1 17 8	1 19 11
Laboratory stores		2 6 10	2 9 8
Tool, forge wagon { Smiths.. .. . "		9 18 7	10 18 5
{ Wheeler fitters "		10 11 10	11 13 0
Chisels, purchase, tampeon	100	2 12 9	2 15 11
Checks, wood, rear axletree, carriage, garrison,			
cast-iron, 8 inch, 32 or 24 pounder.. .. .	pair	1 3 0	1 5 4
Clamps, bronze—			
Moveable, for tangent sight, R.B.L. gun, 6 inch			
(Mark I) each		*0 3 0	
Pinion, for tangent { 6 inch (Mark II) pair		3 9 0	4 4 3
sight R.B.L. gun { 25 pounder, 22½ cwt., and			
13½ cwt. "		3 9 0	4 4 3
Clamps, metal, for wood scales, sea service—			
R.M.L. guns each		0 8 9	0 10 2
R.B.L. 20 pounder, 13 cwt. or 15 cwt.		0 8 9	0 10 2
Clamps, metal, moveable, for tangent sight—			
(a) 12·5 inch of 38 tons, 12 inch of 35 tons,			
10 inch, 8 inch, 7 inch, and 40 pounder B.L.		0 8 9	0 10 5
guns "			
(b) 64 pounder, M.L., of 64 and 71 cwt., 80			
pounder M.L. and 40 pounder, wedge guns, and		0 8 9	0 10 5
8 inch, 70 cwt., and 6·6 inch howitzers			
(c) 12 inch of 25 tons, 11 inch, 9 inch, M.L.,		0 8 9	0 10 5
100 pounder S.B., and 7 inch B.L. guns			
(d) 40 pounder and 25 pounder M.L. guns		0 8 9	0 10 5
(e) 8 inch, and 6·3 inch howitzers		0 8 9	0 10 5
R.M.L., 7 pounder of 400 lb.		1 15 7	2 3 5
Clamps, removing, elevating, pivots, 7 inch guns			
and upwards (see Wrench, iron, No. 1, Mark IV.)			

* This is a contract rate.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Clamps, wrought-iron—				
Carriages, wrought-iron, R.M.L.—				
Garrison, sliding—				
Double plate, 7 inch { Left	each	—	0 11 1	0 12 2
Right	"	—	0 11 1	0 12 2
Single plate—				
9 inch { Casemate { Left	"	—	0 11 8	0 12 10
Right	"	—	0 11 8	0 12 10
Dwarf { Left	"	—	0 11 8	0 12 10
Right	"	—	0 11 8	0 12 10
7 inch { Casemate { Left	"	—	0 11 1	0 12 2
Right	"	—	0 11 1	0 12 2
Dwarf { Left	"	—	0 11 1	0 12 2
Right	"	—	0 11 1	0 12 2
Naval, sliding—				
11 inch, "Téméraire" type { Right	"	—	0 18 6	1 0 4
Left	"	—	0 18 6	1 0 4
12 inch, "Belleisle," and { Right	"	—	0 15 5	0 17 0
10 inch, "Téméraire" { Left	"	—	0 15 5	0 17 0
10 inch—				
"Sultan" type { Right	"	—	0 15 5	0 17 0
Left	"	—	0 15 5	0 17 0
Gunboat { Right	"	—	0 15 5	0 17 0
Left	"	—	0 15 5	0 17 0
9 inch—				
"Sultan" type { Right	"	—	0 11 1	0 12 2
Left	"	—	0 11 1	0 12 2
Service, and 8 inch { Right	"	—	0 11 8	0 12 10
Left	"	—	0 11 8	0 12 10
"Shannon" and "Raleigh," { Right	"	—	0 11 1	0 12 2
also 7 inch, 6½ tons, and 90 { Left	"	—	0 11 1	0 12 2
cwt., and 7 inch, garrison				
64 pounder, 64 cwt. { (Mark I) right	"	—	0 11 1	0 12 2
{ (Mark II) and				
carriage, steel,				
right	"	—	0 11 6	0 12 8
Carriages, naval, sliding—				
Wrought-iron R.B.L., { Gun vessel, right	"	—	0 9 10	0 10 10
20 pounder { Upper Deck				
Wood, for gun vessels, R.B.L., 20 {	"	—	0 11 1	0 12 2
pounder, right				
Wood, R.M.L., 7 inch	"	—	0 11 1	0 12 2
Carriages, naval, "Scorpion"*	"	—	0 14 7	0 16 1
wrought-iron, "Wyvern"*	"	—	0 14 7	0 16 1
R.M.L., 9 inch { "Prince Albert" { Right	"	—	0 14 7	0 16 1
turret { Left	"	—	0 14 7	0 16 1
Cleats, wood—				
Or steps for sheers	"	—	0 1 2	0 1 3
With plates, wagon, sling, wood, service..	"	—	1 7 6	1 10 3
Clinometers—				
Ordinary	"	0 7 4	—	—
Watkin's	"	2 2 0	—	—
Clippers, portfire	"	0 3 0	—	—
Clips, bronze, retaining, carrier—				
With spiral spring and { 6 inch (Mark II)	"	—	3 5 6	4 0 0
stud, R.B.L. gun { 25 pound- { 22½ cwt.	"	—	3 5 6	4 0 0
der { 13½	"	—	3 5 6	4 0 0
S.B.B.L. gun, 32 pounder, 42 cwt.	"	—	3 5 6	4 0 0

* Right or left, according to carriage.

Section V.

243

ORDNANCE.	Rate.			
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Clips, iron, spring, with thimble, for guide ropes of rammers, R.M.L. 9 inch and upwards ..	each	£ s. d. 0 5 2	£ s. d. 0 5 8	
Clips, for lifting projectiles, 7 inch to 12.5 inch ..	"	3 13 11	8 17 10	
Cloths, canvas, airing powder	"	0 13 10	0 14 8	
Clouts, iron, carriages, wood—				
Garrison { Large, 64 pounder	100	1 9 2	1 12 1	
{ Small, 18 "	"	1 3 0	1 5 4	
Naval { Large, 64 pounder.. ..	"	1 9 2	1 13 1	
{ Medium, 32 "	"	1 5 5	1 8 0	
{ Small, 20 "	"	0 19 3	1 1 2	
Clutches, expanding, complete, gear traversing, platform, wrought-iron R.M.L. 12.5 inch, small port	each	23 8 9	25 15 8	
Clutches, traversing—				
Carriage, garrison, wrought-iron, Moncrieff, R.M.L., 9 inch (Mark II), metal	"	1 8 11	1 11 10	
Platform, wrought-iron, R.M.L., dwarf, "D" side—				
10 or 9 inch { Cast-iron	"	0 16 4	0 18 0	
{ Metal	"	1 14 3	1 17 8	
Coatings, sponge, R.B.L. guns—				
7 inch	"	0 8 11	0 10 0	
64 pounder	"	0 7 2	0 8 0	
40 "	"	0 6 0	0 6 9	
20 "	"	0 4 9	0 5 4	
12 or 9 pounder	"	0 3 8	0 4 1	
6 pounder	"	0 2 9	0 3 1	
Coins, wood—				
Bed, iron, R.M.L. 7 pounder, 200 lb.	"	0 1 10	0 2 0	
Carriages, garrison—				
S.B.—				
Carronade—				
12 pounder	"	0 3 6	0 3 10	
Cast-iron { Also wood, block trail, 32 pounder, 24 pounder and 18 pounder; also wood, block trail, 12 pounder	"	0 4 0	0 4 5	
Wood, block, trail, 68 pounder	"	0 10 4	0 11 4	
Common, standing—				
12, 9, or 6 pounder	"	0 13 3	0 14 7	
Also wood, S.B. 32, 24 and 18 pounder, R.B.L. 40 pounder, R. M. L. $\frac{3}{4}$ pounder, 58 cwt., S.B. 8 inch and upwards, and wood, rear chock, S.B. 10 inch howitzer	"	0 14 7	0 16 0	
Wood, depression, R.M.L. $\frac{3}{4}$ pounder, 58 cwt.	"	0 14 11	0 16 5	
Wood, rear chock, R.B.L. 7 inch, 64 pounder, 61 cwt.; S.B. 10 inch, 86 cwt., 68 pounder, 95 cwt., 8 inch gun; also sliding casemate and dwarf, rifled and S.B. guns	"	0 12 2	0 13 5	
Wrought-iron—				
Common, standing and rear chock, R.M.L. 64 and 40 pounder, S.B. 8 inch, and 32 pounder, 58 or 56 cwt.; also travelling R.M.L. 64 and 40 pounder	"	0 12 2	0 13 5	
Sliding, R.M.L. { 9 inch	"	0 16 5	0 18 1	
{ 7 "	"	0 12 2	0 13 5	
Coins, wood, hand—				
Carriages, wood, { Boat, R.B.L. { 12 pounder	"	0 2 10	0 3 1	
sliding { Gun vessel, R.B.L. 20 " pounder	"			

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Coins, wood, hand, continued—		£ s. d.	£ s. d.
Carriages, wood, sliding or common, naval, R.B.L.			
40 pounder.	each	0 3 3	0 3 7
Garrison or naval, except top carriages ..	}	0 3 1	0 3
Carriages, wrought-iron, travelling, R.M.L.—			
64, 40 and 25 pounder			
Carriage, wood, naval, rear chock, R.M.L. 7			
pounder, 200 lbs. bronze gun	"	0 2 6	0 2 9
Coins, wood, mortar—			
Beds, land service { Cast-iron { 13 inch	"	3 5 10	3 12 5
	"	1 16 3	1 19 11
	"	1 5 3	1 7 9
	"	0 7 8	0 8 5
	"	0 7 0	0 7 8
Beds, land service, and { 13 inch	"	6 10 11	7 4 0
naval, wood { 10	"	4 19 0	5 8 11
Carriage, wood, travel- { 10	"	2 2 11	2 7 3
ling, siege { 8	"	1 3 1	1 5 5
Coins, wood, carriages, naval—			
Wood—			
Boat, R.B.L. { 12 pounder	}	0 6 11	0 7 7
Sliding, gun vessel, R.B.L. 20 pounder; also			
travelling, field, R.M.L. 25 pounder ..			
Common—			
Also garrison, common R.M.L. $\frac{64 \text{ pounder}}{8 \text{ inch}}$, 71			
cwt.	"	0 11 9	0 12 11
S.B. { 8 inch, 65, 60, or 54 cwt.	}	0 8 11	0 9 10
32 pounder, 58 or 56, 50 or 45 cwt.,			
and 42 cwt.	"	0 6 6	0 7 2
6 { 9 pounder, 28 cwt.	}	0 9 4	0 10 3
21 and 17 cwt.			
Rear chock { R.B.L. 20 pounder	}	0 7 0	0 7 8
R.M.L. 7 pounder, 200 lbs.			
bronze gun	"		
S.B. howitzer, 24 pounder	"		
Sliding—			
R.M.L. $\frac{64 \text{ pounder}}{8 \text{ inch}}$, 71 cwt.	}	0 16 5	0 18 1
S.B. { 10 inch, 86 cwt.			
68 pounder, 95 cwt.	"	0 18 0	0 19 10
8 inch 65 or 60 cwt.	"	0 13 9	0 15 2
32 pounder, 58 or 56 cwt.			
Wrought-iron, sliding, R.M.L. { 9 or 8 inch	}	0 18 0	0 19 10
7 inch			
Coins, wood, carriages, travelling, field,			
wrought-iron, R.M.L. 25 pounder (see Coins, wood,			
boat, carriage, R.B.L. 12 or 9 pounder).			
Collars, capstan-head, R.M.L.—			
Carriage, wrought-iron, naval, sliding—			
12 inch, 25 tons, "Belleisle" type	"	0 0 10	0 0 11
10	"	0 2 0	0 2 2
Gutta percha { 9, 8, and 7 inch	}	0 0 10	0 0 11
64 pounder (Mark I) and (Mark			
II), also steel	"	0 0 5	0 0 5½
Metal { 10 inch	}	0 6 9	0 7 5
9 " "Sultan type"			
Collars, cast-iron—			
Bars, radius, elevating, carriage, garrison, wrought-			
iron, Moncrieff—			
R.B.L. 7 inch	"	0 8 11	0 9 10
R.M.L., $\frac{25}{8}$ pounder, 58 cwt.	"	0 3 6	0 3 10

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Collars, cast-iron, continued—			
Shaft, 2nd motion, platform, traversing, wrought-iron R.M.L., casemate, 9 inch, to work within length	each	£ s. d. 0 2 11	£ s. d. 0 3 3
Collars, leather—			
Breech screw, R.B.L. 12 pounder	"	0 1 1	0 1 3
Elevating screw, carriage, garrison, wrought-iron, sliding, double plate, R.M.L., 12½ inch, small port	doz.	0 2 3	0 2 6
Fuze and plug { Large, land and naval { Rifled	1,000	0 8 10 1 2 0	0 9 4 1 3 4
{ Small { Smooth bore	"	0 14 4	0 15 2
Collars, steel, shaft, clutch, pinion, platform, traversing, wrought-iron R.M.L. 12½ inch—			
Casemate { Small port { 7 feet recoil { 6 " " " " " " " "	each	0 4 11	0 5 3
Dwarf { "C" " " " " " " { "D" " " " " " "	"		
Collars, wrought-iron—			
Bar, radius, elevating, carriage, garrison, wrought-iron, Moncrieff, R.M.L. 7 inch (Mark II) ..	each	0 14 4	0 15 9
Cascable, elevating, carriage, garrison, wrought-iron, Moncrieff, R.M.L. 9 inch (Mark II) ..	"	1 3 2	1 5 6
Jamming, elevating, carriage, garrison, wrought-iron, Moncrieff, R.M.L. 7 inch (Mark I) ..	"	0 11 0	0 12 1
Shaft—			
Main, carriage, garrison, wrought-iron, Moncrieff—			
R.B.L. 7 inch.	"	0 0 11	0 1 0
{ 9 inch (Mark II)	"	0 2 8	0 2 11
R.M.L. { 7 inch (Mark II)	"	0 0 10	0 0 11
{ ¾ pounder, 58 cwt.	"	0 0 11	0 1 0
Retaining, carriage, garrison, wrought-iron, Moncrieff R.M.L. 9 inch (Mark II) ..	"	0 0 11	0 1 0
With screws—			
Bollard, platform, traversing, wrought-iron, R.M.L.—			
Casemate—			
Small port, 10 inch	"	0 4 8	0 5 2
To work within length—			
11 or 12 inch, 25 tons	"	0 5 1	0 5 7
10 inch { Mark I	"	0 4 8	0 5 2
{ Mark II			
{ Special	"	0 4 8	0 5 2
9 inch	"	0 4 8	0 5 2
11 or 12 inch, 25 tons { Side..	"	0 5 1	0 5 7
{ Rear			
10 inch { Side	"	0 4 8	0 5 2
{ Rear			
{ Mark II	"	0 4 8	0 5 2
9 inch { Side	"	0 4 8	0 5 2
{ Rear			
Single plate carriage, 11 or 12 inch, 25 tons, to work within length..			
11 or 12 inch, 25 tons, "A,"	"	0 5 1	0 5 7
Dwarf { rear	"	0 4 8	0 5 2
{ 10 inch "A" { Side			
{ Rear	"	0 4 8	0 5 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cellars, wrought-iron, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>
Shaft—			
With screws—			
Winch handle—			
Platform, traversing, wrought-iron, R.M.L.—			
Casemate—			
10 inch { Side	each	0 3 4	0 3 8
Mark II			
9 inch { Side			
Rear			
Single plate carriage, 11 or 12 inch, 25 tons, to work within length..			
Dwarf—			
12½ inch { "C"	"	0 3 4	0 3 8
"D"			
12 inch, 35 tons, "C"			
11 or 12 inch 25 tons { "A" rear	"	0 3 4	0 3 8
"C" { Central.			
Side			
10 inch { "A" side	"	0 3 4	0 3 8
"C" { Central			
Side			
"D" side	"	0 3 4	0 3 8
"A" rear			
9 inch { "C" { Central			
Side			
"D" side			
Second motion, platform, traversing, wrought-iron, R.M.L., casemate—			
12½ inch { 7 feet recoil	"	0 3 4	0 3 8
6 "			
11 or 12 inch, 25 tons, to work within length..	"	0 3 4	0 3 8
Third motion, platform, traversing, wrought-iron, R.M.L., casemate, 10 inch, Mark I, to work within length	"	0 3 4	0 3 8
With split key, securing lever to stud, field forge (Mark III)	"	0 9 8	0 10 8
Trunnion, gun, carriage, garrison, wrought-iron, S.B. 32 pounder, 56 cwt.	"	0 1 7	0 1 9
Compressors, wrought-iron, side plate, carriages, wood, naval, sliding—			
With screws, bolts, and nuts—			
R.B.L. 7 inch { Left	"	6 9 6	7 2 6
Right			
R.M.L. 7 inch { Left	"	6 9 6	7 2 6
Right			
R.B.L. 40 pounder, R.M.L.			
64 pounder, 71 cwt., 64 pounder, 64 cwt., and S.B. 8 inch	"	6 9 6	7 2 6
Left			
Right	"	6 9 6	7 2 6
S.B. 68 pounder, 95 cwt. { Left	"	6 19 3	7 13 3
and 10 inch, 86 cwt. { Right			
Parts of—			
Plates, wrought-iron—			
R.B.L. 7 inch { Left compressor	pair	5 12 4	6 3 7
Right "			
R.M.L. 7 inch { Left "	"	5 12 4	6 3 7
Right "			

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance. Sheet.	No. 2 Balance Sheet.
Compressors, wrought-iron, side plate, carriages, wood, naval, sliding, <i>continued</i> —		£ s. d.	£ s. d.	£ s. d.
Parts of—				
Plates, wrought-iron—				
R.B.L. 40 pounder				
R.M.L. ^{64 pounder} 8 inch } Left compressor pair	—	5 12 4	6 3 7	
71 cwt., 64 } Right " "	—	5 12 4	6 3 7	
pounder, 64 cwt.,				
and S.B. 8 inch				
S.B. 68 pounder, } Left compressor	—	6 2 1	6 14 4	
95 cwt., and 10 } Right " "	—	6 2 1	6 14 4	
inch, 86 cwt.				
Bolts, wrought-iron, with nuts (2 to				
a compressor)	each	—	0 3 3	0 3 7
Screws, wrought-iron { Left compressor	—	0 10 8	0 11 9	
iron { Right " "	—	0 10 8	0 11 9	
Compressors, wood, land service—				
R.B.L. 7 inch, and R.M.L. 64 pounder,				
64 cwt.	"	—	2 8 3	2 13 1
R.M.L. { 64 pounder, 71 cwt. and 58 cwt.				
58, pounder, also S.B. 10 inch,	"	—	2 11 2	2 16 3
68 pounder, and 8 inch, 65 cwt.	"	—	2 9 10	2 14 10
S.B. 8 inch, 54 cwt.	"	—		
Cones, cast-iron, friction—				
Clutch pinion, platform, traversing,				
wrought-iron, R.M.L. 12.5 inch—				
Casemate { 7 feet recoil	"	—	1 12 8	1 15 11
" { 6 " " "	"	—		
Dwarf { " C " " "	"	—	2 11 0	2 16 1
" { " D " " "	"	—		
Elevating, carriage, garrison, wrought-iron,				
Moncrieff—				
R.B.L. 7 inch { Inside	"	—	0 18 2	1 0 0
" { Outside	"	—	2 12 10	2 18 1
R.M.L.—				
9 inch (Mark II) { Inside	"	—	1 5 5	1 8 0
" { Outside	"	—	1 16 6	2 0 2
7 inch { (Mark I) { Inside	"	—	1 1 9	1 3 11
" { (Mark I) { Outside	"	—	1 1 9	1 3 11
" { (Mark II) { Inside	"	—	0 19 3	1 1 2
" { (Mark II) { Outside	"	—	2 14 0	2 19 5
58 pounder, 58 cwt. { Inside	"	—	1 0 5	1 2 6
" { Outside	"	—	2 15 0	3 0 6
Cones, metal, friction, elevating, carriage, garrison, wrought-iron, sliding, R.M.L.				
small port, 12.5 inch, with screws ..	"	—	1 16 3	1 19 11
Connections, metal, check valve for rams, carriage, wrought-iron, naval, turret,				
R.M.L.—				
12 inch, 35 tons	"	—	1 5 0	1 7 6
11 or 12 inch, 25 tons and 10 inch ..	"	—	1 4 5	1 6 10
Corks, shell, 13, 10 or 8 inch ..	gross	0 2 0	—	—
Counterweights, cast-iron, lever—				
Brake, gear, retaining, with set screws,				
carriage, garrison, wrought-iron, Mon-				
crieff—				
R.B.L. 7 inch	"	—	0 16 11	0 18 7
R.M.L. { 9 inch (Mark II)	"	—	0 16 11	0 18 7
" { (Mark I)	"	—	0 13 1	0 14 5
" { (Mark II)	"	—	0 16 11	0 18 7
58 pounder, 58 cwt.	"	—	0 11 5	0 12 7

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Counterweights, cast-iron, lever, continued—		£ s. d.	£ s. d.
Lifting, with bolts, carriages, } garrison, wrought - iron, } 12·5 inch .. } sliding, R.M.L. } 12 inch, 35 tons }	gross	0 5 11	0 6 6
Nipping, with bolts, carriage, garrison, wrought-iron, R.M.L., small port, 12·5 inch ..	"	0 6 8	0 7 4
Stop, compressor, with screw, platform, traversing, wrought-iron, R.M.L., 12·5 inch—			
Casemate { 7 feet recoil }			
6 " " " " " " }	"	0 3 8	0 4 0
Dwarf { "C" " " " " " }			
" " " " " " " " }	"	0 1 5	0 1 6
Counterweights, zinc	each	0 1 5	0 1 6
Covers, canvas—			
Cart, complete { Chaise or market }	"	1 17 0	2 0 8
{ Forge, or (Mark I) wagon }	"	1 9 9	1 12 9
{ Maltese }	"	1 15 0	1 18 6
{ Medical store or forage.. .. }	"	2 2 5	2 6 8
{ Tip, general service }	"	1 10 0	1 13 0
{ Transport, spring }	"	3 19 7	4 7 7
Screwjack	"	0 4 8	0 4 11
Unpainted, box—			
Ammunition—			
Centre (prepared)	"	0 1 6	0 1 8
Limber or wagon	"	0 0 9	0 0 10
R.M.L., 13 pounder { wagon, hind, or limber }	"	0 3 2	0 3 6
{ " fore " " " " }	"	0 0 11	0 1 0
Axletree	"	0 0 7	0 0 8
Store, siege, limber	"	0 0 9	0 0 10
Wagon, complete—			
Ambulance { Converted from light supply }	"	6 16 2	7 9 10
{ Equirotal }	"	4 6 7	4 15 3
{ Lock under.. }	"	7 0 0	7 14 0
Ammunition and store, Royal Artillery.. ..	"	2 4 1	2 8 6
Bakery	"	6 6 9	6 19 5
Flanders	"	2 16 7	3 2 3
Forge (Mark II), and store, Royal Artillery ..	"	1 16 6	2 0 2
General service { Equirotal }	"	3 11 0	3 18 1
{ Heavy, spring }	"	2 17 7	3 3 4
{ Lock { Mark III }	"	2 10 8	2 15 9
{ Mark IV. also Royal Engineer, } under { forge and general service.. .. }	"	2 18 6	3 4 4
Light, spring, or surgery	"	2 16 6	3 2 2
Platform	"	3 12 6	3 19 9
Covers, paper, cartridge—			
No. 4, suitable for 1 pounder gun or 4½ inch howitzer	1000	1 16 0	1 18 2
" 5, suitable for 6 and 3 pounder gun or 5½ and 4½ inch mortar	"	1 16 0	1 18 2
" 6, suitable for 12 pounder gun or 32 pounder howitzer	"	2 15 6	2 18 10
" 7, suitable for 32 pounder S.B. gun.. ..	"	4 14 0	4 19 8
" 8, suitable for 6 pounder R.B.L. gun	"	1 11 0	1 12 8
" 9, suitable for 12 or 9 pounder ditto	"	1 13 0	1 14 9
" 10, suitable for 20 pounder R.B.L. gun	"	2 16 0	2 19 4
" 11, suitable for 40 " ditto	"	4 14 0	4 19 8
" 12, suitable for 6 pounder gun above 4 oz. or 12 pounder howitzer	"	2 16 0	2 19 4
" 13, suitable for 9 pounder gun	"	2 16 0	2 19 4
" 14, suitable for 24 pounder gun or 5½ inch howitzer or 8 inch mortar	"	2 10 0	2 12 8

ORDNANCE.		Rate.						
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
Covers, paper, cartridge, continued—			£	s.	d.	£	s.	d.
No. 15, suitable for 18 pounder gun ..	1000	—	4	14	0	4	19	8
" 16, suitable for 24 pounder gun and 8 inch howitzer ..	"	—	4	4	9	4	9	3
" 17, suitable for 8 inch, 56 and 42 pounder gun, and 10 inch howitzer or mortar ..	"	—	4	14	6	5	0	2
" 18, suitable for 13 inch mortar, 20 and 16 lb. ..	"	—	4	14	6	5	0	2
" 19, suitable for 7 inch R.B.L. gun, 10 inch and 68 pounder S.B. and 13 inch mortar, 9 lb. ..	"	—	4	14	6	5	0	2
R.M.L.—								
Gun—								
80 or 64 pounder, 10 lb. ..	"	—	4	16	7	5	1	8
80, 64 pounder, or 32 pounder S.B., 5 lb. ..	"	—	2	19	3	3	2	9
80, 64 pounder, or 6.3 inch howitzer, 4 lb. ..	"	—	2	16	4	3	0	0
64 pounder, 12 lb. ..	"	—	5	4	3	5	10	6
40 pounder, 7 " ..	"	—	2	14	11	2	18	3
25 " 4 " ..	"	—	2	15	5	2	18	6
16 " { 3 " ..	"	—	2	9	3	2	12	0
" { 1½ " ..	"	—	1	15	9	1	17	8
13 " { 3 " 2 oz. ..	"	—	2	11	10	2	14	5
" { 1 " 3 " ..	"	—	1	16	3	1	18	5
9 " { 1½ " ..	"	—	2	8	3	2	10	11
" { 1½ " or 1 lb. ..	"	—	1	13	5	1	15	2
" { 1½ lb. ..	"	—	1	11	3	1	13	1
7 pounder { 12 oz. ..	"	—	1	4	1	1	5	7
" { 6 or 8 oz. ..	"	—	1	1	11	1	3	2
" { 4 oz. ..	"	—	0	19	8	1	0	8
Howitzer—								
8 inch { 10 lb. ..	"	—	4	13	11	5	0	0
" { 5 " ..	"	—	2	18	9	3	2	6
" { 2½ " ..	"	—	2	18	9	3	2	6
" { 3 lb. ..	"	—	2	16	9	3	0	2
6.3 inch { 2 " ..	"	—	2	3	3	2	5	10
" { 1 " ..	"	—	2	0	10	2	3	3
Covers, vent—								
Guard, 10 inch R.M.L. gun ..	each	2	7	6	—	—	—	—
Slot, R.B.L. guns—								
7 inch ..	"	—	0	14	5	0	15	10
64 pounder ..	"	—	0	12	11	0	14	3
40 " ..	"	—	0	8	4	0	9	1
20 " ..	"	—	0	7	9	0	8	6
12 " ..	"	—	0	7	8	0	8	5
9 " ..	"	—	0	7	6	0	8	3
6 " ..	"	—	0	6	4	0	6	11
Covers, waterproof, cartridge, R.M.L.								
guns—								
12.5 inch ..	"	0	2	10	—	—	—	—
12 inch { 35 ton ..	"	0	2	9	—	—	—	—
" { 25 " ..	"	0	2	8	—	—	—	—
11 " ..	"	0	2	7	—	—	—	—
10 " ..	"	0	2	2	—	—	—	—
9 " ..	"	0	1	8½	—	—	—	—
8 " ..	"	0	1	6	—	—	—	—
7 " ..	"	0	1	4	—	—	—	—

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Covers, wrought-iron, complete—		£ s. d.	£ s. d.
Gear, elevating, carriages, garrison, wrought-iron, Moncrieff—			
Worm spindle { R.B.L. 7 inch	each		
{ R.M.L. 9 „ (Mark II)		
Worm wheel { R.B.L. 7 inch		
{ 9 inch (Mark II)		
{ R.M.L. { 7 „ (Mark II)		
{ ½ pounder, 58 cwt.		
Gear, following-up, carriage, garrison, wrought-iron, sliding, R.M.L., small port, 12·5 inch—			
Worm shaft, longitudinal { Left		
{ Right		
Worm wheel		
Gear, nipping, carriage, garrison, wrought-iron, sliding, R.M.L., small port, 12·5 inch—			
Pinion, segment, with screws		
Gear, retaining, carriage, garrison, wrought-iron, Moncrieff—			
Brake drum, R.M.L.—			
9 inch (Mark II) { Left		
{ Right		
7 inch { (Mark I) { Left		
{ (Mark II) { Right		
{ Left		
{ Right		
Roller, rack—			
R.B.L., 7 inch { Left		
{ Right		
{ 9 inch (Mark II) { Left		
{ Right		
R.M.L. { 7 „ (Mark II) { Left		
{ Right		
{ ½ pounder, 58 cwt. { Left		
{ Right		
Wheel, spur, and pinion clutch,		
R.M.L., 7 inch (Mark II) { Left		
{ Right		
Gear, traversing, carriage, garrison, wrought-iron, Moncrieff—			
Pinion, bevel, shaft, vertical, R.M.L. 7 inch (Mark I)		
Wheel and pinion—			
Bevel { R.B.L. 7 inch { Front		
{ Rear		
{ R.M.L. 7 inch (Mark II) { Front		
{ Rear		
Spur, R.M.L. 7 inch (Mark I) { Front		
{ Rear		
Wheel { Bevel, front truck, R.M.L. 7 inch (Mark I)		
{ Spur, R.M.L. 7 inch { Left		
{ (Mark I) { Right		
Gear, traversing and running back, platform, wrought-iron, R.M.L.—			
Casemate—			
Small port { 12·5 inch		
{ 10 inch		
To work within length—			
11 or 12 inch, 25 tons—			
10 inch { (Mark I)		
{ (Mark II)		
{ Special		
9 inch		

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Covers, wrought-iron, complete, contd.—		£ s. d.	£ s. d.	£ s. d.
Gear, traversing and running back, platform, wrought-iron, R.M.L.—				
Casemate—				
11 or 12 inch, 25 tons, side ..	each			
10 inch { Side	"			
(Mark II)	"			
Single plate carriage, 11 or 12 inch, 25 tons, to work within length ..	"			
Dwarf "C" side { 10 inch	"			
9 inch	"			
Crabs, iron, hoisting guns—				
To 50 tons*	"	55 0 0	—	—
" 25 " †	"	20 13 0	—	—
Cradles, wood, vent, with guide, R.M.L. guns—				
16 inch	"	—	6 7 6	7 15 6
12·5 inch (Mark II)	"	—	7 14 2	9 8 2
Cramps, wrought-iron, brake—				
Gear, elevating—				
Carriage, garrison, wrought-iron, sliding, with screws, } 12·5 inch, 35 tons, R.M.L. }	"	—	1 10 6	1 13 7
Carriage, iron, naval, turret, with nuts, pins and collars, R.M.L.—				
12 inch, 35 tons	"	—	1 9 2	1 12 1
11 or 12 inch, { " Glatton"	"	—	1 9 2	1 12 1
25 tons { " Monarch"	"	—	1 9 2	1 12 1
10 inch	"	—	1 7 2	1 9 11
Gear, training, slide—				
Steel, R.B.L., { Left	"	—	0 13 10	0 15 3
6 inch { Right	"	—	0 13 10	0 15 3
12 inch, 25 tons, "Bel- leisle" type	"	—	0 17 9	0 19 6
11 inch "Téméraire" type, also 10, 9 and 8 inch, and training and traversing, 9 inch ..	"	—	0 15 9	0 17 4
64 pounder (Mark IV, V, and VI)	"	—	0 15 4	0 16 10
Cranks, wrought-iron, connecting, brake lever, gear, retaining, carriage, garrison, wrought-iron, Moncrieff, R.M.L.—				
9 inch (Mark II)	"	—	0 15 9	0 17 4
7 " { (Mark I)	"	—	0 15 4	0 16 10
(Mark II)	"	—	0 15 4	0 16 10
Crutches, iron, complete, with screws for B.L. guns—				
40 pounder	"	—	0 5 3	0 6 1
20, 12, 9 or 6 pounder	"	—	0 5 3	0 6 1
Cups, obturating—				
Large, R.B.L. { 6 inch { (Mark I)	"	—	—	—
(Mark II)	"	—	10 7 3	12 13 0
guns { 25 pounder { 22½ cwt.	"	—	8 2 5	9 18 3
13½ "	"	—	8 2 5	9 18 3
Small—				
R.B.L. guns { 6 inch { (Mark I)	"	—	—	—
(Mark II)	"	—	10 7 3	12 13 0
25 pounder { 22½ cwt.	"	—	8 2 5	9 18 3
13½ "	"	—	8 2 5	9 18 3
S.B.B.L. gun, 32 pounder 42 cwt. ..	"	—	5 16 8	7 2 4

* Treble and double purchase. Shewn at page 214 of 1879 edition as "5 ton for sheer legs."

† Double and single purchase. Shewn in 1879 edition as "2 tons."

253

* Closed with tape band. When empty to be accounted for by Letters or Nos. stamped on base.
† Closed with soldered tin band. When empty to be accounted for as unserviceable "of sorts."

ORDNANCE.			Rate.			
			Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Cylinders, tin, continued—				£ s. d.	£ s. d.	
No. on base.	External height and diameter.	To hold.				
† 3	7'75" × 4'18"	Caps, percussion, 1350, 1200, 1125, or 825..	100	2 11 5	2 14 9	
† 4	11'75" × 4'18"	Caps, percussion, 1980, or 1500	"	3 13 6	3 17 11	
† 5	4'325" × 3'125"	Fuzes, time, wood, Boxer, R.B.L., 5 seconds, or 9 seconds, or time, wood, with detonator, 15 seconds	5	"	1 10 2	1 12 3
† 6	5'9" × 2'875"	Fuzes, time, wood, Boxer, R.B.L., 20 seconds	5	"	1 7 5	1 9 1
† 7	3'5" × 2'775"	Fuzes, time, wood, Boxer, common ..	5	"	1 3 10	1 5 7
		Primers, vent piece ..	25	"	1 3 10	1 5 7
† 8	2'35" × 2'875"	Fuzes, time, wood, Boxer, diaphragm Shrapnel	5	"	0 19 10	1 1 0
† 9	1'575" × 6'05"	Fuzes, electric, No. 1, high tension, Abel, land service (see page 529)	25	"	1 13 7	1 15 9
† 10	3'95" × 3'225"	Fuzes, time, wood, Boxer, 5 seconds, 9 seconds, or 15 seconds	5	"	1 5 9	1 8 4
† 11	5'45" × 3'125"	Fuzes, time, wood, Boxer, 20 seconds ..	5	"	1 9 7	1 11 2
† 12	10'3" × 3'75"	Lights, coastguard (with 5 primers) ..	4	"	3 4 4	3 8 6
† 13	9'625" × 4'5"	Lights, long, general service	4	"	2 12 8	2 15 3
		Portfires, life-saving apparatus	25	"	2 12 8	2 15 3
† 14	5'4" × 4'5"	Caps, percussion ..	900	"	2 3 5	2 6 3
		Lights, signal magnesium	4	"	2 3 5	2 6 3
† 15	5'3" × 2'775"	Tubes, friction, copper, long	25	"	1 13 8	2 1 0
† 16	3'375" × 2'775"	Tubes, friction, copper, service	25	"	1 14 8	1 17 0
† 17	2'45" × 2'775"	Tubes, friction, copper, 7 pounder	25	"	1 14 1	1 16 1
† 18	2'25" × 5'08"	Tubes, friction, quill, with loops, long ..	25	"	2 0 2	2 2 7
		Fuze, safety, repacked (see page 549) fathoms 8	"	"	2 0 2	2 2 7
† 19	2'25" × 3'9"	Tubes, friction, quill, with loops, short ..	25	"	1 7 8	1 9 5
† 20	2'3" × 3'375"	Fuzes, percussion, Pettman, G.S. or L.S.	5	"	1 4 0	1 5 6
		Wax, bees, for—				
		Exploding bolt, Harvey torpedo (see page 576) .. lbs. †	"	"	1 4 0	1 5 6
		Whitehead torpedo (see page 536) .. " †	"	"	1 4 0	1 5 6

† Closed with soldered tin band. When empty to be accounted for as unserviceable "of sorts."

ORDNANCE.			Rate.		
			Per	No. 1 Balance Sheet	No. 2 Balance Sheet.
Cylinders, tin, continued—				£ s. d.	£ s. d.
No. on base.	External height and diameter.	To hold			
* 21	1'12" × 3'1"	Discs, paper, for tubes, electric (No. 11) (see page 549) .. 5,000	100	0 16 4	0 17 4
		Priming, guncotton, for fuzes	"	0 16 4	0 17 4
† 23	6'475" × 6'05"	Fuzes, electric, No. 14, low tension, land service (see page 529)	25	1 13 6	1 15 5
† 23	4'75" × 3'25"	Fuzes, time, wood, Boxer, R.M.L., 30 seconds 5	"	2 12 6	2 16 1
† 25	7'3" × 3'1"	Detonators (No. 8) for safety fuze (see page 529) 25	"	3 9 7	3 14 0
† 26	4'1" × 4'425"	Caps, percussion .. 1,000	"	1 0 0	1 2 1
		Lights, signal, general service 4	"	1 0 0	1 2 1
† 27	5'5" × 3'58"	Tubes, friction, cop- per, long, with wire loops 25	"	2 14 3	2 16 9
† 28	1'6" × 3'36"	Tubes, common, quill Tubes, friction, quill, time guns 25	"	1 3 7	1 4 10
† 29	2'4" × 4'1"	Fuzes, percussion, sensitive 5	"	2 16 2	2 19 2
† 30	2'125" × 1'95"	Washers, leather, for plugs (see page 509)	10	0 15 6	0 16 7
† 31	1'25" × 1'875"	Detonators, exploding bolt, Harvey torpedo (see page 576) 5	"	0 13 11	0 14 9
		Primers, brass, Shrap- nel shell 10	"	0 13 11	0 14 9
		Primers, detonating, for lights .. 5, 10, or 15	"	0 13 11	0 14 9
		Primers, detonating, portfire, life-saving apparatus 10	"	0 13 11	0 14 9
† 32	5'3" × 4'775"	Detonators, electric (No. 5), high tension, Abel, land service (see page 529) 25	"	0 14 5	0 15 7
		Tubes, electric (No. 4), high tension, Abel .. 25	"	0 14 5	0 15 7
† 33	1'625" × 4'1"	Fuzes, percussion, R.L.	5	1 12 2	1 14 2
† 34	10'85" × 3'1"	Tubes, electric (No. 10), low tension, naval service (see page 549) 25	"	5 4 4	5 10 6
† 35	3'05" × 1'4"	Primers, guncotton, Harvey torpedo (see page 576) 1	"	1 16 4	1 18 8
† 36	2'075" × 2'18"	Packing, hemp, ex- ploding bolt, Harvey torpedo (see page 576) yds.	"	1 5 7	1 6 9

* Closed with tape band. When empty to be accounted for by Nos. stamped on base.

† Closed with soldered tin band. When empty to be accounted for as unscrviceable "of sorts."

‡ Not closed with band. When empty to be accounted for by Nos. stamped on base.

ORDNANCE.				Rate.		
				Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cylinders, tin, continued— No. on External height base. and diameter.					£ s. d.	£ s. d.
† 37	1'1" × 3'9"	Washers, leather, torpedo, Harvey's	To hold. Loading hole (see page 576) Explosive bolt (see page 576) ..	8 100	1 11 0	1 12 10
† 38	1'35" × 2'18"	Washers, leather, torpedo, Harvey's, exploding bolt (see page 576) ..	6	"	1 11 0	1 12 10
† 39	1'75" × 2'18"	Washers, leather, torpedo, 14 inch	Buffers, &c. (see page 556) ..	12	"	1 5 2
† 40	1'35" × 2'18"	R. L., Mark I*	Joints, &c. (see page 556) ..	36	"	6 16 7
† 41	0'8" × 6'573"	Washers, leather, envelope, case counter-mining, naval (see page 549) ..	48	"	6 18 4	7 6 0
† 42	7'8" × 4'1"	Detonators, electric (No. 9), low tension, naval service (see page 549) ..	6	"	8 0 4	8 9 3
† 43	11'6" × 5'08"	Tubes, electric (No. 11), low tension, naval, for drill purposes (see page 549) ..	25	"	4 8 2	4 13 9
* 44	1'4" × 4'425"	Cards, with platinum silver wire, for test coil (see page 549) ..	25	"	6 1 10	6 9 3
† 45	0'8" × 7'7"	Washers, leather, mouthpiece, case, counter-mining, naval (see page 549)	50	"	1 18 0	2 0 4
† 46	1'2" × 2'635"	Detonators, pistol, Whitehead torpedo (see page 556) ..	6	"	11 19 4	12 12 8
† 47	8'35" × 4'1"	Detonators, electric (No. 12), low tension, submarine (see page 509) ..	5	"	0 16 10	0 17 9
		Detonators, electric (No. 13), low tension, land service ..	25	"	3 15 5	3 19 4
† 48	3'45" × 2'875"	Solution, india-rubber, 8 oz. tin (see page 509) ..	25	"	3 15 5	3 19 4
† 49	18'4" × 2'18"	Detonators (No. 8), with 2 feet of safety fuze attached (see page 18) ..	1	"	2 0 1	2 2 5
			8	"	9 0 8	9 13 2

* Closed with tape band. When empty to be accounted for by Nos. stamped on base.

† Closed with soldered tin band. When empty to be accounted for as unserviceable "of sorts."

‡ Not closed with band. When empty to be accounted for by Nos. stamped on base.

Section V.

257

ORDNANCE.			Rate.		
			Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cylinders, tin, continued—				£ s. d.	£ s. d.
No. on base.	External height and diameter.	To hold.			
† 50	8-6" × 1-6"	Primers, guncotton, Whitehead torpedo (see page 556) ..	1	100	1 15 2
* 51	7-15" × 2-12"	Primers, guncotton, 2 oz. (dry) (see page 509) ..	5	"	1 3 2
* 52	7-05" × 1-55"	Primers, guncotton, 1 oz. (dry) (see page 529) ..	5	"	1 1 3
† 54	14-25" × 3-375"	Detonators (No. 8), with 2 feet of safety fuze attached ..	25	"	3 12 2
† 55	3-18" × 2-875"	Tallow, 8 oz. (see page 509) ..	1	"	1 13 6
† 57	2-075" × 4-1"	Fuzes, percussion, direct action ..	5	"	1 14 8
† 58	1-22" × 2-45"	Washers, { Buffers, leather, &c., (see torpedo, page 556)	24	"	1 4 3
† 59	1-22" × 2-65"	14 inch Joints, R.L. &c., (see (Mark I) page 556)	42	"	1 5 4
* 60	8-88" × 3-375"	Priming charge (dry guncotton), for sub- marine mines (see page 509) ..	1	"	1 16 0
* 61	0-28" × 4-925"	Keys, firing, electric, naval (see page 549)	8	"	2 13 0
* 62	0-35" × 3-36"	Washers, india rubber { Boat bat- tery, firing keys (see page 549)	8	"	2 1 2
† 63	2-4" × 3-375"	Detonators, rocket sound (2 oz. gun- cotton) ½ lb. ..	5	"	1 13 1
* 64	3-5" × 2-775"	Guncotton yarn (No. 1 damp) (see page 529) oz. 2	"	"	1 13 8
* 65	0-7" × 3-58"	Cartridge, pistol, in- stantaneous fuze (see page 549) ..	25	"	3 13 2
† 66	5-8" × 5-88"	Fuzes, percussion, delay action, for base of 64 pounder, R.M.L., battering shell. ..	5	"	3 15 0
† 67	5-4" × 4-5"	Detonators (No. 15), for instantaneous fuze (see page 549)	25	"	3 18 0
† 68	5-5" × 4-775"	Fuzes, electric (No. 16), disconnecting sub- marine (see page 509)	25	"	4 12 4

* Closed with tape band. When empty to be accounted for by Nos. stamped on base.

† Closed with soldered tin band. When empty to be accounted for as unservice-
able "of sorts."

‡ Not closed with band. When empty to be accounted for by Nos. stamped on base.

(V.S.)

R

ORDNANCE.			Rate.		
			Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cylinders, tin, continued—				£ s. d.	£ s. d.
No. on base.	External height and diameter.	To hold.			
† 69	1.82" × 3.1"	Washers, india-rubber, plugs, insulating (see page 549) ..	20	100	1 19 8
		Washers, leather, torpedo, 14 inch, flume, buffers, joints, &c. (see page 556)	33	"	0 12 2
Old No. on base.					0 12 11
† 20	2.3" × 3.375"	Fuzes, percussion, Pett- man, G.S. or L.S. ..	5	"	1 4 0
† 27	2.25" × 3.9"	Tubes, friction, quill, with loops, short ..	25	"	1 7 8
† 53	4.325" × 3.125"	Fuzes, time, wood, Boxer, R.B.L., 9 seconds, or R.M.L., 9 seconds or 5 seconds	5	"	3 6 0
† 59	5.3" × 2.775"	Tubes, friction, copper, long	25	"	1 18 8
					2 1 0
Cylinders, zinc—					
No. on base.	External height and diameter.				
* 3	7.75" × 4.125"	Caps, percussion ..	1,200	"	1 9 8
* 11	6.0" × 4.1"	Primers, vent piece ..	100	"	1 4 9
* 53	4.25" × 3.0"	Fuzes, time, wood, Boxer, R.B.L., 9 seconds	5	"	2 14 0
* 58	3.5" × 2.75"	Tubes, friction, copper, service	25	"	0 15 0
* 59	5.4" × 2.8"	Tubes, friction, copper, long	25	"	0 15 0
					0 15 11
For R.M.L. cartridges—					
16 inch, 112½ lb. Prism ¹ (¼ charge) ..			100	—	—
12.5 inch { 130 lb., P ²			"	108 15 8	114 10 9
{ 105 lb., Prism ² (¼ charge) ..			"	—	—
{ 80 lb., P ²			"	63 16 5	67 18 0
12 inch { 110 lb., P ²			"	79 15 3	84 11 0
{ Full			"	35 1 1	37 3 2
{ Battering			"	42 3 5	44 14 0
11 inch { Full			"	34 3 7	36 5 7
{ Battering			"	37 18 5	40 4 9
10 inch { Full			"	29 4 4	30 18 7
{ Battering			"	33 4 7	35 1 9
9 inch { Full			"	31 5 10	33 10 0
{ Battering			"	31 10 1	33 8 10
7 inch, battering, or 2 full			"	27 14 0	29 3 11
Making cartridges, R.B.L. { 40 pounder ..			"	3 18 8	4 3 5
{ 20 " ..			"	2 15 11	2 19 3
Decks, wood, octagonal, sea service—					
13 inch mortar			each	156 0 0	171 12 0
Derricks, bronze, muzzle, for R.M.L. guns—					
(a) 12.5 inch, 38 tons			"	6 17 9	8 0 5
(b) 12 " 35 "			"	6 17 9	8 0 5
(c) 11 " 25 " (Mark II)			"	6 6 3	7 7 0
(d) 10 " 18 "			"	6 6 3	7 7 0
(e) 9 " 12 " (Mark I)			"	5 14 4	6 13 2
(f) 9 " 12 " (Mark II, III, IV, and V) ..			"	5 14 4	6 13 2

* Closed with tape band. When empty to be accounted for by Nos. stamped on base.

† Closed with soldered tin band. When empty to be accounted for as unserviceable "of sorts."

‡ Not closed with band. When empty to be accounted for by Nos. stamped on base.

Section V.

259

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Berriicks, bronze, muzzle, for R.M.L. guns, <i>continued—</i>		£ s. d.	£ s. d.
With bronze band—			
With four screws, fixing, and two hinge screws, complete—			
12.5 inch, 38 ton (Mark I)	each	11 8 9	13 6 4
12 „ 35 „ (Mark I)	„	11 8 9	13 6 4
10 „ 18 „ (Mark I and II)	„	9 18 3	11 10 10
9 inch, 12 ton { (Mark I)	„	9 13 6	11 5 4
{ (Mark II, III, IV and V)	„	9 13 6	11 5 4
With four screws, fixing, and two eye-bolts, complete—			
11 inch, 25 ton (Mark II)	„	9 18 3	11 10 10
Berriicks, wrought-iron, loading—			
Mortar bed	„	4 10 0	4 19 0
R.M.L. { 10 inch, gunboat	„	4 11 0	5 0 1
{ 9 „ „Plucky”	„	3 15 5	4 3 0
{ 64 pounder, with bearer.. .. .	„	5 9 6	6 0 5
Discs, brass—			
Cup, R.B.L. gun—			
6 inch { (Mark I)	„	—	—
{ (Mark II)	„	0 0 6	0 0 7
25 pounder { 22½ cwt.	„	0 0 6	0 0 7
{ 13½ „	„	0 0 6	0 0 7
Vent bolt, R.B.L. gun, 6 inch, Mark I	„	—	—
Discs, metal, pointer, platform, traversing, wrought-iron, R.M.L., 12.5 inch—			
Casemate { Small port	100 each	0 4 0	0 4 5
{ 7 feet recoil			
{ 6 „ „			
{ “C” „			
Dwarf { “D”	„	0 14 9	0 16 3
{ “D”			
Bowels, oak, Alderson's platforms	100	0 4 0	0 4 5
Dray, St. Helena, complete	each	30 0 0	33 0 0
Drifts, vent, land service and sea service, 7½ inch Drugs—	„	0 1 9	0 2 0
Gun, up to 25 tons	„	160 0 0	176 0 0
Gun, 5 tons	„	38 2 6	40 19 7
Large	„	36 0 0	39 12 0
Medium	„	16 6 0	17 14 7
Small or West India	„	14 10 0	15 19 0
Drums, brake, platform, wrought-iron, Mon- crieff—			
R.B.L. 7 inch, left	„	11 15 0	12 18 6
R.M.L.—			
9 inch (Mark II) { Right	„	23 19 6	26 7 5
{ Left	„	23 19 6	26 7 5
7 inch { (Mark I) { Right	„	15 10 0	17 1 0
{ Left	„	15 10 0	17 1 0
{ (Mark II) { Right	„	13 10 0	14 17 0
{ Left	„	13 10 0	14 17 0
5½ pounder, 68 cwt., left	„	11 7 8	12 10 5
Extractors, tin, cup, 7 inch, and 40 pounder R.B.L.—			
Land service	„	0 3 4	0 3 9
Land and sea service, with lever lifting joint	„	0 16 7	0 19 6
Eyes, elevating, R.B.L. guns—			
20 pounder	„	1 7 0	1 10 3
Complete, with bolts, washers, and pins { 12 „	„	1 2 3	1 4 11
{ 9 „	„	1 2 3	1 4 11
{ 6 „	„	0 17 11	1 0 2

ORDNANCE.	Per	Rate.					
		No. 1		No. 2		Balance	
		Balance		Balance		Sheet.	
		Sheet.		Sheet.		Sheet.	
Eyes, elevating, R.B.L. guns, continued—		£	s.	d.	£	s.	d.
Incomplete { 20 pounder	each	0	15	8	0	17	6
{ 12 "	"	0	11	2	0	12	6
{ 9 "	"	0	11	2	0	12	6
{ 6 "	"	0	7	9	0	8	9
Eyes, wrought-iron—							
Perch—							
Wagon, ammunition, R.M.L.—							
9 pounder, 16 pounder, and upwards, also							
wagon, forge (Mark II) and store ..	"	2	9	0	2	11	10
13 pounder	"	2	9	0	2	11	10
Plate, wagon, ammunition—							
R.B.L. 9 pounder and upwards	"	0	18	0	0	19	10
S.B. 6 pounder and upwards	"	0	18	0	0	19	10
Carriages, mortar, 10 and 8 inch ..	"	0	18	0	0	19	10
R.M.L. 9 pounder and upwards, also wagon,							
forge (Mark I)	"	2	1	8	2	5	10
R.B.L. 6 pounder and S.B. 3 pounder ..	"	0	15	0	0	16	6
Wagons, sling { Wrought-iron	"	2	4	0	2	8	5
{ Wood, with rivets	"	1	12	0	1	13	2
Trail—							
1st class—							
Carriages, siege—							
Wrought-iron { 6½ pounder, or 8 inch							
{ howitzer, 70 cwt. ..	"	2	19	3	3	5	2
{ 40 pounder, 6½ inch, or							
{ 6½ inch howitzer ..	"	2	19	3	3	5	2
{ 8 inch howitzer, 45 cwt. ..	"	2	19	3	3	5	2
Wood, with rivets	"	2	11	4	2	16	6
2nd class, with rivets, carriages, field, wood, S.B.							
12 pounder gun or 32 pounder howitzer ..	"	1	11	6	1	11	8
3rd class—							
Carriages, wrought-iron, field, R.M.L., with							
ring and shoe—							
25 pounder	"	2	5	0	2	9	6
16 " (Mark I)	"	3	6	0	3	12	7
16 " or 9 pounder (Mark II) ..	"	3	8	7	3	15	5
13 "	"	4	4	0	4	12	5
9 " (Mark I)	"	3	6	0	3	12	7
With rivets, carriages, wood, field, R.B.L. 20							
to 9 pounder, S.B. 9 or 6 pounder; also 24							
and 12 pounder howitzer	"	1	8	6	1	11	4
4th class—							
Carriage, iron, field, R.M.L., 7 pounder ..	"	1	19	0	2	2	11
With rivets, carriages, wood, field, R.B.L. 6							
pounder, and S.B. 3 pounder; also car-							
riages, wood, naval, travelling	"	1	1	6	1	3	8
Eyes, steel—							
Perch, wagon, ammunition, R.M.L., 7 pounder ..	"	1	14	10	1	18	4
Trail, 3rd class, carriage, steel, R.M.L., 9 pounder,							
naval	"	1	7	4	1	10	1
Falls, syn, white rope—							
Gibraltar, 12 fathoms, 3½ inch	"	0	17	3	0	19	0
Triangle—							
Heavy, 18 fathoms, 5 inch	"	2	11	9	2	15	0
Light { 18 fathoms, 4 inch	"	1	12	11	1	16	3
{ Wood, 16 fathoms, 3½ inch, old patt. ..	"	1	2	9	1	5	0
16 feet, 15 fathoms, 3½ inch	"	1	1	4	1	3	6
Felloes, wheel, prepared—							
Ordinary—							
1st class, for 6 inch tire, 5 feet	"	0	8	1	0	8	11

ORDNANCE.	Per	Rate.			
		No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Felloes, wheel, prepared, continued—		£	s.	d.	£ s. d.
Ordinary—					
2nd class—					
For 4 inch tire { 5 feet	each	0	5	1	0 5 7
{ 4 "	"	0	3	11	0 4 4
{ 5 feet (Mark III)	"	0	3	10	0 4 3
For 3 inch tire { 5 " heavy wood nave ..	"	0	3	10	0 4 3
{ 4 " 2 inches	"	0	3	5	0 3 9
{ 3 " 4 "	"	0	2	2	0 2 5
For 2½ inch tire { 5 "	"	0	3	10	0 4 3
{ 3 " 6 inches	"	0	2	5	0 2 8
3rd class—					
For 3 inch tire, 5 feet, 13 por. and cart, small arm ammunition	"	0	3	4	0 3 8
For 2½ { Wagon, general { 4 feet 8 inches	"	0	2	10	0 3 1
{ service { 3 " 4 "	"	0	2	1	0 2 4
inch tire { Wagon, ambu- { 4 " 8 "	"	0	2	10	0 3 1
{ lance, &c. { 8 " 0 "	"	0	1	10	0 2 0
Special, metal nave—					
For 2½ inch tire, 3 feet	"	0	1	10	0 2 0
For 2 inch tire. { 3 feet	"	0	1	10	0 2 0
{ 2 " 6 inches	"	0	1	8	0 1 10
Slip, with rivets—					
1st class, for 6 inch tire, 5 feet	"	0	8	8	0 9 6
2nd class { For 3 inch tire { 5 feet	"	0	4	3	0 4 8
{ 3 " 4 inches	"	0	2	6	0 2 9
{ For 2½ inch tire, 5 feet	"	0	4	3	0 4 8
3rd class, for 3 inch tire, 5 feet, also 13 por. and cart, small arm ammunition	"	0	3	8	0 4 0
Felloes, wheel, in the rough—					
1st class, for 6 inch tire { 7 feet 0 inches	"	0	9	4	0 10 3
{ 5 " 6 "	"	0	8	2	0 9 0
{ 5 " 0 "	"	0	7	6	0 8 3
2nd class—					
For 4 inch tire { 5 feet	"	0	4	9	0 5 3
{ 4 "	"	0	3	8	0 4 0
{ 3 "	"	0	3	0	0 3 4
For 3 or 2½ inch tire—					
6 feet 0 inches	"	0	4	7	0 5 1
5 " 0 "	"	0	3	6	0 3 10
4 " 8 "	"	0	3	4	0 3 8
4 " 2 "	"	0	3	1	0 3 5
3 " 6 "	"	0	2	1	0 2 4
3 " 4 "	"	0	2	1	0 2 4
3rd class—					
For 3 inch tire { 5 feet 0 inches	"	0	3	0	0 3 4
{ 4 " 2 "	"	0	2	6	0 2 9
{ 4 feet 8 inches	"	0	2	6	0 2 9
For 2½ or 2 inch tire { 4 " 6 "	"	0	2	6	0 2 9
{ 3 " 4 "	"	0	1	9	0 1 11
{ 3 " 0 "	"	0	1	6	0 1 8
Naval { For 3 inch tire, 3 feet 6 inches	"	0	2	3	0 2 6
{ " 2½ " " "	"	0	1	11	0 2 1
Fids, wood—					
R.B.L. gun—					
7 inch { Breech	"	0	16	0	0 17 7
{ Muzzle	"	0	11	6	0 12 8
6 inch { Breech	"	0	13	0	0 14 4
{ Muzzle	"	0	10	2	0 11 2
64 pounder { Breech	"	0	14	5	0 15 10
{ Muzzle, also R.M.L. 64 pounder, 80 pounder, and 6'3 inch howitzer, and S.B. 32 pounder	"	0	10	3	0 11 3

* Obsolete. If shewn in future editions will appear in italics.

Section V.

263

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Flaps, wrought-iron, with pin and split key, slide, steel, R.B.L. 6 inch—		£ s. d.	£ s. d.
Front	each	1 8 2	1 11 0
Rear	"	1 10 0	1 13 0
Footsteps, metal—			
For wood scales with screws, sight, turret of H.M. Ship—		† —	—
Guard tube, compound hind turret sight*—			
Fixed with fixing { Centre	"	2 9 3	3 0 0
screws { Intermediate	"	2 9 3	3 0 0
Wing	"	2 9 3	3 0 0
Reciprocating, intermediate	"	7 10 0	9 3 0
Forges—			
Field, complete—			
With iron frame—			
(Mark II) { With side boxes, covers, and	"	30 4 4	33 4 9
hoops, Royal Artillery	"		
(Mark III) { Without side boxes, covers, or	"	22 1 5	24 5 7
hoops, general service	"		
(Mark III), Royal Artillery	"	42 10 3	46 15 3
With wood frame	"	26 0 0	28 12 0
Packsaddle, mountain and Royal Engineers (see page 529)	"	21 15 0	23 18 6
Forks, wrought-iron, with nuts, for tightening chains—			
Running in and out gear for wrought-iron naval slides R.M.L.—			
12 inch, 25 tons, "Bellevue" type	"	1 8 4	1 11 2
10 " "Sultan" type	"	2 12 2	2 17 5
11 " "Téméraire" type	"	1 8 4	1 11 2
10 " "Hercules"	"	1 2 4	1 4 7
9 " service	"	0 19 2	1 1 1
9 " "Lord Clyde" left	"	1 6 3	1 8 11
9 " "Sultan" type	"	2 16 0	3 1 7
Turret—			
12 inch, 35 tons	"	2 6 11	2 11 7
12 inch, 25 tons { "Glatton"	"	4 4 6	4 12 11
" "Monarch" type	"	2 4 0	2 8 5
10 inch { "Hecate" type	"	2 4 0	2 8 5
" "Rupert"	"	2 15 6	3 1 1
9 inch, "Wyvern"	"		
Traversing, and running back, gear, platform, wrought-iron, R.M.L.—			
12·5 inch, small port	"	2 18 10	3 4 9
12·5 " except small port, and 12-inch, 35 tons	"	2 3 6	2 7 10
Formers, wood, wad, gun—			
R.M.L.—			
16 inch	"	1 8 4	1 11 2
13·5 inch	"	1 0 6	1 2 7
12 "	"	1 0 2	1 2 2
11 "	"	0 15 2	0 16 8
10 "	"	0 14 3	0 15 8
9 "	"	0 13 5	0 14 9
8 "	"	0 12 6	0 13 9
7 "	"	0 10 6	0 11 7
64 pounder	"	0 9 8	0 10 8

* In demanding these articles the name of the vessel should be given.

† Price varies according to ship.

* These are contract rates.

ORDNANCE.	Per	Rate.			
		No. 1 Balance Sheet.		No. 2 Balance Sheet.	
		£	s. d.	£	s. d.
Fuzes, continued—					
Complete—					
Time—					
Wood, Boxer— { 15 seconds	1000	29	11 0	31	10 11
Muzzle-loading { 9 seconds	"	25	6 6	26	13 4
" { 5 "	"	25	9 9	26	16 9
Parachute { 10 inch	100	1	10 7	1	12 5
" { 8 "	"	1	13 2	1	15 6
" { 5½ "	"	1	10 8	1	12 10
Wood { Dummy	each	0	0 6	0	0 6½
" { Hand Grenade	1000	7	10 4	8	0 11
" { With detonator, 15 seconds..	"	37	16 0	40	9 3
Section of—					
Percussion—					
Delay action, for base of battering shell,					
R.M.L. 64 pounder	each	1	13 7	1	15 7
Direct action	"	0	11 8	0	12 4
Plain breech-loading	"	0	3 6	0	3 9
Royal Laboratory	"	0	5 2	0	5 6
Pettman { General service	"	0	5 8	0	6 0
" { Land "	"	0	5 6	0	5 10
Sensitive	"				
Time—					
Metal, E pattern, before firing	"	0	7 11	0	8 5
Wood, Boxer—					
Breech-loading { 9 seconds.. .. .	"	0	0 9	0	0 10
" { 5 "	"				
Common	"	0	0 3	0	0 3½
Diaphragm Shrapnel.. .. .	"	0	0 5	0	0 5½
Mortar { Large	"	0	0 3	0	0 3½
" { Small	"				
Muzzle-loading { 30 seconds	"	0	0 9	0	0 10
" { 20 seconds	"				
" { 15 seconds	"				
" { 9 seconds	"				
" { 5 "	"				
Parachute { 10 inch	"	0	0 5	0	0 5½
" { 8 "	"	0	0 4	0	0 4½
" { 5½ "	"	0	0 4	0	0 4½
Wood, with detonator, 15 seconds	"	0	4 2	0	4 5
Cartridges, shot or shell, without pins—					
Cast-iron, triangular—					
8 inch	"	0	15 0	0	16 6
56 pounder.. .. .	"	0	13 0	0	14 4
4 "	"	0	5 3	0	5 9
6 "	"	0	4 0	0	4 5
Cast-iron, rectangular, in one piece.. .. .	"				
Wrought-iron, rectangular, in four pieces—					
Length. Width. To					
ft. in. ft. in. hold					
13 inch 4 2½ × 4 2½ 30 ..	"	1	19 0	2	2 11
10 " 3 3½ × 3 3½ 30 ..	"	1	12 8	1	15 11
8 " or 68 pounder 2 8 × 2 8 30 ..	"	1	8 7	1	11 5
56 pounder 2 6 × 2 6 30 ..	"	1	7 8	1	10 6
42 " 2 3½ × 2 3½ 30 ..	"	1	6 4	1	8 11
32 " 4 2 × 4 2 204 ..	"	1	18 4	2	2 2
" 3 8 × 3 8 140 ..	"	1	14 11	1	18 5
" 2 1 × 2 1 30 ..	"	1	5 10	1	7 7
24 " 1 11 × 1 11 30 ..	"	1	3 6	1	5 10
18 " 1 9 × 1 9 30 ..	"	1	2 6	1	4 9
12 " 1 6½ × 1 6½ 30 ..	"	1	1 5	1	3 7

ORDNANCE.							Rate.							
							Per	No. 1 Balance Sheet.			No. 2 Balance Sheet.			
Gas-checks, copper, for R.M.L. projectiles—								£	s.	d.	£	s.	d.	
Automatic*—														
Gun—														
16 inch							100	150	18	9	159	19	10	
12·5 "							"	93	15	6	99	8	0	
12 "							"	83	17	6	88	18	2	
11 "							"	72	16	4	77	3	8	
10 "							"	62	10	5	66	5	5	
9 "							"	54	10	8	57	15	1	
13 pounder							"	4	16	4	5	2	1	
7 " 400 lbs.							"	4	7	1	4	12	4	
Howitzer--														
8 inch, 70 cwt.							"	44	4	0	46	17	0	
6·6 inch							"	26	6	10	27	18	5	
Without plugs or nuts—														
Gun—														
16 inch							"	150	18	9	159	19	10	
12·5 inch { (Mark I)							"	58	14	5	62	4	10	
(Mark II)							"	69	19	6	74	3	5	
12 " (35 and 25 tons) { (Mark I)							"	51	3	9	54	5	2	
(Mark II)							"	64	7	6	68	4	3	
11 " { (Mark I)							"	47	11	3	50	8	4	
(Mark II)							"	58	16	9	62	7	4	
10 " { (Mark I)							"	35	7	2	37	6	1	
(Mark II)							"	46	16	10	50	2	10	
9 " { (Mark I)							"	29	18	11	31	12	4	
(Mark II)							"	38	1	10	40	15	6	
6½ pounder							"	11	17	6	12	11	1	
40 "							"	11	10	8	12	4	4	
Howitzer { 8 inch, 46 cwt.							"	26	9	10	27	17	9	
6·3 "							"	7	12	10	8	1	9	
Gauges, filled cartridge, brass ring—														
Gun—														
R.B.L.—														
7 inch, 7·05 inches diameter							"	44	6	9	46	19	11	
40 pounder, 4·84 inches diameter							"	38	17	9	41	2	3	
20 " 3·84 "							"	23	2	8	24	9	8	
12 or 9 pounder, 3·07 inches diameter							"	19	18	11	21	2	10	
6 pounder, 2·67 inches diameter							"	17	3	3	18	3	10	
R.M.L.—														
17·72 inch							each	—			—			
16 " 15 inches diameter.. .. .							"	0	15	7	0	16	6	
12·5 " { 12·25 inches diameter							"	0	12	0	0	12	8	
(12 "														

* Or rotating.

ORDNANCE.	Rate.		
	Per	No. 1. Balance Sheet.	No. 2 Balance Sheet.
Gauges, filled cartridge, brass ring, continued—		£ s. d.	£ s. d.
Gun—			
R.M.L.—			
80 or 64 pounder, 6·0 inches diameter ..	each	0 8 0	0 8 6
40 pounder, 4·3 inches diameter	"	0 6 0	0 6 4
25 " 3·6 " " " " " " " " " " " "	"	0 4 11	0 5 3
16 " 3·3 " " " " " " " " " " " "	"	0 3 9	0 4 0
13 " 2·73 " " " " " " " " " " " "	"	0 3 0	0 3 2
13 and 7 pounder, 400 lbs., 2·3 inches diameter	"	0 3 3	0 3 5
9 pounder, 2·6 inches diameter	"	0 3 3	0 3 6
7 " 2·5 " " " " " " " " " " " "	"	0 3 8	0 3 11
Howitzer, R.M.L.—			
8 inch { 70 cwt. 7·3 inches diameter (see 8 inch			
gun)	"	0 7 11	0 8 5
{ 10 lb., 6·8 inches diameter ..	"	0 9 1	0 9 7
46 cwt. { 5 " 6·3 " " " " " " " " " "	"	0 9 1	0 9 7
{ 2½ " 6·0 " " " " " " " " " "	"	0 9 1	0 9 7
6·6 inch, 6·1 inches diameter	"	0 6 3	0 6 8
6·3 inch, 4 lb., (Mark I), 5·6 inches diameter ..	"	0 8 0	0 8 7
S.B.—			
10 inch gun and howitzer, and 68 pounder gun,			
7·76 inches diameter	"	0 7 3	0 7 8
100 pounder gun 8·25 inches diameter	"	0 7 6	0 7 11
68 " (is 10 inch)	"		
8 inch or 56 pounder gun, 7·2 inches diameter..	"	0 7 0	0 7 5
42 pounder gun and 8 inch howitzer, 6·67 inches			
diameter	"	0 9 5	0 9 11
32 pounder { Gun, 6·09 inches diameter ..	"	0 8 6	0 9 1
{ Howitzer, and 12 pounder gun,			
4·39 inches diameter	"	0 5 0	0 5 4
24 pounder { Gun, 5·52 inches diameter ..	"	0 6 5	0 6 9
{ Howitzer, and 5½ inch, 5·1 inches			
diameter	"	0 5 6	0 5 10
18 pounder gun, 5·02 inches diameter	"	0 5 4	0 5 8
12 pounder { Gun (as 32 pounder howitzer)			
{ Howitzer, 4·2 inches diameter ..	"	0 6 7	0 7 0
9 pounder gun, 4·02 inches diameter	"	0 4 7	0 4 10
6 " " 3·5 " " " " " " " " " " " "	"	0 6 3	0 6 8
3 " " 2·78 " " " " " " " " " " " "	"	0 3 5	0 3 7
Gauges, filled cartridge, wood, lengths—			
{ 7 inch, 11 or 10 lb.	100	56 7 3	59 14 11
40 pounder L.S. or S.S., and 20 pounder	"	40 14 0	43 2 10
R.B.L. { 12 " " " " " " " " " " " "	"	29 2 0	30 16 11
{ 9 " " " " " " " " " " " "	"	28 15 0	30 9 6
{ 6 " " " " " " " " " " " "	"	28 9 2	30 3 4
R.M.L., universal	each	1 13 6	1 15 7
Gauges, iron, shot or shell—			
R.B.L. ring—			
7 inch { 7·095 inches diameter	100	53 12 11	56 17 3
{ 7·08 " " " " " " " " " " " "			
40 pounder { 4·855 inches " diameter ..	"	37 10 11	39 16 0
{ 4·83 " " " " " " " " " " " "			
20 pounder { 3·85 " " " " " " " " " " " "	"	24 2 1	25 7 6
{ 3·836 " " " " " " " " " " " "			
12 or 9 pounder { 3·10 inches diameter ..	"	22 9 8	23 16 8
{ 3·067 " " " " " " " " " " " "			
6 pounder { 2·6 inches diameter.. ..	"	18 1 1	19 2 0
{ 2·567 " " " " " " " " " " " "			
R.M.L.—			
Cylinder—			
12 inch	each	6 10 3	6 18 1
11 "	"	6 0 3	6 7 6

ORDNANCE.							Rate.		
							Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Gauges, iron, shot or shell, continued—								£ s. d.	£ s. d.
R.M.L.—									
Cylinder—									
10 inch	each	5 9 9	5 16 4
9 "	"	4 16 9	5 2 7
8 "	"	3 19 6	4 4 3
7 "	"	2 6 4	2 9 1
6½ pounder	"	1 18 4	2 0 8
Ring—									
Body and gas-check—									
16 inch	"	3 15 0	4 0 5
12½ "	"	1 14 10	1 16 11
12 "	"	1 6 9	1 8 4
11 "	"	1 5 2	1 6 8
10 "	"	1 1 11	1 3 3
9 "	"	0 18 6	0 19 7
6½ "	"	1 14 9	1 16 10
13 pounder	"	0 5 2	0 5 6
8 inch howitzer, 70 cwt.	"	0 15 3	0 16 2
6½ "	"	1 14 9	1 16 10
6½ "	"	1 13 2	1 15 2
Body and studs—									
12½ inch, Mark I	"	1 14 8	1 16 6
12 "	"	1 8 0	1 9 9
11 "	"	1 10 0	1 11 10
10 "	"	1 4 4	1 5 11
9 "	"	1 1 8	1 3 2
8 "	"	0 15 4	0 16 2
7 "	"	0 11 6	12 3 0
80 pounder	"	0 8 5	0 8 11
6½ "	"	0 8 3	0 8 10
40 "	"	0 8 7	0 9 1
25 "	"	0 6 9	0 7 3
16 "	"	0 5 8	0 6 1
9 "	"	0 5 8	0 6 1
7 "	"	0 5 1	0 5 5
8 inch howitzer	"	0 17 4	0 18 6
Low over studs—									
12½ inch	"	0 14 10	0 15 9
12 "	"	0 14 8	0 15 7
11 "	"	0 13 10	0 14 8
10 "	"	0 12 11	0 13 8
9 "	"	0 11 4	0 12 0
8 "	"	0 9 9	0 10 4
7 "	"	0 9 2	0 9 9
80 pounder	"	0 7 11	0 8 4
6½ "	"	0 7 10	0 8 4
40 "	"	0 7 4	0 7 9
25 "	"	0 6 8	0 7 1
16 "	"	0 4 10	0 5 1
9 "	"	0 4 4	0 4 7
7 "	"	0 4 4	0 4 7
8 inch howitzer	"	0 9 9	0 10 4
Spherical—									
13 inch { 12.88 inches diameter	100	76 0 2	80 11 3
12.8 "			
100 pounder { 8.92 inches diameter	"	57 13 3	61 2 3
8.88 "			
10 inch { 9.88 inches diameter	"	62 10 0	66 3 0
9.82 "			
8 inch or 68 pounder { 7.95 inches diameter	"	48 16 3	51 11 10
7.82 "			

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Gauges, iron, shot or shell, continued—		£ s. d.	£ s. d.
Spherical—			
56 pounder { 7.51 inches diameter }	100	46 4 0	43 19 5
42 pounder { 7.45 " " " " }	"	45 7 1	48 1 6
32 " { 6.795 inches diameter }	"	40 11 7	43 0 3
24 " { 6.735 " " " " }	"	36 5 0	38 8 6
18 " { 6.207 " " " " }	"	33 1 10	35 1 7
12 " { 6.147 " " " " }	"	28 3 7	29 17 5
9 " { 5.639 " " " " }	"	24 7 9	25 16 0
6 " { 5.61 " " " " }	"	20 15 5	22 0 4
3 " { 5.124 " " " " }	"	17 0 4	18 0 9
Gauges, vent, set of 9	set	3 17 6	4 6 8
Gear, for guns, carriages, platforms and slides, for heavy ordnance, land and sea service.			
Geese, wood, with grummetts—			
2 feet 3 inches × 10 inches × 8 inches	each	0 6 6	0 7 2
2 " 6 " 12 " 10 " " "	"	0 12 0	0 13 2
Girths, web, Maltese water and watering carts ..	"	0 2 11	0 3 2
Glands, release, valve, jack, hydraulic, rear roller carriage, wrought-iron, naval, R.M.L.—			
Sliding, 12 inch, 25 tons, to 10 inch	"	0 4 10	0 5 4
Turret, 12 inch, 35 tons, to 10 inch, also garrison 12.5 inch and 12 inch, 35 tons	"	0 5 8	0 6 3
Gloves, leather, rocket*	pair	0 2 3	—
Goloshes, leather, magazine, with straps and buckles	100 pair	50 3 11	53 11 8
Guards—			
Leather, axletree, box-lids, R.M.L., 16 or 9 pounder—			
(Mark I) carriage	each	0 2 4	0 2 7
(Mark I and II) carriage	"	0 3 0	0 3 4
Metal—			
Gear, elevating, carriage, garrison, wrought-iron, sliding, R.M.L.—			
Wheel, spur { 12.5 inch, small port }	"		
12.5 " " " " " "	"		
12 " 35 tons	"		
Wheel, spur and pinion, 12.5 inch, small port	"		
Wheel worm—			
10 inch, small port { Left }	"		
Right	"		
Gear, lifting, carriage, garrison, wrought-iron, sliding, R.M.L., 10 inch, small port—			
Wheel, bevel { Left }	"		
Right	"		
Wheel, spur and pinion { Left }	"		
Right	"		

* Purchased for Ordnance Store Department by Royal Army Clothing Depôt.

ORDNANCE.										Contract Rate.																				
Guns, machine, Gardner, 0.45 inch, continued—										No. to each																				
Spare parts of—										gun.																				
										each	£	s. d.																		
Handles, crank, with axis pin										{ 1 barrel *	2	0	0																	
										{ 2 " *	2	0	0																	
										{ 5 " *	2	10	0																	
Locks	{	1 barrel	{	Right	2	"	4	0	0																		
										Left	1	"	4	0	0													
															1	"	4	0	0								
																				2	"	4	0	0			
Pins	{	Extractor	{	1 barrel	10	"	0	0	2																		
										2 "	10	"	0	0	2													
															5 "	10	"	0	0	1								
		Firing ..	{	1 "	10	"	0	4	0																	
											2 "	10	"	0	4	0												
											5 "	10	"	0	4	0												
Sights	{	Fore ..	{	1 barrel	2	"	0	3	0																		
										2 "	2	"	0	3	0													
															5 "	2	"	0	10	0								
		Tangent	{	1 "	2	"	0	6	0																	
											2 "	2	"	0	6	0												
											5 "	2	"	2	0	0												
Springs	{	Safety-bar	{	2 barrel	3	"	0	2	0																		
										6 "	3	"	0	2	0													
		Lock	{	1 barrel	10	"	0	3	0																	
											2 "	10	"	0	3	0												
											5 "	10	"	0	3	0												
											10	"	0	3	0												
Tangent sight	{	1 barrel	2	"	0	2	0																			
									2 "	2	"	0	2	0														
Mountings spare parts of—										{ 5 "	2	0	1	6																
Legs and tie-rods	{	1 barrel	{	Long leg and tie-rod	1	"	2	15	0																		
										Short leg and tie-rod	2	"	2	10	0												
																Long leg and tie-rod	1	"	2	15	0						
																						Short leg and tie-rod	2	"	2	10	0
																												5 " short leg and tie-rod
Traversing gear	{	1 barrel	†	"	15	0	0																		
										2 "	†	"	15	0	0												
										5 "	†	"	25	0	0												
Tools—																														
Punches	{	1 barrel	2	"	0	1	0																		
										2 "	2	"	0	1	0												
										5 "	2	"	0	1	0												
Rods, cleaning, in three parts†	{	1 barrel	1	"	0	10	0																		
										2 "	1	"	0	10	0												
										5 "	1	"	0	10	0												
Plugs, clearing	{	1 barrel	1	"	0	10	0																		
										2 "	1	"	0	10	0												
										5 "	1	"	0	10	0												
Spanners and screwdrivers combined	{	1 barrel	1	"	0	4	0																		
										2 "	1	"	0	4	0												
										5 "	1	"	0	4	0												
Wrenches, small (tommy)	{	1 barrel	1	"	0	4	0																		
										2 "	1	"	0	4	0												
										5 "	1	"	0	4	0												

* One for every two guns or less.

† One for every two guns.

‡ Cleaning part, clearing part, and handle.

Section V.

278

ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Guns, machine, Gatling—		£ s. d.	£ s. d.	£ s. d.
Complete, without { 0·65 inch	each	338 17 6	—	—
securing rings { 0·45 "	"	245 0 0	—	—
Rings, gunmetal, securing, { 0·65 inch	"	—	—	—
with screws, steel, set for { 0·45 "	"	—	0 15 7	0 16 11
barrels				
Spare parts of—				
Barrels { 0·65 inch	"	5 12 0	—	—
{ 0·45 "	"	3 8 0	—	—
Crutch gear, 0·45 inch *	"	4 7 0	—	—
Drums, cartridge { 0·65 inch	"	6 15 0	—	—
{ 0·45 "	"	4 0 0	—	—
Handles, crank { 0·65 inch	"	0 10 6	—	—
{ 0·45 "	"	0 8 4	—	—
Locks—				
Complete { 0·65 inch	"	4 10 0	—	—
{ 0·45 "	"	2 15 3	—	—
Parts of—				
Extractors { 0·65 inch	"	0 5 0	—	—
{ 0·45 "	"	0 2 9	—	—
Hammers { 0·65 inch	"	0 7 6	—	—
{ 0·45 "	"	0 5 2	—	—
Pins, firing { 0·65 inch	"	0 3 9	—	—
{ 0·45 "	"	0 2 6	—	—
Screws, { Butt { 0·65 inch	"	0 0 3	—	—
fixing { 0·45 "	"	0 0 1½	—	—
{ Extractor { 0·65 "	"	0 0 2	—	—
{ 0·45 "	"	0 0 1	—	—
Springs { 0·65 inch.. ..	"	0 1 0	—	—
{ 0·45 "	"	0 0 9	—	—
Pins—				
Handle, crank { 0·65 inch	"	0 0 6	—	—
{ 0·45 "	"	0 0 6	—	—
Nut, hexagon, spindle { 0·65 inch	"	0 2 9	—	—
{ 0·45 "	"	0 2 9	—	—
Split wheel, worm, { 0·65 inch	"	0 2 6	—	—
revolving { 0·45 "	"	0 2 6	—	—
Worm, revolving { 0·65 inch	"	0 2 6	—	—
{ 0·45 "	"	0 2 6	—	—
Roller gear, 0·45 inch*	"	0 10 4	—	—
Screws, breech casing { ½ inch, 0·65 inch	"	0 2 9	—	—
{ ½ " 0·45 "	"	0 1 10	—	—
{ ½ " 0·45 "	"	0 1 10	—	—
{ 0·65 inch	"	0 13 4	—	—
{ Fore { 0·45 " with 2 fixing	"	0 13 4	—	—
Sights { Tangent { 0·65 inch	"	1 3 6	—	—
{ 0·45 "	"	1 3 6	—	—
Spindles, revolving, parts of—				
Cams, traversing, 0·45 inch	"	0 10 0	—	—
Collars { 0·65 inch	"	0 3 6	—	—
{ 0·45 "	"	0 2 0	—	—
Cones, cam, traversing, 0·45 inch†	"	0 3 2	—	—
Cones, worm, traversing { 0·65 inch	"	0 5 0	—	—
{ 0·45 inch†	"	0 3 2	—	—
Nuts—				
Fly { 0·65 inch	"	0 4 6	—	—
{ 0·45 "	"	0 3 0	—	—

For land service only.

These are identical, being termed "Cones, cam, traversing," when used with
ler gear," and "Cones, worm, traversing," when used with "Crutch gear."

(V.S.)

8

ORDNANCE.										Contract Rate.			
										£	s.	d.	
Guns, machine, Gatling, continued—													
Spare parts of—													
Spindles, revolving, parts of—													
Nuts—													
Hexagon { 0·65 inch										each	0	3	6
0·45 "										"	0	3	6
Worm, traversing { 0·65 inch										"	1	1	0
0·45 inch										"	0	15	0
Spindles { 0·65 inch										"	1	7	6
0·45 "										"	0	19	0
Worms { Revolving { 0·65 inch										"	2	15	0
0·45 "										"	1	16	1
{ Traversing { 0·65 "										"	2	15	0
0·45 inch										"	1	13	5
Springs, spiral, cocking { 0·65 inch.. .. .										"	0	1	9
0·45 "										"	0	1	0
Wheels, worm, revolving { 0·65 inch										"	1	8	6
0·45 "										"	0	17	4
Tools—													
Bridges, assembling rest—													
Parts of—													
Bridges { Gunmetal { 0·65 inch										"	1	10	6
0·45 "										"	0	15	0
{ Iron { 0·65 inch										"	0	17	3
0·45 "										"	0	12	0
Bands, brass { 0·65 inch										"	0	4	0
0·45 "										"	0	3	6
Nuts, brass { 0·65 inch										"	0	7	6
0·45 "										"	0	5	6
Burnishers, steel, chamber of barrel { 0·65 inch										"	0	13	6
0·45 "										"	0	13	6
Cramps, drawing off worm wheel { Cramps { 0·65 inch										"	1	10	0
0·45 "										"	0	19	0
{ Screws, steel { 0·65 inch										"	0	15	0
0·45 "										"	0	10	0
Drivers, screw, for locks { 7½ inch, 0·65 inch										"	0	1	5
7 " 0·45 "										"	0	1	5
{ 6½ inch { 0·65 inch										"	0	1	5
0·45 "										"	0	1	5
Keys—													
Box—													
Pin, nut, worm, revolving, 0·45 inch										"	0	10	6
Removing screws in casing { 0·65 inch										"	1	9	0
0·45 "										"	1	4	0
For lock { Body { 0·65 inch										"	0	19	0
0·45 "										"	0	12	6
{ Breech { 0·65 "										"	0	19	0
0·45 "										"	0	12	6
Unscrewing barrels { 0·65 inch										"	1	15	0
0·45 "										"	1	5	0
Gib { Lock cylinder { 0·65 inch										"	0	13	6
0·45 "										"	0	13	6
{ Rear nut { 0·65 inch										"	0	13	6
0·45 "										"	0	13	6
Pins, key, box, removing screws, breech casing { 0·65 inch										"	0	3	0
0·45 "										"	0	2	6
Punches, pin, rear nut { 0·65 inch										"	0	2	6
0·45 "										"	0	2	6
Rods, in parts—													
Cleaning, iron { 0·65 inch										"	0	6	0
0·45 "										"	0	4	6
Clearing, steel { 0·65 "										"	0	7	6
0·45 "										"	0	6	0
Handle, iron { 0·65 "										"	0	5	0
0·45 "										"	0	4	6

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Guns, machine, Gatling, continued—		£ s. d.	£ s. d.	£ s. d.
Tools—				
Spanners, adjusting screw in front of main shaft, 0·65 inch and 0·45 inch	each	0 9 0	—	—
Wrenches, key, box, un- { 0·65 inch	0 14 6	—	—
screwing barrels { 0·45	0 9 9	—	—
Guns, machine, Nordenfelt, 1 inch—				
Complete, with mounting, spare parts, and tools	360 0 0	—	—
Carriages (see Mountings).				
Mountings (or Carriages)			
Spare parts of—				
Cocking-pieces	0 9 3	—	—
Extractors	0 3 10½	—	—
Hammers	0 6 0	—	—
Pins, firing	0 4 10	—	—
Screws, extractor	0 0 5	—	—
Sights {	Fore, with fixing { Left	0 12 0	—	—
	screws { Right	0 12 0	—	—
	Tangent {	With split { Left	0 18 0	—
		pins { Right	0 18 0	—
		With deflec- { Left	1 7 0	—
		tion leaf { Right	1 7 0	—
Springs—				
Cocking arrangement	0 8 6	—	—
Drill stop handle	0 0 10	—	—
Extractor	0 9 6	—	—
Sight, tangent	0 1 9	—	—
Spiral {	Break	0 1 2	—	—
	Lock	0 1 3	—	—
Tumbler	0 8 6	—	—
Tools—				
Cans, oil	0 3 0	—	—
Drifts, brass, wire	0 0 6	—	—
Drivers {	Screw	0 3 6	—	—
	.. for extractor screw	0 2 0	—	—
Punches, pin for traversing spindle	0 1 6	—	—
Rods, cleaning	0 3 9	—	—
Spanners {	Large	0 12 0	—	—
	Small	0 8 0	—	—
Guy ropes—				
Derrick, tarred ¾ inch, 25 fathoms	—	2 10 6	2 11 0
For Royal Artillery siege train equipment, 22 feet, with galvanized wrought-iron thimble at each end, and an ungalvanized wrought-iron joining shackle and pin at one end	2 7 6	—	—
Sheers, white, 6 inch, 113 fathoms, with one double and one single 18 inch Both-way blocks	—	35 17 0	37 12 9
Guns, Gibraltar, complete, with tackle and iron trucks	—	27 0 0	29 14 0
Guns, triangle, 18 feet—				
Heavy, to 12 tons—				
Complete, with tackle, levers, slings, and wood trucks—				
Wrought-iron { (Mark I)	—	115 6	3 126 16 11
(Mark II)	—	121 14	5 133 17 11
Wood { (Mark II)	—	88 2	4 96 18 7
(Mark III)	—	98 15	6 108 13 2
			S 2	

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Gyns, triangle, 18 feet, continued—		£ s. d.	£ s. d.
Heavy, to 12 tons—			
Without tackle, levers, slings or wood trucks—			
Wrought iron—			
(Mark I) each	76	4 11	83 17 5
(Mark II) "	83	10 7	91 17 8
Parts of—			
Bars, wrought-iron, connect- { (Mark I) set	2	17 4	3 3 1
ing (set of 3) { (Mark II) "	2	17 4	3 3 1
Bolts, wrought-iron, head (Mark II) .. each	0	13 6	0 14 10
Cheeks, wrought-iron, { Left { (Mark I) "	17	12 9	19 8 0
with pawls { Right { (Mark II) "	17	12 9	19 8 0
Pawls, wrought-iron "	17	9 8	19 4 8
Pins, wrought-iron, bar, connecting .. "	17	9 8	19 4 8
Poles, pry, wrought-iron { (Mark I) "	2	0 10 0	0 11 0
ion { Bent head (Mark II) "	6	0 18 1	0 19 11
Shackles, wrought-iron, with pins (Mark I) .. each	7	19 3	8 15 2
Windlasses, wood "	16	14 3	18 7 8
Wood—	2	2 10	2 7 1
(Mark II) "	27	5 0	29 19 6
(Mark III) "	49	1 0	53 19 1
Parts of—	60	11 8	66 12 11
Bolts, wrought-iron { Head (Mark III) .. "	0	13 6	0 14 10
ion { Pawl "	2	0 11 0	0 12 1
Cheeks, wood, { Left { (Mark II) .. each	7	17 2	8 12 11
with bars, { (Mark III) .. "	7	17 2	8 12 11
bolts, and { Right { (Mark II) .. "	7	16 6	8 12 2
pawls { (Mark III) .. "	7	16 6	8 12 2
Pawls, wrought iron "	2	0 10 0	0 11 0
Poles, pry, { (Mark II) each	3	19 6	4 7 5
wood { Bent head (Mark III) .. "	16	19 6	18 13 5
Shackles, wrought-iron, with pins (Mark II) "	2	2 10	2 7 1
Windlasses, wood "	27	5 0	29 19 6
Appurtenances—			
Levers, wood, with ropes 4	2	17 0	3 2 8
Ropes, lashing, sling, 3 inch white rope .. each	0	5 9	0 6 4
Slings, white rope, gun, 9 inch—			
16 feet { Without circular thimble "	3	1 9	3 7 11
long { Thimbles, wrought-iron (2 to a set) .. "	0	5 10	0 6 5
7 feet long, fitted with thimble "	2	4 0	2 8 5
3 "	1	11 4	1 14 6
Tackle { "With blocks, 5 inch fall, 18 fathoms,*	24	15 11	27 5 6
Erecting, with 1 block, 2½" fall, 7 fathoms (Mark I) "	0	17 6	0 19 3
Trucks, wood, feet of gyns 3	3	2 3	3 8 4
Light, to 7 tons—			
Complete, with tackle, levers, slings, and wood trucks—			
Wrought-iron { (Mark I) each	72	10 8	79 15 9
(Mark II) "	77	5 3	84 19 9
Wood { (Mark II) "	59	1 2	64 19 3
(Mark III) "	69	18 5	76 18 3
Without tackle, levers, slings, or wood trucks—			
Wrought-iron—			
(Mark I) "	55	0 7	60 10 8
(Mark II) "	59	15 2	65 14 8

* 2 treble, 15 inch, Bothway's blocks.

Section V.

277

ORDNANCE.	Per	Rate.			
		No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Gyns, triangle, 18 feet, continued—		£	s.	d.	£ s. d.
Light, to 7 tons—					
Without tackle, levers, slings, or wood trucks—					
Wrought-iron—					
Parts of—					
Bars, wrought-iron, connect- { (Mark I)	set	1	10	9	1 13 10
ing (set of 2) { (Mark II)	"	1	10	9	1 13 10
Bolts, wrought-iron, head (Mark II)	each	0	9	1	0 10 0
Cheeks, wrought-iron, with pawls { Left { (Mark I)	"	11	2	10	12 5 1
{ Right { (Mark II)	"	11	2	10	12 5 1
{ (Mark I)	"	10	19	9	12 1 9
{ (Mark II)	"	10	19	9	12 1 9
Pawls, wrought-iron	2	0	9	6	0 10 5
Pins, wrought-iron, bar, connecting ..	4	0	10	9	0 11 10
Poles, pry, { (Mark I)	each	4	11	9	5 0 11
wrought-iron { Bent head (Mark II)	"	10	2	0	11 2 2
Shackles, wrought-iron, with pins (Mark I)	"	1	4	9	1 7 3
Windlasses, wood	"	25	0	0	27 10 0
Wood—					
(Mark II)	"	41	11	1	45 14 2
(Mark III)	"	52	8	4	57 13 2
Parts of—					
Bolts, wrought-iron { Head (Mark III)	"	0	9	1	0 10 0
{ Pawl	2	0	10	4	0 11 4
Cheeks, wood, with { Left.. { (Mark II)	each	6	6	1	6 18 8
bars, bolts, and { (Mark III)	"	6	6	1	6 18 8
pawls { Right { (Mark II)	"	6	5	6	6 18 0
{ (Mark III)	"	6	5	6	6 18 0
Pawls, wrought-iron	2	0	9	6	0 10 5
Poles, pry, { (Mark II)	each	2	14	9	3 0 3
wood { Bent head (Mark III)	"	14	7	8	15 16 5
Shackles, wrought-iron, with pins (Mark II)	"	1	4	9	1 7 3
Windlasses, wood	"	25	0	0	27 10 0
Appurtenances—					
Levers, wood, cart or wagon sling (2 with ropes) (see page 292)	4	2	0	1	2 4 1
Slings, white rope, gun, 7 inch, 14 feet 6 inches long	2	3	7	4	3 14 1
Tackle, with blocks, 4 inch fall, 18 fathoms* ..	each	11	13	2	12 16 6
Trucks, wood, feet of gyns	3	0	9	6	0 10 5
Gyns, triangle, 16 feet—					
To 3½ tons, wood—					
Complete, with tackle, levers, slings, and wood trucks—					
(Mark II)	each	51	5	5	56 8 0
(Mark III)	"	58	14	0	64 11 5
Without tackle, levers, slings, and wood trucks—					
(Mark II)	"	38	16	1	42 13 8
(Mark III)	"	46	4	8	50 17 2
Parts of—					
Bolts, wrought-iron { Head (Mark III)	"	0	9	1	0 10 0
{ Pawl	2	0	10	0	0 11 0
Cheeks, wood, with { Left { (Mark II)	each	5	11	1	6 2 3
bars, bolts, and { (Mark III)	"	5	11	1	6 2 3
pawls { Right { (Mark II)	"	5	10	6	6 1 7
{ (Mark III)	"	5	10	6	6 1 7
Pawls, wrought-iron.. .. .	2	0	9	6	0 10 5

* 2 treble, 12 inch, Bothway's blocks.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Gyns, triangle, 16 feet, continued—		£ s. d.	£ s. d.
To 3½ tons, wood—			
Without tackle, levers, slings, and wood trucks—			
Parts of—			
Poles, pry, wood { (Mark II)	each	2 8 8	2 13 6
Bent head (Mark III)	"	9 17 0	10 16 8
Shackles, wrought-iron, with pins (Mark II)	"	0 8 10	0 9 9
Windlasses, wood	"	24 17 0	27 6 8
Appurtenances—			
Levers, wood, cart or wagon sling (2 with ropes) (see page 292)	4	2 0 1	2 4 1
Slings, white rope, gun, 6 inch, 12 feet 6 inches long	2	2 3 0	2 7 4
Tackle, with blocks, 3½ inch fall, 15 fathoms*	each	7 16 9	8 12 5
Trucks, wood, feet of gyns	3	0 9 6	0 19 5
Hammers—			
Firing, R.B.L. gun, 6 inch, Mark I	each	—	—
R.M.L., gun, 7 pounder, 400 lbs.	"	0 8 2	0 9 9
Handles—			
Light { Life saving	100	26 7 5	27 19 1
Long, or signal	"	4 0 10	4 6 6
Portfire, life saving	"	36 17 11	39 2 2
Handles, wrought-iron—			
Brake, gear—			
Elevating, carriage, iron—			
Garrison, sliding, R.M.L.—			
12½ inch	each	0 9 4	0 10 3
12 inch, 35 tons			
Turret, R.M.L.—			
12 inch, 35 tons	"	0 9 2	0 10 1
12 inch, 25 tons { "Glatton"	"	0 9 2	0 10 1
"Monarch" type	"	0 9 2	0 10 1
10 inch	"	0 9 2	0 10 1
Elevating, carriage, steel, naval, sliding, R.B.L., 6 inch	"	0 2 10	0 3 1
Training—			
With set { 12 inch, 25 tons, "Belleisle" type	"	0 8 9	0 9 8
screw { 11 inch, "Téméraire" type, also 10, 9, and 8 inch, or 9 inch, training and traversing	"	0 8 9	0 9 8
Slide, iron, { R.M.L. 64 pounder (Mark IV, V, and VI)	"	0 5 8	0 6 3
Slide, steel, R.B.L., 6 inch	"	0 2 10	0 3 1
Gear, traversing, slide, wrought-iron, R.M.L. 64 pounder (Mark I), spindle pawl	"	0 8 2	0 9 0
Screw, elevating, ratchet head	"	0 6 3	0 6 11
Trail, { 64 pounder gun or 8 inch howitzer, 70 cwt.	"	0 6 4	0 7 0
lifting, { 40 pounder gun, 6½ inch or 6¾ inch howitzers	"	0 6 4	0 7 0
R.M.L. { 25 pounder gun	"	0 2 9	0 3 0
{ 8 inch howitzer, 46 cwt.	"	0 6 4	0 7 0
Winch—			
Carriage, iron—			
Garrison, small port, R.M.L. { 12½ inch	"	0 16 7	0 18 3
{ 10 inch	"	0 14 6	0 15 11
Naval Turret, R.M.L., 12 inch, 35 tons	"	0 13 9	0 16 2
Platforms, wrought-iron, R.M.L.—			
12½ inch and small port	"	0 14 3	0 15 8
12 inch, 35 tons, dwarf, "C"			

* 1 double and 1 treble, 10 inch, Bothway's blocks.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Handles, wrought-iron, continued—		£ s. d.	£ s. d.
Winch—			
Platforms, wrought-iron, R.M.L.—			
11 and 10 inch, casemate, side, and 10 inch small port	each	0 14 0	0 15 5
11 inch, 10 inch (Mark I), also 9 inch, casemate, to work within length.. .. .			
11 inch, dwarf, "C," side			
10 inch, dwarf, "A," side			
10 and 9 inch, dwarf, "C," side and central 9 inch, dwarf, "D," side			
10 " casemate (Mark II), side, to work within length	"	0 14 0	0 15 5
11 inch, 10 inch (Mark I), and 9 inch, casemate; also 11 inch and 10 inch, dwarf, "A," rear 9 inch, dwarf, "A," rear	"	0 14 6	0 15 11
11 " " "C," central, 10 inch, dwarf, "D," side, and 9 inch, casemate, side	"	0 14 6	0 15 11
Platforms, wrought-iron, Moncrieff—			
R.B.L., 7 inch	"	0 14 0	0 15 5
9 inch (Mark II)	"	0 14 0	0 15 5
R.M.L. { 7 " (Mark I)	"	0 14 0	0 15 5
7 " (Mark II)	"	0 14 0	0 15 5
Slide, steel, R.B.L., 6 inch, training gear	"	0 13 9	0 16 2
Slides, wrought-iron, R.M.L.—			
Gear, running in and out—			
And training—			
12 inch, 25 tons, "Belleisle" type	"	0 15 0	0 16 6
11 or 10 inch, and 9 inch, "Sultan"	"	0 16 4	0 18 0
" " "Sultan" type { Side	"	0 15 0	0 16 6
10 inch { "Téméraire" (as 11 or 10 inch)	"	0 15 0	0 16 6
" " "Sultan" (as 11 or 10 inch)			
9 inch { Service, and 8 inch, left			
Training and traversing, 9 inch, "Lord Clyde" and right, 9 inch service and 8 inch	"	0 15 0	0 16 6
Turret { 12 inch, 35 tons	"	0 15 0	0 16 6
12 " 25 " "Glatton" and			
10 inch			
12 inch, 25 tons, "Monarch"	"	0 15 0	0 16 6
Gear, winch { 7 inch { 6½ tons	"	0 15 0	0 16 6
90 cwt.			
64 pounder (Mark III, IV, and V)			
0 14 0		0 15 5	
Handspikes, wood—			
Common { Bevelled { 7 feet	"	0 5 8	0 6 3
6 "			
5 "			
Naval, 6 feet, iron shod			
0 6 7		0 5 1	0 5 7
0 4 7		0 5 1	0 5 1
0 6 7		0 7 2	0 7 2
Metal, roller { Land service, 7 feet, or truck, lever, with pawl	"	1 11 6	1 14 8
Naval { 7 feet			
6 "			
1 8 6		1 11 4	1 10 9
1 7 11		2 2 7	2 6 8
2 2 7		0 18 0	0 14 1
Wood, roller, 6 feet	"	0 18 0	0 14 1
Stop, 4 feet, naval	"		
Trail, 18 inch mortar (see Levers, traversing).			
Traversing, field—			
R.B.L. 20 to 9 pounder, and S.B. howitzer, 22 pounder to 6 pounder	"	0 7 11	0 8 9
R.B.L. 6 pounder, and S.B. 3 pounder	"	0 7 6	0 8 3

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Handspikes, wood, continued—		£ s. d.	£ s. d.
Traversing, field—			
R.M.L. { 7 pounder, Colonial	each	0 7 6	0 8 3
25, 16, and 9 pounder	"	0 8 1	0 8 11
13 pounder	"	0 6 0	0 6 7
S.B. howitzer 4½ inch	"	0 6 6	0 7 2
Traversing, mountain service, R.M.L. 7 pounder, steel gun, 400 lbs.	"	0 12 10	0 14 1
Traversing, naval, R.B.L. 12 or 9 pounder, and R.M.L. 9 pounder.. .. .	"	0 6 3	0 6 11
Harness, men's—			
Heavy	set	2 12 0	2 17 2
Light { Land service	"	1 18 9	2 2 7
(Mark II)	"	3 9 11	3 16 7
Hasps, wrought-iron, turnbuckle, for boxes—			
Axletree	each	0 3 4	0 3 8
Under	"	0 1 6	0 1 8
Heads, capstan (see Capstan-heads).			
Heads, wood—			
Maul (Mark II)	"	0 4 9	0 5 1
Rammer—			
Rope stave, R.M.L. 7 inch gun	"	0 6 0	0 6 7
Wood stave—			
R.M.L.—			
Gun—			
16 inch	"	1 4 0	1 6 5
12½ inch { (Mark II)	"	0 13 3	0 14 7
(Mark III)	"	0 14 9	0 16 3
12 inch	"	0 12 10	0 14 1
11 "	"	0 11 3	0 12 5
10 "	"	0 9 10	0 10 10
9 "	"	0 8 2	0 9 0
8 "	"	0 7 4	0 8 1
7 "	"	0 6 0	0 6 7
32 pounder	"	0 1 1	0 1 2
64 "	"	0 1 1	0 1 2
40 "	"	0 2 6	0 2 9
25 "	"	0 3 10	0 4 3
16 "	"	0 3 7	0 3 11
13 "	"		
9 "	"	0 3 5	0 3 9
7 "	"		
Howitzer { 8 inch	"	0 7 4	0 8 1
6½ inch	"	0 5 6	0 6 1
6¾ "	"	0 5 1	0 5 7
S.B.—			
100 pounder gun	10	0 18 4	1 0 2
10 inch gun or howitzer	"	0 16 8	0 18 4
8 " " howitzer or mortar	"	0 14 11	0 16 5
68 pounder gun	"	0 14 11	0 16 5
56 pounder gun or 68 pounder carronade	"	0 13 4	0 14 8
32 pounder gun 42 " "	"	0 10 10	0 11 11
24 " " 32 " "	"	0 9 8	0 10 8
18 " " 24 " "	"		
and 5½ inch, 32 pounder or 24 pounder howitzer	"	0 9 0	0 9 11
12 pounder gun, 18 pounder carronade, and 12 pounder howitzer	"	0 8 9	0 9 8
9 pounder gun	"	0 7 5	0 8 2
6 " "	"	0 6 6	0 7 3
3 " "	"	0 5 4	0 5 10
4½ inch, howitzer	"	0 6 0	0 6 7

Section V.

281

ORDNANCE.		Rate.						
		Per	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Heads, sponge—			£	s.	d.	£	s.	d.
R.M.L.—								
Gun—								
Rope stave, 7 inch		each	0	8	4	0	9	2
Wire stave { 64 pounder { A and B chambers C and D 58 cwt. converted		"	0	7	6	0	8	3
		"	0	7	6	0	8	3
		"	0	7	6	0	8	3
		"	0	7	2	0	7	9
40 "		"	0	5	10	0	6	5
25 "		"						
Wood stave—								
16 inch		"	2	18	3	3	4	1
12½ inch		"	1	4	9	1	7	4
12 "		"	0	19	3	1	1	2
11 "		"	0	18	3	1	0	1
10 "		"	0	14	3	0	15	8
9 "		"	0	11	6	0	12	8
8 "		"	0	10	4	0	11	4
7 "		"	0	8	4	0	9	2
48 pounder		"	0	7	10	0	8	7
44 "		"	0	7	6	0	8	3
64 pounder { A and B chambers C D 58 and 71 cwt. and 80 pounder converted guns		"	0	7	6	0	8	3
		"	0	7	6	0	8	3
		"	0	7	6	0	8	3
		"	0	7	6	0	8	3
40 "		"	0	7	6	0	8	2
25 "		"	0	7	2	0	7	11
16 "		"	0	5	10	0	6	5
13 "		"	0	4	2	0	4	7
9 "		}	0	4	0	0	4	5
7 "								
Howitzer { 8 inch		"	0	9	0	0	9	11
		"	0	7	11	0	8	9
		"	0	8	2	0	9	0
6 "		"						
6 "		"						
S.B.—								
Gun—								
100 pounder		"	0	16	6	0	18	2
10 inch, or howitzer, and 13 inch or 10 inch mortar		"	0	15	0	0	16	6
8 inch, or howitzer, or mortar		"	0	10	5	0	11	6
68 pounder		"	0	12	0	0	13	2
36 pounder or 68 pounder carronade		"	0	11	3	0	12	5
42 pounder		"	0	10	6	0	11	7
32 " or 42 pounder carronade		"	0	7	10	0	8	7
24 " 32 " " "		"	0	6	10	0	7	6
18 " 24 " " "		"	0	6	0	0	6	7
12 " 18 " " "		"	0	5	8	0	6	3
9 " 12 " " "		"	0	4	10	0	5	4
6 "		"	0	4	0	0	4	5
3 "		"	0	2	9	0	3	0
Howitzer { 32 pounder		"	0	7	2	0	7	11
		"	0	6	3	0	6	11
		"	0	4	8	0	5	2
		"	0	3	10	0	4	3
Mortar { 5½ inch		"	0	2	8	0	2	11
		"	0	2	6	0	2	9
R.B.L. gun, 8 inch (Mark II)		"	15	12	0	19	0	9
R.M.L. gun, 16 inch or 12½ inch. (Mark II)		"	11	13	6	14	4	10
Hearths, forge, cart or wagon		"	4	2	0	4	10	2
Moulds, leather—								
Needles and worsted		"	0	1	1	0	1	2

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Holdalls, leather, continued—			
R.M.L. 7 pounder, { Artificers tools { Large..	each	£ s. d. 0 13 0	£ s. d. 0 14 4
150 lbs., mountain { Small..	"	0 4 4	0 4 9
Small stores	"	0 3 0	0 3 4
Holders, steel, needle, R.B.L. gun, 6 inch (Mark I)—			
Electrical, with screw nut	"	*7 0 0	—
Mechanical, with needle, spring and screw nut ..	"	*7 0 0	—
Hooks—			
Brass, counterweight.. ..	"	0 1 3	0 1 4
Iron—			
Drag chain, wagons, ammunition, and store, R.A.	"	0 5 4	0 5 10
Drag rope { Heavy	"	0 1 11	0 2 1
{ Light	"	0 1 1	0 1 2
Drag shoe and chain, carriages, field, R.M.L.—			
Steel, R.M.L. { Centre	"	0 3 2	0 3 6
13 pounder { Front	"	0 2 9	0 3 0
{ Rear	"	0 3 2	0 3 6
Wrought-iron—			
{ 25 pounder	"	0 3 0	0 3 4
Centre { 16 " { (Mark I)	"	0 2 3	0 2 6
{ " { (Mark II)	"	0 2 3	0 2 6
{ 9 " { (Mark I and II)	"	0 2 3	0 2 6
{ 7 " Colonial	"	0 2 3	0 2 6
{ 25 pounder.. ..	"	0 2 8	0 2 11
Front { 16 and 9 pounder { (Mark I)	"	0 2 8	0 2 11
{ " { (Mark II)	"	0 2 8	0 2 11
{ 7 pounder, Colonial	"	0 2 8	0 2 11
{ 25 pounder and 16 pounder (Mark II)	"	0 2 2	0 2 5
Rear { 16 " and 9 pounder (Mark I)	"	0 2 3	0 2 6
{ 9 " (Mark I and II)	"	0 2 3	0 2 6
{ 7 " Colonial	"	0 2 2	0 2 5
Lifting shell, with ring and chain, complete ..	100	27 1 2	28 13 8
Lumber, complete, R.M.L.—			
Iron—			
Field—			
{ (Mark I), wagons, ammu- 25, 16, or 9 { nition, 40 pounder, and pounder { forge (Mark I)	each	2 6 10	2 11 6
{ (Mark II), wagons, ammu- nition, 40 pounder, forge, Mark II, and store	"	5 2 5	5 12 8
13 pounder.. ..	"	5 3 8	5 14 0
7 " Colonial	"	0 17 2	0 18 11
Siege	"	4 14 0	5 3 5
Wood—			
R.B.L. 9 pounder and upwards, also S.B. 6 pounder and upwards	"	0 14 0	0 15 5
Field { R.B.L. 6 pounder and S.B. 3 pounder	"	0 11 0	0 12 1
Siege	"	2 13 0	2 18 4
Holding down—			
With pins and keys, wrought-iron slides, R.M.L.—			
12 inch, 25 tons, "Belleisle" type ..	"	1 0 7	1 2 8
11 inch, "Téméraire" type	"	4 13 6	5 2 10
With bolts, wrought-iron slides, R.M.L. 9 inch, "Triumph" and "Audacious" class ..	"	1 13 5	1 16 9
Preventor, brake or retaining gear, R.M.L. 7 inch, Monerieff (Mark I), with collar and nut ..	"	1 5 4	1 7 10
Preventor rope, with wrought- { 12 to 10 inch	"	1 6 3	1 8 11
thimble, platform, { iron { 9 and 7 "	"	1 0 0	1 2 0
traversing { wood	"	0 19 10	0 11 11

* This is a Contract rate.

ORDNANCE.		Rate.									
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.					
			£	s.	d.	£	s.	d.			
Hooks, continued—											
Iron—											
Rockstaff, forge, cart or wagon	..	each	—			0	1	0			
Shell, lug { Beam	100	—			55	18	5			
{ Hand	"	—			5	9	8			
Metal—											
Cam, with 6 feet sling of 2 inch rope	..	set	—			0	4	3			
Holding down, { 10 inch	each	—			4	18	8			
with pins and keys, { slides, { With loops	9 inch	..	—			2	18	4			
wrought-iron { revolving ..									3	4	2
R.M.L. { "Sultan" type ..											
	..	"	—			2	12	11			
		"	—			2	18	3			
Hoops, bale, wood—											
Fitted—	No. to a set										
Barrow, ammunition ..	3	set	—			0	6	10			
Chaise or market ..	4	"	—			0	14	5			
Forge or (Mark I) wagon											
Carts { forge ..	4	"	—			0	13	1			
Medical store, or forage	4	"	—			0	13	1			
Transport, spring ..	4	"	—			0	16	8			
Wagons—											
Ambulance { Converted from											
light supply	7	"	—			1	19	9			
Equirotal ..	7	"	—			2	2	5			
Ammunition and store, R.A...	5	"	—			0	16	4			
Flanders ..	7	"	—			1	8	6			
Forge (Mark II) and store ..	4	"	—			0	18	1			
General service { Equirotal ..	6	"	—			1	0	9			
Heavy, spring	5	"	—			1	0	9			
Look under ..	5	"	—			0	16	4			
Light, spring or surgery ..	5	"	—			0	16	4			
Platform ..	7	"	—			1	17	1			
16 feet	each	0	2	9	—					
15½ "	"	0	2	7	—					
14 "	"	0	2	5	—					
11½ "	"	0	1	11	—					
Hoops, copper, powder barrel—											
Whole† ..	{ 100 sets*	}	—			27	16	5			
Half ..	"		—			18	5	0			
Quarter† ..	"	"	—			13	3	9			
Whole† { Bilge ..	200	—				14	3	11			
Chime ..	"	—				13	12	6			
Half { Bilge ..	"	—				9	6	3			
Chime ..	"	—				8	18	9			
Quarter† { Bilge ..	"	—				6	13	9			
Chime ..	"	—				6	10	0			
Implements, fuze, and shell—											
Bags, canvas { Cylinder, { Common	..	100	—			1	1	0			
wood { Mortar	..	"	—			1	1	0			
Hook borer	"	—			1	1	0			
Bits { Hook borer { (Mark II)	"	—			1	14	9			
(Mark III)	"	—			3	3	0			
Mortar	"	—			2	6	8			
Rivet hole, in wood bottoms	..	"	—			4	1	6			
Blocks, wood { 13 inch	"	—			0	15	7			
10 "	"	—			0	19	8			

* Each set consisting of two bilge and two chime.

† These hoops are used also for barrels, ammunition, whole.

‡ These hoops are used also for barrels, budge, quarter.

ORDNANCE.	Rate.				
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.		
Implements, fuze, and shell, continued—					
Blocks, wood { 8 inch	100	£	s. d.	£	s. d.
32 pounder	1	8 3	1	9 11
Riveting	0	16 2	0	17 2
Borers, gimlet, with bit and shield	9	2 2	9	13 1
Braces, mortar	7	7 8	7	16 6
Cases, packing, with { No. 1 { Large	each	17	3 0	18	3 7
hinges and hasps, { " 2 { Small	0	5 11	0	6 3
garrison	0	3 0	0	3 2
" 3	0	3 0	0	3 2
Cylinders, wood { Common	100	1	12 3	1	14 2
Mortar	1	5 6	1	7 0
Drifts, wood { Common	0	13 10	0	14 8
Diaphragm { Large	0	15 1	0	16 0
Shrapnel { Small	0	15 1	0	16 0
General service	1	9 6	1	11 3
Drivers, screw, diaphragm Shrapnel—
Large and primers, Shrapnel shell	7	9 4	7	18 6
Small	6	12 9	7	0 9
Extractors, { Large	88	5 6	93	11 5
fuze .. { Small	59	15 3	63	12 9
Funnels—
Copper, filling shell { Large	each	0	5 3	0	5 7
Small	0	2 3	0	2 5
Leather, with { Common { Large	100	14	2 6	14	17 6
copper spout { Diaphragm Shrapnel { Small	10	13 11	11	5 3
Large	9	10 4	10	1 9
Small	8	11 11	9	2 3
Gauges, fuze hole { Common	19	4 3	20	7 4
Mortar	26	15 8	28	7 10
Hammers, riveting	each	0	1 10	0	1 11
Handles, hook borer	100	10	9 5	11	2 6
Holders, shell—
Palliser—
12.5 inch	each	2	19 0	3	2 2
12	2	18 7	3	2 4
11	2	19 10	3	3 5
10	2	12 2	2	15 6
9	2	8 1	2	11 3
8	2	10 6	2	13 6
7	2	2 10	2	5 7
Spherical	2	13 6	2	16 9
With spanner, 16 inch	3	8 6	3	12 8
Hooks { Copper, removing general service wad	0	2 1	0	2 2
from common shell
Hook borer	100	35	12 3	38	0 3
Keys, iron—
Common plug	5	1 10	5	7 11
Fuze and plug, general service	34	9 8	36	13 6
Pettman's L.S. fuze	3	0 8	3	4 4
Plug, general service	4	11 8	4	16 6
Shell and fuze, Armstrong's	15	2 6	16	0 8
Square	5	1 10	5	7 11
Levers { Common	18	9 10	19	12 0
Mortar	18	9 10	19	12 0
Locks, pad, with key { Brass	each	0	0 6	0	0 6
Iron	0	0 5	0	0 5
Mallets { Common and diaphragm Shrapnel	100	4	1 0	4	5 10
Mortar	2	6 4	2	9 1
Pincers, metal, removing primers from Shrapnel shell	each	0	1 8	0	1 9
Prickers, removing wax	100	0	17 5	0	18 6

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Implements, fuze, and shell, continued—		£ s. d.	£ s. d.
Punches, iron, riveting bottoms	100	5 15 4	6 2 3
Rectifiers or rimers—			
Common { Fuze hole	"	19 9 8	20 13 1
{ Rivet hole	"	4 3 2	4 8 2
Mortar, fuze hole	"	32 10 9	34 9 10
Rods, brass, filling shell { Large	each	0 5 5	0 5 9
{ Small	"	0 2 7	0 2 9
Scrapers, copper, { 12·5 inch to 10 inch	100	18 14 3	20 0 2
shell { 9 inch to 80 pounder	"	15 5 4	16 6 7
{ 64 pounder to 7 pounder	"	8 12 4	9 4 2
Field service	each	0 1 4	0 1 5
Setters, common, and diaphragm Shrapnel ..	100	1 7 0	1 8 7
Shields, wood, bit	"	0 7 0	0 7 5
Spanners—			
Gas { Nuts, 7 inch to 12·5 inch	"	28 1 5	29 11 1
check { Plugs { 64 pounder gun, 6·3 inch,	"	14 14 10	15 10 5
{ and 8 inch howitzers	"	7 10 11	7 18 11
{ 40 pounder	"	3 12 1	3 16 5
Or wrench box	"	29 3 0	30 18 0
Taps, screw { Mortar	"	23 3 11	24 11 9
{ Pettman's common	"	0 13 7	0 14 5
Wires, guide	"	10 19 4	11 12 6
Wrenches, removing base-plug of Palliser shell ..	"	0 6 8	0 7 1
Instructions for apparatus for proof of tubes, ..	"	0 7 8	0 8 2
primers, and detonators of fuzes	"	0 7 8	0 8 2
Instructions for the examination of filled shells ..	"	0 15 9	0 16 10
for rifled ordnance	"		
Instructions for the preparation of shells and ..	"		
fuzes for—			
Rifled ordnance naval service only	"	0 7 8	0 8 2
Smooth bore ordnance	"	0 15 9	0 16 10
Instruments, extracting projectiles, R.M.L.—			
Guns—			
12·5 inch	each	5 16 1	6 3 9
12, 11, and 10 inch	"	6 5 1	6 10 2
9 inch	"	4 9 2	4 15 6
8 " and 8 inch 70 cwt. howitzer	"	4 8 3	4 13 7
7 "	"	3 15 10	4 1 2
80 pounder	"	3 12 11	3 17 10
64 "	"	4 2 3	4 7 6
For jointed stove, 7 inch	"	3 15 10	4 0 5
Howitzer { 8 inch { 70 cwt. (see 8 inch gun).	"	4 3 4	4 9 2
{ 6·6 "	"	3 19 5	4 4 2
{ 6·3 "	"	3 16 6	4 1 1
Iron, wrought, pieces, for repairs—			
2 feet 8 inches long—			
Angle { 3 inches × 3 inches × $\frac{1}{4}$ inch	10	1 10 9	1 13 10
{ 2 $\frac{1}{2}$ " × 2 $\frac{1}{2}$ " × $\frac{1}{4}$ "	"	0 12 4	0 13 7
{ 2 " × 2 " × $\frac{1}{4}$ "	"	0 9 0	0 9 11
{ 1 $\frac{1}{2}$ " × 1 $\frac{1}{2}$ " × $\frac{1}{4}$ "	"	0 7 0	0 7 8
Bolt, or round—			
1 $\frac{1}{4}$ inches	"	1 1 6	1 3 8
1 inch	"	0 13 11	0 15 4
$\frac{3}{4}$ "	"	0 10 9	0 11 10
$\frac{1}{2}$ "	"	0 8 1	0 8 11
$\frac{3}{8}$ "	"	0 5 9	0 6 4
$\frac{1}{4}$ "	"	0 3 10	0 4 3
$\frac{1}{8}$ "	"	0 3 1	0 3 5
$\frac{1}{16}$ "	"	0 2 4	0 2 7
$\frac{1}{32}$ "	"	0 1 9	0 1 11
$\frac{1}{64}$ "	"	0 1 4	0 1 5

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Iron, wrought, pieces, for repairs, <i>continued—</i>				
2 feet 8 inches long—				
Flat—				
3 inches $\times \frac{1}{2}$ inch	10	—	0 13 5	0 14 9
3 " $\times \frac{1}{2}$ "	"	—	0 11 8	0 12 10
2½ " $\times \frac{1}{2}$ "	"	—	0 6 8	0 7 4
2½ " $\times \frac{1}{2}$ "	"	—	0 4 8	0 5 2
2 " $\times \frac{1}{2}$ "	"	—	0 7 10	0 8 7
2 " $\times \frac{1}{2}$ "	"	—	0 5 1	0 5 7
2 " $\times \frac{1}{2}$ "	"	—	0 4 1	0 4 6
1½ " $\times 1$ "	"	—	0 11 8	0 12 10
1½ " $\times \frac{1}{2}$ "	"	—	0 6 0	0 6 7
1½ " $\times \frac{1}{2}$ "	"	—	0 4 8	0 5 2
1 inch $\times \frac{1}{2}$ "	"	—	0 4 2	0 4 7
1 " $\times \frac{1}{2}$ "	"	—	0 2 4	0 2 7
½ " $\times \frac{1}{2}$ "	"	—	0 2 2	0 2 5
Square { 1 inch	"	—	0 7 11	0 8 9
{ ½ "	"	—	0 4 8	0 5 2
{ ½ "	"	—	0 2 4	0 2 7
Plate—				
2 feet long { ½ inch $\times 12$ inches wide ..	"	—	1 12 7	1 15 10
{ ½ " $\times 6$ " " " ..	"	—	0 16 7	0 18 3
{ ½ " $\times 12$ " " " ..	"	—	1 7 3	1 10 0
{ ½ " $\times 6$ " " " ..	"	—	0 13 11	0 15 4
1 foot 2 inches long { ½ inch $\times 10$ inches wide ..	"	—	0 13 7	0 14 11
{ ½ " $\times 6$ " " " ..	"	—	0 8 4	0 9 2
{ ½ " $\times 8\frac{1}{2}$ " " " ..	"	—	0 7 2	0 7 11
{ ½ " $\times 6$ " " " ..	"	—	0 5 3	0 5 9
Tire, 12 inches long { 6 inches $\times \frac{1}{2}$ inch ..	"	—	0 13 10	0 15 3
{ 3 " $\times \frac{1}{2}$ " " " ..	"	—	0 6 0	0 6 7
{ 2½ " $\times \frac{1}{2}$ " " " ..	"	—	0 5 0	0 5 6
Iron, guard—				
Box, wood, ammunition, complete ..	each	—	0 10 6	0 11 7
Carriage, field, with backstrap, complete—				
Axletree box, { 16 or 9 pounder { Near ..	"	—	1 1 0	1 3 1
{ " " " " { Off ..	"	—	1 1 0	1 3 1
R.M.L. { 7 pounder { Near ..	"	—	1 0 9	1 2 10
{ " " " " { Off ..	"	—	1 0 9	1 2 10
Seat, R.M.L. 13 pounder { Near ..	"	—	1 5 4	1 7 10
{ " " " " { Off ..	"	—	1 5 4	1 7 10
Iron, priming, set, consisting of bit, drift, and pricker, sea service, 7½ inch ..	set	—	0 4 1	0 5 0
Jacks, lifting—				
General service { (Except R.E.), (Mark II) ..	each	—	1 4 0	1 6 3
{ (Mark III)	"	—	1 7 11	1 10 3
Hydraulic—				
Dudgeon's, 100 ton	"	80 0 0	—	—
Rear roller, carriage, wrought-iron,				
naval—				
Sliding, with pump { 12 inch 25 tons				
lever and release { to 10 inch ..	"	26 10 0	—	—
valve, R.M.L. { 10 inch pulling ..	"	23 10 0	—	—
Turret, with pump { Also garrison				
lever R.M.L. 12 { 12½ inch and 12				
inch 35 tons to { inch 35 tons, left	"	26 10 0	—	—
10 inch { Right	"	26 10 0	—	—
Tangye's, to lift—				
22½ tons {	"	14 10 0	—	—
15 " { (see page 147) {	"	10 0 0	—	—
7½ " {	"	6 10 0	—	—
Screw, wrought-iron, Clerk's, with cover,				
complete	"	—	5 5 0	5 15 6

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Joints or flaps, metal, for beds, wood, naval, carriages—		£ s. d.	£ s. d.
Boat, R.B.L., 12 or 9 pounder	each	0 10 0	0 11 0
Common { And sliding, R.B.L., 40 pounder R.M.L. $\frac{64 \text{ pounder}}{8 \text{ inch}}$, 71 cwt., S.B., 8 }	0 17 2	0 18 11
Rear chock, R.B.L., 20 pounder and S.B. 24 pounder, howitzer	0 10 8	0 11 9
Sliding, R.B.L. 7 inch	0 16 10	0 18 6
Keys—			
Copper, forelock, carriages, wood, naval	100	2 17 4	3 3 1
Metal for { Corrugated, powder cases, with rope lanyard Metal lined, wood, powder cases	7 10 9 5 0 0	8 0 4 5 6 0
Wrought-iron—			
Capsquare, with chains—			
Carriage, steel, naval, sliding—			
R.B.L., 6 inch	each	0 3 10	0 4 3
R.M.L., 64-pounder, 64 cwt.—			
(Mark IV)	0 3 10	0 4 3
(Mark V) also carriage, iron (Mark VI)..	..	0 3 10	0 4 3
Carriages, wood, naval—			
Common and sliding, rifled and S.B. to 32 pounder	0 1 3	0 1 5
Rear chock, R.B.L. 20 pounder and S.B. 24 pounder howitzer		
Sliding, R.B.L. 20 to 9 pounder, and R.M.L. 9 pounder	0 1 2	0 1 3
Travelling, R.B.L. 12 or 9 pounder and R.M.L. 9 pounder	0 1 2	0 1 3
Carriages, wrought-iron—			
R.B.L., Naval sliding, 20 pounder	0 2 11	0 3 3
R.M.L.—			
Garrison—			
12·5 inch or 12 inch 35 tons	0 5 4	0 5 10
10 " (Mark I)	0 4 7	0 5 1
Double plate—			
11 or 12 inch, 25 tons	0 4 9	0 5 3
9 inch, also naval, sliding, 9 and 8 inch and 9 inch turret	0 4 6	0 4 11
7 inch, also 7 inch naval	0 4 6	0 4 11
Single plate—			
11 or 12 inch, 25 tons	0 3 9	0 4 2
9 inch, also 9 and 8 inch, naval	0 3 9	0 4 2
7 " " 7 inch, naval	0 3 9	0 4 2
Naval—			
Sliding—			
12 inch, 25 tons, "Belleisle" type	0 8 9	0 9 8
11 inch, "Téméraire" type	0 8 9	0 9 8
10 inch { "Hercules" "Sultan" type, and gun-boat, also garrison case-mate (Mark II)	0 4 7	0 5 1
9 inch, "Sultan" type	0 4 7	0 5 1
Double plate { 9 inch service, and 8 inch (as 9 inch garrison, double plate) 7 inch (as 7 inch garrison, double plate)	0 4 6	0 4 11
	..	0 4 6	0 4 11

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Keys, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Capsquare, with chains—			
Carriages, wrought-iron—			
R.M.L.—			
Naval—			
Sliding—			
9 and 8 inch (as 9 inch, gar-	each	0 3 9	0 4 2
rison, single plate) ..			
7 inch, 6½ tons (as 7 inch,	"	0 3 9	0 4 2
garrison, single plate) ..			
7 inch, 90 cwt. ..	"	0 4 0	0 4 5
64 pounder (Mark I and II),			
also 64 pounder garrison,			
and carriage, steel, naval			
(Mark III) ..	"	0 3 8	0 4 0
9 pounder, boat ..	"	0 2 11	0 3 3
Turret, 9 inch (as 9 inch, garrison,			
double plate) ..	"	0 4 6	0 4 11
Travelling, 0·65 inch Gatling ..	"	0 1 0	0 1 1
Carriages, wrought-iron—			
Top, overbank, { 64 pounder, front ..	"	0 1 8	0 1 10
R.M.L. { 40 " " ..	"	0 1 7	0 1 9
{ 25 " " ..	"	0 1 5	0 1 7
Travelling, field—			
R.M.L. { 16 { (Mark I) ..	"	0 2 10	0 3 1
{ (Mark II) ..	"	0 2 10	0 3 1
9 { (Mark I) ..	"	0 2 10	0 3 1
{ (Mark II) ..	"	0 2 10	0 3 1
S.B. 4½ inch howitzer ..	"	0 1 2	0 1 3
Double, for vent { 16 inch ..	"	2 7 8	2 18 2
R.M.L. guns { 12·5 inch (Mark II) ..	"	2 7 8	2 18 2
Driving, bollard, platform, iron, R.M.L.—			
11 or 12 inch 25 tons, 10 inch, and 9 inch "D"			
side ..	"	0 1 1	0 1 2
10 inch and 9 inch, except "D" side..	"	0 1 1	0 1 2
Driving, shaft—			
Following-up gear, carriage, garrison, wrought-			
iron, sliding, R.M.L. 12·5 inch, small port..	"		
Lifting gear, carriage, garrison, wrought-iron,			
sliding, R.M.L. 10 inch, small port..	"		
Nipping gear, carriage, garrison, wrought-iron,			
sliding, R.M.L.—			
12·5 inch, small port ..	"		
12·5 " ..	"		
12 " 35 tons ..	"		
Running-up gear, carriage, garrison, wrought-			
iron sliding, R.M.L.—			
12·5 inch small port ..	"		
12·5 " ..	"		
12 " 35 tons ..	"		
Traversing gear, carriage, garrison, wrought-			
iron, Moncrieff, R.M.L. 7 inch (Mark I) ..	set		
Traversing and running back gear, platform,			
wrought-iron, R.M.L.—			
Casemate—			
Small port { 12·5 inch..	"		
{ 10 " ..	"		
To work within length —			
11 or 12 inch, 25 tons ..	"		
10 inch { Mark I ..	"		
{ Mark II ..	"		
{ Special ..	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Keys, wrought-iron, continued—		£ s. d.	£ s. d.
Driving shaft—			
Traversing and running back gear, platform, wrought-iron, R.M.L.—			
Casemate—			
To work within length—			
9 inch	each		
12 5 inch { 7 feet recoil	"		
{ 6 " " "	"		
11 or 12 inch, 25 tons { Side	"		
{ Rear	"		
10 inch { Side	"		
{ Rear	"		
{ Mark II	"		
9 inch { Side	"		
{ Rear	"		
Single plate carriage, 11 or 12 inch, 25 tons, to work within length	"		
Dwarf—			
12 5 inch { " O "	"		
{ " D "	"		
12 inch, 35 tons, " O "	"		
11 or 12 inch, 25 tons { " A " rear	"		
{ " C " Central	"		
{ " C " Side	"		
10 inch { " A " { Side	"		
{ Rear	"		
{ " C " { Central	"		
{ Side	"		
{ " D " side	"		
9 inch { " A " rear	"		
{ " C " { Central	"		
{ Side	"		
{ " D " side	"		
Fighting bolt, slide, boat or gun vessel, with chain	"	0 1 3	0 1 5
Forelock carriages, wood, naval, common	100	0 17 6	0 19 3
Head and tail, with chains—			
Cart, trench	10	0 7 1	0 7 10
Wagon, ammunition and store, R.A.	"	0 7 8	0 8 5
Pinion, elevating, R.M.L. 16 or 9 pounder	"	0 3 7	0 3 11
Securing axles, eccentric, carriages, garrison and naval, wrought-iron, sliding, single plate, R.M.L., 7 inch	"	—	—
Split—			
Axles, roller—			
Carriage, naval, R.M.L., wrought-iron—			
Sliding—			
½ inch × 3 inch (12 inch, 25 tons, to 7 inch, also turret 12 inch, 25 tons, to 9 inch, and slide 9 inch service, to 64 pounder)	"	0 5 6	0 6 1
½ inch × 2 ¼ inch (64 pounder, also wood, sliding, carriages, and slides).. .. .	"	0 5 0	0 5 6
Turret—			
½ inch × 4 inch (12 inch, 35 tons)	"	0 6 9	0 7 5
Slides, wrought-iron—			
1 inch × ½ inch × 4 ½ inch (R.M.L. 11 or 12 inch, 25 tons)	"	1 1 8	1 3 10
1 inch × ½ inch × 4 ½ inch (R.M.L. 10 inch)	"	1 1 8	1 3 10

(7.8.)

T

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Keys, continued—		£ s. d.	£ s. d.	£ s. d.
Wrought-iron—				
Split—				
Axles, roller—				
Slides, wrought-iron—				
$\frac{1}{2}$ inch \times $\frac{1}{2}$ inch \times $4\frac{1}{2}$ inch (R.M.L.	10	—	0 19 6	1 1 5
9 inch, "Sultan")				
Loop, $\frac{1}{4}$ inch \times $1\frac{1}{2}$ inch (R.B.L.		—	0 4 6	0 4 11
20 pounder, upper deck) ..				
Flat, spindle, buffer, 12.5 inch to		—	0 7 8	0 8 5
7 inch				
Hand wheel, R.M.L. 16 or 9 pounder		—	0 3 7	0 3 11
Spring lock with pocket	each	—	0 0 10	0 0 11
Tap, water cart		—	0 1 6	0 1 8
Steel—				
Capsquare, with chain—				
Beds, { Howitzer { 8 inch		—	0 5 7	0 6 2
R.M.L. { 6.6 or 6.3 inch		—	0 5 7	0 6 2
7 pounder		—	0 3 4	0 3 8
Carriage, steel, naval, travelling,				
R.M.L. 9 pounder		—	0 3 7	0 3 11
Carriages, wrought-iron—				
Boat, R.M.L. 7 pounder, 200 lbs...		—	0 2 8	0 2 11
Travelling R.M.L.—				
Field { 25 pounder		—	0 3 6	0 3 10
7 " Colonial		—	0 3 6	0 3 10
Mountain, 7 poun- { 200 lbs. ..		—	0 2 9	0 3 0
der, steel gun { 150 lbs. ..		—	0 2 9	0 3 0
Siege { 64 and 40 pounder guns,				
8 inch 70 cwt., 6.6 and		—	0 4 5	0 4 10
6.3 inch howitzers		—	0 5 7	0 6 2
8 inch howitzer, 46 cwt.		—	0 4 9	0 5 3
Carriages, wrought- { 64 pounder, rear		—	0 4 9	0 5 3
iron, top, over- { 40 " " ..		—	0 4 7	0 5 1
bank, R.M.L. { 25 " " ..		—		
Limber, hook, with chains, R.M.L.—				
Field and siege		—	0 4 0	0 4 5
Field { 9 pounder and { (Mark I) ..		—	0 5 5	0 6 0
upwards { (Mark II) ..		—	0 5 5	0 6 0
7 pounder, Colonial		—	0 4 2	0 4 7
Siege		—	0 6 7	0 7 3
R.B.L. gun, { (a) Adjusting bolt		—		
6 inch { (b) Forked, for nut of vent ..		—		
(Mark I) { (c) Head of vent		—		
(d) Nut of bolt		—		
Spring, for linch pins, 2nd class, arm ..	100	—	0 12 0	0 13 2
Ladders, forage, wagon	each	—	0 16 6	0 18 2
Lanterns, copper, fighting		0 15 8	—	—
Lanyards—				
Compressor, wood, land service	100	—	1 10 5	1 13 6
Friction tube—				
Field and siege		—	1 12 9	1 14 9
Garrison		—	2 4 2	2 6 11
Turret vessels		—	3 11 2	3 16 2
64 pounder and upwards		—	2 16 6	3 0 3
64 pounder converted				
(71 cwt.)		—	2 16 6	3 0 3
Naval { Short		—	1 16 4	1 18 6
Rocket { With block and pul-				
machine { ley	each	—	0 17 5	0 18 5
Without block and				
pulley		—	0 0 2 $\frac{1}{2}$	0 0 2 $\frac{1}{2}$
Rat-tail	100	—	0 13 0	0 14 4

Section V.

291

ORDNANCE.	Per	Rate.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Lashings, rope—					
Derrick, white { 4 inch, 5 fathoms ..	each	£ s. d. 0 7 5	£ s. d. —	£ s. d. —	
2½ " 5 " ..	"	0 3 1	—	—	
2 " 10 " ..	"	0 3 8	—	—	
Limber, naval, R.B.L. 12 or 9 pounder, and R.M.L. 9 pounder ..	"	—	0 1 0	0 1 1	
Sheers, tarred { 4 inch, 10 fathoms ..	"	0 11 0	—	—	
2½ " 5 " ..	"	0 2 5	—	—	
Sheers, white, 4 inch, 35 fathoms..	"	2 11 2	—	—	
Sling, for heavy gyn, 3 inch white rope (see Ropes).					
Lead, packing, for sights of cast-iron S.B. guns (see Packing Lead for sights, page 307).					
Leathers, hand	"	—	0 2 1	0 2 3	
Leaves, rough—					
For drop sights	"	—	0 2 4	0 2 10	
For screw sights	"	—	0 2 4	0 2 10	
Levers—					
Brake, rear, racer—					
Steel, shaft, slide, wrought-iron, naval, R.M.L.—					
12 inch, 25 tons, { Right ..	"	—	1 7 8	1 10 5	
" " " " { Left ..	"	—	1 7 8	1 10 5	
11 inch, "Téméraire" { Right ..	"	—	1 7 8	1 10 5	
" " " " { Left ..	"	—	1 7 8	1 10 5	
10 inch { Right ..	"	—	1 7 8	1 10 5	
" " { Left ..	"	—	1 7 8	1 10 5	
Wrought - iron, { 12 inch, 25 tons, "Belleisle" type ..	"	—	1 2 3	1 4 6	
central, with col- and 10 inch ..	"	—	1 2 3	1 4 6	
lar and nut, slide, wrought - iron, 11 inch, "Témé- naval, R.M.L. raire" type ..	"	—	1 2 3	1 4 6	
Wrought - iron, { 12 inch, 25 tons, "Belleisle" type ..	"	—	1 4 1	1 6 6	
screw cramp, " " " " { 11 inch, "Témé- with key and pin, wrought- raire" type ..	"	—	1 4 1	1 6 6	
iron slide, naval, 10 inch ..	"	—	1 4 1	1 6 6	
R.M.L.					
Cases, brass	100	—	16 14 8	17 13 10	
Complete, with 4 screws fixing, S.B., B.L. gun, 32 pounder	"	—			
Compressor, steel—					
Bed, R.M.L. 8 inch, 6.6 inch and 6.3 inch howitzer	each	—	1 7 0	1 9 8	
Carriages, naval, sliding, R.M.L.—					
Wrought-iron—					
Double plate { 9 inch { Service ..	"	—	2 2 4	2 6 7	
" " { "Plucky" ..	"	—	2 2 4	2 6 7	
8 inch ..	"	—	2 2 4	2 6 7	
7 " 6½ tons ..	"	—	2 2 4	2 6 7	
9 inch ..	"	—	2 2 4	2 6 7	
8 " ..	"	—	2 2 4	2 6 7	
Single plate { 7 " { 6½ tons ..	"	—	2 2 4	2 6 7	
" " { 90 cwt. ..	"	—	1 16 6	2 0 2	
64 pounder (Mark I and II) ..	"	—	1 14 2	1 17 7	
Steel, 64 pounder { (Mark III) ..	"	—	1 14 2	1 17 7	
" " { (Mark IV) ..	"	—	1 14 2	1 17 7	

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Levers, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Adjusting, with chain and key—			
Carriage, naval, sliding—			
Wrought-iron, R.M.L.—			
Single plate { 9 inch }	each	0 16 3	0 17 11
{ 8 " }			
{ 7 " 6½ tons }	"	0 16 3	0 17 11
{ 7 " 9J cwt. }	"	0 15 4	0 16 10
64 pounder (Mark I and II)	"	0 14 4	0 15 9
Brake, band, gear, retaining carriage, garrison, wrought-iron, Moncrieff—			
R.B.L. 7 inch	"		
R.M.L. { 9 inch (Mark II) }	"		
{ 7 inch { (Mark I) }	"		
{ (Mark II) }	"		
{ 5½ pounder, 58 cwt. }	"		
Brake, shaft, connecting, gear, retaining, car- riage, garrison, wrought-iron, Moncrieff, R.M.L.—			
9 inch (Mark II)	"		
7 inch { (Mark I) }	"		
{ (Mark II) }	"		
Breech screw, with 4 fixing screws—			
R.B.L. (interrupted screw) guns—			
6 inch { (Mark I) }	"	48 3 8	53 16 2
{ (Mark II) }	"	23 8 9	28 12 0
25 pounder { 22½ cwt. }	"	23 8 9	28 12 0
{ 13½ " }	"	30 0 8	36 13 1
S.B.B.L. gun, 32 pounder, 42 cwt.	"		
Breech screw, R.B.L. screw guns, with 2 keep pins—			
7 inch	"	6 14 3	7 10 4
40 pounder	"	3 12 0	4 0 8
20 "	"	2 7 0	2 12 7
12 "	"	1 17 1	2 1 6
9 "	"	1 17 1	2 1 6
6 "	"	1 12 9	1 16 7
Clutch—			
Carriage, garrison, wrought-iron, Moncrieff, R.M.L., 9 inch (Mark II),	"		
Platform, traversing, wrought-iron, R.M.L.—			
Casemate—			
Small port { 12½ inch }	"		
{ 10 " }	"		
To work within length—			
11 or 12 inch, 25 tons	"		
10 inch { Mark I }	"		
{ Mark II }	"		
{ Special }	"		
9 inch	"		
12½ inch { 7 feet recoil }	"		
{ 6 " " }	"		
11 or 12 inch, 25 tons { Side }	"		
{ Rear }	"		
10 inch { Side }	"		
{ Rear }	"		
{ (Mark II) }	"		
9 inch { Side }	"		
{ Rear }	"		
Single plate carriage, 11 or 12 inch, 25 tons, to work within length.. ..	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Levers, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Clutch—			
Platform, traversing, wrought-iron, R.M.L.—			
Casemate—			
Dwarf—			
12·5 inch { "C" each			
12 inch, 35 tons "C" { Running back "			
11 or 12 inch, 35 tons { Traversing "			
11 or 12 inch, 35 tons { "A" rear "			
11 or 12 inch, 35 tons { "C" { Central "			
11 or 12 inch, 35 tons { "C" { Side "			
10 inch { "A" { Side "			
10 inch { "A" { Rear "			
10 inch { "C" { Central "			
10 inch { "C" { Side "			
10 inch { "D" side "			
9 inch { "A" rear "			
9 inch { "C" { Central "			
9 inch { "C" { Side "			
9 inch { "D" side "			
Connecting, hydraulic, rear, eccentric, shaft, with pin, carriages, wrought-iron, R.M.L.—			
Naval, sliding { 12 inch, 25 tons, "Belleisle" type "		1 19 7	2 3 7
Naval, sliding { 11 inch, "Téméraire" type "		2 7 5	2 12 2
Naval, sliding { 10 inch, "Sultan" type "		1 19 7	2 3 7
Naval, sliding { 12 inch, 35 tons "		2 11 0	2 16 1
Naval, turret { 12 inch, 25 tons }		2 7 5	2 12 2
Naval, turret { 10 inch }			
Garrison, sliding—			
12·5 inch, small port "		3 0 0	3 6 0
12·5 .. and 12 inch, 35 tons "		3 4 9	3 11 3
Double handed, carriage, wrought-iron, naval, turret, R.M.L.—			
12 inch, 35 tons "		0 17 2	0 18 11
12 inch, 25 tons "		0 17 2	0 18 11
10 inch "		0 17 2	0 18 11
Jamming—			
Carriages, garrison, wrought-iron—			
Moncrieff, R.M.L., 7 inch (Mark I) with set screw "		0 14 8	0 16 2
Sliding, R.M.L., double plate, 12·5 inch, small port "		1 14 0	1 17 5
Carriages, wrought-iron, naval, sliding, R.M.L.—			
10 and 9 inch, "Sultan" type, and { Left "		1 4 9	1 7 3
9 inch service { Right "		1 4 9	1 7 3
9 inch "Plucky" { Left "		1 4 9	1 7 3
9 inch "Plucky" { Right "		1 4 9	1 7 3
8 inch { Left "		1 4 9	1 7 3
8 inch { Right "		1 4 9	1 7 3
6½ pounder, 6½ cwt., and carriages, steel, right		0 18 10	0 18 6
Carriages, naval, wrought-iron, { "Scorpion" "		1 6 0	1 8 6
R.M.L. 9 inch, turret * { "Wyvern" "		1 6 0	1 8 6
Lifting, with collars and split keys, carriage, garrison, wrought-iron, sliding, R.M.L.—			
12·5 inch, small port { Left "			
12·5 inch, small port { Right "			
12·5 .. or 12 { Left "			
12 inch, 35 tons { Right "			

* Right or left according to carriage.

ORDNANCE.	Per	Rate.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Levers, continued—		£ s. d.	£ s. d.	£ s. d.	
Wrought-iron—					
Nipping, with pins—					
Carriages, wrought-iron, garrison,					
R.M.L.—					
12½ inch, and 12 inch, 35 tons ..	each	—	0 19 2	1 1 1	
12½ " small port ..	"	—	1 6 3	1 8 11	
Carriages, wrought-iron, naval,					
R.M.L.—					
Sliding—					
12 inch, 25 tons, "Belle-	{ Right	"	1 1 2	1 3 3	
isle" type ..					
11 inch, "Téméraire" ..	{ Right	"	2 14 1	2 19 6	
type ..					
10 inch { "Hercules" ..	{ Right	"	1 1 2	1 3 3	
..					
10 inch { "Sultan" type ..	{ Right	"	1 1 2	1 3 3	
..					
9 inch, "Sultan" type, left ..	"	"	0 12 7	0 13 10	
9 inch { Double plate { Right ..	{ Right	"	0 13 8	0 15 0	
service { Left ..					
8 inch { Single plate { Right ..	{ Right	"	0 13 8	0 15 0	
..					
8 inch { Double plate, left ..	{ Right	"	0 13 8	0 15 0	
..					
8 inch { Single plate, left ..	"	"	0 13 8	0 15 0	
Turret—					
With { 12 inch, 35 tons ..	{ "Monarch" ..	"	2 19 2	3 5 1	
sheaves { 12 inch, ..					
and { 25 tons { "Glatton" ..	{ "Glatton" ..	"	2 14 1	2 19 6	
loops { 10 inch ..					
9 inch { "Prince Albert" ..	"	"	0 18 0	0 19 10	
..	"	"	0 18 0	0 19 10	
9 inch { "Scorpion" ..	"	"	0 14 6	0 15 11	
..	"	"			
9 inch { "Wyvern" ..	"	"			
..	"	"			
Releasing—					
Breech screw, R.B.L. (interrupted					
screw) guns—					
6 inch { (Mark I) ..	{ (Mark I) ..	"	0 6 6	0 7 11	
..					
25 pounder { 22½ cwt. ..	{ 22½ cwt. ..	"	0 6 6	0 7 11	
..					
..	{ 13½ " ..	"	0 6 6	0 7 11	
..					
Vent piece, 7 inch R.B.L. screw gun ..	"	"	0 6 2	0 6 11	
Screw, compressor, platform, traversing,					
wrought-iron, R.M.L., 12½ inch—					
Casemate { 7 feet recoil ..	{ 6 " ..	"	—	—	
..					
Dwarf { "C" ..	{ "C" ..	"	—	—	
..					
Dwarf { "D" ..	"	"	—	—	
Traversing, with key—					
Also training slides; { "Shannon" ..	{ "Shannon" ..	"	1 1 6	1 3 8	
wrought-iron, { "Sultan" type ..					
R.M.L., 9 inch	"	"	1 1 6	1 3 8	
And chain, socket, slides, wrought-					
iron, R.M.L. 7 inch, 90 cwt. ..	"	"	1 0 7	1 2 8	
Lifts, hydraulic, with levers, complete—					
Carriage, wrought-iron, garri- } 12½ inch	{ 12½ inch	"	64 0 0	70 8 0	
son, small port, R.M.L. } 10 inch ..					
Slide, wrought- } 10 inch, "Sultan" type	{ 10 inch, "Sultan" type	"	54 0 0	59 8 0	
iron, R.M.L. { 9 " "Raleigh" ..					
Lights—					
Coast guard ..	100	—	4 11 7	4 17 9	
Illuminating wrecks { (Mark III) ..	"	—	71 6 0	75 11 11	
..	"	—	75 1 7	79 11 8	
..	"	—			

ORDNANCE.						Ratio.		
						Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Lights, continued—							£ s. d.	£ s. d.
Long	{	Blue	100	9 13 4	10 5 9	
		Coloured {	Green	"	6 4 11	6 15 2
		Red	"	7 13 3	8 3 0	
	General service, or Boxer's life-saving					..	5 8 6	5 15 4
Signal	{	Section, filled	each	0 3 6	0 3 9	
		Magnesium..	100	4 14 7	5 0 8	
Section, filled						..	0 2 2	0 2 4
Limbers, wood, complete—								
Field, R.B.L.—								
20 pounder	{	Carriage	38 12 0	42 9 2	
		Wagon	38 6 0	42 2 7	
12	"	39 5 0	43 3 6	
9	"	39 4 0	43 2 5	
6	{	Service	25 0 0	27 10 0	
		Special	30 15 0	33 16 6	
Field, S.B.—								
12 pounder	{	Carriage	33 8 0	36 14 10	
		Wagon	33 4 0	36 10 5	
9	"	32 11 0	35 16 1	
6	"	32 10 0	35 15 0	
3	"	14 0 0	15 8 0	
Howitzer—								
32 pounder	{	Carriage	33 5 0	36 11 6	
		Wagon	33 0 0	36 6 0	
24	"	32 11 0	35 16 1	
12	"	32 10 0	35 15 0	
Naval	{	R.B.L. {	12 or 9 pounder..	27 8 0	30 2 10	
		R.M.L., 9 pounder, 8 or 6 cwt.	6 pounder	22 15 0	25 0 6	
			8 inch mortar	27 8 0	30 2 10	
			8 inch mortar	30 17 0	33 18 8	
Siege—								
R.B.L. 40 pounder..						..	42 11 0	46 16 0
R.M.L. 6½ pounder						..	30 16 0	33 17 7
S.B. gun	{	32 and 24 pounder	30 16 0	33 17 7	
		18 pounder	39 8 0	43 6 10	
Mortar	{	10 inch	30 9 0	33 9 11	
		8 "	30 8 0	33 8 10	
Transporting, slides, R.B.L. 7 inch, siege equipment						..	30 0 0	33 0 0
Limbers, wood, complete, wagon—								
Ammunition, R.B.L. 40 pounder						..	38 11 0	42 8 0
Sling	{	Wrought-iron, heavy, 12 tons	35 0 0	38 10 0	
		Wood, service, to six tons	33 5 0	36 11 6	
Limbers, wrought-iron, complete—								
Field—								
Gatling gun, 0.45 inch *						..	55 10 0	61 1 0
R.M.L.—								
25 pounder	† {	(Mark I) body..	61 10 0	67 13 0	
		(Mark II) "	64 10 0	70 19 0	
16	‡ {	(Mark I) body..	59 10 0	65 9 0	
		(Mark II) "	62 5 0	68 9 6	
13	"	115 0 0	128 10 0	
9	§ {	(Mark I) body..	58 15 0	64 12 6	
		(Mark II) "	61 15 0	67 18 6	

* With grease box and spare linch pin and washer.

† With grease box, fuze box, 2 cartouches, oil can, iron key, 18 lifting straps and swingletree.

‡ With grease box, 2 fuze boxes, oil can, 2 cartouches, iron key and swingletree.

§ With grease box, 3 fuze boxes, 2 cartouches, iron key and swingletree.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Limbers, wrought-iron, complete, cont.—				
Field—				
R.M.L.—				
7 pounder, 200 lb. steel gun, colonial *	each	—	59 0 0	64 18 0
S.B. 4½ inch howitzer †	"	—	30 0 0	33 0 0
Mountain service, R.M.L. 7 pounder, 200 lb. steel gun ‡ §	"	—	41 10 0	45 13 0
Naval { R.M.L. { 9 pr., 8 or 6 cwt. ..	"	—	48 0 0	52 16 0
{ 7 pr., 200 lb. steel gun ..	"	—	40 0 0	44 0 0
Gatling gun, 0.45 inch ..	"	—	40 10 0	44 11 0
6.6 inch gun ..	"	—	63 0 0	74 16 0
64 pounder gun and 8 inch howitzer, 70 cwt. ¶ **	"	—	68 0 0	74 16 0
Siege, R.M.L. { 40 pounder †† ..	"	—	77 10 0	85 5 0
{ Howitzer { 8 inch, 46 cwt. ¶	"	—	68 0 0	74 16 0
{ 6.6 inch ¶ ..	"	—	68 0 0	74 16 0
{ 6.3 " ¶ †† ..	"	—	68 0 0	74 16 0
Ammunition, R.M.L. 40 pr.—				
(Mark I) body ..	"	—	59 0 0	64 18 0
Wagons { Forge { (Mark I) §§ ..	"	—	52 11 6	57 16 8
{ (Mark II) §§ ..	"	—	55 11 6	61 2 8
Sling, light, to 7 tons ..	"	—	67 17 0	74 12 8
Store ..	"	—	55 0 6	60 10 7
Line, silk, for sighting ordnance ..	skein	0 0 6	—	—
Links, chain, wrought-iron—				
Platform, traversing, wrought-iron,				
R.M.L.—				
12.5 inch and 12 inch, 35 tons (see Slide, R.M.L., turret, 12 inch, 35 tons, inside).				
Slide, R.M.L.—				
12 inch, 25 tons, "Belleisle" type ..	10	—	0 3 5	0 3 9
11 inch, "Téméraire," also 12 inch, 25 tons, turret ..	"	—	0 7 0	0 7 8
10 inch, "Sultan" type, and "Hercules" ..	"	—	0 3 5	0 3 9
9 and 8 inch ..	"	—	0 3 3	0 3 7
Turret—				
12 inch, 35 tons { Inside, also platform, wrought-iron, 12.5 inch and 12 inch, 35 tons ..	"	—	0 7 6	0 8 3
{ Outside ..	"	—	0 7 7	0 8 4
12 inch, 25 tons (as 11 inch "Téméraire") ..	"	—	0 3 5	0 3 9
10 inch ..	"	—	0 3 5	0 3 9

* With grease box, fuze box, oil can, 2 cartouches, iron key and swingletree.

† With grease box and 4 cartouches.

‡ With boxes for common and shrapnel shells.

§ With grease box, 2 fuze boxes, 2 leather boxes, 2 cartouches, and spare linch pin.

|| With grease box, oil can, and spare linch pin and washer.

¶ These are interchangeable, except as regards the position of the fittings on boxes to carry the spare arc.

** With grease box, oil can, 2 check chains, padlock, check loop, 3 swingletrees, and 2 spare linch pins and washers.

†† With grease box, fuze box, oil can, 2 cartouches, iron key, 10 lifting straps, 3 swingletrees, and spare linch pin and washer.

‡‡ With grease box, oil can, padlock, 3 swingletrees, and 2 spare linch pins and washers.

§§ With grease box, 6 dubbing, or soft soap boxes, 7 oil, paint, and turpentine cans, iron key, and swingletree.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Links, steel, connecting carriage, wrought-iron, small port, R.M.L. 12.5 inch	each	£ s. d. 1 4 7	£ s. d. 1 7 1
Links, wrought-iron—			
Adjusting, brake lever, with pins and keys, carriage, garrison, wrought-iron, Moncrieff, R.M.L.—			
9 inch (Mark II)	pair		
7 " { (Mark I)	"		
{ (Mark II)	"		
Connecting, carriage, garrison, wrought-iron—			
Moncrieff, R.M.L., 9 inch { Front { Left	each		
(Mark II) { Rear { Right	"		
Sliding, R.M.L.—			
Small port { 12.5 inch { Left	"		
{ 10 inch { Right	"		
12.5 inch, or 12 inch, 35 tons { Left	"		
{ Right	"		
Linstocks, with cocks.. .. .			
Lithographs—			
Coloured, small { R.C.D.	"	0 0 5½	0 0 5½
{ R.G.F.	"	0 0 3	0 0 3½
{ R.L.	"	0 0 7½	0 0 8
Uncoloured, R.G.F.	"	0 0 6	0 0 7
Locks, spring, metal, with keys, plates, &c., for boxes, complete—			
Ammunition, { 13 pounder { Limber or wagon,			
with pin { hind	"	0 16 0	0 17 7
{ 9 or 16 pounder and upwards ..	"	0 16 0	0 17 7
Axletree, with pin.. .. .	"	0 4 4	0 4 9
Centre	"	0 4 1	0 4 6
.. .. .	"	0 3 7	0 3 11
Loops—			
Web, with hook, men's harness, light	"	0 2 0	0 2 2
Wrought-iron—			
Breech, carriage, wrought-iron, { 64 pounder ..	"	0 18 6	1 0 4
top overbank, R.M.L. { 40 " ..	"	0 17 6	0 19 3
{ 25 " ..	"	2 0 0	2 4 0
Chain, check, R.M.L. 8 inch howitzer, 46 cwt., and 64 pounder gun	"	0 5 0	0 5 6
Draught—			
Limber, field—			
25 to 9 pounder { Double	"	0 5 9	0 6 4
{ Single	"	0 2 3	0 2 6
7 pounder, Colonial { Double	"	0 5 7	0 6 2
{ Single	"	0 2 1	0 2 3
Limber, siege { Double.. .. .	"	0 6 0	0 6 7
{ Single	"	0 2 3	0 2 6
Wagon, ammunition, and store, Royal Artillery, and general service, lock under	"	0 2 3	0 2 6
Sponge, R.M.L. { 16 pounder	"	0 4 2	0 4 7
{ 9 "	"	0 4 2	0 4 7
{ 7 "	"	0 4 2	0 4 7
Lubricators, cartridge, for R.B.L. guns—			
Drill, dummy { 7 inch	100	18 12 2	19 18 5
{ 40 pounder	"	13 17 9	14 17 3
Service—			
7 inch	"	6 1 3	6 9 9
64 pounder	"	5 7 0	5 14 7
40 "	"	3 2 11	3 7 3
20 "	"	2 5 10	2 8 6
12 or 9 pounder	"	1 16 9	1 18 11
6 pounder	"	1 6 3	1 7 10

299

* For detail of contents see §4047 List of Changes.

†	"	"	\$1180	"	amended by §4047.
†	"	"	\$4047	"	
§	"	"	\$2840	"	amended by §3699 and §4047.

NOTE.—Value of contents not included in above rates for magazines.

NOTE.—Value of contents not included in above rates for magazines.

ORDNANCE.	Per	Rate.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
		£ s. d.	£ s. d.	£ s. d.	
Measures, copper, powder continued—					
20 lb.	109	—	109 11 4	116 2 10	
12 "	"	—	107 1 8	113 10 2	
10 "	"	—	78 15 0	83 9 6	
8 "	"	—	67 4 5	71 5 1	
7 "	"	—	60 1 1	64 3 2	
6 "	"	—	52 17 9	56 1 3	
5 "	"	—	45 7 0	48 1 5	
4 "	"	—	39 19 0	42 6 11	
3 "	"	—	32 3 4	34 1 11	
2½ "	"	—	30 0 0	31 16 0	
2 "	"	—	29 7 0	31 2 3	
1 "	"	—	23 9 11	24 13 1	
12 oz.	"	—	20 16 8	22 1 8	
8 "	"	—	18 9 0	19 11 2	
4 "	"	—	14 6 8	15 3 10	
3 "	"	—	13 10 0	14 6 2	
2½ "	"	—	12 2 3	12 16 9	
2 "	"	—	11 17 1	12 11 3	
1 "	"	—	10 0 10	10 12 11	
½ "	"	—	9 19 0	10 10 11	
¼ "	"	—	9 16 3	10 8 0	
Measures, tin, hydraulic buffer—					
1½ pints, naval, R.B.L. 20 pounder, and R.M.L. 10 inch, gun boat, 9 pounder and 7 pounder	each	—	0 10 11	0 12 0	
2 pints, naval, R.M.L. 12 inch, 35 ton, turret, and 11 inch.	"	—	0 11 0	0 12 1	
6½ pints, naval, R.M.L. 7 inch, 90 cwt.	"	—	0 12 1	0 13 4	
8 pints, naval, R.M.L. 12 inch, 25 tons	"	—	0 12 2	0 13 5	
17½ pints, naval, R.M.L. 10 inch	"	—	0 13 6	0 14 10	
Filling, 1 gallon, R.M.L., land service*	"	—	0 10 5	0 11 6	
Mirrors, for examining guns	"	0 12 6	—	—	
Mirrors, for reflectors of turret sights of H.M.S.—					
Inside	"	—	0 4 6	0 5 2	
Outside	"	—	0 9 0	0 10 4	
Naves, wheel—					
Metal, without bolts, mountain, 7 { 400 lbs.	"	—	2 7 6	2 12 3	
pounder { 200 "	"	—	2 2 7	2 6 10	
150 "	"	—	2 4 6	2 8 11	
Wood, in the rough—					
1st Class { Siege, or cart sling (20 inch)	"	—	0 11 6	0 12 8	
Wagon, sling hind (22 ")	"	—	0 14 6	0 15 11	
2nd " { Heavy (15 inch)	"	—	0 6 4	0 7 0	
Light (13 inch)	"	—	0 5 0	0 5 6	
3rd " (12 inch)	"	—	0 4 0	0 4 5	
Needles—					
Brass, ¼ inch	doz.	0 0 3	—	—	
Phosphor-bronze { 9 inch	each	0 0 7½	—	—	
4 "	doz.	0 0 4	—	—	
Needles, steel, complete with spring, R.B.L. gun, 6 inch (Mark I)	each	0 10 0	—	—	

* Has a metal cock, and is graduated to show 2 quarts, 1 quart, 1 pint, and ½ pint.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Nuts, metal—		£ s. d.	£ s. d.
Adjusting, with 3 feathers, carriages, naval, sliding, R.M.L., wrought-iron—			
9 and 8 inch, and 7 inch, 6½ tons—			
Double plate, also 9 inch "Plucky" ..	each	2 10 0	2 15 0
Single	"	1 0 0	1 2 0
7 inch, 90 cwt.	"	2 8 0	2 12 10
6½ pounder (Mark I and II), and carriages, steel (Mark III and IV)	"	2 1 6	2 5 8
Brake, gear, rear racer, slides, wrought-iron, R.M.L.—			
Adjusting { 11 inch, "Téméraire" type ..	"	0 16 6	0 18 2
{ 12 " 25 tons, "Belleisle" type,	"		
and 10 inch	"	0 16 0	0 17 7
Check, 11 or 12 inch, 25 tons, and 10 inch ..	pair	0 7 6	0 8 3
Compressor, carriage, naval, sliding—			
Steel R.L.B. 6 inch { Left	"	0 13 0	0 14 4
{ Right	"	0 13 0	0 14 4
Wrought-iron, R.M.L.—			
9 and 8 inch, and 7 inch, 6½ tons—			
Double plate, also 7 inch, 90 cwt., and			
9 inch, "Plucky"	each	1 3 3	1 5 7
Single plate	"	1 2 4	1 4 7
64 pounder (Mark I and II), and carriages, steel (Mark III and IV)	"	0 19 6	1 1 5
Wood, R.B.L., 12 or 9 pounder, boat, also			
20 pounder, gun vessel (Mark II)	"	0 11 1	0 12 2
Compressor, carriages, naval, turret, wrought-iron, R.M.L.—			
12 inch, 25 tons, { Left	"	1 14 4	1 17 9
" Monarch" type { Right	"	1 14 4	1 17 9
9 inch { "Scorpion" { Left	"	1 2 4	1 4 7
{ Right	"	1 2 4	1 4 7
{ "Wyvern" { Left	"	1 6 0	1 8 7
{ Right	"	1 6 0	1 8 7
Screws, adjusting, platform, traversing, wrought- iron, R.M.L. —			
Lever clutch, { Small port	"		
12½ inch { Casemate { 7 feet recoil ..	"		
{ "6" " " ..	"		
Dwarf { "C" " " ..	"		
{ "D" " " ..	"		
Stop, compressor, { Casemate { 7 feet recoil ..	"		
12½ inch { "6" " " ..	"		
{ Dwarf { "C" " " ..	"		
{ "D" " " ..	"		
Screw, compressor, platform, traversing, wrought- iron, R.M.L., 12½ inch—			
Casemate { 7 feet recoil	"		
{ "6" " "	"		
Dwarf { "C" " "	"		
{ "D" " "	"		
Screw, elevating, carriage, garrison, cast-iron ..	"	0 9 11	0 10 11
Screw, elevating, oscillating, garrison, wood, sliding, carriage—			
R.M.L. 7 inch, and S.B. 56 pounder ..			
Also rear chock, R.B.L. 7 inch, and S.B.	"	1 5 4	1 7 10
10 inch, 86 cwt., and 68 pounder, 95 cwt.			
R.B.L. 40 pounder, R.M.L. ½ pounder, 58			
cwt., and S.B. 32 to 18 pounder			
Also rear chock, R.B.L. 64 pounder, 61 cwt.,	"	1 0 2	1 2 2
and S.B. 8 inch			

	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Nuts, metal, continued—		£ s. d.	£ s. d.	£ s. d.
Screw, elevating, carriages, naval, wood, sliding—				
R.B.L. 7 inch				
And common { R.M.L. 64 pounder,	each	—	0 9 11	0 10 11
{ 64 cwt.				
{ R.B.L. 40 pounder	"	—	0 10 3	0 11 3
Nuts, screw, fixing needle in bolt, R.B.L.				
guns, 6 inch	"	—		
Nuts, steel, screw, elevating, carriage,				
wrought-iron, garrison, small port, R.M.L.				
12.5 inch	"	—		
Nuts, wrought-iron—				
{ 12.5 inch to 7 inch				
{ (Mark I)	100	—	3 15 8	4 0 2
For gas check plugs { With shoulder, 12.5				
{ inch to 9 inch				
{ (Mark II)	"	—	3 6 2	3 10 2
Jamming, with screw, carriage, garrison,				
wrought-iron, R.M.L., 12.5 inch, small				
port	"	—		
Vent, R.M.L. guns { 16 inch	"	—	3 4 10	3 19 1
{ 12.5 " (Mark II)	"	—	3 4 10	3 19 1
Vent bolt, R.B.L. gun, 6 inch (Mark I) ..	each	0 5 10	—	—
Ordnance, old—				
Bronze	ton	70 0 0	—	—
Cast-iron	"	3 15 0	—	—
Ordnance without sights—				
Bronze, rifled guns—				
9 pounder, 8 cwt.	each	—	61 6 7	69 4 2
7 " { (Mark I), 224 lbs.	"	—	30 6 1	33 9 5
{ (Mark II), 200 lbs.	"	—	27 15 2	30 11 5
Bronze, smooth bore*—				
Guns—				
12 pounder, 18 cwt.	"	—	126 19 6	130 13 10
9 " 13 "	"	—	91 19 6	94 13 10
6 " 6 "	"	—	45 19 6	47 17 10
3 " 3 "	"	—	24 19 6	26 5 10
3 " { 2½ "	"	—	20 19 6	22 1 10
{ 2½ "	"	—	18 19 6	19 19 10
Howitzers—				
4½ inch, Coehorn, 2½ cwt.	"	—	20 19 6	22 1 10
32 pounder, 17 cwt.	"	—	119 19 6	123 19 10
24 " { L.S. 13 cwt.	"	—	91 19 6	94 13 10
{ S.S. 13 "	"	—	91 19 6	94 13 10
12 " { L.S. 7 "	"	—	53 9 6	55 13 10
{ S.S. 6 "	"	—	45 19 6	47 17 10
Mortars { 5½ inches, 1½ cwt., or royal	"	—	10 19 6	11 11 10
{ 4½ " ¾ " or Coe-	"	—	9 13 6	10 6 4
{ horn	"	—		
Cast-iron, smooth bore*—				
Carronades—				
68 pounder, 36 cwt.	"	—	38 0 0	38 4 9
42 " 22 "	"	—	24 0 0	24 4 9
32 " 17 "	"	—	19 0 0	19 4 9
24 " 13 "	"	—	15 0 0	15 4 9
18 " 10 "	"	—	12 0 0	12 4 9
12 " 6 "	"	—	8 0 0	8 4 9
6 " 5 "	"	—	7 0 0	7 4 9
Guns—				
10 inch, 86 cwt.	"	—	96 14 0	96 19 0

* Not including cost of proof.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Ordnance without sights, continued—				
Cast-iron, smooth bore*—				
		£ s. d.	£ s. d.	£ s. d.
Guns—				
8 inch { 65 cwt.	each	—	67 2 0	67 7 0
54 "	"	—	62 2 0	62 7 0
50 "	"	—	56 2 0	56 7 0
50 "	"	—	52 2 0	52 7 0
68 pounder { 112 cwt.	"	—	114 2 0	114 7 0
95 "	"	—	97 2 0	97 7 0
56 pounder { 97 cwt.	"	—	99 2 0	99 7 0
87 "	"	—	89 2 0	89 7 0
42 pounder { 84 cwt.	"	—	86 2 0	86 7 0
67 "	"	—	69 2 0	69 7 0
63 "	"	—	65 2 0	65 7 0
58 "	"	—	60 2 0	60 7 0
56 "	"	—	58 2 0	58 7 0
50 "	"	—	52 2 0	52 7 0
45 "	"	—	47 2 0	47 7 0
32 " { 48 or 50 cwt. { 50 cwt.	"	—	52 2 0	52 7 0
48 " { 48 "	"	—	50 2 0	50 7 0
42 cwt.	"	—	44 2 0	44 7 0
40 "	"	—	42 2 0	42 7 0
39 "	"	—	41 2 0	41 7 0
32 "	"	—	34 2 0	34 7 0
25 "	"	—	27 2 0	27 7 0
50 cwt.	"	—	48 3 0	48 7 6
48 "	"	—	46 6 0	46 10 6
24 " { 41 "	"	—	39 16 6	40 1 0
40 "	"	—	38 18 0	39 2 6
33 "	"	—	32 8 6	32 13 0
20 "	"	—	20 8 0	20 12 6
42 cwt.	"	—	40 15 0	40 19 6
38 "	"	—	37 1 0	37 5 6
18 " { 22 "	"	—	22 5 0	22 9 6
20 "	"	—	20 8 0	20 12 6
15 "	"	—	15 15 6	16 0 0
12 " { 34 "	"	—	33 7 0	33 11 6
33 "	"	—	32 8 6	32 13 0
22 "	"	—	22 5 0	22 9 6
28 "	"	—	27 16 0	28 0 6
9 " { 24 "	"	—	24 2 0	24 6 6
17 "	"	—	26 17 6	27 2 0
6 " { 17 "	"	—	26 17 6	27 2 0
B.L., interrupted screw, 32 pr., 42 cwt.	"	—	—	—
Howitzers { 10 inch, 42 cwt.	"	—	43 7 6	43 12 0
8 " 22 "	"	—	23 12 6	23 17 0
5½ " 16 "	"	—	17 13 6	17 18 0
Mortars—				
Manby, life saving, 84 lb.	"	1 0 0	—	—
13 inch—				
Sea ser-vice { 100 { 5 feet 4 inch N.P... .. .	"	—	120 17 5	120 19 6
4 " 5 " O.P... .. .	"	—	120 17 5	120 19 6
81 cwt.	"	—	98 1 5	98 3 6
Land service, 36 cwt.	"	—	44 1 5	44 3 6
10 inch { Land service, 18 cwt.	"	—	22 8 10	22 11 0
Sea " 52 "	"	—	63 4 10	63 7 0
8 inch, Land service, 9 cwt.	"	—	9 5 10	9 8 3
Cast-iron, R.M.L. converted guns—				
80 pr., 5 tons, from 68 pr., 95 cwt.	"	—	250 6 0	267 1 7†
* Not including cost of proof.				
† These prices are made up as follows—				
		No. 1 B.S.	No. 2 B.S.	
		£ s. d.	£ s. d.	
Value of original gun		97 2 0	97 7 0	
Cost of Conversion		153 4 0	169 14 7	
		<u>£250 6 0</u>	<u>£267 1 7</u>	

ORDNANCE.	Rate.						
	Per	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Ordnance, without sights, continued—							
Cast-iron, R.M.L. converted guns—		£	s.	d.	£	s.	d.
64 pounder { 71 cwt.	each	201	5	2	222	15	3*
58 cwt.	"	193	13	5	215	2	6*
Steel, R.M.L., 7 pounder—							
190 lb. (Mark I)	"	48	13	2	57	15	1
150 " (Mark II and III)	"	34	2	1	39	3	7
200 " (Mark IV)	"	33	4	8	38	13	11
400 " (Mark I)	"	78	17	10	95	17	9
Wrought-iron, R.B.L. (interrupted screw) guns, complete (with articles as described in pages 305)							
6 inch { 80 cwt. (80 pr.) (Mark I)	"	605	0	0§	—		
81 cwt. (Mark II)	"	231	17	7	1,014	18	4
25 pounder { 22½ cwt.	"	405	10	6	494	18	11
13½ "	"	342	9	6	417	19	10
Wrought-iron, R.B.L., screw guns, complete (with articles as described in page 306)—							
7 inch—							
82 cwt. { Land service	"	396	14	1	444	5	0
Sea service	"	398	2	9	445	18	2
72 cwt. land service	"	465	6	3	521	1	10
40 pounder, 35 cwt., and 32 cwt.†—							
Land service { With iron vent piece	"	206	5	9	231	7	4
" steel "	"	207	11	10	232	16	6
Sea " { " iron "	"	206	11	4	231	13	8
" steel "	"	207	17	5	233	2	9
20 pounder‡—							
16 cwt., land service—							
With iron vent piece	"	116	17	8	131	3	10
" steel "	"	119	0	1	133	11	4
13 or 15 cwt., sea service—							
With iron vent piece	"	117	2	2	131	8	11
" steel "	"	119	4	6	133	16	4
12 pounder, 8 cwt.—							
Land service { With iron vent piece	"	81	11	4	91	11	10
" steel "	"	83	6	9	93	11	7
Sea " { " iron "	"	81	16	11	91	18	1
" steel "	"	83	12	5	93	17	10
9 pounder, 6 cwt.—							
Land service	"	71	17	8	80	14	9
Sea "	"	72	2	2	80	19	9
6 pounder, 3 cwt.—							
Land service	"	47	10	4	53	8	6
Sea "	"	47	14	11	53	13	8

* These prices are made up as follows:—

	71 cwt.		58 cwt.	
	No. 1 B.S.	No. 2 B.S.	No. 1 B.S.	No. 2 B.S.
Value of original gun ..	£ 67 2 0	£ 67 7 0	£ 60 2 0	£ 60 7 0
Cost of conversion ..	134 3 2	155 8 3	133 11 5	154 15 6
	£201 5 2	222 15 3	£193 13 5	215 2 6

† If with steel tubes, £28 5 0 No. 1 B.S., and £31 12 10 No. 2 B.S., extra.

‡ If with steel tubes, £14 4 0 No. 1 B.S., and £15 17 11 No. 2 B.S., extra.

§ This is a Contract rate.

Section V.

305

Articles to complete R.B.L. interrupted screw guns, on preceding pages.	6 inch.		25 pounder.	
	80 cwt. (80-pr.) Mark I.	81 cwt. Mark II.	22½ cwt.	13½ cwt.
Bolts, vent, with spring and nut	1	0	0	0
Brackets—				
Elevating, with two steel pivots, two pins, keep, and five screws, fixing	1	1*	0	0
Retaining, carriers, with two screws, fixing	1	0	0	0
Sight, trunnion, with three screws, fixing	0	1	0	0
Carriers, complete—				
With hinge pin	0	1†	1†	1†
With hinge pin, washer and keep pin ..	1	0	0	0
Catches—				
Carrier	0	1	1	1
Clip, retaining, lever	1	1	1	1
Clips, retaining, for carrier, with spiral spring and stud	0	1	1	1
Cups, obturating, small	1	1	1	1
Discs, brass, vent bolt.. ..	3	0	0	0
Heads, vent	0	1	0	0
Holders, needle—				
Electrical, with screw nut	1	0	0	0
Mechanical, with needle, spring, and screw nut.. ..	1	0	0	0
Pieces, pivot, for elevating arc, with plate, elevating, 1 steel pivot, pin, keep, and four screws, fixing, or	0	0	1	1
Racks, elevating, with two screws, fixing, for Vavasseur's carriage.*				
Pins, friction tube	0	0	1	1
Plates—				
Guide	0	0	1	1
Hinge, with screws, fixing†	0	1	1	1
Rings, sight, bronze, with six screws, fixing	1	0	0	0
Screws, breech, interrupted thread—				
With lever, clip retaining, and four screws, fixing	0	1	1	1
With lever, safety slide, hammer, and clip, retaining	1	0	0	0
Screws, preserving—				
Bracket { elevating	5	5*	0	0
retaining	2	0	0	0
trunnion sight	0	6	0	0
Elevating { plate	0	0	4*	4*
rock	0	0	2*	2*
Sockets, sight, with set screw, centre hind ..	1	1	0	0
Spindles for cups, with spring and two nuts	0	0	1	1
Vents—				
Axial, with washer	0	1	0	0
Removeable	0	0	1	0

* Or such other elevating attachment, or preserving screws for ditto as may be required for the particular nature of carriage on which to be mounted.

† Consisting of carrier, with plate cover and four screws, fixing, having within lever A, spindle and spring for ditto, and lever B, spindle, stop, and spring for ditto.

‡ Three screws for 6 inch, two screws for 25 pounder.

Articles to complete R.B.L. screw guns, on page 304.	7 inch.		40-pr.			20-pr.			12-pr.		9-pr.		6-pr.	
	82 cwt.		35 or 32 cwt.			16 cwt.			8 cwt.		6 cwt.		3 cwt.	
	land	sea	land	land	sea	land	sea	sea	land	sea	land	sea	land	sea
Crutches, with screws ..	0	0	0	0	1	0	1	1	0	1	0	1	0	1
Eyes, elevating ..	0	0	0	0	0	1	0	0	1	0	1	0	1	0
Levers, with two keep pins ..	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Patches, elevating ..	0	0	0	0	0	0	0	0	0	1	0	1	0	1
Pieces, pivot, complete ..	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Pieces, vent ..	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pins, friction, tube ..	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Plates, guide ..	0	1	0	0	1	0	1	1	0	1	0	1	0	1
Rings—														
Indicator ..	1	1	1	1	1	0	0	0	0	0	0	0	0	0
Tappet ..	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Saddles, metal, with screws ..	1	1	1	0	0	0	0	0	0	0	0	0	0	0
Screws—														
Breech ..	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Copper, set ..	0	0	0	0	0	2	2	2	2	2	2	2	2	2
Plate, elevating ..	0	0	0	0	0	0	3	3	0	0	0	0	0	0
Preserving—														
Crutch ..	0	0	0	2	0	2	0	0	2	0	2	0	2	0
Elevating, plate ..	0	0	0	0	0	3	3	0	0	0	0	0	0	0
Friction tube pin ..	1	0	1	0	0	0	0	0	0	0	0	0	0	0
Guide plate ..	1	0	0	1	0	0	0	0	1	0	1	0	1	0
Sockets, sight, metal, with fixing screws, tangent scale	0	0	2	0	0	0	0	0	0	0	0	0	0	0

ORDNANCE.		Rate.					
		Per	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
Ordnance without sights, continued—							
<i>Wrought-iron, R.B.L., wedge guns—</i>							
64 pounder, 61 cwt.	each	£	s.	d.	£	s.	d.
40 pounder, 32 cwt.	"	514	16	4	517	4	9
		247	7	6	277	9	0
<i>Wrought-iron, without fittings—</i>							
<i>R.M.L.—</i>							
<i>Guns—</i>							
17·72 inch, 100 tons	"	—		—			
16 inch, 80 tons.	"	10,075	18	5	12,140	19	2
12·5 inch, 38 tons { (Mark I)	}	3,197	2	4	3,666	4	5
(Mark II)							
12 inch, 35 tons.	"	2,226	1	5	2,454	13	4
12 inch, 25 tons { (Mark I)	}	2,371	14	10	2,628	10	9
(Mark II)							
11 inch, 25 tons { (Mark I)	}	1,628	19	7	1,807	2	11
(Mark II)							
10 inch, 18 tons { (Mark I)	}	1,819	9	7	2,054	10	11
(Mark II)							
9 inch, 12 tons { (Mark I)	}	1,145	3	9	1,313	5	9
(Mark II)							
(Mark III)							
(Mark IV and V)							
	"	1,242	12	9	1,420	12	6
	"	1,024	19	3	1,126	6	4
	"	856	4	6	938	7	5
	"	791	19	9	898	0	0
	"	848	14	3	928	12	3

ORDNANCE.	Rate.						
	Per	No. 1 Balance Sheet.			No. 2 Balance Sheet.		
Ordnance without sights, continued—							
Wrought-iron, without fittings—		£	s.	d.	£	s.	d.
R.M.L.—							
Guns—							
8 inch, 9 tons { (Mark I)	each	824	9	6	903	12	5
{ (Mark II and III)	"	589	16	0	660	15	8
7 inch, 7 tons { (Mark I)	"	831	16	8	968	3	6
{ (Mark II)	"	479	13	8	535	8	11
{ (Mark III)	"	479	13	8	535	8	11
{ (Mark IV)	"	540	14	8	611	13	6
7 inch, 6½ tons { (Mark I)	"	649	12	1	755	3	11
{ (Mark II and III)	"	445	19	5	501	9	6
7 inch, 90 cwt. { New (Mark I)	"	420	4	4	486	8	11
{ Reduced	"						
6½ inch, 70 cwt.	"	409	13	3	500	0	2
64 pounder, { (Mark I)	"	376	3	7	405	10	11
64 cwt. { (Mark II)	"	230	6	8	253	12	9
{ (Mark III) { Iron tube	"	219	14	1	244	5	5
{ Steel	"	315	3	4	368	9	4
40 pounder, 35 cwt. { (Mark I)	"	193	0	8	213	0	3
{ (Mark II)	"	212	9	3	239	6	1
25 pounder, 18 cwt.	"	143	2	2	166	6	2
16 pounder, 12 cwt.	"	101	3	3	116	8	3
13 pounder, 8 cwt.	"	117	13	0	133	4	11
9 pounder, { Land service (Mark I)	"	89	19	1	105	2	11
8 cwt. { Sea service (Mark II)	"	87	1	3	96	2	4
9 pounder, { Sea service (Mark I)	"	67	4	11	77	4	5
6 cwt. { Land service (Mark II)	"	80	0	10	90	3	10
Howitzer—							
8 inch, 70 cwt.	"	392	18	6	479	1	8
8 inch, 46 cwt.	"	287	2	1	324	7	1
6½ inch, 36 cwt.	"	253	13	5	308	8	10
6½ inch, 18 cwt.	"	167	2	11	193	7	7
Smooth bore, 100 pounder, 6½ tons	"	709	5	6	739	7	0
Outriggers, wrought-iron—							
Lumber, siege, carriage, wrought-iron	"	0	10	10	0	11	11
Platform wagon	"	0	11	7	0	12	9
Packing, lead, for sights of cast-iron smooth bore guns—							
Fore sight { Thick	"	0	0	3½	0	0	4½
{ Thin	"	0	0	2½	0	0	3
Hind sight { Thick	"	0	0	3½	0	0	4
{ Thin	"	0	0	2½	0	0	3
Packings, leather—							
Jack, hydraulic, rear roller, carriages, wrought-iron—							
Garrison, R.M.L., 12½ inch, and 12 inch, 35 tons, pieces, 11. (See Naval R.M.L., 12 inch, 35 tons, to 10 inch, turret.)							
Naval, R.M.L. 12 { Sliding, pieces, 7.. .. .	set	0	3	6	0	3	10
{ Turret, also 35 tons, and Garrison, 12½ inch, and 12 inch, 35 tons, pieces, 11	"	0	6	1	0	6	8
Ram, plunger, stop valve, &c., lifting gear, carriages, wrought-iron, naval, turret, R.M.L.—							
12 inch, 35 tons, pieces, 19	"	0	10	2	0	11	2
11 or 12 inch, 25 tons, and 10 inch, pieces, 15	"	0	9	5	0	10	4

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pads, elastic, pieces—		£ s. d.	£ s. d.	£ s. d.
Carriages, naval—				
Sliding—				
Steel, R.M.L. 64 pounder (Mark III)	each	0 1 8	—	—
Wood, R.B.L. 20 pounder gun vessel	"	0 1 0	—	—
Wrought-iron, { 9 inch, 8 inch, and 7 inch,				
6½ tons	"	0 3 9	—	—
R.M.L. { 7 inch, 90 cwt.	"	0 1 9	—	—
64 pounder (Mark I and II)	"	0 1 9	—	—
Turret, R.M.L., 9 inch "Scorpion" ..	"	0 1 4	—	—
Carriages, garrison, also platform, small port,				
R.M.L. 12·5 inch, and slides, rear, R.M.L.				
10 inch	"	0 10 6	—	—
Parting, compressor plates, platform,				
traversing, wrought-iron, R.M.L., 12·5				
inch—				
Casemate { 7 feet recoil	"	0 2 10	—	—
6 " "	"	0 1 11	—	—
Dwarf { "C" " "	"	0 6 0	—	—
"D" " "	"	0 6 0	—	—
Slides, wrought-iron—				
11 inch, "Téméraire"				
type, also rear	"	0 14 0	—	—
Buffer, front, { 10 inch "Sultan" type,				
R.M.L. { and gunboat	"	0 15 0	—	—
9 inch, "Sultan" type	"	0 12 0	—	—
7 " 90 cwt.	"	0 1 4	—	—
Buffer, rear—				
10 inch, "Sultan" type ..	"	0 10 6	—	—
9 " "Sul- (Top ..	"	0 1 2	—	—
R.M.L. { tan" type { Bottom ..	"	0 1 3	—	—
64 pounder (Mark IV and	"	0 0 3	—	—
V)	"	0 1 0	—	—
R.B.L. 20 pounder gun vessel ..	"	0 1 0	—	—
Fork, R.M.L. 12 inch, "Belleisle," and				
10 inch, "Sultan" type	"	0 0 3	—	—
Panniers, rocket, 9 pounder (Hales)—				
Near	"	—	2 4 0	2 6 8
Off	"	—	2 4 0	2 6 8
Pans, drip, zinc, hydraulic buffer*—				
Naval, covered—				
Gland, R.M.L.—				
No. 1, 12 inch, 25 tons, turret, 11 inch,				
and 7 inch 90 cwt.; gland and run				
off cock, 10 inch turret; run off				
cock, 10 inch "Hercules"; also				
land service, gland platform, 12·5				
inch, casemate, and small port 6 feet				
recoil, and gland and run off cock,				
platform, 12·5 inch, dwarf	"	—	0 3 0	0 3 4
No. 3, 12 inch, 25 ton, "Belleisle," and				
10 inch, "Sultan"	"	—	0 4 2	0 4 7
No. 10, 10 inch, gunboat	"	—	0 5 8	0 6 3
No. 5, gland, R.B.L. 20 pounder, gun				
vessel; R.M.L., 12 inch, 35 and				
25 tons, turret, and 7 pounder; also				
run off cock, 12 inch, 25 tons,				
turret	"	—	0 3 0	0 3 4

* Nos. 1 to 6, and 9 and 10, have a small hole at top with screw stopper. Nos. 7 and 8 have a spout.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pans, drip, zinc, hydraulic buffer,* continued—		£ s. d.	£ s. d.
Naval covered—			
Run off cock—			
R.M.L.—			
No. 2, 11 inch; also land service, plat-	each		
form, 12½ inch, casemate, and small port			
6 feet recoil		0 6 0	0 6 7
No. 4, 12 inch, 25 tons, "Belleisle," 10 inch,			
"Sultan," and 7 inch 90 cwt.; also land			
service, 64 pounder, 64 cwt., 5 feet 6 inch			
parapet		0 3 1	0 3 5
No. 6, R.B.L. 20 pounder, gun vessel ..		0 3 0	0 3 4
Gland and run off cock—			
No. 7, R.B.L. 20 pounder, upper deck ..		0 5 0	0 5 6
No. 9, R.M.L. 9 inch, turret		0 9 9	0 10 9
No. 8, R.M.L. 9 pounder; also land service,			
gland, platform, R.M.L. 64 pounder, 64			
cwt., 5 feet 6 inch parapet		0 5 0	0 5 6
Land service, open, gland, No. 11, { (Mark I)† ..		0 2 6	0 2 9
platform, R.M.L., 12 inch, 25 { (Mark II)† ..		0 9 5	0 10 3
tons, to 7 inch { (Mark III)‡ ..		0 9 5	0 10 3
Pans, metal, elevating screws, carriages, wood—			
Travelling—			
{ 40 pounder, also S.B. to 18 pounder ..		0 18 5	1 0 3
R.B.L. { 20 and 12 pounder		1 8 6	1 11 4
{ 9 pounder		1 4 3	1 6 8
{ 6		0 15 4	0 16 10
R.M.L., 64 pounder		1 6 0	1 8 7
S.B. { 9 and 6 pounder guns, 24 and 12 pounder			
howitzers		0 19 6	1 1 5
{ 3 pounder gun, and 4½ inch howitzer ..		0 9 9	0 10 9
With bolts, { R.B.L. 7 inch, S.B. 10 inch, 68 and			
garrison { 56 pounder		1 14 4	1 17 9
{ R.B.L. 64 and 40 pounder, S.B.			
8 inch to 18 pounder		1 10 0	1 13 0
Parachutes (see Balls, light).			
Patches—			
Bronze—			
Guide, R.M.L. gun, 16 inch		12 9 6	15 4 6
Preserving muzzle sight, with screws, R.M.L.—			
Gun, 9 pounder, 6 cwt., sea service ..		0 3 6	0 4 0
Howitzers { 8 inch 46 cwt.		0 3 6	0 4 0
{ 6½ " 18 "		0 3 6	0 4 0
Metal, elevating { 12 pounder		0 5 8	0 6 0
eye, R.B.L. { 9		0 7 6	0 8 8
guns { 6		0 5 0	0 5 10
Pawls, wrought-iron—			
Brake, gear, training—			
With pin and key, slides, wrought-iron, R.M.L.—			
11 inch "Téméraire" and 10 inch		0 14 0	0 15 5
With collar—			
12 inch 25 tons, "Belleisle" type		0 13 1	0 14 5
{ "Audacious" upper deck		0 13 1	0 14 5
9 inch { "Sultan" type, side		0 13 1	0 14 5
{ Service and "Lord Clyde"		0 13 1	0 14 5

* Nos. 1 to 6, and 9 and 10, have a small hole at top with screw stopper. Nos. 7 and 8 have a spout.

† 4½ inches square and 1½ inch deep.

‡ 4½ inches square at bottom, sloping to 5½ inches square at top, and 1½ inch deep.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pawls, wrought-iron, continued—		£ s. d.	£ s. d.
Brake, gear, training—			
With pin and key, slides, wrought-iron, R.M.L.—			
With collar—			
8 inch	each	0 13 1	0 14 5
And traversing, slide, wrought-iron, R.M.L.			
9 inch, "Sultan" type, revolving and			
"Shannon," side and revolving	"	0 13 1	0 14 5
Cart or wagon, wood, sling	"	0 4 9	0 5 3
Gear, running in and out, slide, wrought-iron,			
naval R.M.L.—			
12 inch, 25 tons, "Belleisle" type, { Right ..	"	1 1 6	1 3 8
and 10 inch, "Sultan" type { Left ..	"	1 1 6	1 3 8
11 inch, "Téméraire" type { Right ..	"	1 1 6	1 3 8
{ Left ..	"	1 1 6	1 3 8
10 inch, "Hercules" { Right ..	"	1 1 6	1 3 8
{ Left ..	"	1 1 6	1 3 8
9 inch { "Sultan" type { Right ..	"	0 14 5	0 15 10
{ Service and "Lord Clyde," also 8 inch	"	0 14 5	0 15 10
Rack, gear, retaining, carriage, garrison, wrought-			
iron, Moncrieff—			
R.B.L. 7 inch { Left ..	"	0 8 7	0 9 8
{ Right ..	"		
R.M.L.—			
9 inch (Mark II) { Left ..	"		
{ Right ..	"		
7 " (Mark II) { Left ..	"		
{ Right ..	"		
5½ pounder, 58 cwt. { Left ..	"		
{ Right ..	"		
Retaining, lever, gear, nipping, carriage, garrison,			
wrought-iron, sliding, R.M.L.—			
12½ inch, small port	"		
12½ "	"		
12 inch, 35 tons	"		
Spur, wheel, main shaft, gear, retaining, carriage,			
garrison, wrought-iron, Moncrieff, R.M.L.			
9 inch (Mark II)	"		
Wagon, iron, sling, light	"		
Pawls, wood, cart or wagon, sling	"	0 3 6	0 3 10
Pedestals, wood, carriages, garrison, wood—			
Common { R.B.L. 40 pounder ..	"	0 4 0	0 4 5
standing { R.M.L. 58 cwt. ..	"	0 3 6	0 3 10
{ S.B. { 8 inch, or 32 pounder ..	"	0 3 10	0 4 3
{ 24 or 18 pounder ..	"	0 3 9	0 4 2
Rear chock, S.B. howitzer, 10 or 8 inch ..	"		
Sliding, casemate—			
R.B.L. { 7 inch ..	"	0 4 1	0 4 6
{ 6½ pounder, also dwarf, 18 pounder ..	"	0 4 3	0 4 8
40 " ..	"	0 3 9	0 4 2
R.M.L. 58 cwt. ..	"		
S.B. { 10 inch, or 68 pounder ..	"	0 4 1	0 4 6
{ 8 inch ..	"	0 4 9	0 5 3
Sliding, dwarf—			
R.B.L. { 7 inch ..	"	0 4 7	0 5 1
{ 6½ pounder ..	"	0 5 0	0 5 6
40 " ..	"	0 4 7	0 5 1
R.M.L. 58 cwt. ..	"		
S.B. { 10 inch, or 68 pounder ..	"	0 5 2	0 5 8
{ 8 inch to 24 pounder, and 8 inch rear			
chock, also R.M.L. 61 pounder 71 cwt. ..	"	0 4 9	0 5 3

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pendulums—				
Brass, with board	each	—	£ s. d. 1 17 10	£ s. d. 2 2 5
Life saving apparatus	"	—	0 1 8	0 1 9
Perches, wood, wagon—				
Ammunition, R.B.L. 9 pounder and up-wards	"	—	1 16 0	1 19 7
Platform, prepared	"	—	0 18 0	0 19 10
Perpendiculars, laying mortars, in case ..	"	0 17 0	—	—
Pieces, pivot,* for elevating arc, with plate, metal, elevating, steel pivot, keep-pin and fixing screws†—				
R.M.L. guns—				
12·5 inch, sea service and land service (special for Armstrong hydraulic carriages) §—				
Right { Bottom	"	—	3 14 0	4 10 4
or Left { Top	"	—	3 14 0	4 10 4
(Mark I) for 12·5 inch, 38 { Bottom	"	—	3 14 0	4 10 4
tons (Mark I and II) § { Top ..	"	—	3 14 0	4 10 4
(Mark II) small port, for 12·5 inch, 38 tons (Mark I and II), centre ..	"	—	4 10 0	5 9 5
(Mark I) for 12 inch, 35 tons †—				
Right { Bottom	"	—	3 14 0	4 10 4
Top	"	—	3 14 0	4 10 4
(Mark II) for 12 inch, 35 tons †—				
Left { Bottom	"	—	3 14 0	4 10 4
Top	"	—	3 14 0	4 10 4
Special, for 12 inch, 25 tons { Left ..	"	—	3 14 0	4 10 4
(Mark I) † { Right ..	"	—	3 14 0	4 10 4
(Mark I or II) for 12 inch, { Left ..	"	—	3 14 0	4 10 4
25 tons (Mark II) † { Right ..	"	—	3 14 0	4 10 4
Special, for 11 inch { Left ..	"	—	3 8 0	4 8 0
(Mark I) † { Right ..	"	—	3 8 0	4 8 0
(Mark I or II) for 11 inch { Left ..	"	—	3 8 0	4 8 0
(Mark II) † { Right ..	"	—	3 8 0	4 8 0
(Mark III) for 11 inch (Mark II), "Alexandra" and { Left	"	—	3 8 0	4 8 0
"Téméraire" class † { Right	"	—	3 8 0	4 8 0
(Mark IV) for 11 inch (Mark II) barbette of "Téméraire" { Left	"	—	12 0 6	14 13 6
to suit Armstrong's elevating arrangement ¶ { Right	"	—	12 0 6	14 13 6
Special for 10 inch (Mark I) † { Left	"	—	3 8 0	4 8 0
{ Right	"	—	3 8 0	4 8 0
(Mark I or II) for 10 inch { Left ..	"	—	3 8 0	4 8 0
(Mark II) † { Right ..	"	—	3 8 0	4 8 0
(Mark III) for 10 inch { Left ..	"	—	5 7 0	6 10 6
(Mark II), small port § { Right ..	"	—	5 7 0	6 10 6
(Mark IV) with projecting { Left	"	—	3 8 0	4 8 0
boss, for 10 inch (Mark I) † { Right	"	—	3 8 0	4 8 0

* The marks of the pieces, pivot, are guided by the marks of the plates, metal, elevating.

† The number of fixing screws is as follows, viz., those marked—

‡ have 4.
 § " 6.
 || " 8.
 ¶ " 9.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pieces, pivot,* for elevating arc, continued—		£ s. d.	£ s. d.
With plate, metal, elevating steel pivot, keep-pin, and fixing screws†—			
R.M.L. guns—			
(Mark I) for 9 inch (Mark I)§ { Left .. each		2 1 2	2 7 3
{ Right .. "		2 1 2	2 7 3
(Mark II) for 9 inch (Mark III)§ { Left .. "		2 1 2	2 7 3
{ Right .. "		2 1 2	2 7 3
(Mark III) for 9 inch (Mark II, { Left .. "		2 1 2	2 7 3
IV, or V)§ { Right .. "		2 1 2	2 7 3
(Mark IV) for 9 inch (Mark I), { Left .. "		2 1 2	2 7 3
fitted for "Sultan" class§ { Right .. "		2 1 2	2 7 3
(Mark I) for 8 inch (Mark I)§ { Left .. "		1 17 10	2 3 6
{ Right .. "		1 17 10	2 3 6
Special, for 8 inch (Mark II)§ { Left .. "		1 17 10	2 3 6
{ Right .. "		1 17 10	2 3 6
(Mark II) for 8 inch (Mark III)§ { Left .. "		1 17 10	2 3 6
{ Right .. "		1 17 10	2 3 6
(Mark I) for 7 inch (Mark I), 7 tons§ { Left .. "		1 17 0	2 2 6
{ Right .. "		1 17 0	2 2 6
Special, for 7 inch (Mark II), 7 tons§ { Left .. "		1 17 0	2 2 6
{ Right .. "		1 17 0	2 2 6
(Mark II) for 7 inch (Mark III), { Left .. "		1 17 0	2 2 6
7 tons§ { Right .. "		1 17 0	2 2 6
(Mark III) for 7 inch (Mark IV), { Left .. "		1 14 6	2 0 6
7 tons§ { Right .. "		1 14 6	2 0 6
(Mark I) for 7 inch (Mark I), { Left .. "		1 17 0	2 2 6
6½ tons§ { Right .. "		1 17 0	2 2 6
Special for 7 inch (Mark II) 6½ tons§ { Left .. "		1 17 0	2 2 6
{ Right .. "		1 17 0	2 2 6
(Mark II) for 7 inch (Mark III), { Left .. "		1 17 0	2 2 6
6½ tons§ { Right .. "		1 17 0	2 2 6
(Mark I) for 7 inch, 90 cwt.‡ { Left .. "		1 14 6	2 0 6
{ Right .. "		1 14 6	2 0 6
(Mark I) for 64 pounder, 64 cwt. (Mark II), right§		1 14 6	2 0 6
(Mark I) for 64 pounder, 64 cwt. (Mark III) right§		1 14 6	2 0 6
(Mark I) for 40 pounder, 35 cwt. (Mark I) right‡		1 14 6	2 0 6
(Mark I) for 40 pounder, 35 cwt. (Mark II) right§		1 14 6	2 0 6
(Mark I) for 8 inch howitzer, 70 cwt.§ ..		2 0 0	2 6 9
(Mark I) for 8 inch howitzer, 46 cwt. right‡ ..		1 12 0	1 17 0
(Mark I) for 6·6 howitzer, 36 cwt. § ..		1 15 0	2 1 0
(Mark I) for 6·3 inch howitzer, 18 cwt., right§		1 8 2	1 12 7
(Mark I) for 25 pounder, right‡		1 2 0	1 6 10
R.B.L. interrupted screw guns—			
(Mark I) for 25 pounder, 22½ cwt. § ..		2 3 0	2 8 0
(Mark I) for 25 pounder, 13½ cwt. § ..		1 18 0	2 6 4
R.B.L. screw guns—			
(Mark I) for 20 pounder, 15 cwt., right‡ ..		1 10 8	1 15 2
(Mark I) for 20 pounder, 13 cwt., right‡ ..		1 10 8	1 15 2

* The marks of the pieces, pivot, are guided by the marks of the plates, metal, elevating.

† The number of fixing screws is as follows, viz., those marked—

‡ have 3.
§ " 4.

|| The pivot pieces (Mark I) for 64 pounder of 64 cwt. (Mark II) and (Mark III) respectively, are different.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pieces, pivot, for elevating arc, continued—		£ s. d.	£ s. d.
With plate, metal, elevating, bolt, washer, keep-pin, and fixing screws*—			
For Moncrieff, counterweight carriage (Mark II)—			
For 9 inch, R.M.L. of 12 tons	each	5 0 0	5 13 0
" 7 " " " 7 " †	"	5 0 0	5 13 0
" 64 pounder, converted, of 58 cwt. ‡ ..	"	4 8 0	4 18 0
For overbank carriage—			
(Mark II) for 64 pounder, 64 cwt. (Mark III)†—			
Breech	"	4 8 0	4 18 0
Muzzle	"	4 1 0	4 10 0
(Mark II) for 40 pounder, 35 cwt. (Mark II)†—			
Breech	"	4 1 0	4 10 0
Muzzle	"	3 16 0	4 5 0
(Mark II) for 25 pounder, 18 cwt. (Mark I)†—			
Breech	"	3 11 0	3 19 0
Muzzle	"	3 6 0	3 14 0
With plate, wrought-iron, elevating, washer, screw- bolt, and fixing screws, R.M.L. guns—			
(Mark I) for 6.6 inch, 70 cwt. † { Left ..	"	8 16 10	10 2 6
.. .. . { Right ..	"	8 16 10	10 2 6
Pieces, tail, sling cart	"	0 12 0	0 13 2
Pieces, vent, for R.B.L. guns—			
7 inch { Iron	"	11 2 6	12 4 9
{ Steel	"		
40 pounder { Iron	"	5 19 2	6 13 6
{ Steel	"	7 4 9	8 4 10
{ Drill, with white metal face.. ..	"	2 10 0½	2 18 5
20 pounder { Iron	"	4 4 7	4 14 9
{ Steel	"	6 8 4	6 17 9
12 " { Iron	"	3 5 4	3 13 2
{ Steel	"	4 14 8	4 16 0
9 " iron	"	3 5 4	3 13 2
6 " " "	"	2 8 10	2 14 8
Pinions, cast-iron, platforms, wrought-iron—			
Bevel, double, R.M.L.—			
11 or 12 inch, 25 tons, { Central, 15 teeth	}	"	"
dwarf " C " { Side, 15 teeth			
10 inch, dwarf { " C " { Central, 15 teeth	}	"	"
{ " D " side, 30 teeth ..			
9 inch, dwarf { " C " { Central, 18 teeth	}	"	"
{ " D " side, 38 and 32 teeth ..			
Bevel, second motion, R.M.L.—			
11 or 12 inch, { Double plate, carriage, 18 teeth	}	"	"
25 tons, case- { Single " " 18 "			
mate, to work { within length			
10 inch (Mark I), to work within length, 19 teeth	"		

* The number of fixing screws is as follows, viz., those marked—

† have 4.

‡ " 6.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pinions, cast-iron, platforms, wrought-iron,		<i>£ s. d.</i>	<i>£ s. d.</i>
<i>continued—</i>			
Bevel, shaft,—			
Cross, R.M.L.—			
11 or 12 inch, 25 tons—			
Casemate { To work within length { Double plate carriage, 16 teeth Single plate carriage, 16 inch	each		
Side, 16 teeth			
Rear, 16 "			
Dwarf "A," rear 15 teeth	"		
10 inch—			
Casemate—			
Small port, 15 teeth	"		
To work within length { (Mark I) 15 teeth	"		
(Mark II) { Left	"		
17 teeth { Right	"		
Special, 15 teeth	"		
Side, 15 teeth	"		
Rear, 15 teeth	"		
(Mark II), 17 teeth { Left	"		
Right	"		
Dwarf "A," { Side	"		
15 teeth { Rear	"		
9 inch—			
Casemate { To work within length, 15 teeth	"		
Side, 15 teeth	"		
Rear, 15 "	"		
Dwarf "A," rear, 4 "	"		
Longitudinal—			
Front, R.M.L.—			
11 or 22 inch, 25 tons, dwarf "C" { Central, 15 teeth	"		
Side, 15 "	"		
10 inch, dwarf { "C" { Central, 15 "	"		
"D," side, 16 "	"		
9 inch, dwarf { "C" { Central, 18 "	"		
"D," side, 16 "	"		
Rear, R.M.L.—			
11 or 12 inch, 25 tons, { Central, 15 "	"		
dwarf "C" { Side, 15 "	"		
10 inch, dwarf "C" { Central, 15 "	"		
Side, 15 "	"		
9 inch, dwarf { "A," rear, 13 "	"		
"C" { Central, 18 "	"		
Side, 18 "	"		
Winch handle R.M.L.—			
11 or 12 inch, 25 tons, casemate, side, 19 teeth	"	0 10 7	0 11 8
9 inch, casemate, side, 19 teeth	"	0 8 11	0 9 10
11 " dwarf, "C," side .. { 15 teeth	"	0 9 3	0 10 2
9 " dwarf, "C," side .. { 15 teeth	"	0 9 3	0 10 2
10 " casemate (Mark I), side, 15 teeth	"	0 9 3	0 10 2
10 inch, small port, and 9 inch, dwarf "D," side .. { 15 teeth	"	0 9 3	0 10 2
10 inch—			
Dwarf { "A," side, 15 teeth	"	0 9 3	0 10 2
"C," " 15 "	"	0 9 3	0 10 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pinions, cast-iron, platforms, wrought-iron, <i>continued—</i>		£ s. d.	£ s. d.
Bevel, shaft—			
Winch handle, R.M.L.—			
10 inch—			
Casemate { (Mark II), side, to work.. } within length, 15 teeth.. } each		0 9 1	0 10 0
(Mark II,) 15 teeth .. }			
9 inch, dwarf "A," rear, 12 teeth	"	0 7 2	0 7 11
Spur, shaft—			
Longitudinal, R.M.L.—			
11 or 12 inch, 25 tons, dwarf "C," central, 12 teeth	"		
9 inch, dwarf "C," central, 13 teeth	"		
Winch handle, R.M.L.—			
Casemate, 13 teeth.. ..	"	0 9 4	0 10 3
12.5 inch { Dwarf "C" and "D," and 12 inch, 35 tons, dwarf "C," 11 teeth	"	0 8 8	0 9 6
11 or 12 inch, 25 tons—			
Single plate carriage, { To work { 15 teeth } within { Double plate carriage length { 13 teeth } Casemate { Rear, 13 teeth } { "A" rear, 14 teeth } Dwarf { "C" central, 12 teeth }	"	0 9 4	0 10 3
10 inch—			
{ (Mark I), rear, 12 teeth } { (Mark I), side, to work within length, 12 teeth } Casemate { Special, to work withinlength, 12 teeth	"	0 6 5	0 7 1
{ "C," central, 12 teeth } Dwarf { "A," rear, 12 teeth }	"	0 7 1	0 7 10
{ "C," central, 12 teeth } { "A," rear, 12 teeth }	"	0 9 6	0 10 5
{ "C," central, 12 teeth } { "A," rear, 12 teeth }	"	0 9 0	0 9 11
{ "C," central, 12 teeth } { "A," rear, 12 teeth }	"	0 7 5	0 8 2
Spur, second motion, R.M.L.—			
12.5 inch, casemate, 12 teeth	"	0 16 1	0 17 8
12.5 inch, dwarf "C" and "D," also 12 inch, 35 tons, dwarf "C," 12 teeth	"	0 10 4	0 11 4
11 inch, dwarf "D," side, 12 teeth	"		
10 " casemate (Mark II), side, to work with- in length, 13 teeth	"	0 9 3	0 10 2
9 inch { Casemate, side, to work within length, 21 teeth } Dwarf "C," central, and side, 13 teeth	"	0 12 8	0 13 11
{ Casemate, side, to work within length, 21 teeth } Dwarf "C," central, and side, 13 teeth	"	0 9 0	0 9 11
Spur, third motion, R.M.L.—			
11 or 12 inch, 25 tons, casemate, to work within length—			
Double plate carriage, 13 teeth }	"		
Single " " " 13 " " " }	"		
10 inch, casemate, to work within length—			
Mark I, 18 teeth	"		
Special, 20 teeth.. .. .	"		
9 inch, casemate, to work within length, 13 teeth	"		
Pinions, metal—			
Carriage, wrought-iron, garrison, R.M.L., 12.5 inch, casemate, small port—			
Bevel, with screws, 18 teeth	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pinions, metal, continued—		£ s. d.	£ s. d.
Carriage, wrought iron, garrison, R.M.L., 12·5 inch casemate, small port—			
Bevel, shaft { Longitudinal, 16 teeth .. each			
Winch handle, 20 teeth .. "			
Segment, with screws { Left.. .. "			
Right "			
Platform, wrought-iron, R.M.L.—			
Bevel clutch—			
12·5 inch, casemate, small port, 14 teeth .. "			
12 inch, 35 tons, dwarf "C," 16 teeth .. "			
11 or 12 inch, 25 tons—			
Casemate { To work within length { Double plate carriage, 16 teeth ..			
Single plate carriage, 16 teeth ..			
Side, 16 teeth			
Rear, 16			
Dwarf "A," rear			
10 inch—			
Casemate—			
Small port 18 teeth } ..			
To work within length { Mark I 18 ..			
Mark II 17 ..			
Special 21 ..			
Side.. .. 18 ..			
Rear 18 ..			
Mark II 17 ..			
Dwarf "A" { Side.. .. 21 ..			
Rear 21 ..			
9 inch—			
Casemate { To work within length 18 ..			
Side 18 ..			
Rear 18 ..			
Dwarf "A," rear 18 ..			
Bevel, cone, friction, 12·5 inch—			
Casemate { 7 feet recoil.. .. 14 ..			
6 " " 14 ..			
Dwarf { "C" 16 ..			
"D" 22 ..			
Bevel, shaft—			
Traversing—			
12·5 inch, { Small port .. 13 ..			
casemate { 7 feet recoil .. 14 ..			
6 " " .. 14 ..			
12 inch, 35 tons, dwarf "C" 23 ..			
Winch handle—			
10 inch, dwarf "D," side .. 15 ..			
9 " " "C," central 15 ..			
Bevel and spur—			
12·5 inch, dwarf "D," 15 and 14 teeth ..			
9 inch, casemate, side, 19 and 10 teeth ..			
Bevel, second motion—			
11 or 12 inch, 25 tons, dwarf "C," central, 15 teeth ..			
10 inch, dwarf "C," central, 15 teeth ..			
Spur, clutch—			
12·5 inch, casemate, small port, 12 teeth ..			
12 inch, 35 tons, dwarf "C," 12 teeth ..			
11 or 12 inch, 25 tons, dwarf "C," central, 14 teeth ..			

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pinions, metal, continued—		£ s. d.	£ s. d.
Platform, wrought-iron, R.M.L.—			
Spur, cone, friction, 12·5 inch—			
Casemate { 7 feet recoil, 12 teeth .. } each			
{ 6 " " 12 " .. }			
Dwarf { "C" 12 teeth .. }			
{ "D" 12 " .. }			
Spur, shaft, winch handle, 9 inch, casemate—			
Side, to work within length, 10 teeth..	"		
Rear, 10 teeth ..	"		
Spur, spindle, second motion, 12·5 inch—			
Casemate, small port, 10 teeth ..	"		
Pinions, platform, wrought-iron, Moncrieff—			
Bevel—			
Cast iron, shaft—			
Longitudinal, R.M.L. { Long, 14 teeth .. }	"		
{ Short, 14 " .. }	"		
Vertical, R.M.L., 7 inch (Mark I) 15 teeth ..	"	0 8 10	0 9 9
Malleable cast-iron, with spindle for trucks—			
R.B.L. 7 inch { Front, 8 teeth .. }	"		
{ Rear, 8 " .. }	"		
R.M.L. 7 inch { Front, 8 " .. }	"		
{ Rear, 8 " .. }	"		
(Mark II) { Rear, 8 " .. }	"		
Metal, shaft, R.M.L., 7 inch (Mark I)—			
Cross, 28 teeth ..	"		
Vertical, 28 teeth ..	"		
Steel, with spindle, for trucks, R.M.L.—			
9 inch (Mark II)—			
Front, 8 teeth ..	"		
Rear, 8 " ..	"		
Spur—			
Cast-iron, loading gear, R.M.L., 9 inch (Mark II)			
14 teeth ..	"		
Steel, rack, retaining, R.M.L.—			
9 inch (Mark II) 8 teeth ..	"		
7 inch (Mark I), with spindles, collar, and nuts	"		
Wrought-iron—			
Clutch, R.M.L., 7 inch (Mark II), 10 teeth ..	"		
Rack re- { R.B.L., 7 inch, 8 teeth .. }	"		
taining { R.M.L. { 7 inch (Mark II), .. }	"		
{ 8 teeth .. }	"		
{ $\frac{3}{4}$ pounder, 58 cwt. .. }	"		
{ 9 teeth .. }	"		
Shaft, R.M.L., 9 inch (Mark II), 9 teeth ..	"		
Winch handle—			
Malleable cast-iron, bevel, with spindle—			
R.B.L. 7 inch { Front, 8 teeth .. }	"	1 2 5	1 4 8
{ Rear, 8 " .. }	"	1 2 5	1 4 8
R.M.L. 7 inch (Mark II) { Front, 12 teeth .. }	"	1 6 0	1 8 7
{ Rear, 9 " .. }	"	1 3 6	1 5 10
Cast-iron spur, with wrought-iron spindle,			
R.M.L. 7 inch (Mark I), 14 teeth ..	"	0 16 5	0 18 1
Wrought-iron, spur, with spindle, R.M.L. 9 inch			
(Mark II), 9 teeth—			
Front ..	"	1 8 11	1 11 10
Rear ..	"	1 11 1	1 14 2
Pinions, steel, with spindles, carriages—			
Wrought-iron, garrison, sliding, R.M.L.—			
12·5 inch, small { With collar and nut, 1st			
port .. { motion ..	"	1 12 4	1 15 7

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pinions, wrought-iron, continued—		£ s. d.	£ s. d.
Elevating, with spindles—			
Carriage, wrought-iron, naval—			
Sliding—			
3rd motion—			
With collars and { 10 inch, gunboat ..	each	1 7 10	1 10 7
screws { 8 "	"	1 8 2	1 11 0
9 inch { "Sultan" type	"	1 3 1	1 5 5
Service	"	1 13 1	1 13 5
Single plate, R.M.L.—			
9 inch and 8 inch (as 9 inch, { Right			
garrison, S. plate) { Left			
7 inch—			
6½ tons (as 7 inch, { Right			
garrison, S. plate) { Left			
90 cwt. { Right	"	1 16 6	2 0 2
Left	"	1 16 6	2 0 2
64 pounder, 64 cwt., and carriages, steel			
(Mark III), right, with nuts and			
collars	"	1 14 1	1 17 6
Turret, 9 inch { "Prince Albert" { Left ..	"	1 17 3	2 1 0
With collars and { Right ..	"	1 17 3	2 1 0
nuts, Right { "Scorpion" ..	"	2 5 10	2 10 5
Left { "Wyvern" ..	"	2 5 10	2 10 5
Left { "Scorpion" ..	"	1 17 3	2 1 0
Left { "Wyvern" ..	"	1 17 3	2 1 0
Carriages, wrought-iron, siege, R.M.L.—			
64 pounder, or 8 inch howitzer, 70 cwt. ..	"	1 4 1	1 6 6
40 " 6.6 or 6.3 inch howitzer ..	"	1 11 4	1 14 6
25 " (as 25 pounder, field)			
8 inch, howitzer, 46 cwt.	"	1 18 10	2 2 9
6.3 " 2nd or 3rd motion	"	1 8 8	1 11 6
Carriages, wrought-iron, top, overbank,			
R.M.L.—			
64 pounder	"	4 18 3	5 8 1
40 "	"	3 9 5	3 15 4
25 "	"	2 19 10	3 5 10
Elevating, carriage, wrought-iron—			
Garrison, Moncrieff, R.M.L. 7 inch { Right ..	"	0 18 11	1 0 10
(Mark I) { Left ..	"	0 18 11	1 0 10
Naval, sliding, double plate, R.M.L. 10 inch,			
"Sultan" type, and "Hercules," 3rd motion	"	0 18 9	1 0 7
Spur, with spindles, platform, wrought-iron,			
R.M.L.—			
10 inch (Mark I), casemate, to work within			
length, 10 teeth	"		
Second motion—			
11 or 12 inch, 25 tons, dwarf "C," side,			
11 teeth	"		
10 inch, dwarf { "A" side, 10 teeth ..	"		
"C" " 11 " ..	"		
Winch handle, 12.5 inch, small port, 10			
teeth	"	1 8 8	1 11 6
Pinions, lifting gear, carriages, wrought-iron,			
garrison, small port, R.M.L., 10 inch—			
Cast-iron, bevel, 13 teeth	"	0 7 8	0 8 5
Wrought-iron { Spur, 12 teeth	"		
Bevel, 11 "	"		
Pinions, slide—			
Steel, training, gear, metal, deck, R.B.L. 6 inch ..	"	2 11 0	2 15 1

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pinions, slide, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Running in and out gear, R.M.L.—			
With spindles, wrought-iron, winch handle—			
12 inch, 25 tons, "Belleisle" type..	each	1 7 6	1 10 3
11 inch, "Téméraire," with collar..	"	1 5 6	1 8 1
10 inch—			
"Sultan," type and "Téméraire" ..	"	1 7 6	1 10 3
"Hercules"	"	1 7 6	1 10 3
9 inch—			
"Sultan" type	"	0 16 7	0 18 3
Service, 8 inch, and "Lord Clyde" ..	"	0 16 7	0 18 3
With spindle, wrought-iron, pawl, wheel—			
11 inch, "Téméraire" type..	"	1 15 8	1 19 3
For spindle or shaft, winch handle, turret—			
Cast iron { 12 inch, { 35 tons	set	2 6 11	2 11 7
{ 25 tons, "Glatton"	"	1 17 6	2 1 3
{ 10 inch { "Hecate"	"	1 17 10	2 1 7
{ "Rupert"	"	1 17 10	2 1 7
Metal, 12 inch, 25 tons, "Monarch" ..	"	3 13 0	3 19 4
Training gear, metal, deck—			
R.B.L. 20 pounder gun vessel	each	1 1 4	1 3 6
R.M.L.—			
12 inch, 25 tons, "Belleisle" type ..	"	4 18 8	5 8 6
11 " " "Téméraire" type	"	4 7 11	4 16 9
10 " " "Sultan" type	"	3 1 3	3 7 5
9 " { "Audacious," upper deck	"	2 14 10	3 0 4
{ Service	"	2 14 10	3 0 4
{ "Sultan" type	"	2 12 6	2 17 9
8 "	"	2 6 3	2 10 11
64 pounder (Mark IV, V, VI)	"	1 10 7	1 13 8
And traversing R.M.L.—			
9 inch { "Shannon"	"	2 6 11	2 11 7
{ "Lord Clyde"	"	2 12 4	2 17 7
{ "Sultan" type, and "Raleigh" ..	"	2 11 1	2 16 2
Training gear, wrought-iron, outside bevel, with spindles, R.M.L.—			
12 inch, 25 tons, "Belleisle" type..	"	3 0 6	3 6 7
11 " " "Téméraire" type..	"	2 8 6	2 13 4
10 " " "Sultan" type { Revolving ..	"	2 13 11	2 19 4
{ Side	"	2 12 0	2 17 2
9 " { "Audacious," upper deck	"	2 5 2	2 9 8
{ "Sultan" type, side	"	2 1 11	2 6 1
{ "Lord Clyde"	"	2 6 4	2 11 0
And traversing gear, { "Shannon"	"	2 3 4	2 7 8
9 inch { "Sultan" type, and ..	"	2 3 4	2 7 8
{ "Raleigh"	"		
Pawl wheel, complete—			
12 inch, 25 tons, "Belleisle" type ..	"	4 17 0	5 6 8
11 " " "Téméraire" type	"	4 6 2	4 14 9
10 " " "Sultan" type { Revolving ..	"	4 9 9	4 18 9
{ Side	"	4 8 0	4 16 10
9 " { "Audacious," upper deck	"	3 0 3	3 6 3
{ Service	"	2 19 4	3 5 3
{ "Sultan" type, side	"	3 9 5	3 16 4
8 "	"	2 17 9	3 3 6
Pawl wheel and traversing—			
9 inch { "Lord Clyde," with collar	"	3 1 6	3 7 8
{ With spur { "Shannon"	"	3 10 10	3 17 11
{ "Sultan" type, ..	"		
{ and "Raleigh" ..	"	3 10 10	3 17 11

(V.S.)

X

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pinions, slide, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Training gear, with spindles, spur wheel—			
11 inch, "Téméraire" type	each	1 17 6	2 1 3
64 pounder (Mark IV, V, VI), with collar and nut	"	1 1 4	1 3 6
Spur, with spindle, collar, and keep screw, additional, training { 10 inch, "Sultan" type, and "Téméraire"	"	1 2 5	1 4 8
{ "Audacious," upper deck	"	1 0 0	1 2 0
{ 9 inch "Lord Clyde" and chase	"	1 0 0	1 2 0
{ "Sultan" type, and "Raleigh"	"	0 17 9	0 13 6
Winch gear, with spindles—			
7 inch, with washer and split key—			
6½ tons	"	1 8 11	1 11 10
90 cwt.	"	1 4 4	1 6 9
64 pounder (Mark III, IV, and V)	"	0 17 3	0 19 0
Pins, bronze, keep, muzzle sight, with ring, R.M.L. gun, 13 pounder, 8 cwt.	"	0 6 0	0 7 4
Pins, linch—			
Metal, carriage, wood, naval, rear chock, R.M.L. 7 pounder	"	0 2 4	0 2 7
Steel, carriages, travelling { 1st class	10	0 19 10	1 1 10
{ 2nd class	"	0 14 6	0 15 11
Wrought-iron—			
Carriages, garrison—			
Cast-iron, 4½ inch, and 4 inch arm	"	0 13 6	0 14 10
Wrought-iron, 4 inch arm	"	0 13 6	0 14 10
Wood, and naval wood, common { 8½ inch arm	"	0 8 0	0 8 10
{ 7½ " "	"	0 7 10	0 8 7
{ 6½ " "	"	0 7 8	0 8 5
{ 5 " "	"	0 7 7	0 8 4
{ 3½ " "	"	0 6 0	0 6 7
Carriages—			
Transporting, guns	"	0 7 3	0 8 0
{ 1st class	"	0 12 9	0 14 0
{ 2nd class	"	0 9 0	0 9 11
{ 3rd class	"	0 7 6	0 8 4
Travelling { Naval, R.B.L. 12 or 9 pounder, R.M.L. 9 pounder, and S.B. 8 inch mortar	"	0 8 3	0 9 1
{ Gun, to 25 tons	"	0 14 0	0 15 5
Drug { Large, service, and gun to 5 tons (as 1st class travelling).			
{ Medium West India } (as 3rd class travelling).			
Special, barrow, ammunition and powder	"	0 4 0	0 4 3
Transporting axletree—			
Platforms { Wood	"	0 7 3	0 8 0
{ Wrought-iron	"	0 11 9	0 12 11
Slide—			
Wrought-iron, { 9 inch or 8 inch	"	0 11 9	0 12 11
R.M.L. { 7 inch, and 64 pounder, wood, heavy, and medium	"	0 7 3	0 9 0
Boat, 9 pounder	"	0 7 0	0 7 8
Pins, metal, octagonal, deck, 13 inch, sea service mortar	each	0 16 6	0 18 3

Section V.

323

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pins, steel—		£ s. d.	£ s. d.
Connecting link, with taper pin, carriage garrison, wrought-iron, R.M.L., 12·5 inch, small port ..	each	0 8 3	0 9 1
Hinge—			
Carrier, R.B.L. gun—			
6 inch (Mark II)	"	1 1 0	1 5 7
25 pounder { 22½ cwt.	"	0 11 4	0 13 10
{ 13½ "	"	0 11 4	0 10 10
Carrier, complete, with washer and keep pin, R.B.L. gun, 6 inch (Mark I)	"	—	—
Shutter, R.M.L. gun, 12·5 inch (Mark II) ..	"	1 7 6	1 13 6
Keep, lever, R.B.L. guns—			
7 inch	"	0 3 6	0 4 1
40 pounder	"	0 3 6	0 4 1
20 pounder	"	0 3 6	0 4 1
12 or 9 pounder	"	0 2 9	0 3 2
6 pounder	"	0 2 9	0 3 2
Locking wedge, R.B.L. guns { 6½ pounder ..	"	1 10 0	1 13 8
{ 40 " ..	"	1 9 3	1 12 10
Pins, wrought-iron—			
Boxer's life saving rocket	100	0 4 10	0 5 1
Breeching, with { 9 pounder and { Double ..	10	0 6 0	0 6 7
{ upwards { Single ..	"	0 5 2	0 5 8
loops for shafts { 7 pounder, { Double ..	"	0 5 0	0 5 6
{ Colonial { Single ..	"	0 4 2	0 4 7
Chain (for repairs), platform, wrought-iron, R.M.L. 12·5 inch, casemate and 12 inch, 35 tons, dwarf	"	0 6 6	0 7 2
Chain, slide, wrought-iron, R.M.L.—			
12 inch, 25 tons, "Belleisle" type	"	0 2 11	0 3 3
11 inch, "Téméraire," also 12 inch, 25 tons, turret, "Glatton"	"	0 5 10	0 6 5
10 inch	"	0 2 10	0 3 1
9 and 8 inch	"	0 2 8	0 2 11
{ 12 inch, 35 tons	"	0 6 6	0 7 2
Turret { 12 inch, { "Glatton" (as 11 inch,	"		
{ 25 tons { "Téméraire").	"	0 6 6	0 7 2
{ 10 inch { "Monarch" type	"	0 2 10	0 3 1
Compressor bar—			
Carriages, wrought-iron, garrison, sliding, with split keys, R.M.L., 12·5 inch	each	0 6 0	0 6 7
Slide, steel, R.B.L., 6 inch	"	0 11 5	0 12 7
Slides, wrought-iron, naval, R.M.L.—			
Bracket { 12 inch, 25 tons, "Belleisle" type ..	"	0 3 3	0 3 10
spindle { 10 inch	"	0 2 3	0 2 6
{ 9 inch, "Sultan" type	"	0 2 3	0 2 6
64 pounder (Mark IV { Front, with split key	"	0 5 9	0 6 4
{ Rear, with nut ..	"	0 10 6	0 11 7
With split keys—			
11 inch, "Téméraire," with collars ..	"	1 9 7	1 12 7
9 inch { "Plucky"	"	1 0 9	1 2 10
{ Service, also 8 inch and 7 inch, 6½	"		
tons	"	0 10 10	0 11 11
7 inch, 90 cwt... .. .	"	0 6 10	0 7 6
64 pounder { (Mark I and II)	"	0 5 9	0 6 4
{ (Mark III)	"	0 5 9	0 6 4
Compressor plate, with split keys, platform, wrought-iron, R.M.L., 12·5 inch—			
Casemate { 7 feet recoil }	"	0 6 5	0 7 1
{ 6 " " }	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pins, wrought-iron, continued—			
Compressor plate, with split keys, platform, wrought-iron, R.M.L., 12·5 inch—		£ s. d.	£ s. d.
Dwarf { "C" }	each	0 6 5	0 7 1
Connecting links, carriages, wrought-iron, garrison, sliding, R.M.L.—			
Elevating, 10 inch, small port	"	0 3 11	0 4 4
With collar and split { 12·5 and 12 inch; 35 tons key, nipping .. { 12·5 inch, small port..	"	0 4 1	0 4 6
Connecting rcd, with collar and pin, carriage, wrought-iron, garrison, Moncrieff—			
R.B.L. 7 inch	"		
R.M.L. { 7 inch (Mark II)	"		
{ ½ pounder, 58 cwt.	"		
Cramp, brake gear, training, slide—			
Wrought-iron, R.M.L.—			
12 inch, 25 tons, "Belleisle" type	"	0 1 8	0 1 10
11 inch, "Téméraire" type, also 10, 9 and 8 inch, and 9 inch training and traversing ..	"	0 1 0	0 1 1
64 pounder, (Mark IV, V, and VI)	"	0 1 3	0 1 5
Steel, R.B.L., 6 inch	"	0 1 10	0 2 0
Flap, slides, naval—			
Wrought-iron, R.M.L.—			
Service { Front, also 8 inch	"	0 3 6	0 3 10
{ Rear	"	0 3 5	0 3 9
9 inch { "Shannon," and 8 inch rear ..	"	0 3 5	0 3 9
{ "Audacious," upper deck	"		
7 inch { 6½ tons	"	0 3 1	0 3 5
{ 90 cwt	"		
64 pounder	"		
Wood, heavy, and medium	"		
Flap, slides, naval, stern, gun vessel, R.B.L. 20 pounder	"	0 2 3	0 2 6
Friction tube	"	0 0 7	0 0 8
Garland	10	0 1 0	0 1 1
Guide, elevating, with collar and pin, carriage, wrought-iron, garrison, Moncrieff—			
R.B.L. 7 inch	each		
R.M.L. { 7 inch (Mark II)	"		
{ ½ pounder, 58 cwt.	"		
Handspike, with chain, carriage, field, wrought- iron, R.M.L.—			
25, 16, or 9 pounder	10	0 5 0	0 5 6
13 pounder	"	0 5 11	0 6 6
7 pounder, Colonial	"	0 5 0	0 5 6
Keep—			
Box, spring lock, with cord	100	2 10 0	2 15 0
Elevating eye-bolt—			
R.B.L. guns { 20 pounder	each	0 5 0	0 5 9
{ 12 or 9 pounder	"		
{ 6 pounder	"		
R.M.L. guns, 25, 16, 13, and 9 pounder ..	"	0 5 0	0 5 9
Muzzle sight, with ring, R.M.L. gun, 13 pounder, 8 cwt.	"		
Pieces, pivot { For R.M.L. guns	"	0 1 5	0 1 8
{ For (Mark II) Moncrieff carriage ..	"	0 1 5	0 1 8
{ Overbank carriage	"	0 8 3	0 10 0
Lever clutch—			
Connecting, platform, wrought-iron, R.M.L., 12 inch, 35 tons, dwarf "C"	"		
Joint—			
Carriage, wrought-iron, garrison, Moncrieff, R.M.L., 9 inch (Mark II), with nut ..	"		

ORDNANCE.		Rate.						
		Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.				
Pins, wrought-iron, continued—			£	s.	d.	£	s.	d.
Lever clutch—								
Joint—								
Platform, wrought-iron, R.M.L.—								
With collar and split key—								
Casemate—								
11 or 12 inch, 25 tons	<div><div>To work within length</div><div>Side .. Rear ..</div></div>	<div><div>Double plate carriage</div><div>Single plate carriage</div></div>	each					
10 inch—								
Small port							
To work within length	<div><div>(Mark I) (Mark II) Special</div></div>	"					
Side							
Rear							
(Mark II)							
9 inch	<div><div>To work within length</div><div>Side .. Rear ..</div></div>							
Dwarf—								
12 inch, 35 tons "C"							
11 or 12 inch, 25 tons	<div><div>"A" rear .. "C" { Central Side</div></div>	"					
10 inch	<div><div>"A" { Side Rear "C" { Central Side "D" side ..</div></div>	"					
9 inch	<div><div>"A" rear .. "C" { Central Side "D" side ..</div></div>	"					
With split key—								
Casemate, 12.5 inch	<div><div>7 feet recoil 6 " " "</div></div>							
Dwarf, 12.5 inch	<div><div>"C" "D"</div></div>	"					
Securing—								
Carriage, wrought-iron, garrison, Moncrieff, R.M.L., 7 inch (Mark II) ..								
Platform, wrought-iron, R.M.L., with chain—								
Casemate—								
11 or 12 inch, 25 tons	<div><div>To work within length</div><div>Side .. Rear ..</div></div>	<div><div>Double plate carriage</div><div>Single plate carriage</div></div>	"				
10 inch—								
Small port							
To work within length	<div><div>(Mark I) (Mark II) Special</div></div>	"					

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pins, wrought-iron, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>
Lever clutch—			
Securing—			
Platform, wrought-iron, R.M.L., with chain—			
Casemate—			
10 inch—			
Side	each		
Rear	"		
Mark II	"		
9 inch { To work within length	"		
Side	"		
Rear	"		
Dwarf—			
12 inch, 35 tons "C"	"		
11 or 12 inch, { "A" rear	"		
25 tons .. { "C" { Central	"		
Side	"		
10 inch { "A" { Side	"		
Rear	"		
"C" { Central	"		
Side	"		
"D" side	"		
9 inch { "A" rear	"		
"C" { Central	"		
Side	"		
"D" side	"		
Main—			
Gun { Heavy, to 25 tons	"	0 12 4	0 13 7
To 5 tons	"	0 4 3	0 4 8
Drug { Large	"	0 4 11	0 5 5
Medium and West India	"	0 2 1	0 2 4
Wagons—			
Converted from light supply	"	0 3 6	0 3 10
Equirotal	"	0 3 3	0 3 7
Ambulance { Lock under, and pharmacy, with			
nut	"	0 3 1	0 3 5
Ammunition and store, Royal Artillery			
General service, lock under			
Royal Engineer { Forge	"	0 2 8	0 2 11
General service	"		
Office	"		
Wire	"		
Bread and meat, and bakery, with nut	"	0 3 2	0 3 6
Flanders	"	0 2 5	0 2 8
General service { Equirotal, with key and collar	"	0 3 3	0 3 7
Heavy, spring, also bread and			
meat, converted	"	0 4 0	0 4 5
Platform	"	0 3 2	0 3 6
Light, spring, or surgery	"	0 2 3	0 2 6
Platform, board, with chain, limber { Field or siege	10	0 4 10	0 5 4
13 pounder	"	1 13 5	1 16 9
Rod or link, eccentric, with collar and split key,			
carriage, wrought-iron, garrison, sliding,			
R.M.L.—			
12·5 inch	each	0 3 10	0 4 3
12 inch, 35 tons	"		
Screw, connecting chain—			
Platform, wrought-iron, R.M.L., 12·5 inch and			
12 inch, 35 tons	10	1 0 3	1 2 3
Slide, wrought-iron, R.M.L.—			
12 inch, 25 tons, "Belleisle" type	"	0 16 7	0 13 3
11 inch, "Téméraire," also 12 inch, 25 tons,			
turret, "Glatton"	"	1 0 3	1 2 3

327

ORDNANCE.		Rate.			
		Per	No. 1 Balance Sheet.	No. 1 Balance Sheet.	
Pins, wrought-iron, continued—			£ s. d.	£ s. d.	
Screw, connecting chain—					
Slide, wrought-iron, R.M.L.—					
10 inch		10	0 16 7	0 18 3	
9 inch and 8 inch		"	0 16 7	0 18 3	
Turret { 12 inch, 35 tons		"	1 0 3	1 2 3	
{ 12 inch, 25 " " " " " "		"			
{ tons .. { "Glatton" (as 11 inch		"			
{ " " " " " " " " " " " "		"			
{ " " " " " " " " " " " "		"	1 0 3	1 2 3	
{ 10 inch		"	0 16 7	0 18 3	
Shaft, limber, with key and chain—					
Framed, siege, also platform and sling wagon ..		each	0 1 9	0 1 11	
Near { Field or siege		"	0 2 4	0 2 7	
{ R.M.L. 7 pounder, Colonial, and field		"			
{ 0·45 inch Gatling		"	0 2 3	0 2 6	
{ Wagon, sling		"	0 2 5	0 2 8	
Sheave, carriage, wrought-iron, Moncrieff, R.M.L.—					
Cheese-head, with collar and pin—					
9 inch (Mark II) { Long		"			
{ Short		"			
7 inch (Mark II) { Long		"			
{ Short		"			
Plain { 9 inch (Mark II)		"			
{ 7 " (Mark II)		"			
Pintails, wrought-iron, with india-rubber rings, metal nuts and washers, 13 inch mortar, bed, naval, for land service		"	10 9 0	11 9 10	
Pipes, copper, connecting, with fittings, car- riages, wrought-iron, naval, turret, R.M.L.—					
12 inch, 35 tons { Right		set	15 1 4	16 11 6	
{ Left		"	15 1 4	16 11 6	
12 inch, 25 tons { "Glatton" { Right		"	4 3 10	4 12 3	
{ " " " " { Left		"	4 3 10	4 12 3	
{ "Monarch" { Right		"	4 3 10	4 12 3	
{ type { Left		"	4 3 10	4 12 3	
10 inch { Right		"	4 3 10	4 12 3	
{ Left		"	4 3 10	4 12 3	
Pivots—					
Iron { With pins in block, for 12·5, 9, and 7 inch		each	9 5 0	10 7 8	
{ M.L. guns		"	2 10 9	2 16 10	
{ With sockets, for 12·5, 12, 9, and 7 inch guns		"	0 8 2	0 10 0	
{ For bracket elevating (Mark I)		"	0 8 2	0 10 0	
{ R.B.L. gun, 6 inch { Mark II)		"	0 7 4	0 8 7	
Steel { (a) 12·5 and 12 inch		"	0 6 0	0 7 0	
{ For elevating { (b) 11 inch R.M.L. to 40		"			
{ arc { pounder		"	0 5 9	0 6 8	
{ (c) 25 pounder R.M.L. and		"			
{ 20 pounder R.B.L.		"			
Planks, wood—					
Centre, wrought-iron, { 9 inch, service		"	4 15 4	5 4 10	
slides, R.M.L. { 8 " " " " " "		"	3 13 3	4 0 7	
Loading, cart, low, for heavy projectiles		"	1 2 1	1 4 4	
Moving guns—					
Half { Fir, 5 feet × 17 inches × 3 inches		"	0 10 7	0 11 8	
{ Oak { 6 feet × 12 inches × 3 inches		"	0 18 0	0 19 10	
{ 4 " × 12 " × 3 "		"	0 12 3	0 13 6	
{ 10 feet × 17 inches × 3 inches		"	0 19 9	1 1 9	
Whole { Fir { 12 " × 9 " × 3 "		"	0 11 3	0 12 4	
{ Oak { 10 " × 17 " × 3 "		"	1 19 0	2 2 11	
{ 10 " × 12 " × 3 "		"	1 7 6	1 10 3	

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Planks, wood, continued—				
Rolling, for stacking projectiles, 7 feet x 12 inches x 3 inches	100	—	72 18 10	73 16 0
Teak, mortar, for pointing rods, 4 feet 7½ inches x 2 inches	each	—	0 9 6	0 10 5
Trail ground platform, R.M.L. 8 inch howitzer, and 64 pounder gun	"	—	2 7 9	2 10 10
Plates, brass—				
Range, R.M.L. { 16 pounder	"	—	0 9 5	0 10 4
{ 9 " 8 or 6 cwt.	"	—	0 9 5	0 10 4
Stencil, marking, carriages and wagons—				
Figures 0 to 8 { Block (9 plates)	set	0 0 9	—	—
{ Roman (9 ")	"	0 1 6	—	—
Letters { Block, A to Z & (27 plates)	each	0 0 1	—	—
{ F, S, W (3 ")	"	0 0 2	—	—
{ Roman { R.A. (1 ")	plate	0 0 4	—	—
{ R.H.A. (1 ")	"	0 0 6	—	—
Set C.T.C., consisting of 9 Roman figures and 1 plate, C.T.C. (10 plates)	set	0 2 0	—	—
Stencil, marking, filled shells { Bag	each	—	0 0 8	0 0 8½
{ Filled bag	"	—	0 1 4	0 1 5
Plates, cascade, for 9 inch R.M.L. on (Mark II) Moncrieff counterweight carriage	"	—		
Plates, metal—				
Elevating, for R.M.L. guns*—				
12½ inch { Bottom, or top	"	—	2 11 9	3 4 1
{ Small port	"	—	3 3 3	3 17 10
12 inch, bottom, top, right or left	"	—	2 11 9	3 4 1
11 " right or left	"	—	2 11 7	3 3 10
10 " " "	"	—	2 11 7	3 3 10
9 " " "	"	—	1 10 5	1 14 7
8 or 7 inch, right or left	"	—	1 7 1	1 10 10
64 or 40 pounder	"	—	1 3 9	1 7 19
64 or 40 pounder (overbank), breech or muzzle	"	—	2 11 9	2 17 6
25 pounder { Or R.B.L. 20 pounder	"	—	1 0 11	1 4 6
{ (Overbank), breech or muzzle	"	—	1 14 9	2 0 6
8 inch, howitzer, 70 cwt. right	"	—	1 0 11	1 4 6
8 inch, 46 cwt. or 63 inch howitzer, right	"	—	1 0 0	1 3 6
66 inch howitzer, 36 cwt. right	"	—	1 0 11	1 4 6
Friction gear—				
Elevating, carriage, steel, naval, sliding, R.B.L. 6 inch	pair	—	0 2 6	0 2 9
Training, { Steel, R.B.L. 6 inch	each	—	0 1 3	0 1 5
{ Wrought-iron, R.M.L. 12 inch, slide { 25 tons, "Belleisle" type	"	—	0 1 3	0 1 5
Index—				
12 inch, 25 tons (Mark II), { Left	"	—	1 18 6	2 5 8
{ Right	"	—	1 18 6	2 5 8
11 inch, 25 tons (Mark I) { Left	"	—	1 18 6	2 5 8
{ Right	"	—	1 18 6	2 5 8
11 inch, 25 tons (Mark II), { Left	"	—	1 18 6	2 5 8
{ Right	"	—	1 18 6	2 5 8
10 inch (Mark I and II), { Left	"	—	2 0 6	2 8 0
{ Right	"	—	2 0 6	2 8 0

* Guns of different Marks require different shaped elevating plates. For the marks of the plates and natures of guns for which issued, see "Pieces, pivot."

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plates, metal, continued—		£ s. d.	£ s. d.
Index—			
10 inch (Mark I and II), { Left	each	2 0 6	2 8 0
on Mark II carriage { Right	"	2 0 6	2 8 0
9 inch (all Marks), Mark I, { Left	"	1 18 6	2 5 8
double-plate carriage { Right	"	1 18 6	2 5 8
9 inch (all Marks), Mark I, { Left	"	1 18 6	2 5 8
single-plate carriage { Right	"	1 18 6	2 5 8
Indicator, with screws, carriage, wrought-iron, garrison, R.M.L.—			
Casemate, 12.5 inch, small port	"		
Moncrieff, 7 inch (Mark II)	"		
Trunnion, pointer, with screws, carriage, wrought- iron, garrison, R.M.L.—			
12.5 inch, small port { Left	"		
{ Right	"		
Plates, cast-iron, sweep, Moncrieff—			
R.B.L., 7 inch,	set		
R.M.L. { $\frac{5}{8}$ pounder, 58 cwt., "D" 170°	"	32 8 0	35 12 10
{ 9 inch (Mark II), "D" 180°*	"	123 1 0	135 7 0
{ 7 " "D" 120°	"	39 15 0	43 14 6
Plates, steel—			
Crossing for racers, casemate, platform, R.M.L. —			
12.5 inch	"	34 16 0	33 5 8
10 "	"	12 11 0	13 16 1
Hinge, with fixing screws †—			
R.B.L. gun { 6 inch (Mark II)	"	8 19 6	10 19 0
{ 25 pounder { 22½ cwt.	"	4 7 10	5 7 2
{ 13½ "	"	4 7 10	5 7 2
S.B.B.L. gun, 32 pounder, 42 cwt.	"	8 19 6	10 19 0
Plates, trunnion, for ordnance mounted on Moncrieff counterweight carriages—			
R.M.L.—			
9 inch, 12 tons, on (Mark II) carriage	"	3 2 0	3 9 0
7 " 7 " " { " I) "	"	2 10 0	2 16 0
{ " II) "	"	1 5 0	1 8 0
64 pounder, 58 cwt., converted, on (Mark II) carriage	"	1 5 0	1 8 0
Plates, wrought-iron—			
Boss, brake band, with screws, carriage, wrought- iron, Moncrieff, R.M.L.—			
9 inch (Mark II)	pair		
7 " (Mark II)	"		
Camp kettle, with { 13 pounder	10	2 17 6	3 3 3
hooks .. { 9 or 16 pounders { Limber	"	1 0 9	1 2 10
{ Wagon	"	0 19 0	1 0 11
Clip, axletree, carriage, travelling, steel, mountain service R.M.L. 7 pounder, steel gun, 400 lbs. ..	pair	0 19 6	1 1 5
Clip, with bolts, carriages, naval, sliding—			
Wrought-iron, R.M.L.—			
Double plate—			
12 inch, 25 tons, "Belleisle" type, front ..	"	1 8 2	1 11 0
11 " "Téméraire" type { Front	"	2 15 11	3 1 6
{ Rear	"	2 15 11	3 1 6
10 " front { Gunboat	"	1 8 9	1 11 8
{ "Sultan" type	"	1 9 2	1 12 1

* The inner plate is a complete circle.

† 3 for 6 inch and 2 for 25 pounder and 32 pounder.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plates, wrought-iron, continued—		£ s. d.	£ s. d.
Clip, with bolts, carriages, naval, sliding—			
Wrought-iron, R.M.L.—			
Double plate—			
9 inch—			
“Sultan,” front pair		1 3 7	1 5 11
“Plucky,” ”		0 12 10	0 14 1
Service { Front ”		0 15 7	0 17 2
{ Rear ”		0 14 6	0 15 11
8 inch { Front ”		0 14 11	0 16 5
{ Rear ”		0 14 2	0 15 7
7 inch 6½ tons { Front ”		0 14 2	0 15 7
{ Rear ”		0 12 10	0 14 1
64 pounder, 64 cwt. (Mark VI) { Front ”		0 15 6	0 17 1
{ Rear ”		0 15 6	0 17 1
Single plate—			
9 inch { Front ”		0 15 7	0 17 2
{ Rear ”		0 14 6	0 15 11
8 ” { Front ”		0 14 11	0 16 5
{ Rear ”		0 14 2	0 15 7
7 ” { 6½ tons { Front ”		0 14 2	0 15 7
{ Rear ”		0 12 10	0 14 1
{ 90 cwt. { Front ”		1 16 9	2 0 5
{ Rear ”		1 8 9	1 11 8
64 pounder (Mark I and II) { Front ”		0 12 9	0 14 0
{ Rear ”	each	0 7 6	0 8 3
Boat—			
Wood, R.B.L. 12 or 9 pounder, and R.M.L.			
9 pounder—			
Front pair		0 10 9	0 11 10
Rear ”		0 9 5	0 10 4
Wrought-iron, R.M.L.—			
9 pounder { Front ”		0 17 0	0 18 8
{ Rear ”		1 3 2	1 5 6
7 ” { Front ”		0 12 4	0 13 7
{ Rear ”		0 12 4	0 13 7
R.B.L. 20 pounder—			
Gun vessel { Iron { Front ”		0 17 0	0 18 8
{ Rear ”		1 3 7	1 5 11
{ Wood { Front ”		0 10 4	0 11 4
{ Rear ”		0 9 9	0 10 9
Wrought iron, upper deck { Front ”		1 7 7	1 10 4
{ Rear ”		1 4 4	1 6 9
Steel { R.B.L. 6 inch { Front ”		1 17 1	2 0 10
{ Rear ”		1 2 2	1 4 5
{ R.M.L. 64 { (Mark III) { Front ”		0 12 11	0 14 3
{ (Mark IV) { Rear ”	each	0 7 6	0 8 3
{ (Mark IV) { Front pair		0 15 6	0 17 1
{ (Mark IV) { Rear ”		0 15 6	0 17 1
Turret, R.M.L.—			
12 inch, 25 tons { “Glatton” { Front ”		1 11 3	1 14 5
{ “Monarch” type, front ”		1 11 3	1 14 5
10 inch, front ”		5 0 6	5 10 7
Compressor, carriages, naval—			
Sliding—			
Wrought-iron, R.M.L.—			
12 inch, 25 tons, { Inside } set		16 10 6	18 3 7
“Belleisle” type { Outside }			
11 inch, “Téméraire” { Inside { Plain			
type { Outside { Shaped	”	23 8 0	25 14 0

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plates, wrought-iron, continued—		£ s. d.	£ s. d.
Compressor, carriages, naval—			
Sliding—			
Wrought-iron, R.M.L.—			
10 inch { "Sultan" type, { Inside ..	set	16 1 6	17 13 8
{ and gunboat { Outside ..			
{ "Hercules" { Inside ..	"	16 1 6	17 13 8
{ { Outside ..			
9 inch { "Sultan" type { Inside ..	"	11 17 6	13 1 3
{ { Outside ..			
{ "Plucky" type { Inside ..	"	3 8 4	3 15 2
{ { Outside ..			
9 or 8 inch { Inside	"	2 19 3	3 5 2
{ Outside			
7 inch { 6½ tons { Inside	"	2 19 3	3 5 2
{ { Outside			
{ 90 cwt. { Inside	"	2 11 0	2 16 1
{ { Outside			
64 pounder (Mark I and II) { Inside ..	"	1 9 0	1 11 11
{ Outside ..			
Steel { R.B.L. 6 inch	"	3 1 9	3 7 11
{ R.M.L. 64 pounder { (Mark III) ..	"	1 12 0	1 15 2
{ { (Mark IV and V) ..	"	1 2 7	1 4 10
Turret, wrought-iron, { "Prince Albert" ..	"	15 12 6	17 3 9
R.M.L. 9 inch { "Scorpion"	"	2 17 9	3 3 6
{ "Wyvern"	"	12 9 6	13 14 5
Compressor, platform, wrought-iron, R.M.L.,			
12½ inch—			
Casemate { 7 feet recoil.	"		
{ 6 " " " " " " " " " " " "			
Dwarf { "C" " " " " " " " " " " "	"		
{ "D" " " " " " " " " " " "			
Elevating, R.M.L. guns, 6·6 inch, 70 cwt., right	each		
or left			
Friction, brake, gear—			
Elevating, carriages, wrought-iron—			
Turret, { 12 inch, 35 tons	pair	0 7 2	0 7 11
R.M.L. { 12 inch, 25 { "Glatton" ..			
{ tons, 25 { "Monarch" type ..	each	0 6 3	0 6 11
{ 10 inch	"		
Garrison, sliding, { 12·5 inch			
R.M.L. { 12 inch, 35 tons ..	pair		
Training, slide, wrought-iron, R.M.L.—			
12 inch, 25 tons, "Belleisle" type ..	"		
11 inch, "Téméraire" type, also 10, 9, and 8	"	0 6 6	0 7 2
inch, and 9 inch training and traversing ..	"	0 5 6	0 6 1
64 pounder (Marks IV, V, and VI) ..	"	0 1 6	0 1 8
Guns { Bronze	each	0 1 6	0 1 8
{ Cast-iron	"	0 4 6	0 5 5
{ Wrought iron	"	0 5 0	0 5 8
Mortars { Bronze, for Manby's apparatus	"	0 2 6	0 2 10
{ Cast iron			
Guide { Nipping, carriage, { 12·5 inch, small port			
{ wrought iron, { 12·5 " "	"		
{ garrison, sliding, { 12 " " 35 tons	"		
{ R.M.L.			
Turret, sights	10	0 9 3	0 11 3
Brake, lever, with screws, carriage,			
wrought-iron, Moncrieff, R.M.L.,			
7 inch (Mark I)	each	0 8 10	0 9 9
Carriage, wood, field	10	0 12 7	0 13 10
Wagon, wood, ammunition	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plates, wrought-iron, continued—		£ s. d.	£ s. d.
Loop or ring, handspike (see Rings, handspike).			
Moving, 35 ton guns, and upwards, 3 feet ..	each	0 6 8	0 7 4
Pintail, for platforms	0 6 3	0 6 11
Pivot, with fixed heads and { 9 or 8 inch { 18 inch sill	pair	5 4 6	5 14 11
bolts, slide, wrought-iron, { 14 " " "	"	3 2 4	3 8 7
R.M.L. { 7 inch { 18 inch sill..	"	5 13 4	6 4 8
.. { 14 " " "	"	5 11 8	6 2 6
Platform, friction	each	0 18 4	1 0 2
Sprocket, nipping, carriages, wrought-iron—			
Garrison, sliding, { 12'5 and 12 inch, 35 tons..	"	0 17 8	0 19 5
R.M.L. { Small port, 12'5 inch ..	"	0 18 0	0 19 10
Naval, sliding—			
With screws, R.M.L., 12 inch, 25 tons,			
"Belleisle" type	"	1 4 11	1 7 5
{ 11 inch, "Téméraire" type ..	"	2 18 6	3 4 4
With bolts, { 10 " "Sultan" ..	"	1 5 2	1 7 8
R.M.L. { 10 " "Hercules" ..	"	1 5 2	1 7 8
.. { 9 " "Sultan" type ..	"	1 10 0	1 13 0
.. { 9 or 8 inch	"	1 2 8	1 4 11
Naval turret, with bolts, R.M.L.—			
12 inch, 35 tons.. ..	"	5 6 6	5 17 2
12 inch, 25 tons { "Glatton" ..	"	2 7 4	2 12 1
.. { "Monarch" type ..	"	5 19 6	6 11 5
10 inch	"	1 8 9	1 11 8
9 "	"	1 1 10	1 4 0
Staple—			
Double	100	1 0 3	1 2 3
Single { Box	"	0 13 3	0 14 7
.. { Limber	"	0 13 3	0 14 7
.. { Platform	"	3 2 2	3 8 5
Treble	"	1 11 2	1 14 3
Supporting, screw scale, carriage, garrison, wrought-iron, sliding, R.M.L. 12'5 inch, small port, with screws	each	—	—
Trunnion, carriage, wrought- { R.B.L., 40 pounder.	"	0 13 9	0 15 2
iron, garrison, common, { S.B. { 8 inch ..	"	0 13 7	0 14 11
standing, or rear chock { S.B. { 32 pounder..	"	0 9 3	0 10 2
Platforms, wood—			
Mortar, for octagonal decks.. ..	"	75 0 0	82 10 0
Siege ground—			
Alderson's { Gun, 18 feet x 10 feet ..	"	25 15 9	27 17 6
portable { Mortar { 13 inch, 10 feet x 10 feet	"	25 10 0	28 1 0
.. { 10 " 10 " x 7½ "	"	11 0 0	12 2 0
R.M.L. 8, 6'6, or 6'3 inch howitzer, bed ..	"	36 2 5	39 0 3
Siege, portable, Clerk's	"	18 19 8	20 10 9
Rear, folding, slide, wrought-iron, R.M.L.—			
9 inch	"	4 5 4	4 13 10
8 "	"	4 4 5	4 12 10
7 " 6½ tons	"	4 6 0	4 14 7
Traversing { Casemate, rifled and S.B. guns	"	57 0 0	62 14 0
.. { Dwarf, { 40 pounder, and S.B. guns ..	"	62 0 0	68 4 0
.. { R.B.L. { 7 in. and R.M.L. 80 and 64 pr.	"	95 0 0	104 10 0
Platforms, wrought-iron, traversing—			
Casemate, with traversing gear—			
Small port, { 12'5 inch	"	750 0 0	828 12 8
R.M.L. { 12'5 " for hydraulic buffers ..	"	710 0 0	781 0 0
.. { 10 "	"	416 15 5	456 11 10
To work within length, R.M.L.—			
11 or 12 inch, 25 tons	"	375 0 0	412 10 0
10 inch (Mark I)	"	350 0 3	385 0 0

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Platforms, wrought-iron, traversing, contd.—		£ s. d.	£ s. d.
Casemate, with traversing gear—			
To work within length, R.M.L.—			
10 inch { (Mark II)	each	360 15 8	391 8 4
{ (Mark II, special)	"	406 5 8	444 18 5
9 inch	"	254 0 0	279 8 0
R.M.L.—			
7 feet recoil	"	660 0 0	726 0 0
12.5 inch { 7 " " for hydraulic buffers	"	630 0 0	693 0 0
{ 6 " " "	"	655 19 8	718 13 3
{ 6 " " for hydraulic buffers	"	622 0 0	684 4 0
11 or 12 inch, 25 tons	"	371 0 0	408 2 0
10 inch { (Mark I)	"	346 0 0	380 12 0
{ (Mark II)	"	370 0 0	407 0 0
9 inch	"	251 0 0	276 2 0
7 inch, 6½ tons	"	—	—
Casemate—			
R.M.L., 7 inch	"	163 0 0	179 6 0
Single plate carriages, { 11 or 12 inch, 25 tons	"	220 0 0	242 0 0
R.M.L. { 9 inch	"	135 0 0	148 10 0
{ 7 "	"	130 0 0	143 0 0
Dwarf, with traversing gear, R.M.L.—			
12.5 inch { " C "	"	710 0 0	781 0 0
{ " D "	"	700 0 0	770 0 0
12 inch, 35 tons, " C "	"	710 0 0	781 0 0
11 or 12 inch, 25 tons { " A "	"	421 0 0	463 2 0
{ " C "	"	438 0 0	481 16 0
10 inch { " A "	"	412 0 0	453 4 0
{ " C "	"	432 0 0	475 4 0
{ " D "	"	434 0 0	477 8 0
9 inch { " A "	"	295 0 0	324 10 0
{ " C "	"	329 1 10	360 10 8
{ " D "	"	314 0 0	345 8 0
Dwarf, R.M.L.—			
7 inch { " A "	"	213 0 0	234 6 0
{ " C "	"	222 0 0	244 4 0
{ " D "	"	224 0 0	246 8 0
R.B.L., 7 inch, 82 cwt., 3 feet 6 inch parapet	"	160 0 0	176 0 0
R.M.L. { 7 inch, 6½ tons, 6 feet parapet	"	—	—
{ 6½ pounder, 64 cwt., 5 feet 6 inches	"	187 0 0	205 14 0
parapet	"	—	—
Single plate carriage { R.B.L. 7 inch	"	175 0 0	192 10 0
{ R.M.L. { 9 inch	"	165 0 0	181 10 0
{ 7 "	"	60 0 0	66 0 0
{ S.B., B.L., 32 pounder, 42 cwt.	"	—	—
With circular buffer, R.M.L., 64 pounder 64 cwt.,			
Mark III gun, 6 feet parapet	"	350 17 4	384 7 10
Platforms, wrought-iron, turret, R.M.L., 16			
inch, 80 tons	"	—	—
Plugs—			
Bronze shutter—			
Electric firing { 16 inch	"	1 1 0	1 5 7
R.M.L. guns { 12.5 inch (Mark II)	"	1 1 0	1 5 7
Friction firing { 16 inch	"	1 1 0	1 5 7
R.M.L. guns { 12.5 inch (Mark II)	"	1 1 0	1 5 7
Clay, lead ball (for rifle bullets)	100,000	2 19 10	3 3 5
Metal—			
Base of shells—			
Common—			
16 inch	100	24 16 4	26 6 1
12.5 inch	"	10 11 9	11 4 5

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plugs, continued—		£ s. d.	£ s. d.
Metal—			
Base of shells—			
Common—			
12 inch { 35 ton	100	10 9 9	11 2 4
25 "	"	9 15 11	10 7 8
11 "	"	10 1 5	10 13 6
10 "	"	7 13 0	8 2 2
9 "	"	7 13 0	8 2 2
Palliser—			
16 inch	"	24 16 4	26 6 1
12.5 inch	"	10 11 9	11 4 5
12 inch { 35 ton	"	10 9 9	11 2 4
25 "	"	9 11 10	10 3 4
11 "	"	10 1 5	10 13 6
10 "	"	8 1 3	8 10 11
9 "	"	6 18 7	7 6 11
7 "	"	5 18 7	6 5 8
For gas checks, R.M.L.—			
Gun—			
12.5 inch, 35 ton { (Mark I)	"	16 8 11	17 8 8
(Mark II), with shoulder	"	18 11 2	19 13 5
12 inch—			
Common { (Mark I)	"	13 10 6	14 6 0
(Mark II)	"	16 1 11	17 4 7
Common short* { (Mark I)	"	13 10 6	14 6 0
(Mark II)	"	16 1 11	17 4 7
Palliser { 35 ton { (Mark I)	"	14 4 8	15 0 6
(Mark II)	"	17 15 1	18 16 4
25 " { (Mark I)	"	13 9 8	14 3 10
(Mark II)	"	17 15 1	18 16 4
11 inch—			
Common short* (Mark II)	"	13 12 4	14 6 10
Palliser { (Mark I)	"	14 5 4	15 2 5
(Mark II)	"	15 18 1	16 17 2
10 inch—			
Common { (Mark I)	"	12 8 10	13 3 9
(Mark II)	"	14 11 8	15 9 2
Common short* { (Mark I)	"	12 8 10	13 3 9
(Mark II)	"	14 11 8	15 9 2
Palliser { (Mark I)	"	12 8 10	13 3 9
(Mark II)	"	14 11 8	15 9 2
9 inch—			
Common (Mark II)	"	12 10 4	13 8 0
Palliser { (Mark I)	"	11 15 9	12 9 11
(Mark II)	"	13 16 6	14 13 1
64 pounder	"	6 5 2	6 12 8
40 "	"	2 7 10	2 10 8
Howitzer { 8 inch	"	5 4 7	5 10 3
6.3 "	"	4 11 6	4 17 0
Fuze, hole—			
Common	"	0 18 0	0 19 1
Diaphragm Shrapnel	"	1 6 10	1 8 5
General service	"	0 14 7	0 15 6
Large { With string loops, land	"	1 8 1	1 9 9
(Without string loops, naval.. .. .	"	1 6 8	1 8 3
Parachute { 10 inch	"	1 10 11	1 12 9
8 "	"	1 10 11	1 12 9
5½ "	"	1 10 11	1 12 9

* These plugs are for converted shells marked with an asterisk.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plugs, continued—				
Metal—				
Fuze hole—				
Small, with or without string loops ..	100	—	1 3 6	1 4 11
Drill, with lanyard { Common ..	"	—	2 9 10	2 13 3
{ General service ..	"	—	2 11 3	2 14 8
Loading hole { Large	"	—	0 11 4	0 12 0
{ Small	"	—	0 7 4	0 7 9
Unloading hole	"	—	0 13 5	0 14 3
Sight, turret { Fore	each	—	0 3 0	0 3 2
{ Hind	"	—	0 3 6	0 3 9
With chain, compound hind turret sight *	"	—	0 13 9	0 16 9
Steel, for pivots—				
For blocks, platforms, wrought-iron,				
R.M.L.—				
9 or 7 inch (as for 7 inch and				
upwards, 5·82 inches diameter).				
64 pounder, 64 cwt.	"	—	1 7 6	1 10 3
For blocks, platform, wood, traversing,				
dwarf, "C, D, E, or F," 3 inches				
diameter	"	—	1 1 0	1 3 1
For blocks, slide, wrought-iron, R.M.L.				
7 inch	"	—	1 5 7	1 8 2
Platform, wrought-iron, R.M.L. 7 inch				
and upwards—				
24 pounder, 5·82 inches diameter,				
also blocks, 9 or 7 inch	"	—	3 0 6	3 6 6
18 pounder, 5·29 inches	"	—	2 14 3	2 17 7
9 " 4·198 "	"	—	2 9 0	2 13 11
Vent, Haye's pattern	doz.	—	0 1 3	0 1 5
Wood—				
Armoury (Mark III)	100	—	2 4 8	2 7 4
Covered with serge	"	—	0 4 2	0 4 5
Carriage, wood, naval sliding, 64				
pounder.. .. .	each	—	0 2 6	0 2 9
To represent fuzes, wood, time, rifled				
ordnance	100	—	0 6 0	0 6 4
Wrought-iron—				
For blocks, platform, wrought-iron,				
Moncrieff, R.M.L.—				
9 inch (Mark II)	each	—	1 6 4	1 9 0
7 " (Mark II)	"	—	0 18 11	1 0 10
4½ pounder, 58 cwt., and B.L. 7 inch	"	—	0 13 2	0 14 6
For gas checks (for Mark III and IV,				
9 inch Palliser shot)	"	—	0 3 3	0 3 5
Jamming, brake, gear elevating carriage,				
wrought-iron, naval, turret, R.M.L.—				
12 inch, 25 tons	"	—	0 4 0	0 4 5
10 "	"	—	—	—
Plummetts, lead, with silk line, for laying				
mortars	"	—	0 5 3	0 6 4
Pockets, leather—				
Fuze and hook borer	"	—	—	—
Tin, cup	"	0 4 3	—	—
Tube { (Mark III and IV)	"	0 1 10½	—	—
{ (Mark V) naval.. .. .	"	0 2 0	—	—
Brown { Vent piece, field, { 12 pounder	"	—	0 9 0	0 9 11
{ travelling car- { 9 " }	"	—	—	—
{ riage, R.B.L. { 6 " }	"	—	0 6 6	0 7 2
Buff, fuzes	"	0 2 1½	—	—

* In demanding these articles the name of the vessel should be given.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pointers, metal, trunnion, carriage, wrought-iron, garrison, R.M.L., 12.5 inch, small port—		£ s. d.	£ s. d.
Left	each		
Right	"		
Pointers, steel—			
Elevating, arc, carriages, wrought-iron—			
Garrison, R.M.L.—			
Sliding { 12.5 inch }	"	0 9 4	0 10 3
64 pounder	"	0 2 6	0 2 9
Moncrieff, 7 inch (Mark I)	"	—	—
Naval, for turret guns	"	1 5 0	1 8 8
Indicator—			
Carriage, wrought-iron, garrison, R.M.L.—			
Casemate, 12.5 inch, small port	"		
Moncrieff, 9 inch (Mark II)	"		
Platform, wrought-iron, R.M.L., 12.5 inch—			
Casemate { Small port }	"		
7 feet recoil	"		
6 " "	"		
Dwarf { "C" }	"		
"D"	"		
Pointers, wrought-iron, indicator, carriage, wrought-iron, garrison—			
Sliding, R.M.L. 10 inch, small port	"		
Moncrieff { R.B.L., 7 inch }	"		
R.M.L. { 7 inch (Mark II) }	"		
{ 3½ pounder, 53 cwt. }	"		
Poles, wood—			
In the rough { Cart { Hand, common }	"	0 6 0	0 6 7
{ Low, for heavy projectiles }	"	0 9 5	0 10 4
{ Drug { Medium }	"	0 6 6	0 7 2
{ Small or West India }	"	0 6 6	0 7 2
Limber, with slats, travelling carriage—			
S.R. 4½ inch howitzer	"	1 1 6	1 3 8
Naval, R.M.L. 9 pounder	"	1 1 6	1 3 8
Gatling 0.45 inch, with pin and key	"	1 3 6	1 5 10
Wagons			
Ambulance	"	2 8 0	2 12 10
Light spring, or surgery	"		
Pharmacy	"		
Ammunition and store, R.A.	"		
Bakery	"	2 11 3	2 16 5
Bread and meat	"		
General service, lock under	"		
Equivalent, Ambulance	"	2 6 0	2 10 7
General service	"	2 6 0	2 10 7
Portfires—			
Revolving, for life saving apparatus	100	1 16 10	1 19 1
Common	"	4 3 4	4 8 4
Night 49 lb. g. fixed to plates	"	59 17 6	63 9 4
Poles, wood, picket—			
Field, 24 feet (see page 71)	"	14 18 4	15 17 7
8 feet	each	1 7 0	1 9 8
Garrison, 6 "	"	0 6 10	0 7 6
3 "	"	0 6 2	0 6 9
Pickets, printing, steel—			
Field and sea, 7½ inch	"	0 1 2	0 1 4
Garrison (otherwise called 29 inch (Mark I)	"	0 1 8	0 1 11
with printing, sea ser- 23 "	"	0 1 6	0 1 9
vice) 17 "	"	0 1 4	0 1 7
12 "	"	0 1 3	0 1 6

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Primers—		£ s. d.	£ s. d.	£ s. d.
Boxer's { Light, general service	1,000	—	8 4 3	8 14 10
Portfire	"	—	7 14 8	8 4 3
Brass, Shrapnel shell	"	—	10 8 6	11 1 3
Vent piece	"	—	4 3 10	4 9 5
Priming guncotton, for fuzes, cylinders of	"	—	30 2 7	31 17 9
Prisms, wood, oak (see Block, wood, dis-				
mounting, page 198).				
Prolongs—				
Heavy	each	—	0 2 0	0 2 1
Light	"	—	0 3 0	0 3 2
Preps, wood—				
Shaft { Field, and siege	"	—	0 2 0	0 2 2
Sling, cart or wagon	"	—	0 3 0	0 3 4
12 feet, for 20 feet × 10 feet fir	"	—	0 2 5	0 2 7
targets	"	—	0 1 1	0 1 2
Target { 11½ feet, for 9 feet × 9 feet fir	"	—	0 1 1	0 1 2
targets	"	—	0 1 4	0 1 5
8½ feet { for 6 feet × 6 feet fir	"	—	0 3 0	0 3 2
targets	"	—	0 3 0	0 3 2
for 6 feet × 6 feet oak	"	—	1 1 1	1 2 4
targets	"	—	1 14 0	1 17 5
Puffs, powder, for use with apparatus,				
proving tubes	100	—	1 1 1	1 2 4
Pulleys, general service, wagon ..	each	—	1 14 0	1 17 5
Pumps and cisterns, gear, lifting, carriage,				
wrought-iron, naval, turret, R.M.L.—				
With valve, hand wheel, and spanner				
complete, 12 inch, 35 tons	"	27 10 0	—	—
With valve, lever complete, 12 inch, 25				
tons, "Glatton" and "Monarch," also				
10 inch	"	26 0 0	—	—
Punches, steel, vent—				
22 inches	"	—	0 1 6	0 1 9
17 "	"	—	0 1 4	0 1 7
12 "	"	—	0 1 3	0 1 6
8 "	"	—	0 1 2	0 1 4
Quadrants, gunners, with spirit level, in case	"	4 0 0	—	—
Racers—				
Steel, R.M.L.—				
12½ inch { Casemate, recoil { 7 feet, 60° set		—	73 3 8	80 10 0
{ 6 " 60°	"	—	71 0 0	78 2 0
{ "D," 230°	"	—	127 5 0	139 19 6
Dwarf { "C," also 12 inch,				
35 tons	"	—	68 6 6	75 3 2
12 inch, 25 tons, to { Casemate, 60°	"	—	36 0 0	39 12 0
10 inch, flanged { "A," 60°	"	—	33 0 0	36 6 0
{ Dwarf { "C"	"	—	48 0 0	52 16 6
Casemate— { "D," 180°	"	—	85 0 0	93 10 0
On turn- { 12½ { 7 feet recoil, 90°	"	—	84 0 0	92 8 0
tables { inch { 6 " 90°	"	—	40 0 0	44 0 0
{ 10 inch, 90°, flanged	"	—	101 0 0	111 2 0
With crossing { 12½ inch, { 7 feet recoil	"	—	100 0 0	110 0 0
plates .. { 60° { 6 "	"	—	42 0 0	46 4 0
{ 10 inch, 60°, flanged	"	—		
Wrought-iron, flanged, platform, wrought-				
iron, R.M.L.—				
9 or 7 inch { Casemate, 60°	"	—	12 4 0	13 8 5
{ Dwarf { "A," 60°	"	—	14 6 0	15 13 3
{ "C"	"	—	21 18 0	24 1 10
{ "D," 180°	"	—		

NOTE.—As racers (except for "C" pivot, which form a circle) vary in length, the average number of degrees per set is given.

(V.S.)

Y

		Rate.						
ORDNANCE.		Per	No. 1 Balance Sheet.		No 2. Balance Sheet.			
			£	s.	d.	£	s.	d.
Racers, wrought-iron continued—								
Flanged, platform, wood*—								
	Casemate, 60°	set	12	1	0	13	5	1
Dwarf	{ "A," 60° }	"	11	13	0	12	16	
	{ "B,"	"	14	16	0	16	5	7
	{ "C," also platform, iron, 64 pr. ..	"	23	1	0	25	7	1
	{ "D," 180°, also platform, iron, 64 pr. ..	"	19	4	0	21	2	5
	{ "E," 120°	"	20	1	0	22	1	1
	{ "F," 120°	"						
Unflanged, platform, wood*—								
	Casemate, 60°	"	6	2	0	6	14	2
Dwarf	{ "A," 60° }	"	5	17	0	6	8	8
	{ "B,"	"	6	19	0	7	12	11
	{ "C,"	"	11	12	0	12	15	2
	{ "D," 180°	"	9	14	0	10	13	5
	{ "E," 120°	"	10	2	0	11	2	2
	{ "F," 120°	"	9	0	0	9	18	0
	Flat, slide, wrought-iron, R.M.L., 7 inch, 6½ tons. .	"						
Racks—								
Bronze, elevating, with two screws, fixing (for Vavasour carriage), R.B.L. gun—								
	25 pounder { 22½ cwt.	"	6	18	0	8	8	5
	{ 13½ "	"	6	18	0	8	8	5
Cast-iron, traversing, platform, wrought-iron, R.M.L. 12·5 inch—								
	Casemate { 7 feet recoil. 60°	"	8	17	0	9	14	8
	{ 7 " " (special for Malta) 66°	"	11	8	0	12	10	10
	{ 6 " " " " 60°	"	8	14	0	9	10	8
Dwarf	{ "D," 230°	"	18	19	9	20	17	9
	{ "C," also 12 inch, 35 tons	"	18	9	0	19	17	11
Leather, intrenching tools, mountain equipment (see page 92)		pair	3	19	5	4	7	4
Steel, elevating—								
	Carriage, wrought-iron, small port, R.M.L. 12·5 inch	each	12	1	0	13	5	0
	With 2 screws, fixing, for Vavasour carriage, R.B.L. gun, 6 inch (Mark II)	"	9	5	0	10	14	0
Wrought-iron—								
Elevating, carriages, wrought-iron—								
	Garrison, small port, { Right	"	2	4	9	2	9	3
	R.M.L. 10 inch { Left	"	2	4	9	2	9	3
Turret, R.M.L.	{ 12 inch, { "Glatton"	"	5	16	0	6	7	7
	{ 25 tons { "Monarch" type	"	5	16	0	6	7	7
	{ 10 inch { "Hecate"	"	5	16	0	6	7	7
	{ "Rupert"	"	5	16	0	6	7	7
Retaining, carriages, wrought-iron, garrison, Moncrieff—								
	R.B.L., 7 inch { Left	"						
	{ Right	"						
	R.M.L.—							
	9 inch (Mark II) { Left	"						
	{ Right	"						
7 inch	{ (Mark I) cycloidal { Left	"						
	{ Right	"						
	{ (Mark II) { Left	"						
	{ Right	"						
¾ pounder, 58 cwt.	{ Left	"						
	{ Right	"						

* Unflanged racers can be used with all wood dwarf and casemate platforms, but are not recommended for those on which rifled guns are mounted.

NOTE—As racers (except for "C" pivot, which form a circle) vary in length, the average number of degrees per set is given.

Section V.

ORDNANCE.	Per	Rate.					
		No. 1 Balance Sheet.			No. 2 Balance Sheet.		
Rams, carriage, wrought-iron, turret, R.M.L.—		£	s.	d.	£	s.	d.
12 inch, 35 tons	each	27	10	0			
12 inch, { " Glatton "	"	26	0	0	*		
25 tons { " Monarch " type	"	26	0	0			
10 inch { " Hecate "	"	25	0	0			
{ " Rupert "	"	25	0	0			
Hammers, rope stave, gun, R.M.L., 7 inch,							
<i>Moncrieff</i>	"	0	17	2	0	18	6
Hammers, wood stave—							
Gun—							
B.B.L.—							
7 inch	"	0	6	6	0	7	2
6 "	"	0	5	1	0	5	7
6½ pounder	"	0	6	0	0	6	7
40 pounder { 5 feet	"	0	7	4	0	8	1
{ 4 "	"	0	6	5	0	7	1
20 "	"	0	3	9	0	4	2
12 or 9 pounder	"	0	2	9	0	3	0
6 pounder	"	0	1	11	0	2	1
R.M.L.—							
16 inch, with connecting screw	"	6	7	6	7	0	3
12½ inch† { (Mark II)	"	1	18	1	2	1	11
{ (Mark III)	"	1	19	7	2	3	7
12 " 35 tons†	"	1	12	0	1	15	2
12 " 25 " †	"	1	7	8	1	10	5
11 " †	"	1	6	1	1	8	8
10 " †	"	1	2	10	1	5	1
9 " { Land service	"	0	14	0	0	15	5
{ Sea service	"	0	16	6	0	18	2
9 " Moncrieff, with connecting screws ..	"	2	2	6	2	6	9
8 "	"	0	15	4	0	16	10
7 " { 7 tons	"	0	11	3	0	12	4
{ 6½ " and 90 cwt... ..	"	0	10	11	0	12	0
44 pounder	"	0	5	2	0	5	8
64 "	"	0	5	2	0	5	8
40 "	"	0	7	6	0	8	3
25 "	"	0	8	7	0	9	5
{ 7 inch, Moncrieff	"	3	16	6	4	4	2
{ 6½ inch	"	—	—	—	—	—	—
Jointed† { 6½ pounder.. .. .	"	2	12	7	2	17	7
{ 40 "	"	2	16	8	3	2	4
{ 25 "	"	2	17	5	3	3	2
S.B.—							
100 pounder	"	0	9	7	0	10	7
10 inch	"	0	5	4	0	5	10
8 "	"	0	5	0	0	5	6
68 pounder	"	0	5	3	0	5	9
56 pounder	"	0	5	8	0	6	3
42 pounder	"	0	4	9	0	5	3
32 "	"	0	5	2	0	5	8
24 "	"	0	4	7	0	5	1
18 "	"	0	4	5	0	4	10
12 "	"	0	4	4	0	4	9
9 "	"	0	4	3	0	4	8
6 "	"	0	4	2	0	4	7
Lowitzer, R.M.L., { 8 inch { 70 cwt.	"	0	11	6	0	12	8
{ 46 "	"	0	11	0	0	12	1
{ 6½ inch	"	0	9	3	0	10	2

* These are contract rates.

† Fitted with wrought-iron bands and loops.

‡ For use with guns loaded under cover.

ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Range-finders—				
Depression, complete, with tripod stand and box	each	21 10 0	—	—
Parts and appurtenances—				
Telescopes	"	3 5 0	—	—
Levels	"	0 3 6	—	—
Spanners	"	0 1 0	—	—
Pins, adjusting (2)	"	0 0 6	—	—
Stands, tripod	"	3 10 0	—	—
Boxes, stained deal	"	0 15 0	—	—
For elevated batteries	"	—	—	—
Parts of—				
Cases, oak, for instruments { Bottom part, complete, with elevating bar, fly nut and spring washer	"	—	2 2 5	2 5 0
Top part	"	—	0 7 8	0 8 2
Instruments, complete, with telescope and glass tube	"	—	3 6 5	3 10 5
Calculating	"	—	0 6 10	0 7 3
Depression	"	—	—	—
Scales { Ranges { Blank, 2 per instrument	"	—	0 1 7	0 1 8
Tidal (sample)	"	—	0 4 6	0 4 9
Ranges, sample	"	—	0 3 1	0 3 3
Artillery, field and garrison service, Nolan—				
Complete { Field	"	—	58 18 9	62 9 6
Garrison	"	—	40 16 5	43 5 5
Parts and appurtenances—				
16 pounder (2 per set) set			1 4 0	1 5 5
Bars, fixing, { 8 cwt. (2 per set)	"		1 4 0	1 5 5
9 " { 6 cwt. (2 per set)	"		1 4 0	1 5 5
Boxes, wood, for instruments, garrison (2 per set)	"		2 7 9	2 10 7
Buckets, leather, for stands, tripod (2 per set)	"		0 6 6	0 6 10
Cases, { For instruments, field { Left hand (1 per set)	"		1 2 0	1 3 4
leather { Right hand (1 per set)	"		1 2 0	1 3 4
Tapes (2 per set)	"		0 17 11	0 19 0
Cords, measuring, for short base (2 per set)	"		0 1 3	0 1 4
Glasses, reading (2 per set)	"		0 4 10	0 5 1
Instruments { Left hand (1 per set)	"		13 15 8	14 12 2
Right " "	"		13 15 8	14 12 2
Numnahs, leather (1 per set)	"		0 12 7	0 13 4
Rollers, metal, calculating (2 per set)	"		8 15 11	9 6 6
Stands, tripod, with legs complete (2 per set)	"		9 17 6	10 9 4
Tapes { Complete, in covers (2 per set)	"		5 16 3	6 3 3
Measuring 70 yards (1 per set)	"		1 6 9	1 8 4
Field service, Watkin, in leather case—				
Artillery,* Complete† { (Mark III)	each	12 9 0	—	—
(Mark IV)	"	14 9 0	—	—

* 10 inches long, 3½ inches wide, and 1½ inches deep.

† Includes all the appurtenances and parts required for the use of the instrument according to their several marks.

ORDNANCE.	Rate.							
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Range finders, continued—			£	s.	d.	£	s.	d.
Field service, Watkin, in leather case—								
Artillery† { Withadjusting key and telescope (Mark III) (Mark IV) }	each		8	3	0			
	"		10	0	0	—		—
	"		9	10	0			
Infantry‡ { Complete* (Mark III) (Mark IV) }	"		8	10	0			
	"		6	19	0			
	"		5	19	0			
Parts and Appurtenances —								
Buckets, leather§ (4 per set, 2 large and 2 small)	"		0	8	9	—		—
Cases, leather { Artillery	"		0	9	6	—		—
	"		0	9	6	—		—
Cords, metallic (1 per set)	"		0	3	0	—		—
Discs, leather, steel picket (3 per set)	"		0	7	0	—		—
Flags, linen, picket, tripod§ (3 per set)	"		0	9	6	—		—
Halters, leather, knee§ (2 per set)	"		0	1	8	—		—
Keys, adjusting	"		0	2	0	—		—
Pickets { Steel (3 per set)¶	set		0	18	6	—		—
	each		0	13	6	—		—
Pockets, leather { Cord (1 per set)	"		0	1	6	—		—
	"		0	1	6	—		—
Straps, leather, { 2 feet 7 inches (Mark I)	"		0	1	0	—		—
	"		0	1	4	—		—
picket, tripod { 3 feet 4 inches § (Mark II)	"		0	5	6	—		—
Tapes, steel, 20 feet, in box (1 per set)	"		0	5	6	—		—
Telescopes { Artillery	"		0	8	6	—		—
	"		0	6	6	—		—
Readers—								
Metal, for index plates (for marks and natures of guns for which issued, see Plate, metal, index)	"		—		0 13 6	0 16 0		
Steel, arc, elevating (see Pointers).	"		—		4 6 0	4 11 2		
Rectifiers, guncotton, primers (see p.515).	100		—		4 6 0	4 11 2		
Reflectors, turret, sight—								
Inside	each		—		50 0 0	57 10 0		
Outside	"		—		60 0 0	69 0 0		
Rests, Rifle, or stands—								
Complete	"		—		35 10 4	37 12 11		
Holdes, rifle { Martini-Henry rifles	"		—		4 15 7	5 1 4		
	"		—		6 7 5	6 15 1		
	"		—		6 10 6	6 18 4		
Stocks for { Martini-Henry rifles	"		—		4 3 5	4 8 5		
	"		—		4 2 3	4 7 2		
Drivers, screw { Large	"		—		0 5 6	0 5 10		
	"		—		0 4 6	0 4 9		
Spanners { Box	"		—		0 10 5	0 11 1		
	"		—		0 6 5	0 6 10		
	"		—		0 4 10	0 5 1		
	"		—		0 4 10	0 5 1		

* Includes all the appurtenances and parts required for the use of the instrument according to their several marks.

† 10 inches long, 3½ inches wide, and 1½ inches deep.

‡ 5½ " " 2½ " " " 1½ " "

§ For artillery only.

|| Manufactured in store, and not included in cost of range-finders complete.

¶ For artillery (Mark III), and infantry.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Rests, Rifle, or stands, continued—				
Holders, rifle, for Martini-Henry and Snider carbines	each	—	4 18 6	5 4 5
Stocks, for Martini-Henry carbines	„	—	3 11 1	3 15 4
Chests, tool, rifle rest	„	—	2 10 9	2 13 10
Rings—				
Bronze, sight, with six fixing screws, R.B.L. gun, 6 inch (Mark I)	„			
Copper—				
Fork, tightening chain, platform, wrought-iron, R.M.L.—				
12½ inch—				
Casemate { Small port				
{ 7 feet recoil				
{ 6 " " "				
Dwarf { "C" " "	„			
{ "D" " "				
12 inch, 35 tons, dwarf "C"				
Obturator, { 6 inch (Mark I)	„	0 12 8	—	—
R.B.L. { 6 inch (Mark II)	„	—	0 14 6	0 17 2
guns { 25 pounder { 22½ cwt.	„	—	0 12 9	0 15 6
{ 13½ " "	„	—	0 12 9	0 15 6
{ 40 pounder	„	—	0 4 7	0 5 6
Vent piece { 20 " "	„	—	0 4 3	0 4 11
{ 12 or 9 pounder	„	—	0 3 6	0 3 11
{ 6 pounder	„	—	0 2 9	0 3 1
No. to a set.				
Felt, buffer, carriage, naval, sliding, R.B.L. 6 inch	4 set	—	0 0 9	0 0 10
Indiarubber—				
Fork, tightening chains—				
Platform, wrought-iron, R.M.L., 12½ inch and 12 inch, 35 tons	8	0 13 0	—	—
Slide, wrought-iron, R.M.L.—				
11 inch, "Téméraire" type	18	1 6 0	—	—
10 " "Hercules"	4	0 10 4	—	—
9 " "Sultan"	5	0 2 10	—	—
9 " service, and "Lord Clyde," 9 inch	6	0 2 2	—	—
also 8 inch } 8 "	3	0 1 1	—	—
Turret—				
12 inch, 35 tons, 12 inch, 25 tons, "Glatton," and 10 inch "Hecate"	8	0 13 0	—	—
12 inch, 25 tons, "Monarch" type	8	0 10 8	—	—
10 inch "Rupert"	8	0 13 0	—	—
9 " "Wyvern"	6	0 12 8	—	—
Hook, preventor, platform, wrought-iron, Moncrieff, R.M.L. 7 inch (Mark I)	8	0 16 4	—	—
Stop, compressor, rear, carriage, wrought-iron, garraion, sliding, R.M.L. 12½ inch (¾ inch × 1 inch × 1½ inch hole)	4	0 6 0	—	—

Section V.

343

ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Rings, continued—		£ s. d.	£ s. d.	£ s. d.
India rubber—				
Buffer—				
Carriage, wrought-iron, 20 pounder, upper deck, slides, wrought-iron, 9 inch to 7 inch, 6½ tons, and 20 pounder, upper deck, platform, iron, 9 inch to 7 inch (3¼ inch × 2 inch × 1½ inch hole)	each	0 1 6	—	—
Platform—				
12½ inch to 10 inch (4½ inch × 2½ inch × 1½ inch hole)	"	0 2 9	—	—
12½ inch, small port (4½ inch × ½ inch × 1½ inch hole)	"	0 0 10	—	—
Wrought-iron—				
Elevating—				
Albini, R.B.L. gun, 6 inch (Mark II)	"	—	12 14 6	15 10 6
Vauvasseur carriage, R.B.L., 6 inch (Mark II)	"	—	27 6 6	33 17 0
Indicator, R.B.L. guns { 7 inch	"	—	1 2 0	1 5 2
{ 40 pounder	"	—	0 12 0	0 13 5
Tappet, R.B.L. guns { 7 inch	"	—	2 8 1	2 13 10
{ 40 pounder	"	—	1 8 8	1 12 2
{ 20 "	"	—	1 4 10	1 7 9
{ 12 or 9 pounder	"	—	0 19 6	1 1 10
{ 6 pounder	"	—	0 19 2	1 1 6
Handspike, with plate, carriage, iron, field, R.M.L. { 25, 16, or 9 pounder	"	—	0 11 0	0 12 1
{ 7 pounder	"	—	0 10 10	0 11 11
Hook, preventor, platform, wrought-iron, Moncrieff, R.M.L. 7 inch (Mark I) (set of 6)	set			
Trunnion, 24 pounder, howitzer	each			
With starts { 3½ inch	10	—	0 2 8	0 2 11
{ 3 "	"	—	0 2 7	0 2 10
{ 2½ "	"	—	0 2 5	0 2 8
Rivets— { ½ inch × 1½ inch	100	—	0 7 5	0 8 2
Copper { Powder barrel { No. 269, half	"	—	0 2 2	0 2 4
{ " 270, whole	"	—	0 2 4	0 2 6
{ Common { Large	"	—	0 2 6	0 2 8
{ Small	"	—	0 1 8	0 1 9
Metal, shell { Naval { Large	"	—	0 2 8	0 2 10
{ Medium	"	—	0 2 8	0 2 10
{ Small	"	—	0 1 8	0 1 9
Steel, conical, ¾ inch × 3 inch	"	—	0 10 8	0 11 9
Wrought-iron—				
Boss head—				
¾ inch × 6½ inch	"	—	1 3 7	1 5 11
¾ " 6 "	"	—	1 2 5	1 4 8
¾ " 4½ "	"	—	0 19 5	1 1 4
¾ " 4 "	"	—	0 17 8	0 19 5
¾ " 3½ "	"	—	0 16 6	0 18 2
¾ " 2½ "	"	—	0 14 9	0 16 2
¾ " 5½ "	"	—	0 15 8	0 17 3
¾ " 5½ "	"	—	0 15 1	0 16 7
¾ " 4½ "	"	—	0 13 2	0 14 6
¾ " 3½ "	"	—	0 11 9	0 12 11
¾ " 3½ "	"	—	0 10 10	0 11 11
¾ " 3 "	"	—	0 10 4	0 11 4
¾ " 2½ "	"	—	0 9 2	0 10 1
¾ " 1½ "	"	—	0 7 11	0 8 9
¾ " 5½ "	"	—	0 12 9	0 14 0

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Rivets, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Boss head—			
$\frac{9}{16}$ inch \times $3\frac{1}{2}$ "	100	0 9 5	0 10 4
$\frac{9}{16}$ " 2 $\frac{1}{2}$ "	"	0 8 4	0 9 2
$\frac{9}{16}$ " 2 $\frac{1}{4}$ "	"	0 8 0	0 8 9
$\frac{9}{16}$ " 2 "	"	0 7 7	0 8 4
$\frac{9}{16}$ " 1 $\frac{1}{2}$ "	"	0 7 3	0 7 11
$\frac{9}{16}$ " 1 $\frac{1}{4}$ "	"	0 6 6	0 7 2
$\frac{1}{2}$ " 6 "	"	0 11 3	0 12 5
$\frac{1}{2}$ " 2 $\frac{1}{2}$ "	"	0 6 10	0 7 5
$\frac{1}{2}$ " 2 "	"	0 6 6	0 7 2
$\frac{1}{2}$ " 1 $\frac{1}{2}$ "	"	0 5 11	0 6 6
$\frac{1}{2}$ " 1 $\frac{1}{4}$ "	"	0 5 6	0 6 1
$\frac{1}{2}$ " 5 $\frac{1}{2}$ "	"	0 6 10	0 7 6
$\frac{1}{2}$ " 4 $\frac{1}{2}$ "	"	0 5 9	0 6 4
$\frac{1}{2}$ " 2 $\frac{1}{2}$ "	"	0 4 8	0 5 1
$\frac{1}{2}$ " 2 "	"	0 4 7	0 5 0
$\frac{1}{2}$ " 1 $\frac{1}{2}$ "	"	0 4 5	0 4 10
$\frac{1}{2}$ " 1 $\frac{1}{4}$ "	"	0 4 3	0 4 8
$\frac{1}{2}$ " 1 $\frac{1}{8}$ "	"	0 4 2	0 4 7
$\frac{1}{2}$ " 1 $\frac{1}{8}$ "	"	0 4 1	0 4 6
$\frac{1}{2}$ " $\frac{3}{4}$ "	"	0 3 10	0 4 2
$\frac{1}{2}$ " 1 "	"	0 3 6	0 3 10
$\frac{1}{2}$ " $\frac{3}{4}$ "	"	0 3 5	0 3 9
$\frac{1}{2}$ " 4 "	"	0 3 3	0 3 7
$\frac{1}{2}$ " 2 $\frac{1}{2}$ "	"	0 2 10	0 3 1
$\frac{1}{2}$ " 1 $\frac{1}{2}$ "	"	0 2 6	0 2 9
Boss head and countersunk—			
$\frac{1}{2}$ inch \times $7\frac{1}{2}$ inch	"	1 6 1	1 8 8
$\frac{1}{2}$ " 8 "	"	0 19 2	1 1 1
$\frac{1}{2}$ " 7 $\frac{1}{2}$ "	"	0 18 0	0 19 10
Countersunk head, $\frac{1}{2}$ inch \times $2\frac{1}{2}$ inch	"	0 3 0	0 3 4
Rockets—			
Call, without sticks	"	106 15 11	113 15 0
Life-saving { Boxer { Whole (with- { (Mark III) }	"	75 11 3	80 4 3
out sticks) { (Mark IV) }	"		
Section, filled	each	1 18 6	2 0 10
Buoyant { Whole (without sticks)	100	92 9 1	98 8 2
Section, filled	each	1 11 11	1 13 10
Light, $\frac{1}{2}$ lb. (without sticks)	100	18 16 7	19 18 10
Signal (without sticks)—			
2 lb.	"	26 2 6	27 13 10
1 lb. coloured, with { Blue	"	15 17 0	16 17 7
Green	"	13 18 4	14 16 5
Red	"	15 2 7	16 2 4
Red and white	"	12 13 7	13 10 3
1 lb. { Whole	"	9 15 4	10 7 1
Section, filled	each	0 4 0	0 4 3
$\frac{1}{2}$ lb. coloured { Blue	100	10 19 10	11 15 0
Green	"	9 17 10	10 11 5
Red	"	10 12 0	11 6 7
$\frac{1}{2}$ lb. { Whole	"	7 9 4	7 19 9
Section	each	0 3 6	0 3 10
Sound, gun cotton, $\frac{1}{2}$ lb. (including detonators and gun cotton charges)—			
With sticks	100	12 10 0	13 5 0
Without sticks	"	10 19 10	11 13 0
War, Hales { 24 pounder	"	81 2 8	86 0 10
9 "	"	41 18 1	44 11 8
9 " dummy { Whole	each	0 7 0	0 7 5
Section	"	0 18 0	0 19 1

345

ORDNANCE.			Rate.					
			Per	No. 1 Balance Sheet.			No. 2 Balance Sheet.	
Rockstaff, wood, forge, cart or wagon	each		£	s.	d.	£	s.	d.
Rods—			0	7	0	0	7	8
Wood, for cleaning R.B.L. guns—								
7 inch	"		0	9	3	0	10	4
6 " in two pieces	"		4	5	2	4	13	8
40 pounder	"		0	6	5	0	7	2
20 "	"		0	7	3	0	8	1
12 "	"		0	6	0	0	6	7
9 "	"		0	5	10	0	6	6
6 "	"		0	5	5	0	6	1
Wrought-iron—								
Connecting—								
Carriage, wrought-iron, Moncrieff—								
Central, { R.B.L., 7 inch	"							
with bolts { R.M.L. { 7 inch (Mark II)	"							
{ 4½ pr., 58 cwt.	"							
R.M.L., 9 inch (Mark II) { Left	"							
{ Right	"							
Clutch lever, platform wrought-iron, R.M.L.,								
12 inch, 35 tons, dwarf "C"	"							
For bottoms, spherical shell or shot	100							
For pointing mortars (2 per set) with plank ..	set		0	10	3	0	11	3
Or links, eccentric, nipping, carriages, wrought-iron, R.M.L.—								
Sliding, with keep screw—								
Garrison { 12½ inch	each		1	18	4	2	2	2
{ 12 inch, 35 tons								
Naval—								
12 inch, 25 tons, "Belleisle" type	"		1	0	1	1	2	1
11 inch, "Ténéraire" type	"		1	18	3	2	2	1
10 inch { "Sultan"	"		1	19	6	2	3	5
{ "Hercules"	"		1	19	6	2	3	5
9 inch, "Sultan" type.. .. .	"		1	9	8	1	12	8
And spindle, with steel pin, 9 and								
8 inch	"		2	1	6	2	5	8
Turret, with keep screw—								
12 inch, 35 tons	"		1	14	2	1	17	7
12 inch, 25 tons { "Glatton"	"		1	12	1	1	15	4
{ "Monarch" type	"		1	11	6	1	14	8
10 inch	"		2	8	6	2	13	4
And spindle, with steel { "Prince Albert"	"		1	19	4	2	3	3
pin, 9 inch { "Scorpion"	"		1	19	8	2	3	8
{ "Wyvern"	"		2	3	0	2	7	4
Rollers, cast-iron—								
Friction, carriage, wrought-iron, Moncrieff—								
Arc, elevating { R.B.L., 7 inch	"							
{ R.M.L. { 7 inch (Mark II)								
{ 4½ pr., 58 cwt.	"							
Guide, elevating { R.B.L. 7 inch { Left	"							
{ R.M.L. 4½ pr. 58 cwt.								
Guide, chain, endless, platform, wrought-iron, dwarf, R.M.L.—								
12½ inch { "C"	"							
{ "D"								
12 inch, 35 tons, "C"	"							
Shifting gun, carriage, top, overbank, R.M.L.								
64 pounder	"		0	8	5	0	9	3
Rollers, metal—								
Bed, howitzer, R.M.L., 8, 6·6, and 6·3 inch ..	"		1	3	2	1	5	6

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Rollers, metal, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>
Friction, carriages, wrought-iron, garrison—			
Sliding, R.M.L., with spindles, metal nuts, and steel pins—			
Double plate { 9 inch each			
7 " "			
Single plate { Casemate, 11 or 12 inch, 25 tons "			
Casemate or dwarf { 9 inch "			
7 " "			
Moncrieff, R.M.L.—			
Arc, elevating, 9 inch (Mark II) "			
Guide, elevating { 9 inch (Mark II) "			
$\frac{2}{3}$ pr., 58 cwt. "			
Front—			
Carriages, steel, R.M.L. 64 pounder (see Front roller, 64 pounder, Mark I and II carriage).			
Carriages, wood, garrison, sliding and wood, naval, except R.M.L. 7 inch "	1 5 7	1 8 2	
Carriages, wood, naval, sliding, R.M.L. 7 inch "	2 18 0	3 3 10	
Carriages, wrought-iron, garrison, sliding, R.M.L.			
Small port { 12.5 inch.. .. . "	5 17 0	6 8 8	
10 " "	6 10 11	7 4 0	
12.5 inch.. .. . "	5 12 2	6 3 5	
12 inch, 35 tons.. .. . }			
Double plate—			
11 or 12 inch, 25 tons "			
10 inch (Mark I) }			
9 inch, also naval, and 8 inch and 9 inch turret "	4 17 9	5 7 6	
10 inch (Mark II) (as 10 inch, naval, front)			
7 inch (as 7 inch naval, double plate, front)			
Single plate—			
Casemate—			
11 or 12 inch, 25 tons "			
Or dwarf—			
9 inch, also naval, 9 or 8 inch (as 9 inch, naval, single plate, front)			
7 inch (as 7 inch, naval, single plate, front).			
Carriages, wrought-iron, naval, sliding, R.M.L.—			
Double plate—			
12 inch, 25 tons, "Belleisle" type "	3 17 8	4 5 5	
11 inch, "Téméraire" type "	5 11 3	6 2 5	
"Hercules" "	5 10 0	6 1 0	
10 inch { "Sultan," also 10 inch casemate (Mark II) "	5 10 0	6 1 0	
"Sultan" type "	3 18 6	4 6 4	
9 inch { Service and 8 inch (as 12 to 9 inch, garrison, double plate, front).			
7 inch, 6½ tons, also 7 inch garrison			
Single plate—	2 8 8	2 13 6	
7 inch, 90 cwt. "			
9 or 8 inch, also garrison, 11 or 12 inch, 25 tons, and 9 inch "	5 3 0	5 13 4	
7 inch 6½ tons, also garrison "	2 11 0	2 16 1	
64 pounder (Mark I and II), and garrison, 64 pounder, also carriage, steel, R.M.L.			
64 pounder "	1 19 8	2 3 8	
Carriages, wrought-iron, turret, R.M.L.—			
12 inch, 35 tons "	8 8 9	9 5 8	

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Rollers, metal, continued—		£ s. d.	£ s. d.
Front—			
Carriages, wrought-iron, turret, R.M.L.—			
12 inch, 25 tons, and 10 inch	each	7 3 8	7 18 0
9 inch (as 12 to 9 inch garrison, double plate, front)			
Rear—			
Carriages, wrought-iron, garrison, sliding, R.M.L.			
Small port { 12·5 inch	"	4 1 4	4 9 6
{ 10 "	"	3 8 4	3 15 2
12·5 and 12 inch, 35 tons	"	4 8 1	4 16 11
Double plate—			
11 or 12 inch, 25 tons, 10 inch (Mark I and II), 9 inch, also naval, 9 inch and 8 inch, and 9 inch turret	"	2 4 9	2 9 3
7 inch (as 7 inch, naval, double plate, rear)			
Single plate—			
11 or 12 inch, 25 tons, and 9 inch, also naval, 9 or 8 inch	"	2 11 6	2 16 8
7 inch, also naval, 7 inch	"	1 10 4	1 13 4
Carriages, naval, sliding—			
Steel, 6½ pounder, R.M.L. (Mark III) ..	"	0 19 10	1 1 10
Wood—			
R.B.L. 7 inch, R.M.L. $\frac{64 \text{ pounder,}}{8 \text{ inch}}$..	"	1 6 0	1 8 7
71 cwt., 64 pounder, 64 cwt., also S.B. 10 inch, 68 pounder, and 8 inch			
R.M.L. 7 inch			
R.B.L. 40 pounder, S.B. 32 pounder, 58 or 56 cwt.	"	0 8 1	0 8 11
Wrought-iron, R.M.L.—			
Double plate—			
12 inch, 25 tons, "Belleisle" type ..	"	1 9 11	1 12 11
11 inch, "Téméraire" type	"	4 2 6	4 10 9
10 inch { "Sultan" type, and gunboat ..	"	1 3 11	1 6 4
{ "Hercules"	"	1 3 11	1 6 4
{ "Plucky"	"	2 3 2	2 7 6
{ "Sultan" type	"	2 3 0	2 7 4
9 inch { Service, and 8 inch (as 12 inch to 9 inch garrison, double plate, rear)			
7 inch, 6½ tons, also garrison 7 inch and 64 pounder	"	1 4 0	1 6 5
Single plate—			
7 inch, 90 cwt.			
9 or 8 inch (as 12 inch to 9 inch, garrison, single plate, rear)			
64 pounder (Mark I and II)	"	1 4 2	1 6 7
Carriages, naval, wrought-iron, turret, R.M.L.—			
12 inch, 35 tons	"	5 17 0	6 8 8
12 inch, 25 tons, and 10 inch	"	4 8 4	4 17 2
9 inch (as 9 or 8 inch, sliding, double plate, rear)			
Elevating, rack, retaining, Moncrieff—			
R.B.L. 7 inch (4 to a set)	set	1 3 6	1 5 10
R.M.L.—			
9 inch (Mark II) (8 to a set)	"	2 1 6	2 5 8
7 " (Mark II) 8 "	"	2 1 6	2 5 8
¾ pounder, 58 cwt. (Mark II) (8 to a set)	"	2 6 6	2 11 2

ORDNANCE.	Per	Rate.					
		No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Rollers, metal, continued—		£	s.	d.	£	s.	d.
Centre—							
Slides, wood, heavy	each	1	19	2	2	3	1
Slides, wrought-iron, R.M.L.—							
9 inch—							
“Sultan” type	2	15	6	3	1	1
“Shannon”	2	2	9	2	7	0
Service, 8 inch, and “Lord Clyde”	}	2	8	9	2	13	8
7 inch { 6½ tons		1	11	10	1	15	0
{ 90 cwt.	1	11	10	1	15	0
64 pounder { (Mark I)	}	1	19	4	2	3	3
{ (Mark II and VI)		1	15	0	1	18	6
{ (Mark III, IV and V)	1	5	0	1	7	6
Front and rear, slide, steel, R.B.L., 6 inch	..	1	5	0	1	7	6
Front—							
Slides, wood, heavy	1	0	8	1	2	9
Slides, wrought-iron—							
R.B.L., 20 pounder, upper deck	0	12	10	0	14	1
R.M.L.—							
12 inch, 25 tons, “Belleisle” type	11	18	8	13	2	1
11 inch, “Téméraire” type	13	15	6	15	3	1
10 inch { “Sultan” type	}	11	2	3	12	4	6
{ “Téméraire” and “Hercules”		11	2	3	12	4	6
9 inch, service, 8 inch, and “Lord Clyde”	3	16	7	4	4	3
9 inch—							
Side, “Sultan” type	5	19	2	6	11	1
Revolving, “Sultan” type, “Shannon”							
side and revolving	5	19	2	6	11	1
7 inch { 6½ tons	}	2	2	0	2	6	2
{ 90 cwt.		2	2	0	2	6	2
64 pounder	2	5	1	2	9	7
Rear—							
Slides, wood, heavy	1	19	2	2	3	1
Slides, wrought-iron—							
R.B.L., 20 pounder, upper deck	0	16	5	0	18	1
R.M.L.—							
12 inch, 25 tons, “Belleisle” type	15	19	8	17	11	8
11 inch, “Téméraire” type	26	7	6	29	0	3
10 inch—							
“Sultan” type	20	4	3	22	4	8
“Téméraire” { Revolving	}	17	9	7	19	4	7
{ Side, also “Hercules”		20	4	3	22	4	8
9 inch { “Sultan” type, and revolving	}	11	2	9	12	5	0
{ “Shannon”		5	15	10	6	7	5
Service, 8 inch, and “Lord Clyde”	}	11	4	9	12	7	3
“Shannon” side		2	12	9	2	18	0
7 inch { 6½ tons	}	2	12	9	2	18	0
{ 90 cwt.		1	11	10	1	15	0
64 pounder { (Mark II and III)	}	1	11	10	1	15	0
{ (Mark IV and V)		1	11	10	1	15	0
{ (Mark VI)	1	11	10	1	15	0
Rollers, steel, carriage, naval, sliding, R.M.L.							
64 pounder, 64 cwt.—							
(Mark IV and V) { Large	}	1	17	0	2	0	8
{ Small		1	12	3	1	15	6
(Mark VI) { Large	}	1	17	0	2	0	8
{ Small		1	12	3	1	15	6
Rollers, wood—							
Elm—							
6 feet x 10 inches diameter	1	4	6	1	6	11
4 „ 10 „ „	0	17	5	0	19	2

ORDNANCE.	Rate.		
	Pcr	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Rollers, wood, continued—		£ s. d.	£ s. d.
Elm—			
6 feet x 6 inches, diameter	each	0 10 6	0 11 7
3 " 7 " " " " " " "	"	0 7 6	0 8 3
3 " 6 " " " " " " "	"	0 6 0	0 6 7
3 " 5 " " " " " " "	"	0 4 9	0 5 3
2½ " 5 " " " " " " "	"	0 3 10	0 4 3
Oak,* iron bound { 8 feet x 12 inches, diameter	"	5 11 10	6 3 0
{ 2½ " x 12 " " " " " " "	"	1 6 0	1 8 7
Sabicu { 3 feet x 5 inches, diameter	"	0 7 8	0 8 5
{ 2½ " 5 " " " " " " "	"	0 6 9	0 7 5
{ 2 " 5 " " " " " " "	"	0 5 4	0 5 10
{ 20 inches x 5 inches diameter	"	0 4 8	0 5 2
{ 14 " 5 " " " " " " "	"	0 3 6	0 3 10
Scotch, with chain, complete, drag gun, heavy, to 25 tons	"	0 16 0	0 17 7
Shifting gun, carriage, siege—			
R.B.L. 40 pounder, wood.. .. .	"	0 5 2	0 5 8
R.M.L. iron { 64 pounder or 40 pounder (Mark II)	"	0 8 8	0 9 6
{ 40 pounder (Mark I)	"	0 11 5	0 12 7
Top, overbank, R.M.L. { 64 pounder	"	0 17 0	0 18 8
{ 40 " " " " " " " "	"	0 12 2	0 13 5
{ 25 " " " " " " " "	"	0 11 5	0 12 7
Rollers, wrought iron—			
Carriage, garrison, Moncrieff—			
Friction, guide, elevating, R.M.L., 7 inch (Mark II)	set		
Rack retaining (set of 4) { R.B.L. 7 inch	"		
{ R.M.L. 9 inch (Mark II)	"		
Carriage, naval, sliding, R.B.L., 6 inch	each	1 7 9	1 10 6
Rope, galvanized, steel wire, 2½ inches in circumference, for guy ropes of sheers, lifting guns, up to 90 cwt.	length of 30 fms. }	6 0 0†	—
Ropes—			
Bell, rammer, R.M.L. 9 inch or 8 inch	each	0 8 8	0 9 6
Drag { China barrow	pair	0 3 0	0 3 4
{ Heavy	"	0 17 9	0 19 6
{ Light	"	0 6 3	0 6 11
Men's harness, light	"	1 19 0	2 2 11
Gasket or stopper { 6 inch white rope (3 fathoms) for crabs	each	0 18 2	1 0 0
{ 3½ " tarred rope, crab, capstan	"	0 3 7	0 3 11
{ Gibraltar gyn	"	0 1 8	0 1 10
Guide, rammer, with clip, R.M.L.—			
12½ inch	"	0 7 5	0 8 2
12 inch { 35 tons	"	0 7 2	0 7 11
{ 25 " " " " " " " "	"	0 7 0	0 7 8
11 " " " " " " " "	"	0 6 10	0 7 6
10 " " " " " " " "	"	0 6 10	0 7 6
9 " " " " " " " "	"	0 6 10	0 7 6
Check, carriage, R.M.L., 7 pounder, mountain —			
Wrought-iron { 200 lbs.	"	0 1 8	0 1 10
{ 150 " " " " " " " "	"	0 1 4	0 1 6
Steel, 400 lbs.	"	0 3 1	0 3 5
Lashing—			
Cart, Maltese	10	1 12 7	1 15 10
Cover— { Tip, general service, also wagon, forge (Mark II) and store, Royal Artillery	"	0 5 1	0 5 7
{ Transport, spring	"	0 4 6	0 4 11

* Or other description of hard timber.

† This is a Contract rate.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Ropes, continued—				
Lashing—				
Cover—				
Wagons—				
Ammunition and store, Royal Artillery	10	—	0 8 0	0 8 9
Forge and store, Royal Artillery (as rope, cart, tip, general service).				
General service—				
Lock under—				
(Mark III)	"	—	0 8 8	0 9 6
(Mark IV), also general service and forge Royal Engineers	"	—	0 9 9	0 10 9
Heavy spring	"	—	0 5 6	0 6 0
Light, spring, or surgery	"	—	0 8 9	0 9 7
Gun, cart or wagon, wood, sling	"	—	0 4 1	0 4 6
64 feet*	"	—	1 13 4	1 16 8
Tarred rope, { 1½ inch { 50 " *	"	—	1 6 3	1 8 9
{ 22 " †	"	—	0 13 6	0 14 2
{ 10 feet	"	—	0 3 5	0 3 9
{ 1 inch { 20 "	"	—	0 5 9	0 6 4
Lever, sling, cart or wagon	"	—	0 13 7	0 14 11
Parbuckling { 18 fathoms	"	—		
{ 15 "	"	—		
{ 12 "	"	—		
Preventor, platform traversing—				
Wood	each	—	0 8 3	0 9 1
Wrought-iron { 12 inch, 25 ton, to 10 inch	"	—	0 12 6	0 13 9
{ 9 or 7 inch	"	—	0 9 6	0 10 5
Scale for weighing powder, 120 lbs. with gunmetal hooks (see page 158).	set	0 17 0	—	—
Sling, raising 12 and 11 inch projectiles, 4 feet 8 inches long	each	—	0 5 3	0 5 9
Wagon, sling, iron, light	"	—	0 5 3	0 5 9
With hook and counterweight for lifting zinc cylinders, containing filled cartridges, 7½ inch	"	—		
Mules, 2 feet, 4 fold, gun and shot gauges (see page 98).	"	0 2 6	—	—
Saddles, metal—				
Carriages, travelling, { 40 pounder	"	—	29 0 0	31 18 0
R.B.L. with levers, { 20 "	"	—	17 0 0	18 14 0
traversing screw, &c. { 12 "	"	—	13 0 0	14 6 0
With screws, fixing, 7 inch, { 82 cwt.	"	—	4 17 0	5 7 0
R.B.L. guns { 72 "	"	—	4 8 0	4 19 0
Scales, hanging, siege, travelling, carriage	set	—	6 17 6	7 10 6
Scales, elevating, carriage, wrought-iron, garrison, sliding, R.M.L., 12½ inch, small port—				
Metal { Sliding	each			
{ Vernier, nut	"			
Wrought-iron	"			
Scales, metal, trunnion, carriage, wrought-iron, garrison, R.M.L., 12½ inch small port—				
Left	"			
Right	"			

* For 8 inch, 6·6 inch and 6·3 inch howitzers.

† For 8 inch howitzer.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Scales, tangent—		£ s. d.	£ s. d.
Brass			
Guns, bronze—			
12 pounder 18 cwt.			
9 " 13 "			
6 " 6 " { Land service ..			
Sea " ..			
3 " 3 "			
3 " 2½ "			
3 " 2½ "			
Guns, cast-iron, 24 pounder, 20 cwt. ..			
Howitzers, bronze—			
32 pounder, 17 cwt.	each	0 7 6	0 8 6
24 " 18 " { Land service ..			
Sea " ..			
12 " 6 " { Land service ..			
Sea " ..			
4½ inch, 2½ cwt.			
Howitzers, cast-iron { 10 inch, 42 cwt. ..			
8 " 22 " ..			
5½ " 16 " ..			
Or slides, long, for sea service, pivot guns—			
10 inch, 86 cwt., 7° to 11°	"	0 8 0	0 9 0
8 " 65 or 60 cwt., 7° to 10°	"	0 8 0	0 9 0
68 pounder, 95 cwt., 7° to 11°	"	0 8 0	0 9 0
32 pounder { 58 cwt. { 4° to 7°	set of 2	0 14 0	0 15 8
7° to 10°			
56 cwt. { 4° to 6°	set of 3	1 0 0	1 2 4
6° to 8°			
8° to 10°			
Wood, land service, guns—			
R.M.L. 7 pounder { 200 lbs., bronze, to 17° ..	each	0 6 8	0 7 8
150 " steel, to 20° ..	"	0 13 3	0 15 3
S.B.—			
10 inch, 86 cwt.			
8 inch { 65 cwt.			
60 "			
54 "			
68 pounder { 112 cwt.			
95 "			
56 pounder { 97 cwt.			
78 "			
42 pounder { 84 cwt.			
67 "			
32 pounder—			
63 cwt.			
58 "			
56 "			
50 " "A"			
48 or 50 cwt.			
45 cwt., "B"			
43 " "C"			
40 "			
39 "			
32 "			
25 "			
24 pounder { 50 cwt.			
48 "			
42 "			
18 pounder { 38 "			
22 "			
	"	0 8 3	0 9 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Scales, tangent, continued—		£ s. d.	£ s. d.
Wood, land service, guns—			
S.B.—			
18 pounder { 20 cwt. }	each	0 8 3	0 9 2
15 " }			
12 pounder { 34 " }			
33 " }			
9 pounder { 28 " }			
24 " }			
6 pounder, 17 cwt. }			
Wood, sea service—			
Guns—			
R.M.L., with clamps—			
12.5 inch, turret* "			
12 " " " " " " " " " " "			
11 inch { Turret* "	0 19 2	1 2 3	1 2 3
Broadside "			
10 inch { Turret* "	0 19 2	1 2 3	1 2 3
Broadside "			
9 inch { Turret* "	0 19 2	1 2 3	1 2 3
Broadside "			
8 inch "	0 19 2	1 2 3	1 2 3
7 inch { 6½ ton "	0 19 2	1 2 3	1 2 3
90 cwt. "	0 19 2	1 2 3	1 2 3
6½ pounder, 6½ cwt. "	0 19 2	1 2 3	1 2 3
R.M.L. 7 pounder { Bronze, to 17° "	0 8 9	0 9 9	0 9 9
{ 150 lbs. steel to 20° "	0 6 6	0 7 3	0 7 3
Side— { 7 inch }	0 4 10	0 5 6	0 5 6
R.B.L. { 40 pounder }			
{ 20 " without clamp "			
{ 20 " with clamp "	0 16 0	0 18 4	0 18 4
R.M.L. 6½ pounder { 64 cwt. }	0 5 0	0 5 8	0 5 8
{ 71 " converted }			
S.B. { Bronze, 6 pounder }	0 5 0	0 5 8	0 5 8
{ Cast-iron, 32 pounder { 32 cwt. }			
{ 25 " }			
{ Wrought-iron, 100 pounder }	0 17 6	0 19 5	0 19 5
Howitzer, S.B., bronze, 24 pounder, side "	0 5 0	0 5 8	0 5 8
Or slides, long, for S.B. cast-iron guns—			
10 inch, 86 cwt., 7° to 11° }	0 2 6	0 2 10	0 2 10
68 pounder, 95 cwt., 7° to 11° }			
8 inch { 65 or 60 cwt. { 5° to 7½° }			
{ 54 cwt. { 5° to 7½° }			
{ 7½° to 10° }			
32 pounder—			
58 cwt. { 4° to 7° }	0 2 6	0 2 10	0 2 10
{ 7° to 10° }			
{ 4° to 6° }			
56 cwt. { 6° to 8° }	0 2 6	0 2 10	0 2 10
{ 8° to 10° }			
{ 50 cwt., " A " { 5° to 7° }			
{ 7° to 10° }			
45 cwt., " B " { 5° to 7° }	0 2 6	0 2 10	0 2 10
{ 7° to 10° }			
{ 42 cwt., " C " { 5° to 7° }			
{ 7° to 10° }			

* These scales vary in price, and are special for each ship, according to mode in which the guns are mounted. In demands, therefore, the name of the ship should be quoted.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Scales, tangent, continued—		£ s. d.	£ s. d.	£ s. d.
Wood, sea service—				
Or slides, long, for S.B. cast-iron-guns—				
32 pounder—				
32 cwt. { 4° to 7½° }	each	—	0 2 6	0 2 10
25 cwt. { 7½° " 10° }				
Scales, with gunmetal beams, brass chains, and copper pans, without weights, for weighing powder—				
28 lbs. (See page {	"	2 5 0	—	—
8 " 159) {	"	1 3 6	—	—
Scissors—				
Gunmetal, magazine, 9½ inch	pair	0 2 6	—	—
Phosphor-bronze, magazine, 9½ inch ..	"	0 4 0	—	—
Scotches, wood—				
Carriage, wrought-iron, travelling, R.M.L.				
64 to 25 pounder	each	—	0 1 8	0 1 10
Elm { Large 12 in. × 6 in. × 6 in. ..	10	—	0 5 0	0 5 6
Medium 9 in. × 5 in. × 4 in. ..	"	—	0 3 0	0 3 4
Small 6 in. × 4 in. × 2½ in. ..	"	—	0 0 10	0 0 11
Recoil, siege carriages	each	—	2 10 8	2 13 11
With handle, 35 ton guns and upwards ..	"	—	0 19 6	1 1 5
Scoops, copper, powder { 9½ inch ..	"	0 5 0	—	—
Scrapers, platform { 8½ inch ..	"	0 4 2	—	—
Screens, calico, signalling, complete ..	"	—	0 6 6	0 7 2
Parts of—				
Screens, calico, with lashing, 6 ft. × 6 ft.	"	—	—	—
Lines, bracing, 8 yards (2 per screen) ..	"	—	—	—
Poles, wood, 7 feet (2 per screen) ..	"	—	—	—
Screws—				
Brass, round head, ½ inch, for rammer staves	gross	0 3 9	—	—
Breech, interrupted thread, complete, with lever—				
Clip, retaining, and 4 screws, fixing—				
R.B.L. { 6 inch (Mark II) ..	each	—	77 4 6	94 4 10
guns { 25 pounder { 22½ cwt. ..				
13½ " ..	"	—	41 3 3	50 4 9
S.B.B.L. gun, 32 pounder, 42 cwt.	"	—	41 3 3	50 4 9
Safety slide, hammer and clip, retain- ing, R.B.L. gun, 6 inch (Mark I) ..	"	—	51 13 3	63 11 0
Breech, R.B.L. guns—				
Complete, with tappet ring, lever, and keep pins—				
7 inch	"	—	40 0 8	44 5 0
40 pounder { 35 cwt. ..	"	—	20 9 6	22 18 8
32 " ..				
20 "	"	—	12 12 8	14 3 0
12 "	"	—	8 7 7	9 7 8
9 "	"	—	8 7 7	9 7 8
6 "	"	—	6 16 0	7 12 1
Incomplete—				
7 inch	"	—	30 11 8	33 13 4
40 pounder { 35 cwt. ..	"	—	15 4 8	17 1 2
32 " ..				
20 "	"	—	8 17 8	9 19 0
12 "	"	—	5 8 0	6 1 0
9 "	"	—	5 8 0	6 1 0
6 "	"	—	4 1 1	4 10 8
(V.S.)			Z	

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Screws, continued—		£ s. d.	£ s. d.
Copper, set—			
R.B.L. guns, 20 pounder { Right hand ..	each	0 5 11	0 6 11
and downwards { Left " ..			
R.M.L. guns, { Right hand	"	0 5 11	0 6 11
16 pounder { Left "			
Tangent, scale, bronze ordnance	"	0 1 0	0 1 2
Gunmetal, set, R.M.L. guns—			
9 pounder { Land service { 8 cwt. ..	"	0 4 4	0 5 0
{ Sea service { 6 " ..			
7 pounder { 150 lbs.	"	0 4 4	0 5 0
{ 200 "			
Set, centre, hind sight, socket, 64 pounder, and upwards	"	0 5 2	0 6 3
Steel { Compressor, with wrought-iron nut, carriage, wood, boat, R.B.L. 12 or 9 pounder	"	1 2 9	1 6 2
Roller, rack, retaining, wrought iron, Moncrieff, R.M.L., 9 inch (Mark II) set of 4	set	0 19 8	1 1 8
Wrought-iron—			
Adjusting—			
Brake, rear racer, slide, wrought-iron, R.M.L.—			
12 inch, 25 tons, "Belleisle" and 10 inch	pair	0 14 7	0 16 1
11 " "Téméraire" type	"	0 14 7	0 16 1
Clutch, lever, with collar and nut, platform, wrought-iron, R.M.L., 12·5 inch—			
Casemate { Small port	each	1 16 2	1 19 9
{ 7 feet recoil			
Dwarf { "C"	"	1 16 9	2 0 5
{ "D"			
Stop, compressor, platform, wrought-iron, R.M.L., 12·5 inch—			
Casemate { 7 feet recoil	"		
{ 6 " " "			
Dwarf { "C"	"		
{ "D"			
With collar and nut—			
Bed, R.M.L. { 8 inch	"	0 17 5	0 19 2
howitzer { 6·6 " and 6·3 inch			
With key, carriage, wrought-iron, sliding, single plate, { 9 inch ..	"	3 14 0	4 1 5
{ 8 " ..			
R.M.L. { 7 " 6½ tons ..	10	3 12 0	3 19 2
Arc, graduated { For wood			
{ " iron	"	0 4 2	0 4 7
Compressor, with collars and nuts—			
Bed, howitzer, { 8 inch	each	0 17 5	0 19 2
R.M.L. { 6·6 " and 6·3 inch			
Carriages, wrought-iron, naval, sliding, R.M.L.—			
Double plate—			
12 inch, 25 tons, "Belleisle" { Right ..	"	1 0 3	1 2 3
type { Left ..			
10 inch { "Sultan" type { Right ..	"	1 0 9	1 2 10
{ Gunboat { Left ..			
{ Right	"	1 0 0	1 2 0
{ Left			

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Screws, continued—		£ s. d.	£ s. d.
Wrought iron—			
Compressor, with collars and nuts—			
Carriages, wrought-iron, naval, sliding, R.M.L.—			
Double plate—			
9 inch, "Sultan" type { Right .. each	0 17 6	0 19 3	
{ Left "	0 17 6	0 19 3	
" " " " " " " " " " " "	3 0 0	3 6 0	
With keys { 9 inch { "Plucky" "	3 0 0	3 6 0	
{ "Service "	3 8 6	3 15 4	
{ 8 " { "Staunch" "	2 18 9	3 4 8	
{ 7 " 6½ tons "	2 18 9	3 4 8	
Single plate, with key—			
9 inch "	2 11 2	2 16 3	
8 " "	2 10 0	2 15 0	
7 " { 6½ tons "	2 10 0	2 15 0	
{ 90 cwt. "	2 9 0	2 13 11	
64 pounder (Mark I and II) "	2 1 6	2 5 8	
Also key, carriages, steel, naval, sliding, R.M.L.			
64 pounder (Mark III) "	2 1 6	2 5 8	
Carriages, wood, naval, sliding, S.B. } Right..	0 15 6	0 17 1	
8 inch and upwards, also R.B.L. } Left ..	0 15 6	0 17 1	
and R.M.L., side plate			
Platform, wrought-iron, R.M.L., 12½ inch—			
Casemate { 7 feet recoil }			
{ 6 " " }			
Dwarf { "C" }			
{ "D" }			
Compressor, with collars and screws, carriages, wrought-iron, naval, sliding, R.M.L., double plate, 11 inch, "Téméraire" type—			
Right "	0 18 5	1 0 3	
Left "	0 18 5	1 0 3	
Compressor, carriages, naval—			
Wrought-iron turret, with collar, R.M.L.—			
12 inch, 35 tons, with screw.. .. "	0 19 6	1 1 5	
12 inch, 25 tons, "Glatton," { Left "	0 19 6	1 1 5	
with nut { Right "	0 19 6	1 1 5	
10 inch { With nut "	0 18 7	1 0 5	
{ With screw "	0 18 10	1 0 9	
{ "Prince" { Left "	0 18 0	0 19 10	
{ "Albert" { Right.. .. "	0 18 0	0 19 10	
{ "Scorpion" "	2 13 7	2 18 11	
{ "Wyvern" "	2 15 4	3 0 10	
9 inch { "Wyvern," with coupling feathers and screws "	3 10 6	3 17 7	
Steel, sliding with collar, key and keep screws—			
R.B.L., 6 inch "	2 2 3	2 6 6	
R.M.L., 64 pounder (Mark IV and V, also carriage, iron (Mark VI) "	2 0 8	2 4 9	
Cover, brake drum, gear retaining, carriage, gar- rison, wrought-iron, Moncrieff, R.M.L.—			
9 inch (Mark II), set of 12 set	0 0 8	0 0 9	
7 " { (Mark I), set of 8 "	0 0 6	0 0 7	
{ (Mark II), set of 10 "	0 0 7	0 0 8	
Cramp, brake, rear, racer, slide, wrought-iron, R.M.L.—			
12 inch, 25 tons, "Belleisle," and 10 inch.. pair			
11 " "Téméraire" "			

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Screws, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Elevating (without nuts)—			
For carriages, garrison, carronade—			
68 pounder, wood	each	0 16 2	0 17 9
68 " wrought-iron	"	1 2 6	1 4 9
32 "	"	0 10 9	0 11 10
24 "	"	0 10 9	0 11 10
18 "	"	0 9 10	0 10 10
12 "	"	0 9 10	0 10 10
Cross handled, for carriages, garrison—			
Common, stand- { Cast-iron, 18 pounder			
ing, S.B. { and upwards	"	0 16 0	0 17 7
Wood, 32 pounder	"	0 16 0	0 17 7
Wood, sliding, also rear } 10 inch	"	0 15 2	0 16 8
chock, S.B. howitzer { 8 "	"	0 15 2	0 16 8
Ratchet head, for carriages, wood, garrison—			
Common, standing, R.M.L. ^{64 pounder} 71 cwt., 8 inch			
also sliding R.B.L. 40 pounder, and S.B.			
8 inch to 18 pounder, depression R.M.L.			
⁵⁴ pounder, 58 cwt., sliding and rear			
chock, R.B.L. 64 pounder and S.B.			
8 inch, also wrought-iron rear chock,			
Nos. 1 and 2	"	2 10 0	2 15 0
Sliding, R.M.L. ⁵⁶ pounder and S.B. 56			
pounder, also rear chock, and sliding			
R.B.L. 7 inch, S.B. 10 inch and 68			
pounder	"	2 7 6	2 12 3
For carriages, naval, boat sliding—			
Wood, R.M.L. 9 pounder, 8 or 6 cwt. ..	"	0 11 10	0 13 0
Wrought-iron { 9 pounder, 8 or 6 cwt. ..	"	0 11 10	0 13 0
R.M.L. { 7 pounder, 200 lb. steel gun,	"		
with pin and split key	"	0 17 3	0 19 0
Cross handled for carriages, naval, wood—			
Sliding boat, or top R.B.L. { 6 pounder ..	"	0 10 6	0 11 7
{ 12 or 9 pounder	"		
Sliding, gun vessel, R.B.L. 20 pounder	"	0 11 0	0 12 1
(Mark II)	"		
Rear chock, R.B.L. 20 pounder, and S.B.			
howitzer, 24 pounder	"	0 11 3	0 12 5
Sliding, also common, R.B.L. 40 pounder..	"	0 17 2	0 18 11
Travelling R.B.L. { 12 or 9 pounder ..	"	0 15 6	0 17 1
{ 6 pounder	"	0 14 0	0 15 5
Ratchet head, for carriages, naval, wood,			
sliding, R.B.L. 7 inch, also common and			
sliding, R.M.L. 64 pounder, 64 cwt. ..	"	2 9 9	2 14 9
For carriages, naval, wrought-iron, turret,			
R.M.L. 12 inch, 35 tons, with collar and			
keep screw	"	3 13 3	4 0 7
For carriages, travelling, field—			
Wood—			
R.B.L. { 20 pounder	"	0 18 0	0 19 10
{ 12 or 9 pounder	"	0 18 0	0 19 10
6 pounder	"	0 14 6	0 16 11
S.B. { 9 or 6 pounder, howitzer, 24 and			
12 pounder	"	0 16 7	0 18 3
3 pounder	"	0 10 0	0 11 0
Wrought-iron { Gatling, 0.45 inch.. ..	"	0 11 5	0 12 7
{ R.M.L. { 16 pounder	"	0 16 1	0 17 8
{ 9 "	"	0 15 1	0 16 7

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Screws, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Elevating (without nuts)—			
Cross handle—			
For carriages, travelling, field—			
Wood { R.M.L. 7 pounder, 150 lbs. (Gold Coast)	each	0 17 1	0 18 10
S.B. 12 pounder	"	1 0 6	1 2 7
Howitzer, 32 pounder	"	0 14 9	0 16 3
Wrought-iron S.B. howitzer, 4½ inch	"	0 9 10	0 10 10
For carriages, travelling, naval, { Steel ..	"	0 15 6	0 17 1
R.M.L. 9 pounder, 8 or 6 cwt. { Wood ..	"	0 14 6	0 15 11
Ratchet head, for car- { R.B.L. 6½ pounder			
riages, travelling, and 40 pounder, and			
siege, wood R.M.L. 64 pounder	"	2 13 8	2 19 0
S.B. 8 inch to 18			
pounder	"	2 13 8	2 19 0
Elevating (with nuts), complete—			
For carriages, garrison, carronade—			
68 pounder { Wood	"	1 17 4	2 1 1
Wrought-iron	"	2 3 8	2 8 0
32 "	"	1 7 0	1 9 8
24 "	"	1 6 6	1 9 2
18 "	"	1 4 9	1 7 3
12 "	"	1 4 3	1 6 8
Cross handled, for carriages, garrison—			
Common standing S.B. { Cast-iron, 18 pound-			
der, and upwards	"	1 5 11	1 8 6
Wood, 32 pounder	"	1 7 4	1 10 1
Wood, sliding, also rear { 10 inch ..	"	1 6 6	1 9 2
chock, S.B. howitzer .. { 8 " ..	"	1 6 6	1 9 2
Ratchet head, for carriages, garrison, common,			
standing—			
R.M.L. { ½ pounder, 58 cwt. ..			
64 pounder, 71 cwt. ..	"	3 1 4	3 7 6
S.B. 8 inch to 18 pounder, and rear chock,			
wrought-iron, Nos. 1 and 2 ..	"		
Ratchet head, oscillating, with pan—			
For carriages, garrison—			
R.B.L. 7 inch, R.M.L. ½ pounder, and			
S.B. 10 inch, 68 and 56 pounder ..	"	5 7 2	5 17 11
R.B.L. { 64 pounder			
40 "	"	5 0 2	5 10 2
S.B. 8 inch to 18 pounder ..			
For carriages, naval, boat—			
Wood, R.M.L. 9 pounder, 8 or 6 cwt. ..	"	3 6 6	3 13 2
Wrought-iron, R.M.L.—			
9 pounder, 8 or 6 cwt.	"	3 6 6	3 13 2
7 " 200 lbs., steel gun, with pin			
and split key	"	3 0 0	3 6 0
Cross handled, for carriages, naval—			
Sliding boat, or top, R.B.L.—			
6 pounder	"	0 19 0	1 0 11
12 or 9 pounder, and gun vessel, R.B.L.,			
20 pounder (Mark II)	"	1 1 0	1 3 1
Rear chock R.B.L. 20 pounder, and S.B.			
howitzer, 24 pounder	"	1 4 0	1 6 5
Sliding, also common, R.B.L., 40 pounder	"	1 7 5	1 10 2
Travelling, R.B.L. { 12 or 9 pounder ..	"	1 8 0	1 10 10
6 pounder	"	1 3 0	1 5 4

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
<i>Screws, continued—</i>		£ s. d.	£ s. d.
Wrought-iron—			
Jamming—			
Brake, gear—			
Elevating, carriage—			
Wrought-iron—			
Turret, R.M.L.—			
12 inch, 35 tons	each	0 4 6	0 4 11
12 inch, 25 tons { " Glatton"	"	0 4 6	0 4 11
10 inch { " Monarch" type	"	0 4 6	0 4 11
Steel, naval, sliding, R.B.L., 6 inch	"	0 4 6	0 4 11
Spindle, worm, gear, elevating, carriage, garrison, wrought-iron, Moncrieff, R.M.L., 7 inch (Mark I)	"	0 3 7	0 3 11
Training, slide—			
Steel, R.B.L., 6 inch { Left	"	0 3 7	0 3 11
Right	"	0 3 7	0 3 11
Wrought-iron, R.M.L.—			
12 inch, 25 tons " Belleisle" type	"	0 4 5	0 4 10
11 inch, Téméraire type, also 10 inch, 9 inch and 8 inch, and 9 inch training and traversing	"	0 4 5	0 4 10
64 pounder (Mark IV, V, and VI)	"	0 3 8	0 4 0
Lifting, carriage, wrought-iron, garrison, small port, R.M.L. 10 inch { Left	"	2 12 0	2 17 2
Right	"	2 12 0	2 17 2
Link, adjusting, brake lever, carriage, wrought-iron, Moncrieff, R.M.L.—			
9 inch (Mark II)	"		
7 inch { (Mark I)	"		
(Mark II)	"		
Plate, locking, brake lever, gear retaining, carriage, wrought-iron, Moncrieff, R.M.L., 7 inch (Mark I)	10	0 2 0	0 2 2
Preserving—			
Bracket—			
Elevating, R.B.L. gun, 6 inch { (Mark I)	each	0 1 10	0 2 3
(Mark II)	"	0 1 10	0 2 3
Retaining carrier, R.B.L. gun, 6 inch (Mark I)	"	0 0 8	0 0 9
Trunnion sight, R.B.L. gun, 6 inch (Mark II)	"	0 0 7	0 0 8
Trunnion sight, 80 or 64 pounder, 71 cwt.	"	0 0 7	0 0 8
Centre, foresight, 64 pounder, 58 cwt.	"	0 0 7	0 0 8
Crutch, R.B.L., vent pieces	"	0 0 3	0 0 4
7 inch, for (Mark I)	"		
Moncrieff carriage	"	0 1 2	0 1 5
7 inch, for (Mark II)	"		
Moncrieff carriage	"	0 1 2	0 1 5
Eye bolt, trunnion { 9 inch, for (Mark II)	"		
Moncrieff carriage	"	0 1 2	0 1 5
64 pounder, 58 cwt., for (Mark II), Moncrieff carriage	"		
Friction tube pin	"	0 1 2	0 1 5
Guard vent, 10 inch guns, sea service.. .. .	"	0 0 4	0 0 5
Muzzle sight—			
9 pounder, sea { 8 cwt. (Mark II)	"	0 0 7	0 0 8
service gun { 6 " { (Mark I)	"	0 0 10	0 1 0
(Mark II)	"	0 0 7	0 0 8

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Screws, continued—		£ s. d.	£ s. d.
Wrought-iron—			
Preserving—			
Muzzle-sight—			
7 pounder, 200 lb. steel gun (Mark IV) ..	each	0 0 7	0 0 8
8 or 6·3 inch, howitzer ..	"	0 0 10	0 1 0
Patches, guide, R.M.L. gun, 16 inch*	"	0 1 2	0 1 5
Plates—			
Elevating—			
R.B.L. guns { Interrupted } 22½ cwt. ..	"	0 0 7	0 0 8
{ screw, 25 } 13½ " ..	"	0 0 7	0 0 8
{ Screw, 20 pounder ..	"	0 0 7	0 0 8
{ 10 inch and upwards ..	"	0 0 11	0 1 1
{ 9 inch to 40 pounder ..	"	0 0 7	0 0 8
R.M.L. guns { 6·6 inch, 70 cwt. ..	"	0 0 7	0 0 8
{ 64, 40 and 25 pounder	"		
{ (overbank carriage) ..	"	0 0 7	0 0 8
{ 25 pounder ..	"	0 0 7	0 0 8
R.M.L. howitzers, 8 inch, 70 cwt., or			
6·6 inch ..	"	0 0 7	0 0 8
Guide, rifled ordnance ..	"	0 0 6	0 0 7
Index ..	"	0 0 7	0 0 8
Rack, elevating, R.B.L. { 22½ cwt. ..	"	0 0 7	0 0 8
gun, 25 pounder { 13½ " ..	"	0 0 7	0 0 8
Shutter, R.M.L. gun, 16 inch ..	"	0 1 2	0 1 5
Shutter frame, R.M.L. gun, 12·5 inch (Mark II)	"	0 1 2	0 1 5
Sight, on counterweight, carriages—			
9 inch (Mark II), carriage, or piece pivot..	"	0 0 7	0 0 8
7 inch (Mark I) carriage { Fore scale ..	"	0 0 7	0 0 8
{ Hind bracket, reflecting	"		
{ sight ..	"	0 0 7	0 0 8
7 inch (Mark II), carriage, or piece pivot..	"	0 0 7	0 0 8
6½ pounder, 58 cwt. { Graduated bar, for	"		
(Mark II), car- { rocker ..	"	0 0 7	0 0 8
riage { Trunnion sight, or	"		
{ piece pivot ..	"	0 0 7	0 0 8
Sight, cast-iron, S.B. ordnance ..	"	0 0 4	0 0 5
Trunnion stud, R.M.L. gun, 16 inch†	"	1 17 6	2 5 9
Scale, carriage, wrought-iron, garrison, small			
port, R.M.L., 12·5 inch, with collar and nut..	"		
Spring, wheel, spur, retaining, carriages,			
wrought-iron, Moncrieff, R.M.L., 9 inch			
(Mark II) (set of 12) ..	set		
Racers, for platforms—			
½ inch diameter, with nuts ..	10	0 6 0	0 6 7
½ inch { For wood ..	"	0 4 10	0 5 4
{ For iron ..	"	0 4 4	0 4 9
Rollers, rack, retaining, Moncrieff—			
R.B.L. 7 inch (set of 4) ..	set	0 19 0	1 0 11
R.M.L.—			
7 inch (Mark II) carriage (set of 4) ..	"	0 19 0	1 0 11
½ pounder, 58 cwt. (set of 4) ..	"	0 19 0	1 0 11
Traversing, with nuts, carriages, travelling,			
R.B.L.—			
40 pounder ..	each	1 8 10	1 11 9
20 " ..	"	1 2 2	1 4 5
12 " ..	"	0 16 6	0 18 2

* Sea service only.

† Land service only.

ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Seat and box, driver's wagon—		£ s. d.	£ s. d.	£ s. d.
Ambulance.. .. .	each	—	0 14 9	0 16 3
„ converted from light supply ..	„	—	0 14 9	0 16 3
Ammunition and store, R.A. ..	„	—	0 17 5	0 19 2
General service, lock under { (Mark IV) } { (Mark III) } ..	„	—	0 18 3	1 0 1
Selvagees—				
For slinging projectiles, R.M.L.—				
12 inch, 25 ton, 46 inches	„	0 1 8	—	—
11 „ 43 inches	„	0 1 7	—	—
10 „ 41 „	„	0 1 6	—	—
9 „ 37 „	„	0 1 5	—	—
Ordinary	„	0 1 10	—	—
Serge—				
Blue, for coal dust wads	„	0 1 4	—	—
White, for cartridges { 47 inch	„	0 1 5	—	—
{ 41 „	„	0 1 3	—	—
Shackles, wrought-iron—				
Breeching	„	—	0 4 7	0 5 1
Tackle, traversing, for slides	„	—	0 2 4	0 2 7
Trunnion, sling, wagon, iron, heavy, 12 tons	pair	—	11 4 9	12 7 3
Lifting, complete, R.M.L., 35 and 38 ton guns	each	—	14 0 0	15 8 0
Shafts, steel—				
Main, with nuts, carriage, wrought-iron, Moncrieff, R.M.L., 9 inch (Mark II) ..	„	—	—	—
Winch handle, carriages, wrought-iron, garrison, small port, R.M.L., 10 inch ..	„	—	—	—
Shafts, wood—				
Cart—				
Ammunition, small arm, also limber, field—				
And siege, near	„	—	1 3 4	1 5 8
Off	„	—	2 8 0	2 12 10
Cavalry, regimental, O.P. and tip R.E., off	„	—	2 7 0	2 11 8
Maltese { Near	„	—	1 9 0	1 11 1
{ Off	„	—	1 9 0	1 11 1
Tip, general service—				
Near, also cavalry, regimental, O.P. and tip R.E.	„	—	1 3 0	1 5 4
Off	„	—	2 8 0	2 12 10
Transport, spring and tip, with key and chain—				
Near	„	—	1 13 6	1 16 10
Off	„	—	1 13 6	1 16 10
Framed—				
Cart—				
Coal or dust, with draught bar	pair	—	2 17 6	3 3 10
Fatigue	„	—	2 14 0	2 19 5
Shot	„	—	2 15 0	3 0 6
Gibraltar { Large	„	—	2 18 0	3 3 10
{ Small	„	—	2 12 0	2 17 2
Drug { Gun { Up to 25 tons	„	—	2 7 0	2 11 8
{ 5 tons	„	—	2 13 0	2 18 4
{ Large	„	—	2 3 6	2 7 10
Lumber, siege, and sling wagon	„	—	2 3 0	2 7 4
Wagon, platform	„	—	—	—
Lumber, transporting, platform	„	—	2 7 9	2 12 6

Section V.

368

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shafts, wood, continued—		£ s. d.	£ s. d.
Framed—			
Wagons—			
Ambulance, lock under, and pharmacy ..	pair	2 15 0	3 0 6
Ammunition and store, R.A., and general service, lock under ..	"	2 5 0	2 9 6
Equirota, ambulance and general service ..	"	1 15 0	1 18 6
Flanders and siege, equirota ..	"	2 3 0	2 7 4
General service, heavy, spring, bakery, and bread and meat ..	"	2 15 6	3 1 0
Light, spring, or surgery ..	"	2 15 0	3 0 6
Limber—			
Field—			
And cart, ammunition, small arm—			
Near, also siege ..	each	1 3 4	1 5 8
Off ..	"	2 9 0	2 12 10
R.B.L., 6 pounder—			
Special { Near ..	"	1 3 0	1 5 4
{ Off ..	"	2 7 0	2 11 8
Service, and naval—			
Also mortar, 10 inch and 8 inch, near ..	"	1 15 0	1 18 6
Off ..	"	1 14 0	1 17 5
R.M.L. 7 pounder, and Gatling, 0.45 inch—			
Near ..	"	1 0 6	1 2 7
Off ..	"	2 2 0	2 6 2
Mortar, 10 or 8 inch—			
Also limber, 6 pounder, service and naval, near ..	"	1 15 0	1 18 6
Off ..	"	1 15 0	1 18 6
Mountain, R.M.L., 7 pounder, 200 lb. { Near ..	"	1 19 6	2 3 5
{ Off ..	"	1 19 6	2 3 5
Naval, 8 inch, mortar { Near ..	"	1 2 0	1 4 2
{ Off ..	"	1 2 0	1 4 2
Siege—			
Also field and cart, S.A. ammunition, near ..	"	1 3 4	1 5 8
Off ..	"	2 12 0	2 17 2
Wagon sling { Near ..	"	1 4 6	1 6 11
{ Off ..	"	1 16 6	2 0 2
Prepared—			
Cart { Hand, common { Near ..	"	0 12 6	0 13 9
{ Off ..	"	0 12 6	0 13 9
{ Trench { Near ..	"	0 16 6	0 17 11
{ Off ..	"	0 16 6	0 17 11
Wagon, general service, lock under { Near ..	"	0 11 6	0 12 8
{ Off ..	"	0 11 6	0 12 8
In the rough, Wagon—			
Ambulance, lock under, light spring, and pharmacy—			
Near ..	"	0 4 9	0 5 3
Off ..	"		
Ammunition and store, R.A., and general service, lock under—			
Near ..	"	0 5 0	0 5 6
Off ..	"		
Equirota, ambulance and general service—			
Near ..	"	0 5 0	0 5 6
Off ..	"		
Flanders and siege, equirota { Near ..	"	0 6 0	0 6 7
{ Off ..	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shafts, wrought-iron—		£ s. d.	£ s. d.
Adjusting compressor—			
Carriage, naval, sliding—			
With npt, collar, and key—			
Wrought-iron, R.M.L.—			
9 inch { Service	each	1 15 3	1 18 9
{ "Plucky"	"	1 15 3	1 18 9
8 " {	"	1 15 3	1 18 9
7 " { 6½ tons	"	1 13 0	1 16 4
{ 90 cwt.	"	1 10 6	1 13 7
64 pounder (Mark I and II)	"	1 3 6	1 5 10
Steel, R.M.L., 64 pounder (Mark III)	"	1 3 6	1 5 10
Bollard, platform, wrought-iron, R.M.L.—			
Casemate—			
Small port, 10 inch	"		
To work within length—			
11 or 12 inch, { Double plate carriage	"		
25 tons { Single	"		
10 inch { Mark I	"		
{ Mark II	"		
{ Special	"		
9 inch	"		
11 or 12 inch, { Side	"		
25 tons { Rear	"		
10 inch { Side	"		
{ Rear	"		
{ Mark II	"		
9 inch { Side	"		
{ Rear	"		
Dwarf—			
11 or 12 inch, { "A," rear	"		
25 tons { "C" { Central	"		
{ Side	"		
10 inch { "A" { Side	"		
{ Rear	"		
{ "C" { Central	"		
{ Side	"		
{ "D," side	"		
9 inch { "C" { Central	"		
{ Side	"		
{ "D," side	"		
Clutch pinion, platform, wrought-iron, R.M.L.—			
12½ inch—			
Casemate { Small port	"		
{ 7 feet recoil	"		
{ 6 " "	"		
Dwarf { "C"	"		
{ "D"	"		
12 inch, 35 tons, dwarf "C"	"		
Connecting brake lever, carriage, wrought-iron,			
Moncrieff, R.M.L.—			
9 inch (Mark II)	"		
7 inch { (Mark I)	"		
{ (Mark II)	"		
Crank, rear, carriage, wrought-iron, naval, sliding,			
R.M.L.—			
With pin, 10 inch—			
"Sultan" type, and gunboat	"	14 5 6	15 14 1
"Hercules"	"	14 8 6	15 17 4

Section V.

365

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shafts, wrought-iron, continued—		£ s. d.	£ s. d.
Crank, rear, carriage, wrought-iron, naval, sliding, R.M.L.—			
With coupling { 10 inch "Sultan" type, O.P.	each	7 4 10	7 19 4
and pin .. { 12 " 25 tons, "Belleisle"	"	7 5 0	7 19 6
Cross—			
Carriages, wrought-iron, garrison—			
Sliding, R.M.L.—			
Nipping { 12·5 inch, small port { Left	"		
{ 12·5 " " { Right	"		
{ 12 " 35 tons }	"		
Wheel { Berel and pinion, 10 inch, small port	"		
{ Spur	"		
Moncrieff, R.M.L., 7 inch (Mark I), "second motion..	"		
Platforms, wrought-iron, R.M.L.—			
Casemate—			
10 inch, small port	"		
To work within length—			
11 or 12 inch, { Double plate carriage	"		
{ Single " "	"		
{ (Mark I)	"		
10 inch { (Mark II) { Long	"		
{ Special	"		
{ Short	"		
9 inch	"		
11 or 12 inch, { Side	"		
{ Rear..	"		
10 inch { Side	"		
{ Rear	"		
{ (Mark II) { Long	"		
{ Short	"		
9 inch { Side..	"		
{ Rear..	"		
Dwarf—			
11 or 12 inch, 25 tons, "A" rear	"		
10 inch { "A" { Side	"		
{ Rear	"		
{ "D," side	"		
9 inch { "A" rear	"		
{ "D," side	"		
Eccentric, nipping, carriage, wrought-iron, naval, turret, R.M.L.—			
12 inch, 35 tons { Long, with nut and collar	"	4 2 10	4 11 1
{ Short, with coupling	"	4 1 3	4 9 5
12 inch, 25 tons—			
" Glatton " { Long, with coupling	"	5 1 9	5 11 11
{ Short, with nut and collar	"	3 11 3	3 18 5
" Monarch " type { Long	"	3 19 9	4 7 9
{ Short, with coupling.. ..	"	4 11 6	5 0 8
10 inch { Long, with coupling	"	4 15 6	5 5 1
{ Short, with nut and collar	"	3 0 8	3 6 9
Eccentric, rear—			
Carriages, wrought-iron—			
Sliding, garrison, double—			
With coupling, R.M.L.—			
Small port { 12·5 inch	"	12 8 3	13 13 1
{ 10 inch	"	6 19 4	7 13 3
12·5 inch and 12 inch, 35 tons	"	13 15 0	15 2 6

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shafts, wrought-iron, continued—		£ s. d.	£ s. d.
Eccentric, rear—			
Carriages, wrought-iron—			
Sliding, garrison, double—			
With split key, double plate, R.M.L.—			
11 or 12 inch, 25 tons	each	5 16 2	6 7 9
10 inch { (Mark I)	"	5 16 2	6 7 9
{ (Mark II)	"	5 16 2	6 7 9
9 inch	"	4 14 9	5 4 3
7 "	"	3 4 3	3 10 8
Single plate { 11 or 12 inch, 25 tons ..	"	5 14 6	6 5 11
{ 9 inch, with coupling ..	"	6 7 10	7 0 7
Sliding, naval, R.M.L., 9 inch, "Sultan,"			
double.. ..	"	5 6 6	5 17 2
Carriages, steel, naval, R.M.L., 6½ pounder,			
with coupling and split key (Mark III) ..	"	3 7 6	3 14 3
Carriages, wrought-iron, naval, turret, with			
coupling, R.M.L.—			
12 inch, 35 tons, with driving key ..	"	12 17 3	14 3 0
12 " 25 tons—			
" Glatton "	"	10 1 0	11 1 1
" Monarch " (including 2 axles) ..	"	12 9 6	13 14 5
10 inch (including 2 axles)	"	11 11 0	12 14 1
Elevating carriage, wrought-iron, Moncrieff,			
R.M.L.—			
9 inch (Mark II), with pinions and nuts ..	"		
7 " (Mark I), with keys and nuts.. ..	"		
Longitudinal—			
Carriages, wrought-iron, garrison, R.M.L.—			
Small port { 12½ inch { Left.. ..	"		
{ Right	"		
10 inch	"		
Moncrieff, 7 inch (Mark I) { Long	"		
{ Short	"		
Platforms, wrought-iron, R.M.L.—			
Casemate, 9 inch, to work within length ..	"		
Dwarf—			
11 or 12 inch, 25 tons, { Central { Long.. ..	"		
" " { Side	"		
10 inch { "C" { Central	"		
{ "D" side	"		
{ "A" rear	"		
9 inch { "C" { Central { Long	"		
{ Side	"		
{ "D" side	"		
Main, with nuts, carriages, wrought-iron, Moncrieff—			
R.B.L., 7 inch	"		
R.M.L. { 7 inch (Mark II)	"		
{ 5½ pr. 58 cwt.	"		
Retaining with nuts, carriages, wrought-iron,			
Moncrieff, R.M.L., 9 inch (Mark II) ..	"		
Traversing, platforms, wrought-iron, R.M.L.—			
12½ inch—			
Casemate { Small port	"		
{ 7 feet recoil.. ..	"		
{ 6 " "	"		
Dwarf { "C"	"		
{ "D"	"		
12 inch, 35 tons, dwarf "C"	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shafts, wrought-iron, continued—		£ s. d.	£ s. d.
Vertical, carriage, wrought-iron, Moncrieff, R.M.L., 7 inch (Mark I)	each		
Wheel—			
Sprocket, platforms, wrought-iron, R.M.L.— 12·5 inch—			
Casemate { Small port	"		
{ 7 feet recoil	"		
{ 6 " "	"		
Dwarf { " C "	"		
{ " D "	"		
12 inch, 35 tons, dwarf " C "	"		
Winch handle—			
Carriage, wrought-iron, garrison, small port, R.M.L., 12·5 inch, with collars and screws ..	"		
Platforms, wrought-iron, R.M.L.—			
Casemate—			
Small port, 10 inch	"		
To work within length—			
11 or 12 inch, { Double plate carriage ..	"		
25 tons { Single " " ..	"		
10 inch { (Mark I)	"		
{ (Mark II)	"		
{ Special.. .. .	"		
9 inch	"		
12·5 inch { 7 feet recoil	"		
{ 6 " "	"		
11 or 12 inch, 25 tons { Side	"		
{ Rear	"		
10 inch { Side	"		
{ Rear	"		
{ (Mark II)	"		
9 inch { Side.. .. .	"		
{ Rear	"		
Dwarf—			
12·5 inch { " C "	"		
{ " D "	"		
12 inch, 35 tons, " C "	"		
11 or 12 inch, 25 tons { " A " rear ..	"		
{ " C " { Central..	"		
{ Side ..	"		
10 inch { " A " { Side	"		
{ " C " { Rear	"		
{ " D " { Central	"		
{ " A " { Side	"		
{ " D " { side.. .. .	"		
9 inch { " A " rear	"		
{ " C " { Central	"		
{ " D " { Side	"		
{ " A " { side	"		
Second motion, platform, wrought-iron, R.M.L.—			
Casemate—			
12·5 inch { 7 feet recoil	"		
{ 6 " "	"		
To work within length—			
11 or 12 inch, { Double plate carriage ..	"		
25 tons { Single " " ..	"		
10 inch { (Mark I)	"		
{ (Mark II)	"		
9 inch	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shafts, wrought-iron, continued—		£ s. d.	£ s. d.
Second motion, platform, wrought-iron, R.M.L.—			
Dwarf—			
12·5 inch { “C” each			
{ “D” ”			
12 inch, 35 tons, “C” ”			
11 or 12 inch, 25 tons, “A,” rear ”			
10 inch, “A,” rear ”			
Third motion, platform, wrought-iron, R.M.L.—			
Casemate, to work within length—			
11 or 12 inch, { Double plate carriage.. .. . ”			
25 tons { Single ”			
10 inch { (Mark I) ”			
{ Special ”			
9 inch ”			
Sheaves, cast-iron, loading gear, carriages,			
wrought-iron, Moncrieff, R.M.L., 7 inch			
(Mark II)—			
Bottom ”			
Centre ”			
Top ”			
Sheaves, metal—			
Lanyard, nipping gear, carriage, wrought-iron,			
sliding R.M.L.—			
Garrison, small port, 12·5 inch. (See Naval, 10			
inch, “Sultan” type).			
Naval—			
12 inch, 25 tons, “Belleisle” type ”	0 4 7	0 5 1	
11 inch, “Téméraire” type ”	0 4 7	0 5 1	
10 inch—			
“Sultan” type, also garrison, 12·5 inch, }			
small port ”	0 4 7	0 5 1	
“Hercules” ”			
Loading gear, carriages, wrought-iron, Moncrieff,			
R.M.L., 9 inch (Mark II)—			
Bottom ”			
Centre ”			
Top ”			
Running back, platform, wrought-iron, R.M.L.—			
11 or 12 inch, 25 tons ”			
10 inch, also 10 inch, small port, and 9 inch ”			
Sheers, wood, without tackle, 40 feet, to lift up to			
7 tons ”	52 0 0	57 4 0	
Shells—			
Paper, filled, 5½ inch { Blue 100	57 4 1	61 4 9	
{ Green ”	44 15 6	47 15 11	
{ Red ”	49 7 8	52 12 2	
R.B.L. guns—			
Empty, without fuze hole plugs—			
Common—			
7 inch { 98 lbs. ”	56 8 0	59 15 8	
{ 83 ”	50 10 0	53 10 7	
6 ”			
6½ pounder ”	46 1 6	48 16 9	
40 pounder { Whole, 37 lbs. 14 ozs. .. 100	32 2 6	34 1 1	
{ Section each	0 16 0	0 17 0	
20 pounder, { (Mark II)* 100	21 15 5	23 1 7	
20 lbs. 8 ozs. { (Mark III)† ”	19 7 1	20 11 3	

* Land Service.

† Sea Service.

ORDNANCE.	Pcr	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shells, continued—		£ s. d.	£ s. d.
R.B.L. guns—			
Empty, without fuze hole plugs—			
Common—			
12 pounder, 10 lbs. 12 ozs.	100	14 11 0	15 8 6
9 " 8 " 2½ ozs.	"	13 9 1	14 5 3
Double, 6 inch {	"		
Segment—			
7 inch, 98 lbs. 9½ ozs.	"	77 12 8	82 5 10
6½ pounder	"	59 16 5	63 8 2
40 pounder { Whole, 38 lbs. 9½ ozs.	"	40 14 8	43 3 7
Section, with loose segments	each	0 19 2	1 0 4
20 pounder, 19 lbs. 10 ozs.	100	22 17 1	24 4 6
12 pounder { Whole, 10 lbs. 8½ ozs.	"	15 8 0	16 6 6
Section	each	0 10 8	0 11 4
9 pounder, 8 lbs. 3½ ozs.	100	13 1 0	13 16 8
6 " 5 " 7 "	"	11 2 10	11 16 2
Shrapnel { 7 inch	"	117 9 9	124 10 9
6½ pounder	"	84 8 2	89 9 5
Boxer { 40 pounder, 39 lbs.	"	57 15 8	61 5 0
12 " 10 lbs. 11 ozs.	"	31 12 6	33 10 5
9 " 9 " 11 "	"	28 8 3	30 2 4
6 inch {	"		
Filled, without fuze hole plugs, or fuzes—			
Common—			
7 inch { 105 lbs. 10 ozs.	"	70 12 7	74 2 1
89 " 8 "	"	62 17 2	65 19 7
6 " {	"		
6½ pounder	"	53 11 6	56 6 9
40 pounder { Whole, 40 lbs. 2 ozs.	"	35 17 6	37 16 1
Section, with percussion fuze	each	0 18 6	0 19 7
20 pounder, (Mark II)*	100	23 12 11	24 19 1
21 lbs. 10 ozs. (Mark III)†	"	21 4 7	22 8 9
12 pounder, 11 lbs. 4 ozs.	"	15 7 8	16 5 2
9 " 8 " 8½ "	"	14 1 7	14 17 9
Double, 6 inch	"		
Segment—			
7 inch, 101 lbs. 11½ ozs.	"	82 16 10	87 10 0
6½ pounder	"	63 9 4	67 1 1
40 pounder { Whole, 39 lbs. 6½ ozs.	"	42 1 9	44 10 8
Section, with time fuze	each	1 5 3	1 6 9
20 pounder	"	23 0 5	24 7 10
12 pounder { Whole	"	15 10 7	16 9 1
Section, with burster, time	"	0 13 6	0 14 4
and percussion fuze	"	13 2 5	13 18 1
9 pounder	100	11 3 9	11 17 1
6 "	"	120 3 3	127 13 4
Shrapnel Boxer { 6½ pounder	"	85 3 3	90 9 1
40 pr. { Whole, without	"		
primers 39 lbs.	"	58 4 9	61 16 10
3 ozs... .. .	"		

* Land service.

† Sea service.

(V.S.)

2 A

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shells, continued—		£ s. d.	£ s. d.
R.B.L. guns—			
Filled, without fuze hole plugs, or fuzes—			
Shrapnel { Boxer { 40 pr. { Section with time	each	2 1 0	2 3 6
{ 12 pounder without	100	31 14 9	33 13 4
{ primers, 10 lbs. 11½ ozs.			
{ 9 pounder without	"	28 10 6	30 5 3
{ primers, 8 lbs. 11½ ozs.			
{ 6 inch {	"	—	—
{	"	—	—
{	"	—	—
R.M.L.—			
Drill, gun, 13 pounder	"	—	—
Empty, without fuze hole plugs or gas checks—			
Guns—			
Battering, 64 pounder, 88 lbs. 2 ozs. ..	"	73 1 4	77 0 7
Common—			
17·72 inch	"	—	—
16 inch	"	1269 12 4	1359 2 6
Studded—			
Not prepared for gas checks—			
12 inch { 35 ton	"	310 9 4	328 9 5
{ 25 "	"	247 2 4	263 0 4
11 "	"	279 17 10	296 13 9
10 "	"	188 15 11	199 18 2
9 "	"	155 8 10	166 9 6
Prepared for gas checks—			
Automatic—			
12 inch { 35 ton	"	400 8 10	423 16 11
{ 25 "	"	335 0 4	356 3 9
11 "	"	356 16 8	378 4 11
10 "	"	253 1 6	268 0 11
9 "	"	211 19 2	226 7 8
(Mark I and 11)—			
12·5 inch	"	474 3 9	499 5 3
12 " { 35 ton	"	322 6 11	340 12 0
{ 25 "	"	257 13 6	274 4 2
11 "	"	289 11 5	303 18 11
10 "	"	196 14 4	208 6 1
9 "	"	162 9 8	173 18 9
Stall—			
12·5 inch	"	609 16 10	646 8 8
12 " { 35 ton	"	429 2 3	454 17 2
{ 25 "	"	380 12 7	403 9 4
11 "	"	364 10 4	386 7 9
10 "	"	258 8 8	273 18 9
9 "	"	197 16 5	217 17 10
6 inch, 166 lbs. 0 ozs.	"	92 8 5	97 19 4
7 " { Whole, 106 lbs. 14 ozs... ..	"	57 7 9	60 12 4
{ Section	each	1 16 10	1 19 1
80 pounder, 71 lbs. 1 oz.	100	15 19 11	48 14 8
64 " 57 " 6 ozs.	"	36 19 7	39 6 8
40 " 33 " 3 "	"	25 4 0	26 12 9
25 " 23 " 3½ "	"	20 8 9	21 11 1
16 " 14 " 15½ "	"	15 12 10	16 9 7
13 " 12 " 0 "	"	30 8 2	32 7 7
9 " 8 " 9½ "	"	12 5 0	13 0 3
7 pounder, 400 lbs., 6 lbs. 7½ ozs. ..	"	12 2 5	12 17 0
7 pounder { Whole, 6 " 14 ozs. ..	"	12 2 5	12 17 0
{ Section	each	0 5 9	0 6 1

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shells, continued—		£ s. d.	£ s. d.
R.M.L.—			
Empty, without fuze hole plugs or gas checks—			
Guns—			
Double { 7 inch, 145 lbs. 6 ozs.	100	85 14 2	90 17 0
7 pounder, 11 lbs. 4½ ozs.	"	17 16 10	18 17 11
Palliser—			
17·72 inch	"	—	—
16 inch	"	1159 10 8	1229 2 1
Studded—			
Not prepared for gas checks—			
12 inch { 35 ton	"	340 9 2	331 9 11
25 "	"	248 10 8	251 12 2
11 "	"	258 10 2	274 3 1
10 "	"	183 2 3	200 14 1
9 "	"	129 1 11	137 6 4
Prepared for gas checks—			
Automatic—			
12 inch { 35 ton	"	429 11 0	455 18 8
25 "	"	335 11 1	353 17 0
11 "	"	334 11 4	354 15 6
10 "	"	252 16 10	268 5 2
9 "	"	183 17 1	195 7 2
(Mark I and II)—			
12·5 inch	"	423 9 3	446 17 6
12 " { 35 ton	"	351 0 4	372 13 9
25 "	"	258 4 3	271 17 4
11 "	"	267 6 2	293 9 8
10 "	"	196 3 1	208 3 4
9 "	"	134 7 6	142 18 3
Studless—			
12·5 inch	"	597 16 5	633 13 10
12 " { 35 ton	"	476 9 7	505 1 4
25 "	"	401 9 3	425 11 0
11 "	"	381 15 4	404 13 5
10 "	"	286 13 8	303 17 8
9 "	"	187 17 7	199 3 0
8 inch 174 lbs. 12 ozs.	"	95 12 11	100 15 8
7 " { Whole, 112 lbs. 1 ozs.	"	80 5 5	85 1 9
Broken	each	1 18 0	2 0 3
Shrapnel, Boxer—			
16 inch	100	1553 9 6	1646 13 8
Studded—			
12·5 inch, prepared for gas checks			
(Marks I and II)	"	616 2 6	652 2 9
12 inch { 35 ton	"	397 11 8	421 8 4
25 "	"	329 3 7	349 18 6
11 "	"	378 1 9	404 14 10
10 "	"	269 8 1	286 13 11
9 "	"	177 18 3	189 13 6
Studless—			
12·5 inch	"	—	—
12 " { 35 ton	"	—	—
25 "	"	—	—
11 "	"	—	—
10 "	"	—	—
9 "	"	—	—
8 inch 179 lbs. 0 ozs.	"	152 13 8	161 16 11
7 " 115 " 10 "	"	95 16 7	100 13 0
80 pounder, 78 lbs. 10 ozs.	"	88 7 6	93 9 9
64 " 66 " 0 "	"	79 16 6	84 17 8

ORDNANCE.	Per	Rate.			
		No. 1 Balance Sheet.		No. 2 Balance Sheet.	
		£	s. d.	£	s. d.
Shells, continued—					
R.M.L.—					
Empty, without fuze hole plugs or gas checks—					
Guns—					
Shrapnel, Boxer—					
40 pounder 41 lbs. 8 ozs.	100	54	9 5	57	17 2
25 " 25 " 0 "	"	47	18 10	51	6 5
16 " 17 " 13 "	"	35	1 2	36	18 2
9 " 9 " 12 "	"	21	15 4	22	18 4
7 " 7 " 10½ "	"	20	8 4	21	11 2
Shrapnel—					
13 pounder 12 " 9 "	"	43	16 5	46	12 6
7 " 400 lbs.	"	20	8 4	21	11 2
Howitzers—					
Battering { 8 inch 175 lbs. 13 ozs.	"	148	14 1	157	12 6
6-6 " 97 " 12 "	"	111	0 1	117	13 3
Common { 70 cwt., 166 lbs. 2 ozs.	"	153	11 10	162	16 2
8 inch { 46 " 165 " 3½ "	"	87	19 9	92	16 6
6-6 inch, 94 lbs. 2 ozs.	"	95	14 3	101	9 1
6-3 " 59 " 7 "	"	40	6 10	42	15 9
Filled, without fuzes, fuze hole plugs, or gas-checks					
Guns—					
Battering, 6½ pounder, 90 lbs. 2 ozs. ..	"	77	18 3	81	19 2
Common—					
With bag—					
17-72 inch	"	—	—	—	—
16 inch	"	1405	6 0	1496	17 0
Studded—					
Not prepared for gas checks—					
12 inch { 35 ton	"	386	8 1	405	2 10
25 "	"	320	10 0	337	0 7
11 "	"	338	14 6	356	1 6
10 "	"	230	18 3	242	10 6
9 "	"	194	9 8	205	19 2
Prepared for gas checks—					
Automatic—					
12 inch { 35 ton	"	476	7 7	500	10 4
25 "	"	408	8 0	430	4 0
11 "	"	415	13 4	437	12 8
10 "	"	295	3 10	310	13 3
9 "	"	251	0 0	265	17 4
(Mark I and II)—					
12-5 inch	"	560	8 2	586	7 3
12 inch { 35 ton	"	397	16 11	417	5 5
25 "	"	331	1 2	348	4 5
11 "	"	348	8 1	366	6 8
10 "	"	238	16 8	250	18 5
9 "	"	201	10 6	213	8 5
Studded—					
12-5 inch	"	696	1 3	738	10 7
12 inch { 35 ton	"	505	1 0	531	10 7
25 "	"	454	0 3	477	9 7
11 "	"	423	7 0	445	15 6
10 "	"	300	11 0	316	11 1
9 "	"	206	17 3	217	7 6
8 inch 181 lbs. 2 ozs.	"	123	7 8	129	6 9
7 " whole, 126 lbs. 2 ozs.	"	77	2 0	80	12 9
7 inch section, with percussion					
fuze	each	2	2 0	2	4 6

ORDNANCE.						Rate.						
						Per	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
							£	s.	d.	£	s.	d.
Shells, continued—												
R.M.L.—												
Filled, without fuzes, fuze hole plugs, or gas checks												
Guns—												
Common—												
80 pounder, 79 lbs. 11 ozs.						100	65	2	4	68	2	5
64 " 64 " 8 "						"	52	9	7	55	1	0
40 " 38 " 11 "						"	30	5	5	31	15	3
25 " 24 " 15½ "						"	24	2	4	25	5	7
16 " 16 " 1½ "						"	17	18	4	18	15	10
13 " 12 " 10 "						"	32	0	0	34	0	1
9 " 9 " 1 "						"	13	9	10	14	5	10
7 " 7 " 4½ "						"	13	5	2	14	0	6
7 " 400 lbs., 6 lbs. 11½ ozs.						"	12	19	11	13	15	3
Double { 7 inch, with bag, 158 lbs. 12 ozs.						"	109	18	1	115	8	5
{ 7 pounder, 12 lbs. 3¼ ozs.						"	19	17	3	20	19	5
Palliser, with bag and base plug—												
17-72 inch						"	—			—		
16 inch						"	1211	3	11	1282	5	4
Studded—												
Not prepared for gas checks—												
12 inch { 35 ton						"	363	12	1	385	0	10
{ 25 "						"	279	19	0	293	10	2
11 "						"	275	7	10	291	8	2
10 "						"	206	3	9	218	2	3
9 "						"	143	5	2	151	15	7
Prepared for gas checks—												
Automatic—												
12 inch { 35 ton						"	452	13	11	479	9	7
{ 25 "						"	366	19	5	385	15	9
11 "						"	351	9	0	372	0	7
10 "						"	269	18	4	285	13	4
9 "						"	198	0	4	209	16	5
(Mark I and II)—												
12-5 inch						"	452	5	5	475	14	2
12 inch { 35 ton						"	374	3	3	396	4	8
{ 25 "						"	289	12	7	303	15	4
11 "						"	284	3	10	300	14	9
10 "						"	213	4	7	225	11	6
9 "						"	148	10	9	157	7	6
Studless—												
12-5 inch						"	626	2	7	662	10	6
12 inch { 35 ton						"	499	12	6	528	12	3
{ 25 "						"	432	17	7	457	9	0
11 "						"	398	13	0	421	18	6
10 "						"	303	15	2	321	5	10
9 "						"	202	0	10	213	12	3
8 inch 179 lbs. 4 ozs.						"	116	10	9	123	1	7
7 " 114 " 11 "						"	87	18	5	92	18	11
Shrapnel, with primer—												
16 inch						"	1574	8	5	1671	7	8
Studded—												
12-5 inch, prepared for gas checks												
(Mark I and II)						"	628	7	7	666	14	3
12 inch { 35 ton						"	421	8	4	430	7	9
{ 25 "						"	336	11	5	358	17	11
11 "						"	384	12	11	412	14	6
10 "						"	275	3	9	294	0	3
9 "						"	183	5	4	196	2	6

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
<i>Shells, continued—</i>		<i>£ s. d.</i>	<i>£ s. d.</i>
R.M.L.—			
Filled, without fuzes, fuze hole plugs, or gas checks			
Guns—			
Shrapnel, with primer—			
Studdless—			
12.5 inch.	100		
12 inch { 35 ton	"		
11 " { 25 "	"		
10 "	"		
9 "	"		
8 inch 180 lbs. 0 ozs.	"	157 3 3	166 11 10
7 " { Whole, 116 lbs. 6 ozs.	"	99 8 10	104 18 5
7 " { Section, with time fuze	each	3 6 0	3 10 0
80 pounder, 79 lbs. 3 ozs.	100	92 5 3	97 18 9
64 " 66 " 9 "	"	83 5 10	88 17 9
40 " 41 " 12½ "	"	56 18 2	60 6 10
25 " 25 " 8 "	"	50 4 0	53 16 6
16 " 17 " 14½ "	"	36 18 9	38 19 2
13 " 12 " 9½ "	"	45 8 8	48 7 3
9 " 9 " 12½ "	"	23 7 7	24 13 1
7 " 400 lbs.	"	27 13 3	29 6 9
7 " { Whole, 7 lbs. 11 ozs.	"	21 19 10	23 5 0
7 " { Section, with time fuze	each	0 16 0	0 17 0
Star, 7 pounder	100	79 17 0	84 12 10
Howitzers—			
Battering { 8 inch, 180 lbs. 0 ozs.	"	156 4 1	165 11 6
Battering { 6.6 " 99 " 3 "	"	114 8 11	121 6 3
Battering { 8 inch { 70 cwt., 179 lbs. 9 ozs.	"	176 6 0	185 10 4
Battering { 46 " 180 " 5½ "	"	116 12 5	121 16 6
Common, { 6.6 " 93 lbs. 3 ozs.	"	104 17 7	110 12 5
Common, { 6.3 " 66 " 9 "	"	55 16 10	58 10 1
Star spher- { 8 inch, 46 cwt. 21 lbs. 9 ozs.	"	278 3 8	294 17 6
Star spher- { 6.3 " 11 lbs. 5 ozs.	"	187 4 9	199 9 5
S.B. spherical—			
Empty, without plugs or fuzes—			
Common—			
Loose, prepared for wood bottoms—			
10 inch, 79 lbs. 4 ozs.	"	22 3 4	23 9 11
8 " 47 " 4 "	"	15 13 3	16 12 1
56 pounder	"	13 19 0	14 15 9
42 pounder, 29 lbs. 11 ozs.	"	11 8 6	12 2 3
32 " 22 " 5 "	"	9 4 7	9 15 8
24 " 16 " 12 "	"	7 17 0	8 6 5
18 " 12 " 10 "	"	6 13 9	7 1 9
12 " 8 " 9 "	"	7 16 6	8 5 11
Riveted, elm—			
Gun or howitzer—			
10 inch	"	25 15 3	27 6 2
8 "	"	17 8 10	18 9 9
56 pounder	"	15 13 10	16 12 8
42 pounder	"	12 17 5	13 12 10
32 "	"	10 9 1	11 1 8
24 "	"	8 15 3	9 5 9
18 "	"	7 12 6	8 1 8
12 "	"	8 19 7	9 10 4
Howitzer { 5½ inch	"	8 15 3	9 5 9
Howitzer { 4½ "	"	8 19 7	9 10 4

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shells, continued—		£ s. d.	£ s. d.
S.B. spherical—			
Empty, without plugs or fuzes—			
Common—			
Riveted, teak—			
Gun or howitzer—			
10 inch	100	32 3 2	34 1 9
8 "	"	22 10 6	23 17 6
56 pounder	"	20 15 9	22 0 8
42 pounder	"	16 10 2	17 10 0
32 "	"	14 1 1	14 17 11
24 "	"	11 18 4	12 12 7
18 "	"	11 15 1	12 9 2
12 "	"	10 18 10	11 12 0
Howitzer { 5½ inch	"	11 18 4	12 12 7
{ 4½ "	"	10 18 10	11 12 0
Filled, without plugs or fuzes—			
Common—			
Riveted, elm—			
Gun or howitzer—			
10 inch	"	41 15 9	43 12 5
8 "	"	23 8 5	24 11 5
56 pounder	"	21 1 6	22 1 11
42 pounder	"	16 14 11	17 11 6
32 " { Whole	"	13 10 5	14 4 0
{ Section, with plug	each	0 13 5	0 14 3
24 "	100	11 1 4	11 12 7
18 " { Whole	"	9 9 10	9 19 9
{ Section, with common fuze	each	0 9 11	0 10 6
12 " { Whole	100	10 3 7	10 14 11
{ Section, with Pettman's fuze	each	0 18 0	0 19 1
Howitzer { 5½ inch	100	11 1 4	11 12 7
{ 4½ "	"	10 3 7	10 14 11
Riveted, teak—			
Gun or howitzer—			
10 inch	100	47 18 8	50 2 8
8 "	"	28 10 3	29 19 4
56 pounder	"	26 3 3	27 9 9
42 pounder	"	20 7 3	21 8 2
32 "	"	17 1 5	17 19 3
24 "	"	14 4 6	14 19 7
18 "	"	13 11 3	14 6 0
12 "	"	12 3 3	12 17 0
Howitzer { 5½ inch	"	14 4 6	14 19 7
{ 4½ "	"	12 3 3	12 7 0
Empty—			
Diaphragm Shrapnel, Boxer, with loading hole plugs, without fuze hole plugs, or fuzes—			
Loose—			
8 inch, or 68 pounder, 68 lbs. 5 ozs. ..	"	50 2 11	53 3 1
56 pounder	"	46 4 7	49 0 1
42 pounder 37 lbs. 14 ozs.	"	36 1 4	38 4 7
32 " 28 " 3 "	"	29 2 5	30 17 4
24 " 21 " 0 "	"	23 19 4	25 8 1
18 " 15 " 15 "	"	19 11 10	20 15 4
12 " 10 " 3 "	"	16 5 5	17 4 11
9 " 7 " 12½ "	"	13 17 6	14 14 2
6 " 5 " 0 "	"	12 0 8	12 15 1
Riveted, elm—			
Gun or howitzer—			
109 pounder	"	61 12 1	65 6 0

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shells, S.B. spherical, continued—		£ s. d.	£ s. d.
Empty—			
Diaphragm Shrapnel, Boxer, with loading hole plugs, without fuze hole plugs, or fuzes—			
Riveted, elm—			
Gun or howitzer—			
8 inch, or 68 pounder { Whole	100	52 0 0	55 2 5
{ Section, with fuze	each	1 7 1	1 8 9
56 pounder	100	47 16 1	50 13 5
42 pounder	"	37 9 3	39 14 2
32 "	"	30 3 2	31 19 4
24 "	"	25 17 11	27 9 0
18 "	"	21 6 4	22 11 11
12 "	"	17 13 10	18 15 1
9 " { Whole	"	14 19 7	15 17 7
6 " { Section, with fuze	each	0 9 1	0 9 8
Howitzer { 5½ inch	100	13 0 2	13 15 9
{ 4½ "	"	25 17 11	27 9 0
Riveted, teak—			
Gun or howitzer—			
100 pounder	"	71 11 3	75 17 2
8 inch, or 68 pounder	"	56 17 2	60 5 5
56 pounder	"	52 13 11	55 17 2
42 pounder	"	41 1 0	43 10 3
32 "	"	33 14 2	35 14 7
24 "	"	29 13 1	31 8 8
18 "	"	24 13 0	26 2 7
12 "	"	19 3 3	20 6 3
9 "	"	16 8 7	17 8 4
6 "	"	13 18 6	14 15 3
Howitzer { 5½ inch	"	29 13 1	31 8 8
{ 4½ "	"	19 8 3	20 6 3
Filled—			
Diaphragm Shrapnel, Boxer, with loading hole plugs, without fuze hole plugs, or fuzes—			
Riveted, elm—			
Gun or howitzer—			
100 pounder	"	64 5 1	68 1 2
8 inch, or 68 pounder { Whole	"	53 1 3	56 4 4
{ Section, with fuze	each	1 7 1	1 8 8
56 pounder	100	48 15 5	51 13 5
42 pounder	"	38 10 4	40 16 1
32 "	"	30 18 6	32 15 3
24 "	"	26 9 6	28 0 11
18 "	"	21 16 6	23 2 5
12 "	"	19 3 2	19 4 9
9 " { Whole	"	15 8 2	16 6 6
6 " { Section, with plug	each	0 10 2	0 10 9
Howitzer { 5½ inch	100	13 6 11	14 2 10
{ 4½ "	"	26 9 6	28 0 11
Riveted, teak—			
Gun or howitzer—			
100 pounder	"	74 4 3	78 12 3
8 inch, or 68 pounder	"	58 2 10	61 12 0
56 pounder	"	53 17 1	57 1 2
42 pounder	"	42 2 5	44 12 6
32 "	"	34 16 5	36 17 10
24 "	"	30 6 1	32 2 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shells, S.B. spherical, continued—		£ s. d.	£ s. d.
Filled—			
Diaphragm Shrapnel, Boxer, with loading hole plugs, without fuze hole plugs, or fuzes—			
Riveted, teak—			
Gun or howitzer—			
18 pounder	100	25 3 9	26 13 9
12 "	"	20 2 11	21 6 11
Howitzer { 5½ inch	"	30 6 1	32 2 2
{ 4½ "	"	20 2 11	21 6 11
Mortar, prepared for fuzes, with corks—			
Empty—			
13 inch { Whole, 195 lbs. 3 ozs.	"	55 6 11	58 13 4
{ Section	each	1 6 9	1 8 4
10 " 87 lbs. 2 ozs.	100	28 9 9	30 3 11
8 " 46 " 1 "	"	14 12 8	15 10 3
Filled—			
13 inch, 206 lbs. 2 ozs.	"	81 14 5	85 11 0
10 " 92 " 6 "	"	41 13 4	43 12 10
8 " { Whole, 48 lbs. 10 ozs.	"	21 3 6	22 3 9
{ Section, with bung	each	0 14 7	0 15 5
Naval—			
Empty, without plugs or fuzes—			
Loose, prepared { 100 pounder	100	30 2 3	31 18 5
for bottoms { 10 inch	"	26 15 1	28 7 2
and tops { 8 " or 68 pounder	"	18 10 3	19 12 6
{ 32 pounder	"	11 18 8	12 13 4
Riveted, elm bottoms—			
10 inch { Whole	"	28 16 7	30 11 2
{ Section, with Pettman's fuze	each	1 5 5	1 6 11
8 inch or 68 pounder	100	20 2 6	21 6 8
32 pounder { Whole	"	13 4 4	14 0 2
{ Section, with Pettman's fuze	each	1 1 8	1 3 0
Riveted, elm tops, 100 pounder	100	36 10 4	38 14 2
Riveted, teak { 10 inch	"	34 19 9	37 1 9
{ 8 " or 68 pounder	"	25 4 6	26 14 9
bottoms { 32 pounder	"	16 16 7	17 6 9
Filled, without plugs or fuzes—			
Riveted, elm bottoms—			
10 inch { Whole	"	44 11 9	46 12 8
{ Section, with plug	each	1 5 5	1 6 11
8 inch, or 68 pounder	100	25 19 0	27 5 0
32 pounder { Whole	"	16 6 2	17 3 1
{ Section, with time fuze	each	1 1 8	1 3 0
Riveted, elm tops, 100 pounder	100	49 18 5	52 10 8
Riveted, teak { 10 inch	"	50 14 7	53 2 10
{ 8 "	"	31 0 8	32 12 9
bottoms { 32 pounder	"	19 17 3	20 18 6
Hand grenade—			
Empty, without { Land service, { Whole	"	2 11 6	2 14 7
plugs or fuzes { 3 pounder { Section	each	0 4 6	0 4 9
{ Sea service, 6 pounder	100	2 17 10	3 1 4
Filled, without { Land service, { Whole	"	8 4 7	8 8 1
plugs or fuzes { 3 pounder { Section, with fuze	each	0 7 0	0 7 5
{ Sea service, 6-pounder	100	3 13 9	3 17 7
Shoes, drag—			
Cast-iron, wagon, platform, without chain	each	0 12 0	0 13 2
Wrought-iron—			
1st class, without chain	"	1 14 3	1 17 8

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shoes, drag, continued—		£ s. d.	£ s. d.
Wrought-iron—			
2nd class—			
Field, without chain { Except 13 pounder ..	each	0 16 5	0 18 1
R.M.L. 13 ..	"	1 0 7	1 2 8
Wagons { With chain { Ammunition and store, ..	"	1 2 6	1 4 9
Royal Artillery ..	"	1 1 9	1 3 11
Flanders ..	"		
Without chain, general service, ..	"		
heavy spring, bakery, bread and ..	"		
meat, lock under wagon pattern ..	"	0 18 0	0 19 10
3rd class—			
Field, R.M.L. 7 pounder Colonial (13 pounder ..	"	1 0 7	1 2 8
pattern), without chain ..	"		
Ambulance and general service, ..	"	0 17 10	0 19 7
equirota, with chain ..	"		
Wagons { Lock- { Ambulance, light spring ..	"	0 18 0	0 19 10
under, { and pharmacy ..	"		
without { General service ..	"		
chain ..	"		
Shoes—			
Handspike, carriage—			
Steel, travelling—			
Field, R.M.L. 13 pounder	"	0 12 0	0 13 2
Mountain service, R.M.L. 7 pounder steel ..	"		
gun, 400 lbs.	"	0 2 9	0 3 0
Iron, travelling, field, R.M.L.—			
25 pounder	"	0 5 9	0 6 4
16 or 9 pounder { (Mark I)	"	0 5 9	0 6 4
{ (Mark II)	"	0 5 9	0 6 4
7 pounder Colonial	"	0 5 6	0 6 0
Leather, magazine—			
Service—			
No. 1			
" 2			
" 3			
" 4			
" 5			
" 6			
" 7			
" 8			
" 9			
" 10			
" 11			
W. A. pattern—			
No. 7			
" 8			
" 9			
" 10			
" 11			
Shoes, or steps, wood, for spars, feet of derricks ..			
or sheers—			
4 feet 6 inches x 3 feet 6 inches	each	3 6 6	3 13 2
3 " 6 " x 2 " 6 "	"	2 7 0	2 11 8
3 " 0 " x 1 " 6 "	"	1 2 8	1 4 11
Shot, lead, ball—			
Buck	owt.	1 5 10	1 7 5
Martini-Henry, proof { With paper	1000	1 8 6	1 10 4
{ Without paper	"	1 3 8	1 5 2
.577 inch bore --			
Snider, proof { With paper	"	1 6 9	1 8 5
{ Without paper	"	1 1 7	1 2 11

ORDNANCE					Rate.						
					Per	No. 1 Balance Sheet.			No. 2 Balance Sheet.		
Shot, lead, ball, continued—						£ s. d.			£ s. d.		
.577 inch bore—											
Service	{	Breech loading	{	Martini-Henry	1000	1	2	3	1	3	7
				Snider	"	0	17	6	0	18	5
	{	Muzzle loading	"	0	15	6	0	16	5
				"	0	4	7	0	4	10
Revolver	{	Colt's	"	0	4	7	0	4	10
				Dean's, .54 gauge	"	0	6	10	0	7	3
Shot—											
R.B.L. guns—											
Case—											
7 inch (see R.M.L.)											
64 pounder					100	40	19	0	43	8	2
40 pounder, 31 lbs. 8 ozs.					"	23	18	5	30	15	8
20 " (Mark III), 20 lbs. 5½ ozs.					"	30	14	5	32	15	1
12 " 11 lbs. 8 ozs.					"	20	1	3	21	5	4
9 " 9 " 0 "					"	17	8	8	18	9	7
6 " (Mark III), 5 lbs. 9 ozs.					"	12	18	4	13	13	10
Drill	{	12 pounder	"	13	3	10	13	19	8
				9 "	"	12	1	8	12	16	2
				6 "	"	10	5	0	10	17	4
Hollow,	{	7 inch, without plugs	"	44	11	3	47	4	9
				40 pounder, 40 lbs. 13½ ozs.	"	20	8	4	21	12	7
Solid	{	20 " 20 " 9½ "	"	14	16	10	15	14	8
				12 " 11 " 7 "	"	10	7	5	10	19	10
				9 " 8 " 13 "	"	8	14	1	9	4	6
				6 " 6 " 2 "	"	6	17	3	7	5	6
R.M.L. guns—											
Case—											
16 inch					each	14	0	9	14	17	7
12.5 inch, 798 lbs.					100	522	10	4	550	2	11
12 " 35 and 25 ton, 246 lbs.					"	143	9	7	151	1	4
11 " 200 lbs.					"	122	4	11	128	14	2
10 " 143 "					"	88	4	0	93	14	4
9 " 107 "					"	66	3	11	70	3	0
8 inch and 8 inch howitzer, 74 lbs.					"	52	14	6	55	17	9
7 " and B.L. (Mark V), 68 lbs. 2½ oz.					"	44	11	6	47	7	11
80 pounder or 64 pounder, or 6.3 inch howit- zer, 49 lbs. 14½ ozs.					"	38	6	9	40	13	1
40 pounder, 38 lbs. 6 ozs.					"	58	18	10	62	9	7
25 " 24 " 4 "					"	38	6	2	40	12	2
16 " 15 " 3 "					"	24	1	4	25	9	0
13 "					"	20	5	6	21	9	2
9 " 9 " 10½ "					"	16	3	9	17	2	1
7 " 6 " 4 "					"	11	13	4	12	6	11
7 " 400 lbs., 6 lbs. 12 ozs.					"	12	15	4	13	10	8
Palliser	{	12 inch, 25 ton, 596 lbs. 4 oz.	"	331	8	4	353	1	1
				10 " 400 lbs. 8 ozs... .. .	"	201	17	10	214	16	9
				9 " 243 " 6 "	"	135	8	5	144	12	5
				8 " 176 " 0 "	"	96	0	4	101	1	11
7 " 112 " 0 "					"	71	11	4	75	16	5
Shot, sand—											
4 lbs.					} ton						
3 "											
2 "											
1½ "											
1 "											
18½ oz.											
8 "											
6½ "											
6 "											
5 "											
						9 9 10			10 1 3		

ORDNANCE.	Per	Rate.			
		No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Shot, sand, continued—		£	s.	d.	£ s. d.
4 ozs.	} ton	9	9	10	10 1 3
3½ "					
3 "					
2 "					
1½ "					
Shot, S.B., B.L., gun, case, 32 pounder, 54 lbs. 11 ozs.	"	—			—
Shot, S.B. ordnance—					
Case—					
Carronade—					
68 pounder, 48 lbs. 1½ ozs.	100	20	1	6	21 5 7
42 " 35 " 6 "	"	16	18	3	17 18 7
32 " 22 " 1½ "	"	13	10	10	14 7 1
24 " 17 " 11 "	"	12	8	7	13 3 6
18 "	"	10	0	9	10 12 10
12 "	"	6	14	8	7 2 9
6 "	"	4	19	0	5 4 11
Gun, iron ends—					
100 pounder	"	53	4	8	56 8 6
10 inch and howitzer, 82 lbs.	"	41	6	9	43 16 4
8 " or 68 pounder and howitzer, 50 lbs.	"				
8 oz.	"	34	0	2	36 8 2
56 pounder	"	31	10	4	33 8 2
42 pounder 44 lbs. 6 ozs.	"	27	13	3	29 6 5
32 " 36 " 12 "	"	23	2	3	24 10 0
24 " 24 " 12 "	"	14	4	7	15 4 8
18 " 19 " 0 "	"	16	18	2	17 18 5
Gun, wood bottoms—					
12 pounder, 16 lbs. 15½ ozs.	"	10	6	9	10 19 2
Elm { 9 " 13 " 9 "	"	8	6	8	8 16 8
6 " 8 " 6 "	"	7	5	10	7 14 7
3 " 4 " 7 "	"	5	16	6	6 3 6
12 pounder, 16 " 15½ "	"	11	12	0	12 5 11
Teak { 9 " 13 " 9 "	"	9	8	8	10 0 0
6 " 8 " 6 "	"	7	18	8	8 8 2
3 " 4 " 7 "	"	6	6	6	6 14 1
Howitzer, land service—					
32 pounder, 21 lbs. 7 ozs.	"	12	10	8	13 18 6
24 " 13 " 13 "	"	7	7	2	7 17 6
Elm bottoms { 12 " 7 " 14 "	"	5	12	6	6 5 0
5½ inch	"	7	16	4	8 7 4
4¾ " 8 lbs. 1 oz.	"	5	12	6	6 5 0
32 pounder, 21 lbs. 7 ozs.	"	16	14	6	17 14 7
24 " 13 " 13 "	"	13	7	1	14 3 1
Teak bottoms { 12 " 7 " 14 "	"	8	1	10	8 11 7
5½ inch	"	13	7	1	14 3 1
4¾ " 8 lbs. 1 oz.	"	8	1	10	8 11 7
Howitzer, sea service—					
24 pounder, 13 lbs. 13 ozs.	"	7	7	2	7 17 6
12 " 7 " 14 "	"	5	12	6	6 5 0
Teak bottoms { 24 pounder, 13 lbs. 13 ozs.	"	8	0	11	8 9 5
12 " 7 " 14 "	"	8	1	10	8 11 7
Grape—					
Carronade—					
68 pounder	"	48	16	5	51 15 0
42 " 38 lbs. 8 ozs.	"	36	7	3	38 10 11
32 " 28 " 4 "	"	29	5	5	31 0 6
24 " 19 " 10 "	"	12	9	2	13 4 1
18 "	"	11	2	9	11 16 1
12 "	"	8	2	8	8 14 1
6 "	"	3	19	10	4 4 7

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance. Sheet.	No. 2 Balance Sheet.
Shot, S.B. ordnance, continued—		£ s. d.	£ s. d.	£ s. d.
Grape—				
Gun—				
Caffin's—				
8 inch, or 68 pounder, 65 lbs. 9 ozs.	100	—	35 19 2	38 2 4
56 pounder	"	—	32 2 9	34 1 4
42 pounder 49 lbs. 11 ozs..	"	—	27 5 5	28 18 2
32 " 36 " 12 " ..	"	—	22 17 11	24 5 5
24 " 25 " 3 " ..	"	—	14 6 4	15 3 6
18 " 18 " 13 " ..	"	—	12 1 4	12 15 10
12 " 12 " 15 " ..	"	—	7 6 1	7 16 4
9 " 10 " 12 " ..	"	—	7 18 6	8 8 0
6 "	"	—	6 0 4	6 7 7
10 inch, 81 lbs. 7 ozs. ..	"	—	50 2 7	53 2 9
Solid, spherical—				
Loose—				
100 pounder	"	—	30 4 8	32 0 11
69 " 66 lbs. 3 ozs. ..	"	—	18 17 3	19 19 11
56 pounder	"	—	15 19 0	16 18 2
42 pounder 41 lbs. 6 ozs. ..	"	—	11 6 8	12 0 3
32 " 31 " 6 " ..	"	—	8 19 2	9 9 11
24 " 23 " 8 " ..	"	—	7 7 4	7 16 2
18 " 17 " 12 " ..	"	—	5 6 0	5 12 4
12 " 12 " 4 " ..	"	—	3 17 8	4 2 4
9 " 9 " 3 " ..	"	—	3 1 9	3 5 5
6 " 6 " 3 " ..	"	—	2 10 0	2 13 0
3 " 3 " 1½ " ..	"	—	1 12 7	1 14 6
Loose, prepared for wood bottoms—				
18 pounder	"	—	5 14 5	6 1 3
12 "	"	—	4 2 7	4 7 6
9 "	"	—	3 6 6	3 10 6
6 "	"	—	2 14 6	2 17 9
3 "	"	—	1 16 3	1 18 5
Riveted to wood bottoms—				
18 pounder	"	—	6 14 1	7 2 2
12 "	"	—	5 1 2	5 7 3
Elm { 9 "	"	—	4 3 4	4 8 4
6 "	"	—	3 9 9	3 13 11
3 "	"	—	2 10 0	2 13 0
13 pounder	"	—	8 19 3	9 10 0
12 "	"	—	7 1 2	7 9 8
Teak { 9 "	"	—	6 2 1	6 9 5
6 "	"	—	5 4 9	5 11 0
3 "	"	—	4 0 8	4 5 6
Chilled, 100 pounder ..	"	—	70 17 7	75 2 8
Shovels, copper—				
Large	each	0 3 2	—	—
Small.. .. .	"	0 2 10	—	—
Shutters, bronze, R.M.L. gun—				
16 inch	"	—	37 8 0	45 12 11
12½ inch, Mark II..	"	—	27 10 0	33 11 3
Sieves, for powder—				
Copper, 20 inches diameter				
120 mesh... ..	"	—	0 15 9	0 16 8
80 "	"	—	0 9 5	0 10 0
72 "	"	—	0 8 9	0 9 3
60 "	"	—	0 8 5	0 8 11
42 "	"	—	0 7 1	0 7 6
40 "	"	—	0 7 5	0 7 10
36 "	"	—	0 6 3	0 6 8
30 "	"	—	0 6 3	0 6 8

ORDNANCE.	Rate.							
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
			£	s.	d.	£	s.	d.
Sieves, for powder, continued—								
Copper, 20 inches diameter—								
24 mesh	each	—	0	5	7	0	5	11
20 „	„	—	0	5	7	0	5	11
16 „	„	—	0	5	6	0	5	10
14 „	„	—	0	5	6	0	5	10
12 „	„	—	0	5	6	0	5	10
8 „	„	—	0	5	6	0	5	10
4 „	„	—	0	6	10	0	7	3
Brass, 20 inches diameter—								
64 mesh.	„	0 7 7	—					
32 „	„	0 6 3	—					
16 „	„	0 5 7	—					
Sights, rifled ordnance—								
Centre, B.L. guns, interrupted screw, 6 inch—								
(Mark I) { Fore	„	1 2 0	—					
{ Hind	„	2 8 0	—					
(Mark II) { Fore	„	—	1 16 8			2 4 9		
{ Hind	„	—	5 12 6			6 17 3		
Centre, M.L. guns—								
12.5 inch { Fore	„	—	0 15 4			0 17 10		
{ Hind*	„	—	1 18 8			2 7 2		
12 inch, 35 tons { Fore	„	—	0 15 4			0 17 10		
{ Hind	„	—	1 18 8			2 7 2		
12 inch, 25 tons { Fore	„	—	0 15 4			0 17 10		
{ Hind*	„	—	1 18 8			2 7 2		
11 inch { Fore	„	—	0 15 4			0 17 10		
{ Hind	„	—	1 17 6			2 5 9		
10 inch { Fore	„	—	0 15 4			0 17 10		
{ Hind	„	—	1 17 6			2 5 9		
9 inch { Fore	„	—	0 15 4			0 17 10		
{ Hind	„	—	1 17 6			2 5 9		
8 inch { Fore	„	—	0 15 4			0 17 10		
{ Hind	„	—	1 17 6			2 5 9		
7 inch, 7 or 6½ tons, or 90 cwt. and 64 pr. 64 cwt., fore	„	—	0 15 4			0 17 10		
7 inch, 7 or 6½ tons, hind	„	—	1 17 6			2 5 9		
7 inch, 90 cwt., hind	„	—	1 17 6			2 5 9		
6½ pounder, 64 cwt., hind	„	—	0 16 2			0 19 8		
6½ pounder, converted, 58 cwt. { Fore	„	—	0 15 4			0 17 10		
{ Hind	„	—	3 9 6			4 2 10		
Chase, M.L. guns—								
16 inch { Fore	„	—	0 15 4			0 17 10		
{ Hind	„	—	12 1 6			14 1 9		
12.5 inch { Fore	„	—	0 15 4			0 17 10		
{ Hind	„	—	9 18 8			12 2 3		
Wood, B.L. guns, for instruction—								
Hexagonal, 12 pounder	„	—	8 0 0			8 19 2		
Rectangular	„	—	7 14 0			8 12 4		
Fore, M.L.—								
Gun 7 pounder, 400 lbs.	„	—	3 12 6			4 5 3		
Howitzer, 5 inch and 6.3 inch	„	—	0 5 7			0 6 7		
Muzzle, M.L.—								
Howitzer { 8 inch, with 2 screws	„	—	1 18 6			2 4 6		
{ 6.3 „ „ „	„	—	1 18 6			2 4 6		
Guns—								
64 pounder, 58 cwt. (converted)	„	—	0 5 6			0 6 6		
13 „	„	—	4 6 6			5 3 6		

* These sights are identical with the tangent scale sights.

Section V.

383

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Sights, rifled ordnance, continued—		£ s. d.	£ s. d.
Muzzle, M.L.—			
Guns—			
9 pounder—			
Land service, 8 and 6 cwt. (Mark II) ..	each	0 4 10	0 5 8
Sea service { 8 cwt., and 6 cwt. (Mark III) ..	"	0 4 10	0 5 8
6 " (Mark I)	"	1 2 0	1 5 0
7 pounder, 200 lb. { Bronze	"	0 14 0	0 15 7
Steel	"	0 7 5	0 9 0
Reflecting—			
For ordnance, mounted on counterweight car-			
riages—			
9 inch (Mark II), carriage—			
With graduated bar for rocker, and 6			
fixing screws	"	15 0 0	16 12 0
Trunnion, with bracket and 4 fixing screws	"	5 0 0	5 12 0
7 inch—			
(Mark I) carriage—			
Fore-scale, with thumb, and 4 fixing			
screws	"	8 2 0	8 19 10
Hind bracket, with glass reflector, and			
frame, with 3 fixing screws	"	6 14 0	7 8 9
(Mark II) carriage—			
With graduated bar, for rocker, and 6			
fixing screws	"	15 10 0	17 16 3
Trunnion, with bracket and 3 fixing			
screws	"	6 12 0	7 11 0
6½ pounder, 58 cwt. (Mark II), carriage—			
With graduated bar for rocker, and 4			
fixing screws	"	14 0 0	15 10 0
Trunnion, with bracket and 1 screw ..	"	4 12 0	5 3 0
Tangent scale—			
B.L. guns—			
Interrupted screw—			
6 inch { (Mark I)	"	*6 0 0	—
(Mark II)	"	9 3 0	11 3 4
25 pounder { 22½ cwt.	"	9 3 0	11 8 4
13½ "	"	9 3 0	11 3 4
Screw—			
7 inch { 82 cwt.	"	1 13 0	1 17 0
72 "	"	1 10 0	1 13 7
40 pounder	"	1 13 0	1 17 0
20 pounder { 16 cwt.	"	1 10 0	1 13 7
15 or 13 cwt.	"	1 10 0	1 13 7
12 pounder	"	1 15 6	1 19 9
9 "	"	1 10 0	1 13 7
6 "	"	1 9 0	1 12 6
Wedge { 6½ pounder	"	1 13 0	1 17 0
40 "	"	1 8 4	1 11 8
M.L. guns—			
12.5 inch.. ..	"	1 19 7	2 6 5
12 inch { 35 tons.. ..	"	1 19 7	2 6 5
25 "	"	1 16 0	2 3 3
11 "	"	1 16 0	2 3 3
10 "	"	1 16 0	2 3 3
9 "	"	1 16 0	2 3 3
8 "	"	1 16 0	2 3 3
7 "	"	1 16 0	2 3 3
7 or 6½ tons	"	1 16 0	2 3 3
7 inch, 90 cwt.	"	1 16 0	2 3 3

* This is a Contract rate.

• This is a Contract rate.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Sights, rifled ordnance, continued—		£ s. d.	£ s. d.
Trunnion—			
M.L. guns—			
12½ inch or 12 inch, 35 tons	each	0 15 4	0 17 10
12 " 25 tons	"	0 15 4	0 17 10
11 "	"	0 15 4	0 17 10
10 "	"	0 15 4	0 17 10
8 or 9 inch	"	0 15 4	0 17 10
7 inch	"	0 15 4	0 17 10
6½ inch, 70 cwt.	"	0 15 4	0 17 10
80 or 64 pounder, 71 cwt. and 64 cwt. ..	"	0 15 4	0 17 10
40 " 25 "	"	0 15 4	0 17 10
16 pounder	"	0 6 1	0 7 1
Complete, with cross { 40 pounder 35 cwt. ..	"	5 1 6	6 3 10
bar and sliding leaf { 25 " 18 " ..	"	5 1 6	6 3 10
M.L. howitzers, complete, { 8 inch { 70 cwt. ..	"	5 1 6	6 3 10
with cross bar and slid- { 46 " ..	"	5 1 6	6 3 10
ing leaf { 6½ inch ..	"	5 1 6	6 3 10
" { 6·3 " ..	"	5 1 6	6 3 10
Sights, turret—			
Fore—			
Hinged or drop*	"	7 5 0	8 7 0
Long*	"	1 0 0	1 3 0
Short*	"	1 0 0	1 3 0
Sliding—†			
Centre	"	3 10 0	3 15 5
Intermediate	"	3 10 0	3 15 5
Wing	"	3 10 0	3 15 5
Hind—			
5½ inch radius* { Long } ..	"	4 0 0	4 12 0
78 " { Short } ..	"	4 0 0	4 12 0
95 "	"	4 5 0	4 17 8
138 "	"	5 12 0	6 8 9
117·25 "	"	5 12 0	6 8 9
120 "	"	5 12 0	6 8 9
126 "	"	5 12 0	6 8 9
Compound, consisting of outer and inner bar, complete, with hand wheel, pinion, clamping nut and reader†—			
Centre	"	44 15 0	54 12 4
Intermediate	"	44 15 0	54 12 4
Wing	"	43 18 6	53 12 2
Sights, smooth-bore ordnance—			
With screws—			
Bronze gun, sea service, 6 pounder, 6 cwt., fore	"	0 1 6	0 1 9
Cast-iron carronades—			
68 pounder, 36 cwt. { Fore†	"	0 1 11	0 2 2
{ Hind	"	0 6 3	0 7 0
42 " 22 " { Fore†	"	0 1 11	0 2 2
{ Hind	"	0 6 3	0 7 0
32 " 17 " { Fore†	"	0 1 11	0 2 2
{ Hind	"	0 6 3	0 7 0

* For "Scorpion" and "Wyvern" only.

† In demanding these articles the name of the vessel should be given.

‡ No screws required.

(V.S.)

ORDNANCE.						Rate.		
						Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Sights, smooth-bore ordnance, continued—								
With screws—								
Cast-iron carronades—								
24 pounder, 13 cwt.	{	Fore*	each	£ s. d.	£ s. d.
		Hind	"	0 1 11	0 2 2
18 " 10 "	{	Fore*	"	0 6 3	0 7 0
		Hind	"	0 1 11	0 2 2
6 " 5 "	{	Fore*	"	0 6 3	0 7 0
		Hind	"	0 1 11	0 2 2
With screws and lead packings—								
Cast-iron guns—								
10 inch, 86 cwt.	{	Land	{	Fore	0 2 2	0 2 5
			{	Hind	0 8 0	0 8 9
	{	Sea	{	Fore	0 2 8	0 3 0
			{	Hind	0 13 8	0 15 1
8 inch—								
65 cwt.	{	Land	{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
	{	Sea	{	Fore	0 3 0	0 3 5
			{	Hind	0 13 9	0 15 5
60 cwt.	{	Land	{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
	{	Sea	{	Fore	0 3 0	0 3 5
			{	Hind	0 13 9	0 15 5
54 cwt.	{	Land	{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
	{	Sea	{	Fore	0 3 0	0 3 5
			{	Hind	0 13 9	0 15 5
50 cwt., land	{		{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
68 pounder—								
112 cwt., land	{		{	Fore	0 3 0	0 3 5
			{	Hind	0 9 4	0 10 6
95 cwt.	{	Land	{	Fore	0 3 0	0 3 5
			{	Hind	0 9 4	0 10 6
	{	Sea	{	Fore	0 3 0	0 3 5
			{	Hind	0 14 4	0 16 0
56 pounder—								
97 cwt., land	{		{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
87 " "	{		{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
42 pounder—								
84 cwt., land	{		{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
67 " "	{		{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
32 pounder—								
63 cwt., land	{		{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
58 cwt.	{	Land	{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
	{	Sea	{	Fore	0 3 0	0 3 5
			{	Hind	0 13 9	0 15 5
56 cwt.	{	Land	{	Fore	0 3 0	0 3 5
			{	Hind	0 9 0	0 10 0
	{	Sea	{	Fore	0 3 0	0 3 5
			{	Hind	0 13 9	0 15 5

* No screws required.

ORDNANCE.						Rate.		
						Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Sights, smooth-bore ordnance, continued—							£ s. d.	£ s. d.
With screws and lead packings—								
Cast-iron guns—								
32 pounder—								
50 cwt., "A"	{ Land	{ Fore	each	0 3 0	0 3 5	
		{ Hind		0 9 0	0 10 0	
	{ Sea	{ Fore		0 3 0	0 3 5	
		{ Hind		0 13 9	0 15 5	
48 or 50 cwt., land	{ Fore	0 3 0	0 3 5		
	{ Hind	0 9 0	0 10 0		
45 cwt., "B"	{ Land	{ Fore	0 3 0	0 3 5	
		{ Hind		0 9 0	0 10 0	
	{ Sea	{ Fore		0 3 0	0 3 5	
		{ Hind		0 13 9	0 15 5	
42 cwt., "C"	{ Land, and for 32	{ Fore	0 3 0	0 3 5	
		{ pounder, B.L. Hind		0 9 0	0 10 0	
	{ Sea	{ Fore		0 3 0	0 3 5	
		{ Hind		0 13 9	0 15 5	
40 cwt., land	{ Fore..	0 3 0	0 3 5		
	{ Hind	0 9 0	0 10 0		
39 " "	{ Fore..	0 3 0	0 3 5		
	{ Hind	0 9 0	0 10 0		
32 cwt.	{ Land	{ Fore	0 3 0	0 3 5	
		{ Hind		0 9 0	0 10 0	
	{ Sea	{ Fore		0 3 0	0 3 5	
		{ Hind		0 13 9	0 15 5	
25 cwt.	{ Land	{ Fore	0 2 9	0 3 1	
		{ Hind		0 9 0	0 10 0	
	{ Sea	{ Fore		0 2 9	0 3 1	
		{ Hind		0 13 0	0 14 9	
24 pounder—								
50 cwt., land	{ Fore	0 3 0	0 3 5	
	{ Hind		0 9 0	0 10 0	
48 cwt., land	{ Fore..	0 3 0	0 3 5	
	{ Hind		0 9 0	0 10 0	
18 pounder—								
42 cwt., land	{ Fore..	0 3 0	0 3 5	
	{ Hind		0 9 0	0 10 0	
38 cwt., land	{ Fore..	0 3 0	0 3 5	
	{ Hind		0 9 0	0 10 0	
22 cwt.	{ Land	{ Fore	0 3 0	0 3 5	
		{ Hind		0 9 0	0 10 0	
	{ Sea	{ Fore		0 3 0	0 3 5	
		{ Hind		0 13 0	0 14 9	
20 cwt., land	{ Fore..	0 2 9	0 3 1	
	{ Hind		0 9 0	0 10 0	
15 cwt.	{ Land	{ Fore	0 2 9	0 3 1	
		{ Hind		0 9 0	0 10 0	
	{ Sea	{ Fore		0 2 9	0 3 1	
		{ Hind		0 13 0	0 14 9	
12 pounder—								
34 cwt., land	{ Fore..	0 3 0	0 3 5	
	{ Hind		0 9 0	0 10 0	
33 cwt., land	{ Fore..	0 3 0	0 3 5	
	{ Hind		0 9 0	0 10 0	
9 pounder—								
28 cwt., land	{ Fore..	0 3 0	0 3 5	
	{ Hind		0 9 0	0 10 0	
24 cwt., land	{ Fore..	0 3 0	0 3 5	
	{ Hind		0 9 0	0 10 0	

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Sights, smooth-bore ordnance, contd.—		£ s. d.	£ s. d.	£ s. d.
With screws and lead packings—				
Cast-iron guns—				
6 pounder, 17 { Fore	each	—	0 3 0	0 3 5
{ Hind	"	—	0 9 0	0 10 0
Wrought-iron guns—				
100 pounder { Centre { Fore	"	—	0 16 0	0 18 9
{ Hind	"	—	0 9 2	0 10 3
{ Tangent scale ..	"	—	1 2 6	1 5 3
{ Trunnion	"	—	0 16 0	0 18 9
Silk—				
Raw*	lb.	0 17 6	—	—
Twist†	"	0 14 8	—	—
Skidding, iron	ft. run	—	0 2 9	0 3 2½
Skids, wood—				
Fir—				
20 feet × 15 inches square	each	—	6 8 7	7 1 5
20 " × 9 " " " " " " " " " " " "	"	—	3 0 10	3 6 11
14 " × 12 " " " " " " " " " " " "	"	—	3 2 3	3 8 6
14 " × 8 " " " " " " " " " " " "	"	—	1 7 6	1 10 3
6 " × 12 " " " " " " " " " " " "	"	—	1 4 9	1 7 3
4 " × 12 " " " " " " " " " " " "	"	—	0 17 6	0 19 3
Oak—				
5 feet × 6 inches × 5 inches	"	—	0 10 8	0 11 9
3 " × 9 " " × 6 " " " " " " " " " "	"	—	0 11 7	0 12 9
3 " × 6 " " × 3 " " " " " " " " " "	"	—	0 5 1	0 5 7
3 " × 6 " " square	"	—	0 8 4	0 9 2
3 " × 4 " " " " " " " " " " " "	"	—	0 4 5	0 4 10
3 " × 3 " " " " " " " " " " " "	"	—	0 3 0	0 3 4
Oak, dismounting—				
64 and 40 pounder guns, 14 feet × 5½ inches square	pair	—	5 3 0	5 13 4
Bolted together, for heavy R.M.L. guns—				
35 and 38 tons, 11½ feet long × 15 inches broad × 20 inches deep ..	each	—	11 2 4	12 4 7
11 or 12 inch, 25 tons, 11½ feet long × 10 inches broad × 20 inches deep	"	—	6 19 5	7 13 6
10 inch, 10 feet long × 9 inches broad × 15 inches deep	"	—	4 15 1	5 4 7
9 inch, 10 feet long × 8 inches broad × 13 inches deep	"	—	4 6 5	4 15 1
Skins, sheep, for mortars	"	0 8 0	—	—
Sleepers, wood, platform, siege, Clerk's (set of 4)	set	—	4 5 6	4 14 1
Sleighs, with rollers, transporting guns over 12 tons—				
To 25 tons	each	—	108 9 5	119 6 3
To 38 " " " " " " " " " " " "	"	—	107 14 10	114 8 1
Slides, steel—				
R.B.L. 6 inch, 80 or 81 cwt.	"	—	199 0 0	218 18 0
Safety lever, R.B.L. gun 6 inch (Mark 1)	"	—	—	—

* For making empty silk cartridges under 14lbs.

† For making empty silk cartridges of 14lbs. and upwards, and for chocking filled silk cartridges when required.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Slides, wood—		£ s. d.	£ s. d.
With hydraulic buffer—			
Boat { R.B.L. 12 pounder R.M.L. 9 " 8 cwt... .. . R.B.L. 9 " R.M.L. 9 " 6 cwt... .. .	each	23 0 0	25 6 0
R.B.L. 20 pounder, gun vessel .. { Bow or stern, "Coquette" class, and bow, "Dwarf" and "Avon" class .. Stern, "Dwarf" and "Avon" class.. ..	"	22 0 0	24 4 0
"	"	23 0 0	25 6 0
"	"	18 13 2	19 16 3
Heavy—			
R.M.L. 7 inch, and 100 pounder, S.B. 12 feet..	"	103 0 0	113 6 0
R.B.L. 7 inch and { 14 feet	"	106 0 0	116 12 0
68 pounder, S.B. { 12 " 6 inches	"	104 0 0	114 8 0
R.M.L. 64 { 12 feet	"	64 10 0	70 19 0
pounder { 10 " 6 inches	"	63 10 0	69 17 0
{ 12 feet	"	57 0 0	62 14 0
{ 10 " 6 inches	"	56 0 0	61 12 0
Medium, R.B.L. 40 pounder, { 12 feet	"	49 0 0	53 18 0
S.B. 8 inch and 32 pounder { 10 " 6 inches	"	47 0 0	51 14 0
Self-acting compressor—			
R.B.L. 20 pounder, gun vessel .. { Bow, "Dwarf" and "Avon" class, and bow or stern "Coquette" class Stern, "Dwarf" and "Avon" class.. ..	"	12 10 0	13 15 0
"	"	15 10 0	17 1 0
Boat, R.B.L. { 12 pounder	"	11 15 0	12 18 6
{ 9 " (Mark II)	"	11 12 0	12 15 2
Siege equipment, R.B.L. 7 inch	"	64 0 0	70 8 0
Slides, wrought-iron—			
With hydraulic buffer—			
R.M.L.—			
12 inch, 25 tons, "Belleisle" type	"	790 0 0	869 0 0
11 inch, "Téméraire" type	"	816 4 1	893 18 5
{ "Hercules" { Revolving	"	644 0 0	708 8 0
{ "Sultan" type, side	"	564 0 0	620 8 0
{ "Téméraire" type, side	"	564 0 0	620 8 0
{ "Téméraire" type, side	"	570 0 0	627 0 0
With brake, rear racer, and additional training gear—			
Revolving { "Shannon"	"	650 0 0	715 0 0
{ "Sultan" type	"	644 0 0	708 8 0
Chase { "Alexandra" type	"	650 0 0	715 0 0
{ "Superb," upper deck	"	647 0 0	711 14 0
7 inch, 90 cwt. { Revolving	"	202 0 0	222 4 0
{ Side	"	196 0 0	215 12 0
Boat, R.M.L. { 9 pounder, 8 or 6 cwt.	"	34 17 7	37 6 9
{ 7 " 200 lbs., steel gun	"	19 1 9	20 12 9
R.B.L. 20 pounder { Gun vessel	"	60 8 6	65 14 1
{ Upper deck	"	47 5 6	50 18 10
R.B.L. 25 pounder, 13½ cwt., "Alecto" type, for hydraulic buffer	"	76 0 0	83 12 0

NOTE.—In demanding heavy and medium wood slides, the length of slide, distance of pivots, and height to under side of pivot bar, must be stated. In the case of iron slides, 9 inch, 8 inch, 7 inch 6½ tons, and 64 pounder (Mark III to V), the height to under side of pivot bar must be given, and for 9 inch, 8 inch, 7 inch 6½ tons, 7 inch 90 cwt., and 64 pounder (Mark III to V), whether revolving or side, and for 7 inch 90 cwt., 64 pounder (Mark II to VI), whether to be fitted with rear traversing bar; and for 64 pounder slides the Mark should be stated.

ORDNANCE.	Per	Rate.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Slides, wrought-iron, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>	<i>£ s. d.</i>	
R.M.L.—					
10 inch, gunboat, for hydraulic buffers	each	—	250 1 6	273 16 2	
9 inch—					
“Neptune”	”	—	—	—	
“Plucky”	”	—	166 16 3	182 15 0	
“Shannon,” side, with additional training gear.. .. .	”	—	335 0 0	368 10 0	
“Staunch”	”	—	—	—	
“Sultan” type, side, with additional training gear	”	—	322 15 0	353 8 6	
Service { Chase	”	—	271 0 0	298 2 0	
Side	”	—	265 8 6	261 16 10	
With additional training gear— “Audacious” upper deck type ..	”	—	315 0 0	346 10 0	
Revolving—					
“Lord Clyde” type	”	—	308 0 0	338 16 0	
“Raleigh” type	”	—	398 0 0	435 12 0	
“Shannon”	”	—	387 0 0	425 14 0	
“Sultan” type	”	—	364 0 0	400 8 0	
Single plate carriage	”	—	265 0 0	291 10 0	
8 inch { Revolving	”	—	257 0 0	282 14 0	
Side	”	—	235 0 0	258 10 0	
Single plate carriage	”	—	243 0 0	267 6 0	
7 inch—					
6½ tons { Naval { Revolving	”	—	171 0 0	188 2 0	
Side	”	—	165 0 0	181 10 0	
Single plate carriage	”	—	168 0 0	184 16 0	
Land service	”	—	175 0 0	192 10 0	
90 cwt. { Revolving	”	—	164 0 0	180 8 0	
Side	”	—	158 0 0	173 16 0	
64 pounder—					
(Mark I) revolving	”	—	120 0 0	132 10 0	
(Mark II)	”	—	140 10 0	154 11 0	
(Mark III) { Revolving	”	—	146 10 0	161 3 0	
Side	”	—	130 10 0	143 11 0	
For hydraulic buffer—					
(Mark IV) { Revolving	”	—	168 0 0	182 12 0	
Side	”	—	150 0 0	165 0 0	
(Mark V) { Revolving	”	—	168 0 0	182 12 0	
Side	”	—	150 0 0	165 0 0	
(Mark VI) Revolving	”	—	160 0 0	176 0 0	
Slings—					
Chain—					
1 inch link, 12 fathoms long	”	32 1 2	—	—	
Lifting, guns, from 12 to 25 tons—					
Breech, with short shackles and trian- gular link	”	—	3 8 0	3 14 10	
Muzzle, with short and long shackles, with triangular link	”	—	5 0 0	5 10 0	
Wagon, wrought-iron, sling, light ..	”	—	0 14 2	0 15 7	
White rope, gun—					
Cart or wagon, wood, sling	”	—	0 19 10	1 1 10	
12 inch, 19 feet long, fitted with thimbles	”	—	8 0 0	8 16 0	
12 inch, 4 feet 4 inches long, fitted with thimble	”	—	3 19 8	4 7 3	
6 inch { 12 feet long	”	—	1 0 5	1 2 6	
11	”	—	0 18 6	1 0 4	
10 feet	”	—	0 18 6	0 18 3	
4 inch, 4 feet long	”	—	0 4 3	0 4 8	

* For other size slings, see under Gyns, pp. 276—8.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Slippers, magazine (see Shoes).		£ s. d.	£ s. d.
Sockets, metal, sight—			
With set screw—			
Hind centre—			
R.B.L. 6 inch { (Mark I) each			
{ (Mark II)*		0 15 2	0 18 6
R.M.L. { (a) 12 inch, 25 tons to 64 pounder,			
{ 64 cwt.		0 11 9	0 13 5
{ (b) 64 pounder, 58 cwt.		0 11 9	0 13 5
S.B. 100 pounder		0 11 9	0 13 5
Tangent scale—			
R.B.L. { 7 inch, 72 cwt.		0 8 0	0 9 3
{ 64 pounder		0 8 0	0 9 3
R.M.L.—			
9 pounder, 8 cwt. { Land service		1 2 9	1 7 9
{ Sea		1 2 9	1 7 9
9 pounder, { Land service (Mark II)		1 2 9	1 7 9
{ Sea service { (Mark I)		1 2 9	1 7 9
{ (Mark III)		1 2 9	1 7 9
7 pounder { 200 lbs., bronze		1 2 9	1 7 9
{ 200 „ steel		1 2 9	1 7 9
{ 160 „ „		1 2 9	1 7 9
S.B. 100 pounder		0 8 0	0 9 3
Turret—			
Fore, with spring cap†—			
Centre		9 18 6	12 2 3
Intermediate		9 18 6	12 2 3
Wing		9 18 6	12 2 3
Hind, compound, with worm wheel, elevating pinion, shaft and screws, fixing†—			
Centre			
Intermediate			
Wing			
54 inch radius† { Fore		4 0 0	4 12 0
{ Hind		6 3 0	7 1 0
95 inch radius† { Fore		4 0 0	4 12 0
{ Hind		6 3 0	7 1 0
108 inch radius† { Fore		4 0 0	4 12 0
{ Hind		6 3 0	7 1 0
117-25 inch radius† { Fore		4 0 0	4 12 0
{ Hind		6 3 0	7 1 0
120 inch radius† { Fore		4 0 0	4 12 0
{ Hind		6 3 0	7 1 0
126 inch radius† { Fore		4 0 0	4 12 0
{ Hind		6 3 0	7 1 0
Sockets—			
Bronze, supporting vent, with { 16 inch		3 16 0	4 12 9
guide, R.M.L. guns { 12-5 inch (Mark II)		0 18 0	1 1 11
Wood, for R.B.L. cartridges	100	0 11 8	0 12 6
Wrought-iron—			
Bar, connecting, car- { Garrison, double plate,			
riage, wrought-iron { 7 inch each		0 8 7	0 9 5
sliding, R.M.L. { 9 inch, 8 inch,			
{ and 7 inch		0 8 7	0 9 5
{ Naval { 64 pounder			
{ (Mark I and			
{ II)		0 7 4	0 8 1

* The sockets, hind centre sight for 12-5 inch and 12 inch of 35 tons, are made to take a tangent bar.

† In demanding these articles the name of the vessel should be stated.

‡ For "Scorpion" and "Wyvern" only.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Sockets, continued —		£ s. d.	£ s. d.
Wrought-iron—			
Lever—			
Carriage, sliding—			
Wrought-iron, garrison—			
With pawls, pins and split keys, R.M.L.—			
12 inch, 25 tons to 64 pounder { Left ..	each	1 4 3	1 6 8
(except 10 inch, small port) { Right ..	"	1 4 3	1 6 8
10 inch, small port { Left	"	1 5 5	1 8 0
{ Right	"	1 5 5	1 8 0
Or naval, R.M.L., single plate, 9 to 7			
inch; also wood, naval, R.M.L. 7			
inch, and 64 pounder, 64 cwt., and			
slide, iron, R.M.L. 64 pounder (Mark			
I to VI)	"	0 9 5	0 10 4
Carriages, { Steel, R.M.L. 64 pounder { Left ..	"	0 13 11	0 15 4
naval { (Mark III) { Right ..	"	0 13 11	0 15 4
sliding { Wood, R.B.L. 7 inch, and 40			
{ pounder, R.M.L. 64 pounder, 71			
{ cwt., and S.B.	"	0 8 11	0 9 10
With pawl, break or re-			
taining gear, platform, } 9 inch (Mark II)	"	2 15 11	3 1 6
iron, Moncrieff, R.M.L. } 7 inch { (Mark I)	"	2 15 0	3 0 6
{ (Mark II)	"	2 15 0	3 0 6
Soles, steel, drag shoe—			
1st class	"	0 7 10	0 8 7
2nd class—			
Field { R.M.L. 13 pounder	"	0 3 0	0 3 4
{ Except 13	"	0 2 11	0 3 3
Wagon, general service, heavy spring, bakery, and			
bread and meat	"	0 3 6	0 3 10
3rd class—			
Field, 7 pounder, Colonial (13 pounder pattern)	"	0 3 0	0 3 4
Wagon { Ambulance and general service, equi-			
{ rotal and R.E.	"	0 2 6	0 2 9
{ Ambulance, and general service lock			
{ under	"	0 2 6	0 2 9
Spanners—			
Box, foresight, land service, for 9 pounder, and 64			
pounder, 58 cwt., converted R.M.L. guns ..	"	0 3 1	0 3 10
Brass, for brass powder cases	100	5 3 6	5 9 9
Steel—			
Carriage, wrought-iron top, { Lock, nut, gear,			
overbank, siege, R.M.L. 25, { elevating ..	each	0 6 6	0 7 2
40 or 64 pounder { Small	"	0 4 3	0 4 8
Hydraulic jack with tommy	"	0 16 6	0 18 2
Plug and cock, hydraulic buffer, slide, R.B.L.			
and R.M.L.	"	0 2 3	0 2 6
Wrought-iron—			
Ammunition, cylinder	"	0 0 9	0 0 10
(has-check (see Implements, fuze, and shell			
page 285).			
Trunnion-sight, 16 pounder, R.M.L.	"	0 7 3	0 8 10
Head, vent, R.M.L. guns { 16 inch	"	0 12 1	0 14 9
{ 12.5 inch (Mark II)	"	0 12 1	0 14 9
Hydraulic buffer—			
Gland—			
Platform, wrought-iron, R.M.L. 7 to 12.5			
inch	"	0 11 3	0 12 5

Section V.

393

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spanners, continued—		£ s. d.	£ s. d.	£ s. d.
Wrought-iron—				
Hydraulic buffer—				
Gland—				
Slide, R.M.L. { 11 inch "Téméraire," 7 inch, 90 cwt., 9 pounder, 7 pounder, and R.B.L. 20 pounder, also carriage, 10 inch, gun-boat	each	—	0 11 3	0 12 5
10 inch, "Sultan" and "Téméraire," and carriage, R.M.L., 12 inch, 25 tons, turret ..	"	—	0 11 2	0 12 3
Plug and cock platform, wrought-iron, R.M.L. 7 inch, to 12·5 inch ..	"	—	0 3 1	0 3 5
Hydraulic jack, gear, running up, carriage, wrought-iron, naval, turret R.M.L. 12 inch, 35 tons, to 10 inch, also garrison 12·5 inch and 12 inch, 35 tons ..	"	—	0 2 10	0 3 1
Nut, vent, R.M.L. guns { 16 inch " 12·5 inch (Mark II)	"	—	1 3 4	1 8 5
Plug, shutter, { 16 inch " 12·5 inch (Mark II)	"	—	2 12 3	3 3 9
Socket, tightening chain, with tommy, platform, wrought-iron, 35 and 32 tons	"	—	2 9 0	2 19 9
Spars, wood, for sheers and derrick—				
From 19 inches diameter to 22 inches { 16 " " " 18 " " " 13 " " " 15 " " " 10 " " " 12 " " " (see p. 171)	ft.cub	0 4 3	—	—
Spikes, gun—				
Common	each	—	0 0 2	0 0 3
Spring—				
11·4 inches to 11·5 inches†	"	—	0 1 0	0 1 2
10·1 " " 10·5 " †	"	—	0 1 0	0 1 2
9·2 " " 9·8 " §	"	—	0 1 0	0 1 2
8·2 " " 9·0 " 	"	—	0 1 0	0 1 2
7·5 " " 8·0 " ¶	"	—	0 1 0	0 1 2
7·2 " " 7·4 " **	"	—	0 1 0	0 1 2
6·8 " ††	"	—	0 0 10	0 1 0

* The length of a spike is measured from the head to the top of the spring.

† For cast-iron S.B. guns 10 inch, 86 cwt.

‡ For wrought-iron R.M.L. guns 7 inch, 90 cwt., and cast-iron S.B. guns 8 inch and 68 pr., 95 cwt.

§ For wrought-iron R.M.L. guns 64 pr., 64 cwt., and howitzers 8 inch, 46 cwt.; also cast-iron R.M.L. converted guns 64 pr. 71 and 58 cwt., S.B. guns 42 pr. 84 and 67 cwt., and S.B. howitzers 10 inch 42 cwt.

|| For cast-iron S.B. guns 32 pr. of all natures, and 24 pr. 50 and 48 cwt., and wrought-iron R.M.L.

¶ For cast-iron S.B. guns 18 pr. 42 and 38 cwt., howitzers 8 inch 22 cwt. and mortars 10 inch 18 cwt.

** For wrought-iron R.M.L. guns 40 pr. 35 cwt. (Mark I), and cast-iron S.B. guns 12 pr. 34 and 33 cwt.

†† For wrought-iron R.M.L. guns 40 pr. 35 cwt. (Mark II), and howitzers 6·6 inch 36 cwt., and 6·3 inch 18 cwt.; also cast-iron S.B. guns 24 pr. 20 cwt., 18 pr. 20 and 15 cwt., and 6 pr. 17 cwt., and mortars 8 inch 9 cwt.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spikes, gun, continued—		£ s. d.	£ s. d.
Spring—*			
4·8 inches to 5·1 inches†	each	0 0 10	0 1 0
4·5 „ †	„	0 0 10	0 1 0
3·5 „ ‡	„	0 0 10	0 1 0
3·2 „ §	„	0 0 10	0 1 0
Spindles, jack, hydraulic, rear roller, carriage, wrought-iron, naval, R.M.L.—			
Sliding, 12 inch, 25 tons, to 10 inch, wrought-iron	„	0 12 6	0 13 9
Turret, 12 inch, 35 tons, to 10 inch, also garrison, 12·5 inch and 12 inch, 35 tons, steel ..	„	0 12 3	0 13 6
Spindles, steel, for cups, complete with spring and two nuts—			
R.B.L. gun, 25 pounder { 22½ cwt.	„	3 5 0	3 19 4
{ 13½ „	„	3 5 0	3 19 4
S.B.B.L., 32 pounder, 42 cwt.	„	4 2 0	5 0 0
Spindles, wrought-iron—			
Bar, connecting, carriages, wrought-iron, Moncrieff—			
With nuts, collars, and { 7 inch (Mark II) ..	„		
pins, R.M.L. .. { 4½ pr., 58 cwt. ..	„		
{ R.B.L., 7 inch ..	„		
With nuts and collars { R.M.L., 9 inch (Mark	„		
{ II)	„		
Buffer with nuts, front and rear slide, steel, R.M.L. 6 inch	„	0 14 3	0 15 8
Buffer, with keys—			
Platform, wrought-iron, R.M.L.—			
12·5 inch, small port, front	„	0 14 9	0 16 3
12·5 and 12 inch, 35 tons { Front	„	0 9 9	0 10 9
{ Rear	„	0 10 1	0 11 1
11 or 12 inch, 25 tons	„	0 9 4	0 10 3
10 inch, { Mark I, dwarf, and { Front ..	„	0 9 3	0 10 3
casemate { small port .. { Rear ..	„	0 9 3	0 10 3
{ Mark II and special { Front ..	„	0 9 4	0 10 3
{ Rear ..	„	0 9 3	0 10 3
9 or 7 inch, and slide, 7 inch, 6½ tons, front..	„	0 6 1	0 6 8
„ „ 9 or 8 inch, rear ..	„	0 6 1	0 6 8
Slide, wrought-iron, R.M.L.—			
9 or 8 inch { Front	„	0 6 1	0 6 8
{ Rear (see platform, 9 or 7 inch,	„		
rear)	„		
7 inch, 6½ tons, rear, and 64 pounder, front	„	0 6 1	0 6 8
and rear	„	0 4 0	0 4 5
7 inch, 90 cwt., with collars, front ..	„	0 6 1	0 6 8
R.B.L. 20 pounder, upper deck { Carriage ..	„	0 6 1	0 6 8
{ Slide ..	„	0 6 1	0 6 8
Clutch, pinion, retaining, with nuts and collars, carriage, wrought-iron, Moncrieff, R.M.L., 7 inch (Mark II)	„		

* The length of a spike is measured from the head to the top of the spring.

† For wrought-iron R.M.L. guns 25 pr. 18 cwt.; also bronze S.B. guns 12 pr. 18 cwt., and S.B. howitzers 32 pr. 17 cwt.

‡ For wrought-iron R.M.L. guns, 16 pr. 12 cwt., and bronze S.B. howitzers 24 pr. 13 cwt.

§ For wrought-iron R.M.L. guns 13 pr. 8 cwt., and 9 pr. 8 and 6 cwt. (Mark I); also bronze S.B. howitzers 12 pr. 7 cwt.

|| For wrought-iron R.M.L. guns 9 pr. 6 cwt. (Mark II), and steel R.M.L. guns 7 pr.; also bronze guns rifled 7 pr. and S.B. 6 pr. 6 cwt., and 3 pr., howitzers 4½ inch, Coehorn 2½ cwt., and mortars 5½ inch 1½ cwt.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spindles, wrought-iron, continued—		£ s. d.	£ s. d.
Crank, nipping, carriage, wrought-iron, naval, sliding, R.M.L.—			
12 inch, 25 tons, "Belleisle" type { Left ..	each	0 18 3	1 0 1
Right ..	"	0 18 3	1 0 1
Eccentric, nipping, carriage, wrought-iron—			
Garrison, sliding, R.M.L. { 12·5 inch..	"	1 18 0	2 1 10
Naval, sliding, R.M.L.— { 12 inch, 35 tons ..	"	1 18 0	2 1 10
11 inch "Téméraire" type	"	1 17 0	2 0 8
10 " { "Hercules" { Left	"	1 4 7	1 7 1
Right	"	1 4 7	1 7 1
{ "Sultan" type { Left	"	1 4 7	1 7 1
Right	"	1 4 7	1 7 1
{ "Sultan" type, left	"	0 17 1	0 18 10
9 " { Service { Left	"	0 18 10	1 0 9
Right	"	0 18 10	1 0 9
8 " left	"	0 18 10	1 0 9
Turret, R.M.L. 9 inch { "Prince Albert," with collar and pin*	"	1 9 3	1 12 2
{ "Scorpion," with collar and screw*	"	3 5 6	3 12 1
{ "Wyvern"	"	1 1 0	1 3 1
Friction roller, with collar and pin, carriages, wrought-iron, Moncrieff—			
Arc, { R.B.L., 7 inch	"		
elevating { R.M.L. { 7 inch (Mark II)	"		
{ 4½ pr., 58 cwt.	"		
Guide, { R.B.L., 7 inch	"		
elevating { R.M.L. { 9 inch (Mark II)	"		
{ 7 " (Mark II)	"		
{ 4½ pr., 58 cwt.	"		
Gudgeon, platform, wrought-iron, R.M.L.—			
With cotter, and split key, dwarf, 12·5 inch "D"	"		
With collars, complete—			
Pinion, bevel, double, dwarf—			
11 or 12 inch, 25 tons "C" { Central	"		
Side	"		
10 inch "C" { Central	"		
Side	"		
9 inch "C" { Central	"		
Side	"		
Wheel, spur, casemate, 11 or 12 inch, 25 tons, side	"		
Second motion, casemate—			
11 or 12 inch, 25 tons { Side	"		
Rear	"		
10 inch { Small port	"		
To work within { (Mark I)	"		
length { Special	"		
Side	"		
(Mark II)	"		
9 inch { To work within length	"		
Side	"		
Or shaft socket, slide, wrought-iron, R.M.L.—			
7 inch, 90 cwt.	"	1 5 10	1 8 5
64 pounder { (Mark I)	"	1 4 9	1 7 3
{ (Mark II to VI)	"	1 4 9	1 7 3

* Right or left according to carriage.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spindles, wrought-iron, continued—		£ s. d.	£ s. d.
Pawl, carriages, wrought-iron, Moncrieff—			
Rack retaining, with nuts—			
R.B.L., 7 inch	each		
R.M.L. { 9 inch (Mark II)	"		
{ 7 " (Mark II)	"		
{ 4½ pr., 58 cwt.	"		
Wheel, spur, retaining, with nuts and collars,			
R.M.L., 9 inch (Mark II)	"		
Pinion, hand, wheel—			
With collar, nut, and split key, training, slide,			
wrought-iron, R.B.L. 20 pounder, gun vessel	"	1 2 9	1 5 0
With collar and nut, loading, carriage, wrought-			
iron, Moncrieff, R.M.L., 9 inch (Mark II) ..	"		
Screw, elevating, car-			
riage, wrought-iron, { 16 pounder { (Mark I) ..	"	0 4 9	0 5 3
{ (Mark II) ..	"	0 4 9	0 5 3
travelling, field, { 9 " { (Mark I) ..	"	0 4 9	0 5 3
R.M.L. { (Mark II) ..	"	0 4 9	0 5 3
Wheel, mitre, with socket, traversing, slide, iron,			
R.M.L. 9 inch, "Sultan" type, and "Raleigh"	"	1 14 6	1 17 11
Wheel, spur, intermediate, traversing, carriage,			
wrought-iron, Moncrieff, R.M.L., 9 inch	"		
(Mark II)	"		
Windlass, loading, with collar and pin, carriage,			
wrought-iron, Moncrieff, R.M.L., 9 inch	"		
(Mark II)	"		
Worm, with collar and nut, carriages, wrought-iron,			
garrison—			
Moncrieff—			
R.B.L., 7 inch	"		
R.M.L. { 9 inch (Mark II)	"		
{ 7 inch { (Mark I)	"		
{ (Mark II)	"		
{ 4½ pr., 58 cwt... .. .	"		
Sliding, R.M.L.—			
Double plate—			
Small port, 10 inch { Left	"		
{ Right	"		
11 or 12 inch, 25 tons { Left	"		
{ Right	"		
10 inch { (Mark I) { Left	"		
{ Right	"		
{ (Mark II) { Left	"		
{ Right	"		
9 inch { Left	"		
{ Right	"		
Single plate, 11 or 12 inch, 25 tons { Left ..	"		
{ Right ..	"		
Second motion, platform, wrought-iron, R.M.L.—			
10 inch, dwarf "C," central	"		
9 inch, dwarf "C," side	"		
With collar and keep screw, 10 inch, casemate,			
rear	"		
With collar, nut, { 12½ inch, small port.. ..	"		
and key .. { 10 inch, dwarf "D," side	"		
{ 9 inch, dwarf "D," side	"		
With collar, screw and nut, 11 or 12 inch, 25			
tons, dwarf "C," central	"		
With collar and keep screw, 9 inch, dwarf "C,"			
central	"		

Section V.

397

ORDNANCE.	Per	Rate.					
		Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
Spokes, wheel, prepared—		£ s. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.	
1st class, 5 feet { Metal nave each		—	0 4 1	0 4 6	0 4 6	0 4 6	
{ Wood „ „		—	0 4 1	0 4 6	0 4 6	0 4 6	
2nd class—							
Metal, or { 5 feet { For 3 inch tire, 13							
iron { { pounder „		—	0 3 0	0 3 4	0 3 4	0 3 4	
naves { 3 feet { For 2½ inch tire „		—	0 3 0	0 3 4	0 3 4	0 3 4	
{ 3 { 6 inches „		—	0 2 3	0 2 6	0 2 6	0 2 6	
{ 3 { 4 „ „		—	0 2 0	0 2 2	0 2 2	0 2 2	
Wood naves { 5 feet, heavy „		—	0 3 0	0 3 4	0 3 4	0 3 4	
{ For 4 inch tires { 5 feet		—	0 3 0	0 3 4	0 3 4	0 3 4	
{ 4 „ „		—	0 2 6	0 2 9	0 2 9	0 2 9	
{ 4 feet 2 inches „		—	0 2 6	0 2 9	0 2 9	0 2 9	
3rd class—							
Metal or iron naves, 5 feet, also cart small							
arm ammunition „		—	0 2 6	0 2 9	0 2 9	0 2 9	
Wagon, { 4 feet 8 inches { Iron nave „		—	0 2 4	0 2 7	0 2 7	0 2 7	
general { { Wood „ „		—	0 2 4	0 2 7	0 2 7	0 2 7	
service { 3 { 4 „ { Iron „ „		—	0 1 8	0 1 10	0 1 10	0 1 10	
{ 3 { 4 „ { Wood „ „		—	0 1 8	0 1 10	0 1 10	0 1 10	
Wagon ambulance, &c. { 4 feet 8 inches		—	0 2 4	0 2 7	0 2 7	0 2 7	
{ 3 „ 0 „		—	0 1 4	0 1 6	0 1 6	0 1 6	
Special, metal nave—							
3 feet { For 2½ inch tires „		—	0 1 4	0 1 6	0 1 6	0 1 6	
2 feet { { 2 „ „ „		—	0 1 4	0 1 6	0 1 6	0 1 6	
2 feet 6 inches „		—	0 1 2	0 1 3	0 1 3	0 1 3	
Spokes, wheel, in the rough—							
1st class { 7 feet „		0 5 1	—	—	—	—	
{ 5 „ „		0 3 0	—	—	—	—	
2nd „ { 5 „ „		0 2 9	—	—	—	—	
{ 4 „ 2 inches „		0 2 3	—	—	—	—	
{ 5 „ „		0 1 10	—	—	—	—	
3rd „ { 4 „ 8 inches „		0 1 10	—	—	—	—	
{ 4 „ 2 „ „		0 1 8	—	—	—	—	
{ 3 „ 4 „ „		0 1 3	—	—	—	—	
Sponges—							
Rope stave, R.M.L. gun 7 inch, Moneriff		—	1 3 8	1 6 0	1 6 0	1 6 0	
Wire rope stave, R.M.L. gun—							
6-6 inch „		—	—	—	—	—	
6½ pounder { “A” and “B” chambers „		—	0 17 2	0 18 10	0 18 10	0 18 10	
{ “C” „ “D” „ „		—	0 17 2	0 18 10	0 18 10	0 18 10	
{ 58 cwt. converted „		—	0 19 3	1 1 2	1 1 2	1 1 2	
40 „ „		—	0 19 0	1 0 11	1 0 11	1 0 11	
25 „ „		—	0 16 11	0 18 7	0 18 7	0 18 7	
Wood stave—							
Carronades—							
68 pounder „		—	0 14 0	0 15 5	0 15 5	0 15 5	
43 „ „		—	0 11 9	0 12 11	0 12 11	0 12 11	
32 „ „		—	0 9 2	0 10 1	0 10 1	0 10 1	
24 „ „		—	0 8 6	0 9 4	0 9 4	0 9 4	
18 „ „		—	0 7 9	0 8 6	0 8 6	0 8 6	
12 „ „		—	0 6 0	0 6 7	0 6 7	0 6 7	
R.B.L. guns—							
7 inch „		—	0 15 9	0 17 4	0 17 4	0 17 4	
6 „ „		—	0 12 0	0 13 2	0 13 2	0 13 2	
64 pounder „		—	0 13 6	0 14 10	0 14 10	0 14 10	
40 pounder „		—	0 12 1	0 13 4	0 13 4	0 13 4	
20 „ „		—	0 13 8	0 15 0	0 15 0	0 15 0	
12 „ „		—	0 9 0	0 9 11	0 9 11	0 9 11	
9 „ „		—	0 8 6	0 9 4	0 9 4	0 9 4	
6 „ „		—	0 6 8	0 7 4	0 7 4	0 7 4	

* For use with guns loaded under cover.

ORDNANCE.	Per	Rate.					
		No. 1 Balance Sheet.			No. 2 Balance Sheet.		
		£	s.	d.	£	s.	d.
Sponges, continued—							
Wood stave—							
R.M.L. guns—							
16 inch, with connecting screw	each	8	10	0	9	7	0
12·5 inch	"	2	3	6	2	7	10
12 inch { 35 tons	"	1	7	0	1	9	8
25 " "	"	1	6	0	1	8	7
11 " "	"	1	5	0	1	7	6
10 " "	"	1	2	0	1	4	2
9 " "	"	0	18	6	1	0	4
9 " Moncrieff, with connecting screw	"	2	5	9	2	10	4
8 " "	"	0	17	8	0	19	5
7 " { 7 tons	"	0	14	9	0	16	3
6½ " and 90 cwt.	"	0	14	0	0	15	5
5½ pounder	"	0	12	0	0	13	2
64 pounder { "A" and "B" chambers	"	0	11	6	0	12	8
	"	0	11	6	0	12	8
	"	0	11	6	0	12	8
58 and 71 cwt. and 80 pounder	"	0	12	6	0	13	9
converted guns	"	0	10	11	0	12	0
40 pounder	"	0	9	8	0	10	8
25 " "	"	0	9	8	0	10	8
Fitted for worm { 16 pounder..	"	0	9	8	0	10	8
	"	0	9	8	0	10	8
	"	0	9	4	0	10	3
	"	1	15	6	1	19	1
7 pounder, steel gun { 400 lb., with metal caps and connections	"	0	9	2	0	10	1
	"	2	8	11	2	13	10
	"	0	7	3	0	7	11
	"	0	6	6	0	7	2
R.M.L. howitzer { 8 inch { 70 cwt.	"	0	13	9	0	15	2
	"	0	12	5	0	13	8
	"	0	11	8	0	12	10
	"	0	16	9	0	18	5
Smooth-bore—							
Guns—							
Bronze { 12 pounder..	"	0	7	9	0	8	6
	"	0	7	0	0	7	8
	"	0	6	0	0	6	7
Cast-iron—	"	0	4	4	0	4	9
10 inch	"	0	19	0	1	0	11
8 " "	"	0	14	6	0	15	11
68 pounder..	"	0	17	0	0	18	8
56 pounder..	"	0	16	0	0	17	7
42 pounder..	"	0	14	6	0	15	11
32 " "	"	0	11	6	0	12	8
24 " "	"	0	10	6	0	11	7
18 " "	"	0	9	9	0	10	9
12 " "	"	0	9	3	0	10	2
9 " "	"	0	8	0	0	8	10
6 " "	"	0	7	0	0	7	8
Wrought-iron, 100 pounder..	"	1	0	9	1	2	10
Howitzers—							
Bronze { 32 pounder..	"	0	9	9	0	10	9
	"	0	8	10	0	9	9
	"	0	7	1	0	7	10
	"	9	5	0	0	5	6

Section V.

399

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Sponges, continued—		£ s. d.	£ s. d.
Wood stave—			
Smooth bore—			
Howitzers—			
Cast-iron { 10 inch	each	0 18 10	1 0 9
{ 8 "	"	0 13 6	0 14 10
{ 5½ "	"	0 8 3	0 9 1
Mortars { Bronze { 5½ inch	"	0 3 8	0 4 0
{ 4½ "	"	0 3 6	0 3 10
{ Cast-iron { 13 and 10 inch..	"	0 18 1	0 19 11
{ 8 inch	"	0 12 5	0 13 8
Spouting for shell (12 feet lengths)	100 lengths	137 3 1	145 7 8
Springs, rocket machine, life-saving	each	0 3 0	0 3 2
Springs, steel—			
Buffer, slide, steel, R.B.L. 6 inch	"	0 8 9	0 10 8
Clip, retaining lever { 6 inch { (Mark I)	"	0 8 9	0 10 8
{ (Mark II)	"	0 8 9	0 10 8
R.B.L. guns { 25 pounder { 22½ cwt.	"	0 8 9	0 10 8
{ 13½ "	"	0 8 9	0 10 8
Flat lever A, R.B.L. guns { 6 inch (Mark II)	"	0 8 9	0 10 8
{ 25 pounder { 22½ cwt.	"	0 8 9	0 10 8
{ 13½ "	"	0 8 9	0 10 8
Needle, R.B.L. gun, 6 inch (Mark I)	"	*0 0 7½	—
Pawl—			
Carriage, steel, naval sliding, R.B.L. 6 inch ..	"	0 3 4	0 3 8
Drum, brake, and retaining gear, platform, iron, Moncrieff—			
R.B.L. 7 inch.. .. .	"	0 3 11	0 4 4
R.M.L. { 9 inch (Mark II)	"	0 3 11	0 4 4
{ 7 inch { (Mark I)	"	0 3 11	0 4 4
{ (Mark II)	"	0 3 11	0 4 4
{ 4½ pounder, 58 cwt. (Mark II)..	"	0 3 11	0 4 4
Spur wheel, retaining gear, platform, iron, Moncrieff, R.M.L., 9 inch (Mark II)	"	0 5 11	0 6 6
Snatch block, loading tackle.. .. .	10	0 10 3	0 11 3
Spiral for stop lever B, { 6 inch (Mark II)	each	0 3 2	0 3 11
R.B.L. guns .. { 25 pounder { 22½ cwt.	"	0 3 2	0 3 11
{ 13½ "	"	0 3 2	0 3 11
Stud, starting, carriage, naval, sliding, R.M.L. 64 pounders, 64 cwt. (Mark IV, V, and VI) ..	"	0 0 9	0 0 10
Vent bolt, R.B.L. gun, 6 inch (Mark I)	"	*0 2 6	—
Wish fittings—			
Carts { Chaise or market	set	3 6 0	3 12 7
{ Transport, spring, cavalry	"	7 4 6	7 18 11
Wagons—			
Ambulance { Equirotal	"	6 7 0	6 19 8
{ Lock under	"	12 5 0	13 9 6
{ Converted from light supply ..	"	10 3 6	11 3 10
Bakery, and bread and meat	"	16 17 0	18 10 8
General service, heavy, spring, also bread and meat, converted from heavy, spring	"	14 2 6	15 10 9
Light, spring, or surgery	"	9 14 0	10 13 5
Stages, wood—			
Laying, with stays, elevating gear, carriages, wrought-iron, Moncrieff—			
R.B.L., 7 inch	each		
R.M.L. { 9 inch (Mark II)	"		
{ 7 " (Mark II)	"		
{ 4½ pounder, 58 cwt.. .. .	"		
Loading, moveable, "C" or "D" emplacement ..	"	19 10 10	21 8 1

* This is a contract rate.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Stamps—				
Iron, for wood, $\frac{1}{2}$ inch { Figures 0 to 8 ..	set	£ s. d.	£ s. d.	£ s. d.
Letters A to Z, including & ..	"	0 2 9	—	—
Steel, for iron, $\frac{1}{2}$ inch, letters, single ..	each	0 8 1	—	—
Standards, swivel, complete, Gatling gun, naval—		0 1 3	—	—
Steel, '65 inch	"	—	40 0 0	44 0 0
Wrought-iron '45 inch	"	—	24 12 6	26 19 6
Stanchions or pins, iron, for drug, large	"	—	0 6 5	0 7 0
Stands for lights, illuminating wrecks ..	"	—	0 4 7	0 4 10
Staples, wrought-iron—				
Bale hoop { Bevelled	10	—	0 6 2	0 6 9
Plain	"	—	0 5 4	0 5 10
Platform, board box, ammunition, field, R.M.L.—				
40, 25, 16, or 9 pounder { Centre	"	—	0 15 1	0 16 7
Limber	"	—	0 19 3	1 1 2
Wagon	"	—	1 4 4	1 6 9
13 pounder, limber	"	—	2 0 10	2 4 11
7 pounder, { Centre	"	—	0 15 1	0 16 7
Colonial { Limber or wagon	"	—	0 19 3	1 1 2
Lashing, riveting	100	—	0 3 6	0 3 10
Shaft, limber, R.M.L.—				
Field { 9 pounder and upwards { Near	10	—	1 4 0	1 6 5
Off	"	—	3 6 2	3 12 9
7 pounder, Colonial { Near	"	—	1 4 0	1 6 5
Off	"	—	2 15 8	3 1 3
Siege { Near	"	—	1 5 9	1 8 4
Off	"	—	4 14 6	5 3 11
Stars, incendiary, for shells	100	—	0 18 5	0 19 6
Staves, wood—				
Brush, gun, piasaba, tapered—				
13 feet 6 inches, 12½ inch gun.. ..	each	—	0 18 6	1 0 4
15 " 4 " 12 inch, 35 tons gun.. ..	"	—	0 15 3	0 16 9
14 " 6 " 12 " 25 " to 10				
inch gun, also sponge and wadhook, 12	"	0 8 3	—	—
inch, 35 tons	"	0 5 11½	—	—
12 feet 6 inches, 9 or 7 inch gun	"	—	—	—
12 " 0 " 8 inch gun, also sponge	"	0 5 4½	—	—
and rammer, 9 or 8 inch	"	—	—	—
End, for lengthening { 16 inch	"	—	4 8 2	4 17 0
side arms, R.M.L. { 9 " Moncrieff	"	—	1 14 0	1 17 5
For instruments, extracting projectiles—				
13, 12, 11 and 10 inch	100	—	36 19 0	39 3 4
9 and 8 inch	"	—	33 14 10	35 15 4
7 inch	"	—	31 9 4	33 7 1
80 pounder	"	—	27 10 1	29 3 1
64 "	"	—	24 3 10	25 12 10
Jointed, also for worm wadhook, R.M.L.,				
7 in.	each	—	1 1 11	4 10 1
Rammer—				
R.B.L. 7 inch	"	—	0 1 10	0 2 0
12½ inch (16 feet 2 inches)	"	—	1 1 10	1 4 0
12 inch, 35 tons (13½ feet)	"	—	0 15 5	0 17 0
R.M.L. { 11 or 12 inch, 25 tons (12 feet)	"	—	0 14 9	0 16 3
7 inch	"	—	3 10 4	3 17 4
Jointed { 64 pounder	"	—	2 11 4	2 16 6
40 "	"	—	2 10 7	2 15 8
25 "	"	—	2 10 0	2 15 0

Section V.

401

ORDNANCE.	Per	Rate.			
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Staves, wood, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>	<i>£ s. d.</i>	
Sponge—					
Parallel—					
17½ feet, R.M.L. 12·5 inch gun .. each		—	0 16 6	0 18 2	
Also rammer and wadhook, rifled and S.B. guns—					
12 feet	"	0 3 4	—	—	
11 "	"	0 2 11½	—	—	
10 "	"	0 2 8	—	—	
Tapered—					
Or wadhook, 13 feet 6 inches, 12 inch, 25 tons, to 10 inch, also rammer, 10 inch	"	0 5 4½	—	—	
Or rammer { 12 feet, 7 inch, land service	"	0 4 0	—	—	
{ 11 " 7 " naval	"	0 2 7½	—	—	
Wadhook—					
17½ feet, 12·5 inch	"	—	0 16 6	0 18 2	
12 feet { 9 or 8 inch	"	0 4 0	—	—	
{ 7 inch, land service	"	0 4 0	—	—	
11 feet, 7 inch and 64 pounder, naval	"	0 3 6	—	—	
Stays, wrought-iron, outrigger—					
Platform, wagon	"	—	0 1 5	0 1 7	
Siege, limber, wrought-iron	"	—	0 4 8	0 4 8	
Steel, pieces—					
2 feet 8 inches long, for repairs—					
Atlas, square, 1½ inch	10	—	2 10 6	2 15 7	
Cast { Oval, ¼ inch × ¼ inch	"	—	1 3 4	1 5 8	
{ Square, ¼ inch	"	—	1 0 0	1 2 0	
Shear, flat, 1½ inch × ¼ inch	"	—	2 0 0	2 4 0	
Steels—					
Moveable { Eye trail or perch each		—	0 10 3	0 11 3	
{ Limber hook	"	—	0 14 1	0 15 6	
Prepared (forgings) { Eye trail or perch	"	—	0 1 3	0 1 5	
{ Limber hook	"	—	0 1 7	0 1 9	
Steps, or shoes, for feet of derricks or shears (see Shoes).					
Steps, platform—					
Iron, common	"	—	0 13 7	0 14 11	
Wood, dwarf { Long	"	—	1 5 10	1 8 5	
{ Short	"	—	1 1 10	1 4 0	
Steps, stage, wood, laying, elevating gear, carriages, wrought-iron, Moncrieff, R.M.L., 9 inch (Mark II)	"	—			
Sticks, portfire	"	—	0 2 0	0 2 1	
Sticks, rocket—					
Call	100	—	8 2 6	8 15 0	
Life saving { Boxer { (Mark III)	"	—	13 8 10	14 5 7	
{ (Mark IV)	"	—	16 13 4	17 10 0	
Buoyant	"	—	9 5 3	9 17 2	
Light and sound, ½ lb.	"	—	1 8 5	1 10 2	
Rope tail, 1 lb.	"	—	4 2 0	4 7 0	
Signal { 2 lbs.	"	—	4 7 6	4 12 9	
{ 1 lb.	"	—	2 5 2	2 8 1	
{ ½ "	"	—	1 9 2	1 11 11	
{ ¼ "	"	—	1 14 0	1 16 0	
Sticks, wood, cartridge, R.M.L.—					
12·5 inch { 180 lbs. P ²	"	—	7 17 6	8 8 7	
{ 80 "	"	—	5 13 6	6 1 4	
12 inch, 70 lbs.	"	—	5 7 6	5 14 11	
11 inch { 85 lbs. P	"	—	8 7 2	8 17 2	
{ 53 "	"	—	5 10 10	5 17 6	

(V.S.)

2 C

ORDNANCE.	Rate.			
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Stoppers, steel, breech, wedge, guns—		£ s. d.	£ s. d.	
64 pounder	each	11 9 9	12 17 0	
40	"	7 17 9	8 15 0	
Stops for rear racers, wrought-iron—				
38 and 35 tons	10	1 16 3	1 19 11	
Flanged, 25 to 7 tons	"	0 6 8	0 7 4	
Stops for stopper, R.B.L. wedge, guns—				
64 pounder	each	0 12 11	0 15 1	
40	"	0 12 11	0 15 1	
Stops, wrought-iron, with handle, spur wheel, retaining gear, carriage, wrought-iron, Moncrieff, R.M.L., 9 inch (Mark II)	"			
Straight edge, for testing breech screws and vent pieces, R.B.L. guns	"	0 13 6	0 15 6	
Straps, leather—				
Carrying boxes, R.M.L., 7 pounder, 150 lbs.—				
Double shells or { 54 inches x 1½ inches ..	10	1 5 2	1 7 8	
Projectiles { 62 " x 1½ " ..	"	0 15 11	0 17 6	
Lifting, projectiles { R.B.L. or R.M.L. 40 pounder ..	"	0 19 4	1 1 3	
{ R.M.L. 25 pounder.. ..	"	0 17 7	0 19 4	
Straps, leather, securing*—				
Anvil, forge—				
Cart, 54 inches x 1 inch	"	0 9 6	0 10 5	
Wagon { (Mark I) 44 inches x 1 inch ..	"	0 8 3	0 9 1	
{ (Mark II) 36 " 1½ " ..	"	0 10 9	0 11 10	
Arc, elevating, siege, carriage, and limber—				
Howitzer, 8 inch, 22 inches x 1 inch	"	0 5 7	0 6 2	
Gun, 18 inches x 1 inch	"	0 5 0	0 5 6	
Axe—				
Felling, 13 inches x 1 inch	"	0 4 5	0 4 10	
Pick, on cart, transport, spring, 18 inches x 1 inch	"	0 5 0	0 5 6	
Pick, on limber—				
Field, R.B.L. 6 pounder, 18 inches x 1 inch ..	"	0 5 0	0 5 6	

* Leather securing straps of the same dimensions are interchangeable for the various services for which the size is suitable. They are detailed in the body of the Vocabulary according to the different purposes for which they are used in order that the detail may serve as a guide in preparing and checking demands; but in the Store Ledgers the straps will be accounted for according to their length and breadth alone. The straps detailed in the Vocabulary by their services are of the following dimensions, and will be so accounted for in the Store Ledgers:—

TABLE OF DIMENSIONS OF STRAPS, LEATHER, SECURING.

inches.	inches.	inches.	inches.	inches.	inches.
126 x 2	86 x 2	22 x 2	18 x 1½	30 x 1	28 x ½
123 x 2	84 x 2	16 x 2	84 x 1	28 x 1	22 x ½
120 x 2	81 x 2	14 x 2	82 x 1	26 x 1	16 x ½
106 x 2	78 x 2	112 x 1½	76 x 1	22 x 1	13 x ½
105 x 2	76 x 2	48 x 1½	72 x 1	18 x 1	6 x ¾
104 x 2	60 x 2	44 x 1½	54 x 1	13 x 1	9 x ¾
103 x 2	42 x 2	42 x 1½	48 x 1	10 x 1	7 x ¾
102 x 2	38 x 2	36 x 1½	44 x 1	26 x ½	
99 x 2	34 x 2	30 x 1½	36 x 1	9 x ¾	
96 x 2	28 x 2	24 x 1½	34 x 1	7 x ¾	

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather, securing, continued—		£ s. d.	£ s. d.
Axe—			
Pick, on limber—			
Iron—			
And wood, 30 inches × 1 inch	10	0 6 7	0 7 3
Also naval, R.M.L. 9 pounder, 26 inches × 1 inch	"	0 6 0	0 6 7
Naval, R.M.L. 9 pounder, 18 inches × 1 inch	"	0 5 0	0 5 6
Pick, on wagon, general service, equirotal, 18 inches × 1 inch	"	0 5 0	0 5 6
Bag, leather, farriers' tools, wagon, forge (Mark II), 30 inches × 1 inch	"	0 6 7	0 7 3
Bar, crow, on store wagon, 22 inches × 1 inch ..	"	0 5 7	0 6 2
Barrel or cask, water, on wagon, general service, equirotal, 10 inches × 1 inch	"	0 4 0	0 4 5
Basket, knapsack or valise, on wagon, ambulance, equirotal, 112 inches × 1½ inches	"	1 11 11	1 15 1
Bearer, shell, howitzer, 8 inch, on carriage, 48 inches × 1 inch	"	0 8 9	0 9 8
Blankets, with buckling pieces—			
On boxes, field—			
Ammunition { Forge, and store, 28 inches × 1 inch	"	0 6 9	0 7 5
{ 13 pounder, 28 inches × 1 inch	"	0 6 9	0 7 5
Axletree, carriage, iron, 28 inches × ¼ inch ..	"	0 5 7	0 6 2
Gatling, 0.45 inch, 34 inches × 1 inch	"	0 7 6	0 8 3
Seat, carriage, steel, 13 pounder, 22 inches × ½ inch	"	0 5 0	0 5 6
{ Wagon (Mark I), 84 inches × 1 inch	"	0 14 11	0 16 5
{ Anvil, forge { Cart or wagon (Mark II), 72 inches × 1 inch	"	0 13 6	0 14 10
{ Shell, moveable, mortar, limber, 22 inches × 1 inch	"	0 5 7	0 6 2
{ Boards, platform, spare, on store wagon, 54 inches × 1 inch	"	0 9 6	0 10 5
Boxes, ammunition—			
Limber—			
{ Iron, and R.M.L. 40 pounder, siege, 42 inches × 2 inches	"	0 19 7	1 1 7
{ Field { 0.45 inch Gatling, also naval, 22 inches × 2 inches	"	0 14 8	0 16 2
{ Wood, rifled and smooth bore, 38 inches × 2 inches	"	0 18 8	1 0 6
Mountain, R.M.L. 7 pounder, 200 lbs., 18 inches × 1 inch	"	0 5 0	0 5 6
{ Iron { 13 pounder, 16 inches × 2 inches	"	0 10 5	0 11 6
{ Wagon body { 14 inches × 2 inches	"	0 9 11	0 10 11
{ Wood { Rifled, 22 inches × 2 inches	"	0 14 8	0 16 2
{ Smooth bore, 34 inches × 2 inches	"	0 17 8	0 19 5
Boxes—			
Centre { Limber, 22 inches × 1 inch	"	0 5 7	0 6 2
{ Wagon body, wood { Fore, 26 inches × 1 inch	"	0 6 0	0 6 7
{ Hind, 30 inches × 1 inch	"	0 6 7	0 7 3

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather, securing, continued—			
Boxes—		£ s. d.	£ s. d.
Grease, $\frac{1}{2}$ round { 3 lb., 26 inches \times 1 inch ..	10	0 6 0	0 6 7
1 „ 18 „ „ 1 „ „ ..	„	0 5 0	0 5 6
Hanging scales, 10 inches \times 1 inch ..	„	0 4 0	0 4 5
Horse shoe, in store wagon, 48 inches \times 1 inch ..	„	0 8 9	0 9 8
Side, cart, forge, 30 inches \times 1 $\frac{1}{2}$ inch ..	„	0 9 8	0 10 8
Spare ammunition, under { 42 inches \times 1 $\frac{1}{2}$ inch ..	„	0 11 10	0 13 0
limber, naval, Gatling, { 18 „ 1 „ ..	„	0 5 0	0 5 6
0.45 inch ..			
Store, limber { Forge and store, 42 inches \times 2			
inches	„	0 19 7	1 1 7
Siege, 22 inches \times 2 inches ..	„	0 14 8	0 16 2
Vice, forge wagon, 24 inches \times 1 $\frac{1}{2}$ inch ..	„	0 8 7	0 9 5
Wagon, general service, equirota, 28 inches \times 2			
inches	„	0 16 3	0 17 11
Brushes, water, on { Carriages and wagons, 13			
inches \times 1 inch	„	0 4 5	0 4 10
Carriage, 0.45 inch, field, Gat-			
ling, 18 inches, \times 1 inch ..	„	0 5 0	0 5 6
Cans, tin, oil, lubricating, naval, R.M.L. 9			
pounder, 16 inches \times $\frac{3}{4}$ inch	„	0 3 4	0 3 8
Carbine on wagon { Ambulance, lock under, 10			
inches \times 1 inch	„	0 4 0	0 4 5
General service, also limber,			
rifled, field, and 40			
pounder, 18 inches \times 1			
inch	„	0 5 0	0 5 6
Case, leather, vent piece, { 36 inches \times 1 inch ..	„	0 7 4	0 8 1
R.B.L. 40 pounder { 30 „ 1 „ ..	„	0 6 7	0 7 3
Cask, water, on ambulance wagon, equirota, 82			
inches \times 1 inch	„	0 14 9	0 16 3
Chests, tool—			
Collar makers, on wagon, forge and store, 18			
inches \times 1 inch	„	0 5 0	0 5 6
Farriers, on { (Mark I) { 48 inches \times 1 $\frac{1}{2}$ inch ..	„	0 12 11	0 14 3
forge wagon { 18 „ 1 $\frac{1}{2}$ „ ..	„	0 7 3	0 8 0
{ (Mark II) { 13 „ 1 „ ..	„	0 4 5	0 4 10
64 or 40 pounder, 30			
inches \times 1 inch ..	„	0 6 7	0 7 3
Coins, wood, car- { R.M.L. { 25 pounder, 44 inches			
riages, travel- { \times 1 inch ..	„	0 8 3	0 9 1
ling { Hand, 13 inches \times 1 inch ..	„	0 4 5	0 4 10
Coupling, ammunition boxes—			
Field, on { Limbers { R.B.L. and R.M.L., 26			
inches \times 1 inch ..	„	0 6 0	0 6 7
Gatling, 0.45 inch, 18			
inches \times 1 inch ..	„	0 5 0	0 5 6
Wagon body, { M.L. 18 inches \times			
rifled guns { 1 inch	„	0 5 0	0 5 6
B.L. 26 inches \times			
1 inch	„	0 6 0	0 6 7
Siege, on limbers { Rifled, 26 inches \times 1 inch ..	„	0 6 0	0 6 7
S.B. 22 „ „ ..	„	0 5 7	0 6 2
Eye, trail, and hook, limber, spare, in store wagon,			
22 inches \times 1 inch	„	0 5 7	0 6 2
Felloes and spokes, in forge wagon, 48 inches \times 1			
inch	„	0 8 9	0 9 8
Footboard, wagons, ammunition and store, Royal			
Artillery and general service, lock under, 22			
inches \times 1 inch	„	0 5 7	0 6 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather, securing, continued—		£ s. d.	£ s. d.
Frame of forge { Cart, 30 inches × 1½ inch ..	10	0 9 8	0 10 8
{ (Mark I), 10 inches			
{ × 1 inch ..	"	0 4 0	0 4 5
{ Wagon { (Mark II), 22 inches			
{ × 1 inch ..	"	0 5 7	0 6 2
Fulcrum, on mortar limber, 26 inches × 1 inch..	"	0 6 0	0 6 7
Gun—			
Breech, carriage—			
Siege—			
R.B.L. 40 pounder, 8 feet 6 inches × 2			
inches	"	2 0 3	2 4 3
R.M.L.—			
40 pounder, 6 feet 9 inches × 2			
inches	"	1 15 2	1 18 8
64 pounder, 10 feet 3 inches × 2			
inches	"	2 5 10	2 10 5
Iron { 25 pounder, overbank, 7 feet × 2			
inches	"	1 15 11	1 19 6
8 inch { 70 cwt., 8 feet × 2 inches			
howitzer { 46 " 8 " 8 "	"	1 18 10	2 2 9
× 2 inches	"	2 0 9	2 4 10
Wood, 64 pounder, 10 feet 6 inches × 2			
inches	"	2 6 8	2 11 4
S.B.—			
Field, 32 pounder howitzer, 8 feet 10 inches			
× 2 inches	"	2 1 3	2 5 5
Siege—			
32 pounder, 8 feet × 2 inches	"	1 18 10	2 2 9
24 " 8 " 7 " × 2 inches	"	2 0 6	2 4 7
18 " 8 " 9 " × 2 "	"	2 1 0	2 5 1
Muzzle, carriage, siege—			
R.B.L. and R.M.L. 40 pounder, 6 feet 9 inches			
× 2 inches	"	1 15 2	1 18 8
R.M.L.—			
Iron—			
64 pounder, 8 feet 3 inches × 2 inches ..	"	1 19 6	2 3 6
25 " overbank, 5 feet × 2 inches..	"	1 10 1	1 13 1
8 inch { 70 cwt., 10 feet × 2 " ..	"	2 5 0	2 9 6
howitzer { 46 " 8 " 8 inches × 2			
inches	"	2 0 9	2 4 10
Wood, 64 pounder, 7 feet × 2 inches ..	"	1 15 11	1 19 6
S.B.—			
Field, 32 pounder howitzer, 6 feet 6 inches			
× 2 inches	"	1 14 5	1 17 10
Siege—			
32 pounder, 6 feet 4 inches × 2 inches ..	"	1 14 0	1 17 5
24 " 7 " 2 " × 2 " ..	"	1 16 5	2 0 1
18 " 6 " 9 " × 2 " ..	"	1 15 2	1 18 8
Handspike, common, on carriage, siege—			
Iron, R.M.L. 64 and 40 pounder—			
Side, 54 inches × 1 inch.	"	0 9 6	0 10 5
Top { 36 inches × 1 inch	"	0 7 4	0 8 1
13 " × 1 "	"	0 4 5	0 4 10
Wood—			
Side—			
R.B.L. 40 pounder, and S.B. 8 inch mortar,			
26 inches × 1 inch	"	0 6 0	0 6 7
R.M.L. 64 pounder { 44 inches × 1 inch ..	"	0 8 3	0 9 1
36 " × 1 " ..	"	0 7 4	0 8 1

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather, securing, continued—		£ s. d.	£ s. d.
Handspike, common, on carriage, siege—			
Wood—			
Side—			
S.B. 10 inch mortar { 30 inches x 1 inch ..	10	0 6 7	0 7 3
{ 36 " x 1 " ..	"	0 7 4	0 8 1
Underneath—			
R.M.L. 64 and R.B.L. 40 pounder, 30 inches			
x 1 inch	"	0 6 7	0 7 3
R.M.L. 64 pounder, 36 inches x 1 inch ..	"	0 7 4	0 8 1
Handspike, traversing, on carriages, field—			
22 inches x 1 inch	"	0 5 7	0 6 2
18 " x 1 "	"	0 5 0	0 5 6
13 " x 1 "	"	0 4 5	0 4 10
Hammer, on carriage, travelling—			
Naval, R.M.L. 9 pounder, 13 inches x $\frac{1}{2}$ inch ..	"	0 3 0	0 3 4
Siege, 13 inches x 1 inch	"	0 4 5	0 4 10
Hammer, sledge, in wagon, forge (Mark II), 26			
inches x 1 inch	"	0 6 0	0 6 7
Harness, men's, light, on limber, naval—			
Gatling, 0.45 inch, 30 inches x 1 inch	"	0 6 7	0 7 3
R.M.L. 9 pounder, 54 " x 1 "	"	0 9 6	0 10 5
Helve of felling axe, on bakery wagon, 7 inches			
x $\frac{1}{2}$ inch	"	0 2 9	0 3 0
Hooks—			
Bill, 10 inches x 1 inch	"	0 4 0	0 4 5
Reaping, on wagon, ammunition—			
R.B.L. 6 pounder, 30 inches x 1 inch	"	0 6 7	0 7 3
R.B.L. and R.M.L. 9 pounder, and upwards,			
13 inches x 1 inch	"	0 4 5	0 4 10
Jack, lifting—			
Handle, screw, on siege—			
Limber, iron, 10 inches x 1 inch	"	0 4 0	0 4 5
Carriage, 10 inch mortar, 18 inches x 1 inch ..	"	0 5 0	0 5 6
Screw, Clerk's on siege carriage—			
44 inches x 1 inch	"	0 8 3	0 9 1
26 " x 1 "	"	0 6 0	0 6 7
Common and general service—			
On wagon, general service—			
Equirota, 44 inches x 1 inch	"	0 8 3	0 9 1
Lock under, 54 inches x 1 inch	"	0 9 6	0 10 5
With picketing rope, and including drag rope,			
for R.M.L. 40 pounder, on wagon, limber,			
44 inches x 1 inch	"	0 8 3	0 9 1
Kettles, camp—			
Coupling handles, on carriages, wood, siege, 26			
inches x 1 inch	"	0 6 0	0 6 7
Lid, 44 inches x 1 inch	"	0 8 3	0 9 1
On wagon, ammunition and store, Royal			
Artillery, and general service, lock under, 54			
inches x 1 inch	"	0 9 6	0 10 5
Handle on—			
Carriages and ammunition wagons, 10 inches			
x 1 inch	"	0 4 0	0 4 5
Wagon, ammunition and store, Royal Artillery,			
and general service, lock under, 26 inches			
x 1 inch	"	0 6 0	0 6 7
Knapsack or valise on wagons, ammunition, also—			
Limbers, 44 inches x 1 inch	"	0 8 3	0 9 1
Wagon, general service, 48 inches x 1 inch ..	"	0 8 9	0 9 8

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather, securing, continued—		£ s. d.	£ s. d.
Ladder, wagon, ambulance—			
Equirota, and ambulance, converted from light supply, 26 inches × 1 inch	10	0 6 0	0 6 7
Lock under, 18 inches × 1 inch	"	0 5 0	0 5 6
Levers, 8 feet, on carriages, siege, R.M.L.—			
64 and 40 pounder, iron, 36 inches × 1 inch ..	"	0 7 4	0 8 1
64 pounder, wood, 48 inches × 1 inch	"	0 8 9	0 9 8
64 and 40 pounder, iron, and 64 pounder, wood, 30 inches × 1 inch	"	0 6 7	0 7 3
Maul { Handle, 13 inches × 1 inch	"	0 4 5	0 4 10
Head, 30 inches × 1 inch	"	0 6 7	0 7 3
Mess tins to knapsacks or valises, carriages and ammunition wagons, 54 inches × 1 inch ..	"	0 9 6	0 10 5
Outrigger, limber, siege—			
Iron, also wagon, platform, 22 inches × 1 inch ..	"	0 5 7	0 6 2
Wood, 10 inches × 1 inch	"	0 4 0	0 4 5
10 inch mortar, 13 inches × 1 inch	"	0 4 5	0 4 10
Peels, on bakery wagon—			
Near side, 48 inches × 1 inch	"	0 8 9	0 9 8
Off " 13 " × 1 "	"	0 4 5	0 4 10
Pillows, spare, on wagon, ambulance, lock under, 26 inches × 1 inch	"	0 6 9	0 7 5
Pincers, on carriages, travelling—			
Field and siege, 13 inches × 1 inch	"	0 4 5	0 4 10
Naval, 13 inches × 1 inch	"	0 3 0	0 3 4
Pocket—			
Elevating screw, on carriages, wood, siege—			
R.B.L. 40 pounder, 26 inches × 1 inch ..	"	0 6 0	0 6 7
R.M.L. 64 " 36 " 1 "	"	0 7 4	0 8 1
Priming iron, 30 inches × 1 inch	"	0 6 7	0 7 3
Poles { Draught, on wagon, 36 inches × 1 inch ..	"	0 7 4	0 8 1
Tent, on wagon, general service, 26 inches × 1 inch	"	0 6 0	0 6 7
Post, picket, on wagons—			
Also forge and store, Royal Artillery, 26 inches × 1 inch ..	"	0 6 0	0 6 7
Ammuni- { And store, Royal Artillery, and			
tion { general service, 36 inches × 1 inch ..	"	0 7 4	0 8 1
Iron { 30 inches × 1 inch	"	0 6 7	0 7 3
36 " × 1 "	"	0 7 4	0 8 1
Forge and store, { 13 inches × 1 inch	"	0 4 5	0 4 10
Royal Artillery { 44 " × 1 "	"	0 8 3	0 9 1
Props—			
Pole, limber, naval—			
Gatling, 18 inches × 1 inch	"	0 5 0	0 5 6
R.M.L. 9 pounder, 10 inches × 1 inch ..	"	0 4 0	0 4 5
Rear, cart { Forge, Maltese, and water, 18 inches			
× 1 inch	"	0 5 0	0 5 6
Watering, 30 inches × 1 inch	"	0 6 7	0 7 3
Shaft { Cart, forge, Maltese, and water, coupling			
across, 18 inches × 1 inch	"	0 5 0	0 5 6
Framed, siege, 13 inches × 1 inch	"	0 4 5	0 4 10
Single, 10 inches × 1 inch	"	0 4 0	0 4 5
Wagon, forge and store—			
Front, 22 inches × 1 inch	"	0 5 7	0 6 2
Rear, 13 " × 1 "	"	0 4 5	0 4 10
Prolong—			
On S.B. limbers, 26 inches × 1 inch	"	0 6 0	0 6 7
With drag rope on limber, naval, R.M.L., 9 pounder, 30 inches × 1 inch	"	0 6 7	0 7 3

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather, securing, continued—		£ s. d.	£ s. d.
Rammers—			
Carriages, travelling—			
R.M.L.—			
64 pounder—			
Or 40 pounder, iron, 18 inches × 1 inch..	10	0 5 0	0 5 6
Wood—			
26 inches × 1 inch	"	0 6 0	0 6 7
30 " × 1 "	"	0 6 7	0 7 3
8 inch howitzer, 22 inches × 1 inch ..	"	0 5 7	0 6 2
25 pounder, 18 inches × 1 inch	"	0 5 0	0 5 6
S.B. 32 to 18 pounder { 22 inches × 1 inch ..	"	0 5 7	0 6 2
{ 18 " × 1 "	"	0 5 0	0 5 6
Club, R.B.L. 40 pounder { 30 inches × 1 inch..	"	0 6 7	0 7 3
{ 13 " × 1 "	"	0 4 5	0 4 10
Rods, cleaning—			
Gatling, field, limber, 13 inches × $\frac{3}{4}$ inch ..	"	0 3 0	0 3 4
On carriages, R.B.L. { Field, 18 inches × 1 inch ..	"	0 5 0	0 5 6
{ Siege, 30 " × 1 " ..	"	0 6 7	0 7 3
Roller, wood, on siege carriages—			
Iron, 48 inches × 1 inch	"	0 8 9	0 9 8
Wood, 30 inches × 1 inch	"	0 6 7	0 7 3
Ropes—			
Check, R.M.L. 7 pounder, 200 lbs., mountain, 16 inches × $\frac{3}{4}$ inch	"	0 3 4	0 3 8
Drag, on—			
Carriages, 10 and 8 inch mortar, 26 inches × 1 inch	"	0 6 0	0 6 7
Cart, small arm ammunition, 44 inches × 1 inch	"	0 8 3	0 9 1
Limber—			
Field gun, also R.M.L. 7 pounder, with swingletree, 30 inches × 1 inch	"	0 6 7	0 7 3
Naval Gatling, 0.45 inch, 30 inches × 1 inch ..	"	0 6 7	0 7 3
Siege, with 2 swingletrees, 48 inches × 1 inch ..	"	0 8 9	0 9 8
Wagon, platform, 30 inches × 1 inch	"	0 6 7	0 7 3
Picketing, on wagon—			
Ammunition and Store, Royal Artillery, 54 inches × 1 inch	"	0 9 6	0 10 5
Equirota, 44 inches × 1 inch	"	0 8 3	0 9 1
Saw { Cross cut, on wagon store, Royal Artillery, 18 inches × 1 inch	"	0 5 0	0 5 6
{ Pit, on wagon, forge, Royal Artillery (Mark II), 18 inches × 1 inch	"	0 5 0	0 5 6
Seat, wagon, ambulance, equirota, 24 inches × 1 $\frac{1}{2}$ inch	"	0 8 7	0 9 5
Scotch, on siege carriage, 13 inches × 1 inch ..	"	0 4 5	0 4 10
Screw, elevating—			
Gun, S.B., on carriage, 44 inches × 1 inch ..	"	0 8 3	0 9 1
Handle, on carriage, wood, siege, 13 inches × 1 inch	"	0 4 5	0 4 10
Shaft fittings, siege limber, for farmer's draught, 18 inches × 1 inch	"	0 5 0	0 5 6
Shoe, drag, on—			
Wagon { And store, Royal Artil- Ammunition lery, 18 inches × 1 inch ..	"	0 5 0	0 5 6
{ Forge and store, 30 inches × 1 $\frac{1}{2}$ inches ..	"	0 9 8	0 10 8
Sling, 44 inches × 1 $\frac{1}{2}$ inches	"	0 12 3	0 13 6
Carriage, { 10 and 8 inch, 44 inches × 1 $\frac{1}{2}$ inches ..	"	0 12 3	0 13 6
mortar { 10 inch, 26 inches × 1 inch	"	0 6 0	0 6 7

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather, securing, continued—		£ s. d.	£ s. d.
Shovel or spade, on—			
Limber—			
Field { R.B.L. and R.M.L. 9 pounder and upwards, 18 inches × 1 inch ..	10	0 5 0	0 5 6
Field { R.B.L., 6 { 26 inches × 1 inch ..	"	0 6 0	0 6 7
Field { pounder { 10 " × 1 " ..	"	0 4 0	0 4 5
Field { S.B. 13 inches × 1 inch ..	"	0 4 5	0 4 10
Naval, R.M.L., { 36 inches × 1 inch ..	"	0 7 4	0 8 1
Naval, R.M.L., { 10 " × 1 " ..	"	0 4 0	0 4 5
Siege, rifled { Iron, 26 inches × 1 inch ..	"	0 6 0	0 6 7
Siege, rifled { Wood, 18 inches × 1 inch ..	"	0 5 0	0 5 6
Wagon, general service, 18 inches × 1 inch ..	"	0 5 0	0 5 6
Side arm ends, and lever on siege carriage, R.M.L. 30 inches × 1 inch ..	"	0 6 7	0 7 3
Slats { Pole, naval, 18 inches × 1 inch ..	"	0 5 0	0 5 6
Slats { Shaft, cart, water, and watering, 18 inches × 1 inch ..	"	0 4 5	0 4 10
Small stores, for { 9 inches × ½ inch ..	"	0 1 9	0 1 11
lids of boxes { 7 " × ½ " ..	"	0 1 7	0 1 9
Spanners, M'Mahon's—			
Gatling, field { 18 inches × 1 inch ..	"	0 5 0	0 5 6
Gatling, field { 10 " × 1 " ..	"	0 4 0	0 4 5
On carriage, { Naval, R.M.L. 9 pounder, 13 inches × ½ inch ..	"	0 3 0	0 3 4
travelling { Siege, 13 inches × 1 inch ..	"	0 4 5	0 4 10
Pongee, on carriages—			
Field { R.B.L. 6 pounder (top of carriage), 10 inches × 1 inch ..	"	0 4 0	0 4 5
Field { Rifled and S.B. { 22 inches × 1 inch ..	"	0 5 7	0 6 2
Field { Rifled and S.B. { 18 " × 1 " ..	"	0 5 0	0 5 6
Naval, travel- { 22 inches × 1 inch ..	"	0 5 7	0 6 2
ling, R.M.L. { 18 " × 1 " ..	"	0 5 0	0 5 6
Siege—			
R.B.L., 40 pounder { 30 inches × 1 inch ..	"	0 6 7	0 7 3
R.B.L., 40 pounder { 18 " × 1 " ..	"	0 5 0	0 5 6
R.M.L.—			
Iron { 64 and 40 pounder, 18 inches × 1 inch ..	"	0 5 0	0 5 6
Iron { 8 inch howitzer, 22 inches × 1 inch ..	"	0 5 7	0 6 2
Wood, 64 pounder { 30 inches × 1 inch ..	"	0 6 7	0 7 3
and S.B. { 26 " × 1 " ..	"	0 6 0	0 6 7
S.B.—			
10 and 8 inch { 26 inches × 1 inch ..	"	0 6 0	0 6 7
mortar { 18 " × 1 " ..	"	0 5 0	0 5 6
32 to 18 pounder, 22 inches × 1 inch ..	"	0 5 7	0 6 2
Stays—			
Forge, frame on wagons, forge, Royal Artillery—			
(Mark I) 13 inches × 1 inch ..	"	0 4 5	0 4 10
(Mark II) with poker and sledge, 18 inches × 1 inch ..	"	0 5 0	0 5 6
Roof, bakery wagon, 9 inches × ½ inch ..	"	0 2 11	0 3 3
Tail board, wagons, ambulance—			
Converted from light supply, 10 inches × 1 inch ..	"	0 4 0	0 4 5
Lock under (Mark III), 6 inches × ½ inch ..	"	0 2 5	0 2 8
Sticks, portfire, on boxes, wagons, ammunition, R.M.L. 16 or 9 pounder, 10 inches × 1 inch ..	"	0 4 0	0 4 5
Stones, grind, wagon, forge, Royal Artillery (Mark II), 13 inches × 1 inch ..	"	0 4 5	0 4 10
Stools, camp, store wagon, Royal Artillery, 26 inches × 1 inch ..	"	0 6 0	0 6 7
Stretchers, spare, wagon, ambulance, lock under, 26 inches × 1 inch ..	"	0 6 0	0 6 7

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Straps, leather, securing, continued—		£ s. d.	£ s. d.	£ s. d.
Swingletrees—				
And handle of screw jack on siege limber, 44 inches × 1 inch	10	—	0 8 3	0 9 1
And stay outrigger on limber, R.B.L. 40 pounder, 44 inches × 1 inch	"	—	0 8 3	0 9 1
On futchel of siege limber, 13 inches × 1 inch	"	—	0 4 5	0 4 10
On limber—				
Field { 7 pounder, with drag rope, 30 inches × 1 inch	"	—	0 6 7	0 7 3
Iron, 22 inches × 1 inch	"	—	0 5 7	0 6 2
Wood, 26 inches × 1 inch	"	—	0 6 0	0 6 7
Naval, 26 inches × 1 inch	"	—	0 6 0	0 6 7
Mortar, 18 inches × 1 inch	"	—	0 5 0	0 5 6
Siege { With drag { Iron, 48 inches rope { × 1 inch	"	—	0 8 9	0 9 8
Wood S.B., 48 inches × 1 inch	"	—	0 8 9	0 9 8
On wagon—				
Ambulance, equirota, 13 inches × 1 inch	"	—	0 4 5	0 4 10
General service, also bakery, and bread and meat, 26 inches × 1 inch	"	—	0 6 0	0 6 7
Platform, 44 inches × 1 inch	"	—	0 8 3	0 9 1
Swords on—				
Limber, field, rifled, also 40 pounder, 22 inches × 1 inch	"	—	0 5 7	0 6 2
Wagon { General { Equirota, 18 service { inches × 1 inch	"	—	0 5 0	0 5 6
Rave, 16 inches × ¾ inch	"	—	0 3 4	0 3 8
Lock under, 22 inches × 1 inch	"	—	0 5 7	0 6 2
Trough, water, forge—				
Cart, 13 inches × 1 inch	"	—	0 4 5	0 4 10
Wagon (Mark I), 26 inches × 1 inch	"	—	0 6 0	0 6 7
Wadhook on carriages, travelling, siege—				
22 inches × 1 inch	"	—	0 5 7	0 6 2
18 " × 1 "	"	—	0 5 0	0 5 6
Washer, spare, under limber—				
1st class, 18 inches × 1 inch	"	—	0 5 0	0 5 6
2nd class, 13 " × 1 "	"	—	0 4 5	0 4 10
Wheels—				
Hand, carriage, iron, field—				
16 pounder, 18 inches × 1 inch	"	—	0 5 0	0 5 6
9 " 10 " × 1 "	"	—	0 4 0	0 4 5
Spare—				
1st class, on platform, wagon, 44 inches × 1½ inch	"	—	0 12 3	0 13 6
3rd class on—				
Wagon, ammunition, R. B. L., 6 pounder—				
76 inches × 1 inch	"	—	0 14 0	0 15 5
30 " × 1 "	"	—	0 6 7	0 7 3
Wagon, general service, equirota, 30 inches × 1½ inch	"	—	0 9 8	0 10 8
Worm, wadhook—				
Field and naval, 13 inches × ¾ inch	"	—	0 3 0	0 3 4
Siege, 13 inches × 1 inch	"	—	0 4 5	0 4 10

ORDNANCE.	Rate.					
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Straps, leather, slinging projectiles, R.M.L.—		£ s. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.
12½ inch each						
18 inch, 35 tons "		—	2 5 0	2 9 6		
Straps, leather, tube box—						
Long, or fuze box and tube pocket "		0 0 9	—	—		
Short.. .. . "		0 0 4	—	—		
Straps, metal, for removing lids of zinc cartridge cylinders—						
10 inch, bottom and top.. .. {	100		103 2 2	109 7 6		
9 " " " " " " " " "	pairs	—	90 13 6	96 5 9		
7 " " " " " " " " "		—	87 6 4	93 1 2		
Straps, rope, white, 9 inch, guy, 15 feet, with thimbles each		—	3 14 6	4 1 11		
Straps, web—						
Breast, ammunition barrow "		—	0 2 2	0 2 5		
Men's harness, light.. .. . "		—	0 1 10	0 2 0		
Shoulder, hand barrow "		—	0 1 7	0 1 9		
Stretchers, ambulance wagon, equirota!						
(see page 73).. .. . "		—	2 2 11	2 7 5		
Stretchers, field, complete—						
(Mark III) { "		—	2 8 10	2 11 11		
(Mark IV and V) } (see page 73) { "		—	2 8 4	2 13 0		
Strip, iron, browned to pattern tint, to guide issue as to colour "		—	—	—		
Studs, steel—						
Bracket, elevating, R.M.L. gun, 16 inch *		—	1 5 6	1 11 1		
Friction, platforms, wrought-iron, R.M.L., 12½ inch—						
Bracket, thrust { Case- { 7 feet recoil mate { 6 "						

• Land service only.

ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tackles, continued—		£ s. d.	£ s. d.	£ s. d.
Guy, 4 inch white rope, 113 fathoms, with one double and one treble 12 inch Bothway's blocks	each	—	16 19 0	18 16 4
Loading, R.M.L. heavy guns— Blocks for (see Blocks).				
For derricks—				
12½ inch, 12 inch, and 11 inch guns*	"	1 17 10	—	—
10 inch and 9 inch guns†	"	1 0 9	—	—
For shields—				
12½ inch, 12 inch, and 11 inch guns— (With shackle on treble block)‡ ..	"	1 10 4	—	—
(With large hook on treble block)§ ..	"	1 18 10	—	—
10 inch and 9 inch guns 	"	1 5 3	—	—
Luff, 2½ inch tarred rope, 10 fathoms, with one double and one single 8 inch Admiralty blocks	"	0 12 2	—	—
Magazine, 2½ inch, 14 fathoms, with one double and one single 8 inch common wood blocks, copper hooks, and metal sheaves	"	—	2 14 4	2 19 6
Shell-room, 2½ inch, 14 fathoms, with one treble and one double 8 inch common wood blocks, copper hooks, and metal sheaves	"	—	3 3 5	3 9 9
Main { 6 inch white rope, 55 fathoms, with one double and one treble 18 inch Bothway's blocks	"	—	31 16 6	34 3 1
5 inch white rope, 70 fathoms, with two treble 15 inch Bothway's blocks	"	—	30 0 2	32 4 8
Mounting guns in casemates up to 25 tons— No. to a set				
Breech { Blocks, wood, Bothway's treble 18 inch (Mark III), with special shackle	"	—	10 15 11	11 17 6
For crown of arch 1	"	—	11 7 3	12 10 0
For cas-cable .. 1	"	—	—	—
Fall, rope, white, 6 inch, 15 fathoms	"	—	3 6 6	3 13 2
Muzzle—				
Blocks, wood, Bothway's treble 12 inch (Mark II) { With special shackle .. 2	"	—	4 3 0	4 11 4
With special shackle to swivel for crown of arch .. 2	"	—	6 3 6	6 15 10

* Consisting of 1 treble and 1 double 5 inch malleable cast-iron blocks, with iron sheaves, and with hooks, and 10 fathoms of 2½ inch white rope.

† Consisting of 1 double and 1 single 5 inch malleable cast-iron blocks, with iron sheaves, and with hooks, and 7½ fathoms of 2 inch white rope.

‡ Consisting of two 5 inch malleable cast-iron blocks, with iron sheaves (1 treble with shackle, and 1 double with hook), and 10 fathoms of 2½ inch white rope.

§ Consisting of two 5 inch malleable cast-iron blocks, with iron sheaves (1 treble with large hook, and one double with hook), and 10 fathoms of 2½ inch white rope.

|| Consisting of two 5 inch malleable cast-iron blocks (1 double with shackle, and 1 single with hook), and 7½ fathoms of 2 inch white rope.

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tackles, continued—				
Mounting guns in casemates up to 25 tons—				
Muzzle—				
Falls, rope, white, 4 inch, 12 a set.	No. to			
fathoms 2	each	—	1 2 6	1 4 9
Sling, rope wire, with thimbles 1	„	—	0 19 0	1 0 11
Shackles, iron, for wire sling,				
complete 2	„	—	0 18 10	1 0 9
Purchase, white, 72 fathoms, with Both-				
way's 12 inch blocks	„	—	13 19 3	14 16 7
Heavy sheers, complete—				
35 and 38 tons	„	—	—	—
18 to 25 tons	„	—	—	—
Parts of—				
Blocks, wood—				
Bothway's { 21 in. .. 8 —	No. to			
treble { 18 „ .. — 8	a set.			
Snatch, { 21 „ .. 4 —	35 and			
iron { 18 „ .. 2 6	25 tons.			
bound { 15 „ .. — 2	No. to			
	18 to			
	25 tons.			
Chains, iron, { 1½ „ .. — 2				
short link, { 12½ fathoms, 4 —				
with rings {				
Chain, iron, { 1½ „ .. 2 —				
short link, { 12½ fathoms 1 „ .. 2				
Guys, galvanized { 7 in. 8 —				
iron wire rope, { 5½ „ — 6				
with shackles {				
and thimbles {				
complete (in 30 {				
feet lengths) {				
Shackles, wrought-iron,				
with bolts—				
For 1½ inch chain .. 2 —				
„ 1 „ „ .. { 2 —				
„ 7 „ „ wire rope 10 —				
„ 5½ „ „ .. — 8				
Heavy „ — 4				
Thimbles, { For 1½ in. ch. 2 —				
wrought- { „ 1 „ „ 2 —				
iron .. { „ 1 „ „ 2 —				
„ 9 „ „ — 2				
Slinging side arms, complete—				
Parts of—				
Balls, lead	„	—	0 1 8	0 1 10
Blocks, snatch, 4 inch (see page 197)	„	—	1 6 10	1 9 6
Cordage, tarred, hawser, 3 strand,				
2 inch, 10 feet (see page 141). .. fm.	0 0 3½	—	—	—
Cordage, white hawser, 3 strand, 1½				
inch, 10 feet (see page 142) ..	0 0 3	—	—	—
Eyes, wrought-iron	10	—	0 2 1	0 2 4
Hooks „ „	„	—	0 4 0	0 4 5
Rings „ „	„	—	0 1 6	0 1 8
Whip upon whip, 2½ inch tarred rope, 8				
fathoms, and 2 single 8 inch Admiralty				
blocks	each	0 10 1	—	—
With 4 inch white rope, 18 fathoms, and				
one double and one single 12 inch Both-				
way's blocks	„	—	8 2 11	8 16 6

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tampons, wood—		£ s. d.	£ s. d.
Gun—			
R.B.L.—			
7 inch { Breech	each	0 6 5	0 7 1
" { Muzzle	"	0 6 5	0 7 1
6 "	"		
64 pounder, and 6·3 inch R.M.L. howitzer ..	"	0 5 10	0 6 5
40 " { Breech	"	0 3 4	0 3 8
" { Muzzle	"	0 3 4	0 3 8
20 " { Breech	"	0 2 10	0 3 1
" { Muzzle	"	0 2 10	0 3 1
12 or 9 pounder, and R.M.L. 9 pounder ..	"	0 2 6	0 2 9
6 "	"	0 1 9	0 1 11
R.M.L.—			
16 inch	"	1 14 6	1 17 11
12·5 " { (Mark I)	"	0 19 1	1 1 0
" { (Mark II)	"	0 19 1	1 1 0
12 " { (Mark I)	"	0 18 0	0 19 10
" { (Mark II)	"	0 18 0	0 19 10
11 " { (Mark I)	"	0 16 3	0 17 11
" { (Mark II)	"	0 16 3	0 17 11
10 " { (Mark I)	"	0 14 11	0 16 5
" { (Mark II)	"	0 14 11	0 16 5
9 "	"	0 10 10	0 11 11
8 "	"	0 8 2	0 9 0
7 "	"	0 6 7	0 7 3
$\frac{11}{16}$ pounder (see 64 pounder and S.B. 32 pounder, land, with wads).			
64 pounder, sea service	"	0 6 0	0 6 7
40 "	"	0 5 7	0 6 2
25 "	"	0 5 2	0 5 8
16 "	"	0 2 9	0 3 0
13 "	"	0 2 6	0 2 9
9 " and R.B.L. 12 or 9 pounder ..	"	0 2 6	0 2 9
7 "	"	0 4 0	0 4 5
Howitzer, { 8 inch { 70 cwt.	"		
R.M.L. { 46 "	"	0 8 2	0 9 0
{ 6·3 inch and B.L. gun, 64 pounder ..	"	0 5 10	0 6 5
{ 6·6 " also gun	"	0 6 1	0 6 8
Land service, with wads, S.B.—			
Gun—			
10 inch, or howitzer	"	0 4 4	0 4 8
8 " " or 68 pounder	"	0 2 11	0 3 2
56 pounder	"	0 2 9	0 3 0
42 pounder	"	0 2 6	0 2 8
32 " and for R.M.L. 64 and $\frac{11}{16}$ pounder ..	"	0 2 2	0 2 4
24 "	"	0 2 0	0 2 2
18 "	"	0 1 10½	0 2 0½
12 "	"	0 1 9	0 1 11
9 "	"	0 1 5½	0 1 6½
6 "	"	0 1 3	0 1 4
Howitzer { 10 inch, or 10 inch gun	"	0 4 4	0 4 8
{ 9 " also 8 inch and 68 pounder gun	"	0 2 11	0 3 2
Land service, without wads, S.B.—			
Gun—			
10 inch, or howitzer	"	0 3 2	0 3 6
8 " " or 68 pounder	"	0 2 2	0 2 5
56 pounder	"	0 2 1	0 2 4
42 pounder	"	0 1 10	0 2 0
32 " and R.M.L. 64 and $\frac{11}{16}$ pounder ..	"	0 1 8	0 1 10

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
ammunitions, wood, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>	<i>£ s. d.</i>
Land service, without wads, S.B.—				
Gun—				
24 pounder	each	—	0 1 7	0 1 9
18 "	"	—	0 1 6	0 1 8
12 "	"	—	0 1 5	0 1 7
9 "	"	—	0 1 2	0 1 3
6 "	"	—	0 1 0	0 1 1
Howitzer { 10 inch, or 10 inch gun	"	—	0 3 2	0 3 6
8 " also 8 inch and 68	"			
pounder gun	"	—	0 2 2	0 2 5
Naval, with ring, S.B. gun—				
100 pounder	"	—	0 2 10	0 3 1
10 inch	"	—	0 3 2	0 3 6
8 " or 68 pounder	"	—	0 2 3	0 2 6
32 pounder	"	—	0 1 10	0 2 0
24 "	"	—	0 1 9	0 1 11
18 "	"	—	0 1 7	0 1 9
12 "	"	—	0 1 5	0 1 7
9 "	"	—	0 1 3	0 1 5
6 "	"	—	0 1 1	0 1 2
Anks, wrought-iron, sponge, R.M.L.—				
12 inch	"	—	2 9 0	2 13 11
11 "	"	—	2 6 10	2 11 6
10 "	"	—	2 4 10	2 9 4
9 "	"	—	2 3 9	2 8 2
7 "	"	—	1 18 11	2 2 10
aps, brass, water cart	"	—	0 9 5	0 10 4
Targets, Artillery—				
Field service—				
Complete	"	—	1 1 7	1 2 11
Parts of—				
Lines, bracing, 8 yards (2 per set) ..	"	—	0 1 8	0 1 9
Poles, wood, 7 feet 8½ inches (3 per set)	"	—	0 5 0	0 5 4
Target, Hessian, 6 feet x 6 feet (1	"	—	0 8 3	0 8 9
per set)	"	—	0 8 3	0 8 9
Floating, heavy, 9 feet—				
Complete	"	—	18 9 0	19 15 6
Parts of—				
Anchors, iron stocked, 1 cwt. (see	"	1 6 0	—	—
page 132)	"			
Bolts, eye, ½ inch, with nuts, for	set			
mooring raft (4 to a set)	"			
Cables, 3 inch tarred rope, 18	each	—	1 14 7	1 16 8
fathoms, with shackle (see light).	"			
Chains, iron, with 12 rings. . . .	"	0 1 0	—	—
Floats, fir, 24 inches x 3 inches x 3	"			
inches, with 10 fathoms of 1 inch	"			
tarred rope (see light).	"			
Guy-ropes, for target (2 to a set) ..	"			
Plates, washer, square, for eye-bolts	set			
(8 to a set)	"			
Rafts, wood, fir, 9 feet x 9 feet* ..	each	—	11 9 8	12 9 10

* This raft includes the eye-bolts with nuts, and washer-plates, and consists of—

4 pieces of fir 9 feet x 8 inches x 6 inches for the frame.

1 " 8 " x 12 " x 6 " cross bearer.

4 " 3½ " x 8 " x 6 inches diagonal pieces for the corners of the raft.

4 pieces of fir 1 foot x 2½ inches x 2 inches for cleats and snugs.

ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Targets, Artillery, continued—		£ s. d.	£ s. d.	£ s. d.
Floating, heavy, 9 feet—				
Complete—				
Parts of—				
Shackles, iron, $\frac{3}{4}$ inch, with bolts and linch pins (4 to a set) ..	each	—	0 3 8	0 3 10
Targets, 9 feet \times 9 feet \times 2 inches ..	"	—	1 15 6 $\frac{1}{2}$	1 17 8
Floating, light—				
Complete	"	—	4 3 9	4 8 0
Parts of—				
Anchors, iron stocked, 30 lb. ..	"	0 9 2	—	—
Cables, 3 inch tarred rope, 18 fathoms, with shackle	"	—	1 4 5	1 5 11
Cask, vat, $\frac{1}{2}$ ton, fitted with guy ropes	"	—	0 17 1	0 17 7
Flags, red, 4 feet \times 4 feet 6 inches..	"	0 3 6	—	—
Floats, fir, 24 inches \times 3 inches \times 3 inches, with 10 fathoms 1 inch tarred rope	"	—	0 3 1	0 3 3
Guy-ropes { For cask (4 to a set) (included with cask, vat, $\frac{1}{2}$ ton, fitted)	"	0 1 4	—	—
For flagstaff (2 to a set)* ..	"	—	—	—
Halyards, $\frac{1}{2}$ inch, white rope, 3 $\frac{1}{2}$ fathoms, for flags.. .. .	"	0 0 4 $\frac{1}{2}$	—	—
Rafts, wood, light†	"	—	0 15 6	0 16 6
Staves, wood, flag, 14 feet \times 2 $\frac{1}{2}$ inches	"	—	0 5 5	0 5 9
Land, complete	"	2 10 0	—	—
Without { Deal, 9 feet \times 9 feet \times 2 inches..	"	—	1 12 8	1 14 4
props { " 6 " \times 6 " \times 2 " ..	"	—	0 16 8	0 17 8
Thimbles—				
Brass counterweight	"	—	0 0 3 $\frac{1}{2}$	0 0 3 $\frac{1}{2}$
Wrought-iron, cart or wagon, sling, wood—				
12 inches diameter	"	—	0 4 8	0 5 2
9 inches diameter, also for wagon, iron sling, light	"	—	0 3 8	0 4 0
Thumbstalls, leather	100	—	4 9 5	4 14 9
Ries, leather, linch pin	"	—	0 4 0	0 4 5
Timber, prepared, for repair of boxes—				
Ammunition, R.M.L. 13 pounder—				
Ends, elm { Limber, or wagon, hind..	10	—	0 19 6	1 1 5
Wagon, fore	"	—	0 19 6	1 1 5
Yellow { Limber, or { Back ..	"	—	1 6 6	1 9 2
deal { wagon, hind { Front ..	"	—	2 6 0	2 10 7
Wagon, fore { Back or front ..	"	—	1 16 0	1 19 7
Lid	"	—	1 6 6	1 9 2
Axletree, R.M.L.—				
25 pounder { Ends, elm	"	—	0 6 4	0 7 0
Yellow deal { Lids	"	—	1 5 2	1 7 8
Sides	"	—	0 5 6	0 6 1
16 or 9 pounder { Ends, elm.. ..	"	—	0 6 4	0 7 0
Yellow { Lids	"	—	1 5 2	1 7 8
deal { Sides	"	—	0 5 6	0 6 1

* Each guy-rope 4 $\frac{1}{2}$ fathoms of 1 inch tarred rope.

† This raft consists of 2 pieces of deal 10 feet \times 9 inches \times 3 inches, each piece being fitted with 2 wooden snugs for securing the cask.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Timber, prepared, for repair of boxes, <i>continued—</i>		£ s. d.	£ s. d.
Limber—			
Ends, elm { Ammunition	10	0 18 1	0 19 11
Store	"	0 8 2	0 9 0
Yellow deal { Lids { Ammunition	"	2 17 6	3 3 3
Store	"	2 10 6	2 15 7
Sides { Ammunition	"	1 2 0	1 4 2
Store	"	1 7 0	1 9 8
Centre—			
Mahogany { Fronts	"	1 2 2	1 4 5
Backs	"	0 7 7	0 8 4
Lids	"	0 8 7	0 9 5
Oak fillets	"	0 4 0	0 4 5
Yellow deal sides	"	0 10 3	0 11 3
Tires, or streaks, for wheels, 2nd class—			
Cart, trench	each	0 1 9	0 1 11
Wagon, platform { Fore	"	0 2 8	0 2 11
Hind	"	0 3 1	0 3 5
Tommyes, for wrench, wrought-iron fixing, No. 1, (Mark IV)	"	0 2 9	0 3 3
Tools, phosphor-bronze, for breaking up B.L. small-arm ammunition	100	10 5 0	10 17 4
Tools, removing gas ring, R.M.L. gun, 7 pounder, 400 lbs.	each	0 2 10	0 3 5
Tops, wood, for naval shells, 100 pounder—			
Elm	100	5 8 3	5 14 9
Teak	"	11 12 11	12 6 11
Transoms, wood, platform, siege, Clerk's (see Sleepers, page 388).			
Transporting arrangement for— No. to			
Beds and ground platforms, R.M.L. 8 inch, a set			
46 cwt., 6.6 inch, or 6.3 inch howitzer—			
Axletree, wrought-iron, complete .. 1	each	5 12 1	6 3 4
Blocks, wood, trunnion, { 8 inch .. 1	"	1 1 11	1 4 1
supporting ground { 6.6 or 6.3			
platform .. inch .. 1	"	1 2 4	1 4 7
Brackets, wrought-iron, with shackle { 8 inch { Left	1	0 16 10	0 18 6
Right	1	0 16 10	0 18 6
supporting ground { 6.6 or { Left	1	0 16 10	0 18 6
platform .. 6.3 inch { Right	1	0 16 10	0 18 6
Chains, shoe drag (see page 240) .. 1	"	0 16 1	0 17 8
Clips, wrought-iron, tran- { 8 inch .. 1	"	1 8 2	1 11 0
som with chain and loops, { 6.6 or 6.3			
supporting directing bar .. inch .. 1	"	1 15 4	1 18 10
Keys, wrought-iron, flat, with chain, pin			
securing directing bar 1	"	0 1 0	0 1 1
Limber, iron, siege, { 8 inch .. 1	"	68 4 6	75 0 11
complete .. { 6 inch and 6.3			
inch 1	"	68 5 2	75 1 8
Pins, wrought-iron, with chain, securing			
directing bar 1	"	0 5 0	0 5 6
Ropes, lashing, { 64 feet .. 1	"	0 3 4	0 3 8
tarred 1½ inch { 50 feet { 8 inch .. 2	2	0 5 3	0 5 9
{ 6.6 or 6.3 inch	3	0 7 10	0 8 7
(see page 350) { 22 feet, 8 inch .. 1	each	0 1 3	0 1 5
Shoes, wrought-iron, drag, 1st class			
(see page 377) 1	"	1 14 3	1 17 8
Wheels, travelling, 1st class, siege,			
metal nave, 5 feet diameter, 6 inch tire			
(see page 437) 2	"	16 14 6	17 12 11

(V.S.)

2 D

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Transporting, arrangement for, continued—		£ s. d.	£ s. d.
Platforms, iron, traversing, R.M.L.—	No. to a set.		
11 or 12 inch, 25 tons—			
Axletree, wrought-iron, complete ..	1	each 6 12 2	7 5 5
Limber, wood, complete ..	1	„ 25 8 0	27 19 0
Wheels, travelling, special, wood nave, 5 feet diameter, 6 inch tire ..	2	pair 20 4 0	22 4 5
10 inch—			
Axletree, wrought-iron, complete ..	1	each 5 18 7	6 10 5
Limber, wood, complete ..	1	„ 25 8 0	27 19 0
Wheels, travelling, special, wood nave, 5 feet diameter, 6 inch tire ..	2	pair 20 4 0	22 4 5
7 inch—			
Axletree, wrought-iron, complete, also 9 or 7 inch for single plate carriages ..	1	each 5 8 6	5 19 4
Limber, wood, complete ..	1	„ 25 8 0	27 19 0
Wheels, travelling, special, wood nave, 5 feet diameter, 6 inch tire ..	2	pair 20 4 0	22 4 5
Platform, wood, traversing—			
Axletree, wrought-iron, complete ..	1	each 1 11 9	1 14 11
Limber, wood, complete ..	1	„ 9 0 0	9 13 0
Wheels, travelling, special, wood nave, 4 feet 2 inches diameter, 3 inch tire ..	2	pair 11 3 0	12 5 4
Slides, iron, R.M.L.—			
9 and 8 inch—			
Axletree, wrought-iron, complete ..	1	each 4 3 6	4 11 10
Bracket, wrought-iron ..	1	„ 1 9 4	1 12 3
Trucks, wood, transporting, metal, bouched ..	2	pair 5 6 0	5 16 7
7 inch, 6½ tons—			
Axletree, wrought-iron, complete, also 7 inch, for single plate carriages ..	1	each 2 5 0	2 9 6
Bracket, wrought-iron, also 6½ pounder and slide, wood, 32 pounder and up- wards ..	1	„ 1 7 7	1 10 4
Trucks, wood, metal, bouched (Mark I), also 8 and 9 inch slides, fitted for 3 inch axletrees, and carriage, trans- porting guns, 9 to 7 inch (see page 422) ..	2	„ 2 4 1	2 8 6
7 inch, 90 cwt.—			
Axletree, wrought-iron, complete ..	1	„ 1 19 0	2 2 11
Bracket, wrought-iron, also 6½ pounder and wood, 32 pounder and upwards ..	1	„ 1 7 7	1 10 4
Trucks, wood, metal, bouched (Mark I), also 8 and 9 inch slides fitted for 3 inch axletrees, and carriage, transporting guns, 9 to 7 inch (see page 422) ..	2	„ 2 4 1	2 8 6
6½ pounder (except “Medina” class)—			
Axletree, wrought-iron, complete ..	1	„ 1 18 0	2 1 0
Bracket,* wrought-iron, also 7 inch, and wood, 32 pounder and upwards ..	1	„ 1 7 7	1 10 4
Trucks, wood, metal, bouched, also wood, 32 pounder and upwards ..	2	pair 3 16 6	4 4 2
6½ pounder, “Medina” class—			
Axletree, wrought-iron, complete ..	1	each 1 17 4	2 1 1
Bracket, wrought-iron, also 7 inch and wood, 32 pounder and upwards ..	1	„ 1 7 7	1 10 4

* 6½ pounder (Mark III, IV and V), side, slide, has fixed bracket.

ORDNANCE.	Rate.			
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Transporting, arrangement for, continued—				
Slides, iron, R.M.L.—	No. to a set.		£ s. d.	£ s. d.
64 pounder, "Medina" class—				
Trucks, wood, metal, bouched, also wood, 32 pounder and upwards ..	2	pair	3 16 6	4 4 2
9 pounder, boat—				
Axletree, wrought-iron, complete ..	1	each	1 2 7	1 4 10
Trucks, wood, also wood, boat ..	2	pair	0 8 8	0 9 6
Slides, steel, R.B.L., 6 inch—				
Axletree, wrought-iron, complete (see slides, iron, R.M.L., 64 pounder) ..	1	each	—	—
Bracket, wrought-iron ..	1	"	—	—
Trucks, wood (see slides, iron, R.M.L., 64 pounder) ..	2	pair	—	—
Slides, wood—				
Heavy—				
Axletree, wrought-iron, complete, R.B.L. 7 inch, R.M.L. 64 pounder, and S.B. 10 inch, and 68 pounder ..	1	each	1 13 2	1 16 6
Bracket, wrought-iron, 7 inch, and 64 pounder, also slide, wood, 32 pounder and upwards ..	1	each	1 7 7	1 10 4
Trucks, wood, metal, bouched, 32 pounder and upwards ..	2	pair	3 16 6	4 4 2
Medium—				
Axletree, wrought-iron, complete, R.B.L. 40 pounder, and S.B. 8 inch and 32 pounder ..	1	each	1 12 10	1 16 1
Bracket, wrought-iron, 7 inch and 64 pounder, also slide, wood, 32 pounder and upwards ..	1	"	1 7 7	1 10 4
Trucks, wood, metal, bouched, 32 pounder and upwards ..	2	pair	3 16 6	4 4 2
Boat, R.B.L. 12 pounder, and R.M.L. 9 pounder—				
Axletree, wrought-iron, complete ..	1	each	0 19 11	1 1 11
Trucks, wood (as for slide, iron, boat)	2			
Trays, bronze, loading, R.B.L. gun, 6 inch (Mark II) ..		pair	1 12 0	1 19 0
Trays, wood, for magazine lamps ..		each	0 12 0	0 12 9
Trestles, wood, for shell spouting ..		100	34 12 4	36 13 10
Trolleys, wood, loading, R.M.L. gun, 17.72 inch 100 tons ..		each	42 0 0	46 4 0
Troughs, water—				
Wrought-iron, wagon forge, Royal Artillery ..		"	0 12 11	0 14 2
Wood, cart, or wagon forgo ..		"	0 8 0	0 8 10
Trucks—				
Hand, with pole, flat } Heavy ..		"	35 0 0	38 10 0
top, 2 wheeled } Light ..		"	14 15 3	15 13 6
Cast-iron—				
Carriages, garrison—				
Cast-iron { 4½ inch arm ..		"	0 15 3	0 16 9
" { 4 " " ..		"	0 11 8	0 12 10
Wrought-iron, 4 inch arm { Fore ..		"	0 12 1	0 13 4
" { Hind ..		"	0 11 0	0 12 1
Wood—				
8½ inch arm, fore ..		"	0 14 7	0 16 1
7½ " " { Fore ..		"	0 12 8	0 13 11
" " { Hind ..		"	0 9 9	0 10 9
6½ " " { Fore ..		"	0 11 2	0 12 3
" " { Hind ..		"	0 8 7	0 9 5

2 D 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Trucks, continued—		£ s. d.	£ s. d.
Cast-iron—			
Drugs { Large, and gun to 5 tons	each	1 5 6	1 8 1
Medium	"	0 13 6	0 14 10
West India	"	0 12 8	0 13 11
Gibraltar gyn	"	0 4 6	0 4 11
Wrought-iron, for platforms, iron—			
Front—			
Plain—			
Casemate, { 11 and 10 inch (Mark I), 10	"	2 14 0	2 19 5
R.M.L. { inches diameter	"	3 6 8	3 13 4
10 inch { Small port, 13 inches	"	6 6 6	6 19 0
{ diameter	"	2 9 6	2 14 5
{ (Mark II) and 10 inch	"		
{ special, 18 inches	"		
{ diameter	"		
9 and 7 inch, 8½ inches diameter	"		
Dwarf, R.M.L.—			
12½ inch, and 12 inch, 35 tons, "C," 24	"	13 13 6	15 0 10
inches diameter	"	13 17 0	15 4 8
12½ inch, "D," 24 inches diameter ..	"	6 6 6	6 19 0
11 or 10 inch { "A," 18 inches diameter	"	11 7 6	12 10 3
{ "C," 24 " "	"	5 10 0	6 1 0
9 or 7 inch, "A," 18 " "	"		
9 " "C," also 7 inch, "D," 24	"	10 17 6	11 18 10
inches diameter	"		
With bevel wheels, dwarf, R.M.L.—			
11 inch "C," 24 inches diameter	"	13 15 0	15 2 6
10 inch { "C," 24 " "	"	13 14 0	15 1 5
{ "D," 24 inches diameter	"	13 14 0	15 1 5
9 " { "C," 24 " "	"	13 5 6	14 12 1
{ "D," 24 " "	"	13 5 0	14 11 6
Rear—			
Plain—			
Casemate, { 12½ inch and small port, 18	"	7 5 0	7 19 6
R.M.L. { inches diameter	"	2 18 8	3 3 10
7 inch, 13 inches diameter ..	"		
Dwarf, R.M.L.—			
12½ inch and 12 inch, 35 ton, "C," 24	"	13 2 6	14 8 9
inches diameter	"	7 13 0	8 8 4
12½ inch, "D," 18 inches diameter ..	"	11 7 6	12 10 3
11 and 10 inch, "C," 24 inches diameter	"	6 6 6	6 19 2
10 inch, "D," 18 inches diameter ..	"	10 17 6	11 19 3
9 " "C," 24 " "	"	5 10 0	6 1 0
9 or 7 inch, "D," 18 inches diameter ..	"		
With bevel wheels—			
Casemate, R.M.L.—			
11 inch, 13 inches diameter	"	5 18 0	6 9 10
{ (Mark I) and small port, 13	"	5 11 6	6 2 8
{ inches diameter	"	8 3 0	8 19 4
10 inch { (Mark II), 18 inches diameter..	"		
{ Special—	"		
{ Spitbank Fort, 18 in. diameter	"	13 16 0	15 3 7
{ Horse Sand and No Man's	"	5 10 0	6 1 0
{ Fort, 24 inches diameter ..	"		
9 inch, 13 inches diameter	"		
Dwarf, R.M.L.—			
11 inch { "A," 24 inches diameter ..	"	13 9 0	15 6 11
{ "C," 24 " "	"	13 15 6	15 3 0
10 " { "A," 24 " "	"	13 14 0	15 1 5
{ "C," 24 " "	"	13 14 0	15 1 5
9 " { "A," 24 " "	"	13 7 0	14 13 8
{ "C," 24 " "	"	13 5 6	14 12 1

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Trucks, continued—		£ s. d.	£ s. d.
Wrought-iron, for platforms, iron—			
Single plate carriages—			
Plain—			
Front—			
Casemate, { 12 inch, 10 inches diameter	each	2 14 0	2 19 5
R.M.L. { 9 or 7 inch, 8½ inches ..	"	2 9 6	2 14 5
Dwarf, R.M.L.—			
9 inch, "A," 18 inches diameter ..	"	6 5 0	6 17 6
7 " " 13 " " " " " "	"	2 18 0	3 3 10
R.M.L. 6½ { 6 feet parapet, 13 inches			
pounder { diameter	"	3 11 4	3 18 6
{ 5 feet 6 inch parapet, 12			
{ inches diameter			
S.B.B.L. 32 pounder, 5½ inches diameter	"	1 11 6	1 14 8
Rear—			
Casemate, R.M.L. 7 inch, 13 inches			
diameter	"	2 18 0	3 3 10
Dwarf, R.M.L.—			
9 inch, "D" 18 inches diameter ..	"	6 5 0	6 17 6
7 " " 18 inches diameter ..	"	6 5 0	6 17 6
R.M.L. 6½ { 6 feet parapet, 18½ inches			
pounder { diameter	"	6 2 0	6 14 2
{ 5 feet 6 inches parapet, 18			
{ inches diameter			
S.B.B.L., 32 pounder, 12 inches diameter	"	3 1 5	3 7 7
With bevel wheels—			
Front, dwarf, R.M.L. 9 inch, "D," 18 inches			
diameter	"	8 11 6	9 8 8
Rear, R.M.L.—			
Casemate { 12 inch, 13 inches diameter ..	"	5 18 3	6 9 10
{ 9 " " " " " " " "	"	5 10 0	6 1 0
Dwarf, 9 inch, "A," 24 inches diameter	"	13 7 0	14 13 8
Wrought-iron, for platform, wood, casemate—			
Front, 5 inches diameter	"	0 14 0	0 15 5
Rear, also dwarf, 12 inches diameter ..	"	1 10 0	1 13 0
Wrought-iron, projectile, complete, loading gear,			
carriages, wrought-iron, Moncrieff, R.M.L.—			
9 inch (Mark II) with sling	"		
7 " (Mark II)	"		
Steel, for platforms, iron—			
Plain—			
Front Casemate, R.M.L., 12½ inch, and small			
port, 13 inches diameter	"	10 7 0	11 7 8
Rear Dwarf "C," R.M.L., 11 or 12 inch, 25			
tons, 24 inches diameter	"	18 2 0	19 18 2
With bevel wheels, rear, R.M.L., 11 or 12			
inch, 25 tons—			
Casemate, 13 inches diameter	"	10 3 7	11 3 11
Dwarf { "A," 24 inches diameter	"	20 8 0	22 8 10
{ "C," 24 " " " " " " " "	"	20 5 3	22 5 9
Metal, transporting, slide, R.M.L. 10 inch,			
"Hercules"	"	5 3 0	5 13 4
Railway—			
Gun, broad gauge { 20 to 80 tons	"	250 0 0	275 0 0
{ 6 to 18 tons	"	55 0 0	60 10 0
{ Coal or ashes	"	35 0 0	38 10 0
{ Coal, with trays	"	29 0 0	31 18 0
{ Gun up to 5 tons	"	60 11 10	64 6 10
{ Magazine	"	55 0 0	60 10 0
{ Shipping, with tray	"	38 2 9	41 15 6
{ Timber	"	55 0 0	60 10 0

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Trucks, continued—				
Wood—				
Carriages, wood—				
7½ inch arm, fore	each	—	0 14 8	0 15 11
6½ " " { Fore	"	—	0 10 10	0 11 11
Hind	"	—	0 10 5	0 11 5
5 " " fore	"	—	0 4 10	0 5 4
3½ " "	"	—	0 3 0	0 3 4
Metal bouched, iron shod—				
Carriage, garrison, wrought-iron, 4 inch arm—				
Fore	"	—	2 1 5	2 5 8
Hind	"	—	1 19 4	2 3 3
Drug, gun, to 25 tons, fore	"	—	13 10 0	14 7 0
Transporting, slide, iron, R.M.L., metal bouched, 7 inch (Mark I), also 8 and 9 inch, slide, when fitted for 3 inch axletrees and carriages, transporting, guns, 9 to 7 inch	"	—	2 4 1	2 8 6
Tubes, bronze, guard, compound hind turret sight, complete, with connecting screws*				
Centre	"	—	7 18 2	9 13 0
Intermediate	"	—	7 18 2	9 13 0
Wing	"	—	6 10 6	7 19 3
ubes—				
Common quill	1000	—	2 13 11	2 17 2
Dummy drill.. ..	100	—	14 12 7	15 11 3
Electric—				
No. 4, high tension, Abel, for guns ..	1000	—	16 7 10	17 8 11
" 10, low tension, naval service ..	"	—	34 10 8	36 11 4
" 11, " " " for drill pur- poses	"	—	119 19 3	127 8 0
" 17, high tension, Abel, for time guns	"	—	13 8 9	14 5 3
Friction—				
Copper—				
Long, with wire loops.. ..	"	—	6 8 2	6 14 11
Service { Long	"	—	4 18 10	5 4 9
Short	"	—	4 6 5	4 12 2
7 pounder, R.M.L. gun	"	—	3 19 8	4 4 2
Quill—				
With loops { Long	"	—	9 18 3	10 8 8
Short	"	—	7 3 7	7 12 8
For time gun	"	—	5 4 4	5 11 6
Loading, R.B.L. gun, 6 inch (Mark I) ..	"	2 10 0	—	—
Rocket, life saving	"	—	6 4 3	6 11 8
Tumblers, steel, nipping, with collars and split keys, carriage, garrison, wrought-iron, small port, R.M.L., 12·5 inch	each			
Turnbuckles, wrought-iron, boxes, wood—				
Axletree { Lid	10	—	0 18 5	1 0 3
Step	"	—	1 9 1	1 12 0
Under, wagon	"	—	0 15 0	0 16 16
Turnscrews, steel, connecting chain, 35 and 38 ton platforms	each	—	0 3 5	0 3 9
Twist, silk, for plummets	oz.	0 4 6	—	—

* In demanding these articles, the name of the vessel should be given.

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Types for marking cartridges—		£ s. d.	£ s. d.
R.B.L. gun—			
7 inch { 11 lbs.	each	0 6 8	0 7 1
{ 10 "	"	0 6 8	0 7 1
{ 7 " blank	"	0 9 6	0 10 1
40 pounder { 5 lbs.	"	0 8 0	0 8 6
{ 3 " blank	"	0 10 8	0 11 4
20 pounder { 2 lbs. 8 oz.	"	0 10 2	0 10 9
{ 1 " 8 " blank	"	0 10 2	0 10 9
12 pounder { 1 lb. 8 oz.	"	0 7 10	0 8 4
{ Or 9 pounder, 1 lb.	"	0 10 3	0 10 10.
R.M.L.—			
Gun—			
12.5 inch { 130 lbs.	"	1 3 1	1 4 6.
{ 100 "	"	1 3 1	1 4 6.
{ 80 "	"	1 13 11	1 15 11
12 inch—			
35 ton, 110 lbs. P.	"	0 11 0	0 11 8
35 or 25 ton, 85 lbs. P., or 67 lbs. R.L.G.	"	0 13 11	0 14 9
25 ton, 55 lbs. P., or 50 lbs. R.L.G.	"	0 14 2	0 15 0
11 inch { 85 lbs. P., or 70 lbs. R.L.G.	"	0 13 11	0 14 9
{ 60 " P., or 50 "	"	0 13 11	0 14 9
10 inch { 70 lbs. P., or 60 lbs. R.L.G.	"	0 14 2	0 15 0.
{ 44 " P., or 40 "	"	0 13 11	0 14 9
9 inch { 50 lbs. P., or 43 lbs. R.L.G.	"	0 14 8	0 15 7
{ 30 " R.L.G.	"	0 9 9	0 10 4
{ 15 "	"	0 9 9	0 10 4
8 inch { 35 lbs. P., or 30 lbs. R.L.G.	"	0 14 5	0 15 3
{ 20 " R.L.G.	"	0 10 3	0 10 10.
{ 12 "	"	0 10 3	0 10 10.
7 inch { 30 lbs. P., or 23 lbs. R.L.G.	"	0 14 8	0 15 7
{ 14 " R.L.G.	"	0 9 11	0 10 6
{ 10 " " (or 32 pounder)	"	0 16 11	0 17 11
80 pounder, 10 lbs. L.G.	"	0 11 2	0 11 10
64 pounder { 12 lbs.	"	0 11 2	0 11 10.
{ 8 " L.G.	"	0 12 10	0 13 7.
{ 6 " " (or 32 pounder)	"	0 12 4	0 13 1.
{ 5 " "	"	0 12 10	0 13 7.
40 pounder, 7 lbs. L.G.	"	0 9 9	0 10 4.
25 " 4 " "	"	0 9 9	0 10 4.
16 pounder { 8 lbs. L.G.	"	0 7 4	0 7 9
{ 1½ " " exercise	"	0 8 7	0 9 1
9 pounder { 1½ lbs. L.G.	"	0 8 7	0 9 1
{ 1½ " "	"	0 6 10	0 7 3
7 pounder { 12 oz. F.G.	"	0 7 4	0 7 9
{ 8 " "	"	0 7 4	0 7 9
{ 6 " "	"	0 7 4	0 7 9.
{ 4 " "	"	0 6 10	0 7 3.
Howitzer—			
8 inch { 10 lbs. R.L.G.	"	0 11 7	0 12 3
{ 5 " "	"	0 11 7	0 12 3
{ 2½ " "	"	0 12 6	0 13 3
6.3 inch {	"	0 11 7	0 12 3.
S.B.—			
Carronade { 68 pounder, 5 lbs. 0 oz.	"	0 7 5	0 7 10.
{ 42 " 3 " 8 "	"	0 8 2	0 8 8
{ 32 " 2 " 11 "	"	0 8 11	0 9 5
{ 24 " 2 " 0 "	"	0 7 5	0 7 10
{ 18 " 1 " 8 "	"	0 8 6	0 9 10
{ 12 " 1 " 0 "	"	0 7 5	0 7 10
{ 6 " 0 " 10 "	"	0 7 5	0 7 10.

ORDNANCE.						Rate.		
						Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Types for marking cartridges, continued—							£ s. d.	£ s. d.
S.B.—								
Gun—								
10 inch	{	12 lbs.	each	0 7 11	0 8 5
		8 "	"	0 7 6	0 7 11
8 inch	{	10 lbs.	"	0 10 2	0 10 9
		8 "	"	0 7 2	0 7 7
		5 "	"	0 7 2	0 7 7
68 pounder	{	18 lbs.	"	0 7 11	0 8 5
		16 "	"	0 7 11	0 8 5
		14 "	"	0 7 11	0 8 5
		12 "	"	0 7 11	0 8 5
		10 "	"	0 7 11	0 8 5
		8 "	"	0 7 6	0 7 11
		6 "	"	0 7 6	0 7 11
56 pounder	{	14 lbs.	"	0 7 11	0 8 5
		10 "	"	0 10 6	0 11 2
		8 "	"	0 7 6	0 7 11
42 pounder	{	14 lbs.	"	0 7 11	0 8 5
		12 "	"	0 7 11	0 8 5
		10½ "	"	0 9 0	0 9 6
		8 "	"	0 7 6	0 7 11
32 pounder	{	10 lbs.	"	0 10 6	0 11 2
		8 "	"	0 7 6	0 7 11
		7½ "	"	0 8 8	0 9 2
		7 "	"	0 7 6	0 7 11
		6 "	"	0 7 6	0 7 11
		5 "	"	0 7 6	0 7 11
		4 "	"	0 7 6	0 7 11
		3 "	"	0 7 6	0 7 11
		2½ "	"	0 8 8	0 9 2
		2 "	"	0 7 6	0 7 11
24 pounder	{	8 lbs.	"	0 7 6	0 7 11
		6 "	"	0 7 6	0 7 11
		5 "	"	0 7 6	0 7 11
		4 "	"	0 7 6	0 7 11
		3 "	"	0 7 6	0 7 11
18 pounder	{	2½ "	"	0 8 8	0 9 2
		6 lbs.	"	0 7 6	0 7 11
		4½ "	"	0 8 8	0 9 2
		4 "	"	0 7 6	0 7 11
		3 "	"	0 7 6	0 7 11
12 pounder	{	2 "	"	0 7 6	0 7 11
		4 lbs.	"	0 7 6	0 7 11
		3 "	"	0 7 6	0 7 11
9 pounder	{	2½ "	"	0 8 8	0 9 2
		3 lbs.	"	0 5 2	0 5 6
		2½ "	"	0 6 3	0 6 8
		2 "	"	0 5 2	0 5 6
6 pounder	{	1½ "	"	0 6 3	0 6 8
		2 lbs.	"	0 5 2	0 5 6
		1½ "	"	0 6 3	0 6 8
		1 "	"	0 5 2	0 5 6
3 pounder	{	4 oz.	"	0 5 2	0 5 6
		12 oz.	"	0 5 6	0 5 10
		10 "	"	0 5 6	0 5 10
Howitzer—	{	6 "	"	0 5 2	0 5 6
		7 lbs.	"	0 8 8	0 9 2
10 inch	{	4 "	"	0 8 8	0 9 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Types for marking cartridges, continued— S.B.—		£ s. d.	£ s. d.
Howitzer—			
8 inch { 4 lbs.	each	0 8 3	0 8 9
{ 3 „	„	0 8 3	0 8 9
5½ inch, 2 lbs.	„	0 7 5	0 7 10
4½ inch { 8 oz.	„	0 7 5	0 7 10
{ 4 „	„	0 7 5	0 7 10
32 pounder { 3 lbs.	„	0 6 8	0 7 1
{ 2 „	„	0 6 8	0 7 1
24 pounder { 2 lbs. 8 oz.	„	0 7 9	0 8 3
{ 1 „ 8 „	„	0 7 9	0 8 3
{ 2 lbs. 0 oz.	„	0 6 8	0 7 1
12 pounder { 1 „ 4 „	„	0 7 9	0 8 3
{ 1 „ 0 „	„	0 6 8	0 7 1
Mortar—			
13 inch { 20 lbs.	„	0 9 0	0 9 6
{ 16 „	„	0 9 0	0 9 6
{ 9 „	„	0 8 8	0 9 2
10 inch { 9 lbs. 8 oz.	„	0 9 9	0 10 4
{ 4 „ 0 „	„	0 8 8	0 9 2
8 inch, 2 lbs. 0 oz.	„	0 8 3	0 8 9
5½ „ 0 „ 7 „	„	0 7 5	0 7 10
4½ „ 0 „ 5 „	„	0 7 5	0 7 10
Small arm	„	0 18 4	0 19 5
Valves, release, for hydraulic jack, carriage, iron, naval—			
Sliding, wrought- { 12 inch, 25 tons, to 10 inch. .	„	0 2 5	0 2 8
iron, R.M.L. . . { 10 inch, pulling	„	0 2 9	0 3 0
Turret, steel, R.M.L. 12 inch, 35 tons, to 10 inch ; also garrison 12½ inch and 12 inch, 35 tons ..	„	0 3 2	0 3 6
Vents, copper—			
For iron and steel ordnance, 7 threads to the inch—			
Cone—			
24½ inches, 12½ in. (Mark I), or 12 in., 35 ton	„	0 11 6	0 13 5
23 „ 12 and 11 inch, 25 tons ..	„	0 10 10	0 12 8
19½ „ 10 inch, 18 ton	„	0 9 10	0 11 6
16½ „ 9 „ 12 „	„	0 8 10	0 10 4
15½ „ 8 „ 9 „	„	0 8 0	0 9 4
14½ „ 7 „ 6½ and 7 ton R.M.L., and 10 inch S.B. guns, and 13 inch sea service mortars	„	0 7 10	0 9 2
12½ inches, 7 inch, 90 cwt. R.M.L., 8 inch, 68, 56, and 42 pounder, 84 cwt. S.B. guns, and 10 inch sea service mortar ..	„	0 7 8	0 9 0
11½ inches, 42 pounder, 67 cwt. S.B. guns, and 13 inch land service mortar	„	0 7 3	0 8 6
10½ inches, 8 inch R.M.L. howitzer, 64 pounder, 64 cwt. R.M.L. and 32 pounder S.B. guns, 10 and 8 inch S.B. howitzer, and 68 to 32 pounder carronades. . .	„	0 7 0	0 8 2
9 inches, 40 pounder R.M.L., 34 or 35 cwt., 66 inch R.M.L. howitzer, 24 and 18 pounder S.B. guns, 24 pounder S.B. howit- zer, and 10 inch land service mortar ..	„	0 6 4	0 7 4
7½ inches, 25 pounder, R.B.L. (inter- rupted screw) gun, 13½ cwt., 63 inches R.M.L. howitzer, 25 and 16 pounder R.M.L., and 12 and 9 pounder S.B. guns, 24 to 12 pounder carronades, 24 pounder S.B. howitzer, and 8 inch mortar. . .	„	0 5 6	0 6 5

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Vents, copper, continued—		£ s. d.	£ s. d.
For iron and steel ordnance, 7 threads to the inch—			
Cone—			
5 inches, 9 pounder R.M.L. gun	each	0 3 10	0 4 6
3 " 7 " " steel, 400 lb., 200 lb., and 150 lb. ($\frac{3}{8}$ inch, small thread)	"	0 2 1	3 2 5
Through—			
14 $\frac{1}{2}$ inches, 80 pounder, 5 ton, R.M.L. converted, 10 inch S.B. guns, and 13 inch sea service mortars	"	0 7 5	0 8 8
12 $\frac{1}{2}$ inches, 64 pounder 58 and 71 cwt. R.M.L. converted, 8 inch, 68, 56, and 42 pounder 84 cwt. S.B. guns, and 10 inch sea service mortars.	"	0 7 0	0 8 2
11 $\frac{1}{2}$ inches, 42 pounder, 67 cwt., S.B. gun, and 13 inch land service mortar	"	0 6 9	0 7 6
10 $\frac{1}{2}$ inches, 32 pounder S.B. guns, 10 and 8 inch S.B. howitzers, and 68 to 32 pounder carronades	"	0 6 8	0 7 3
9 inches, 24 and 18 pounder S.B. guns, and 10 inch land service mortar	"	0 6 0	0 6 9
7 $\frac{1}{2}$ inches, 12 and 9 pounder S.B. guns, 24 to 12 pounder carronades, 24 pounder S.B. howitzer, and 8 inch mortar	"	0 5 3	0 5 11
For iron ordnance, 6 threads to the inch—			
Cone, for S.B. guns—			
14 $\frac{1}{2}$ inches, 10 inch gun, and 13 inch sea service mortars	"	0 7 2	0 8 0
12 $\frac{1}{2}$ inches, 8 inch, 68, 56, and 42 pounder, 84 cwt. guns, and 10 inch sea service mortar	"	0 6 10	0 7 8
11 $\frac{1}{2}$ inches, 42 pounder, 67 cwt., gun, and 13 inch land service mortar	"	0 6 9	0 7 6
10 $\frac{1}{2}$ inches, 32 pounder guns, 10 and 8 inch howitzers, and 68 to 32 pounder carronades	"	0 6 8	0 7 3
9 inches, 24 and 18 pounder guns, and 10 inch land service mortar	"	0 6 0	0 6 9
7 $\frac{1}{2}$ inches, 12 and 9 pounder guns, 24 to 12 pounder carronades, and 24 pounder howitzer	"	0 5 3	0 5 11
Through, for S.B. and R.M.L. converted guns—			
14 $\frac{1}{2}$ inches, 10 inch gun, and 80 pounder R.M.L. converted gun, and 13 inch sea service mortars	"	0 7 5	0 8 8
12 $\frac{1}{2}$ inches, 8 inch, 68, 56, and 42 pounder 84 cwt. guns, 64 pounder R.M.L. converted gun of 68 cwt., and 10 inch sea service mortar	"	0 7 0	0 8 2
11 $\frac{1}{2}$ inches, 42 pounder, 67 cwt., gun, and 13 inch land service mortar	"	0 6 9	0 7 6
10 $\frac{1}{2}$ inches, 32 pounder guns, 10 and 8 inch howitzers, and 68 to 32 pounder carronades.	"	0 6 8	0 7
9 inches, 24 and 18 pounder guns, and 10 inch land service mortar	"	0 6 0	0 6
7 $\frac{1}{2}$ inches, 12 and 9 pounder guns, 24 to 12 pounder carronades, 24 pounder howitzers, and 8 inch mortar	"	0 5 3	0 5 1

427

ORDNANCE.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
			£ s. d.	£ s. d.	£ s. d.
nts, steel—					
Axial {	With washer, R.B.L. gun, 6 inch (Mark II)	each	—	9 6 9	11 10 1
	R.M.L. guns { 16 inch	"	—	12 12 0	15 7 6
	{ 12·5 ,, (Mark II)	"	—	11 10 0	14 0 7
Removable, R.B.L. gun, 25 pounder, 22½ cwt.		"	—	5 13 2	6 18 2
At servers, without lanyards—					
Steel {	(Mark II)	100	—	8 17 9	9 9 0
	(Mark III)	"	—	8 19 3	9 10 0
Metal		"	—	5 1 0	5 7 1
idhooks—					
I.M.L.—					
Gun—					
	16 inch, with connecting screw ..	each	—	6 3 1	6 15 5
	12·5 ,,	"	—	1 5 9	1 8 4
12 inch {	35 tons	"	—	0 16 6	0 18 2
	25 ,, to 10 inch 18 tons ..	"	—	0 15 8	0 17 3
9 and 8 inch		"	—	0 12 6	0 13 9
9 inch, Moncrieff, with connecting screw		"	—	2 1 6	2 5 8
7 inch {	7 tons	"	—	0 11 10	0 13 0
	6½ ,, or 90 cwt., also 64 pounder, 64 cwt., and 84 pounder, 71 cwt. ..	"	—	0 10 8	0 11 9
	8 inch	"	—	0 10 8	0 11 9
¾ pounder (as S.B. cast-iron, 68 pounder, 95 cwt., or 10 and 8 inch).					
¾ pounder (as S.B. cast-iron, 68 pounder, 95 cwt., or 10 and 8 inch).					
40 pounder		"	—	0 10 8	0 11 9
Howitzer, 8 inch—					
70 cwt.		"	—	0 9 3	0 10 2
46 ,,		"	—	0 9 3	0 10 2
I.B. bronze, field {	12 pounder	"	—	0 5 0	0 5 6
	9 ,, gun and 32 pounder howitzer	"	—	0 4 10	0 5 4
	6 pounder gun and 24 pounder howitzer	"	—	0 4 8	0 5 2
	3 pounder	"	—	0 4 6	0 4 11
Howitzer, 12 pounder		"	—	0 4 6	0 4 11
I.B., cast-iron {	68 or 42 pounder	"	—	0 5 3	0 5 9
	32 ,, 24 ,,	"	—	0 4 10	0 5 4
Carronade { 18, 12, or 6 pounder		"	—	0 4 2	0 4 7
Gun—					
10 inch, 8 inch, or 63 pounder, 95 cwt., 100 pounder (wrought-iron) and 32 pounder, 56 or 58 cwt., also R.M.L. ¾ pounder and ¾ pounder		"	—	0 6 9	0 7 5
32 pounder, 50 cwt., 24 pounder, 18 pounder, 42 cwt., and 9 pounder, 28 cwt.		"	—	0 5 9	0 6 4
6 pounder, 17 cwt.		"	—	0 4 3	0 4 8
Howitzer {	10 inch	"	—	0 5 9	0 6 4
	8 ,,	"	—	0 5 6	0 6 1
ads—					
Coal dust {	8 inch { Empty	100	—	1 19 3	2 1 7
	{ Filled	"	—	2 1 7	2 4 1
	12 or 9 pounder B.L., empty ..	"	—	0 14 7	0 15 16
Drummet—					
R.M.L. {	12 inch	"	2 5 10	—	—
	10 ,,	"	1 2 11	—	—
	9 ,,	"	0 19 8	—	—

ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wads, continued—		£ s. d.	£ s. d.	£ s. d.
Grummet—				
R.M.L. { 8 inch	100	0 16 1	—	—
7 "	"	0 15 0	—	—
S.B.—				
10 inch	"	1 19 10	—	—
100 pounder	"	1 9 6	—	—
8 inch or 68 pounder	"	1 5 2	—	—
56 pounder	"	1 0 2	—	—
42 pounder	"	0 16 7	—	—
32 "	"	0 15 2	—	—
24 "	"	0 12 0	—	—
18 "	"	0 11 3	—	—
12 "	"	0 10 6	—	—
9 "	"	0 10 2	—	—
6 "	"	0 9 5	—	—
Junk or S.B. for tampeons—				
10 inch	"	5 16 2	—	—
8 " or 68 pounder	"	3 11 5	—	—
56 pounder	"	3 5 11	—	—
42 pounder	"	3 4 11	—	—
32 "	"	2 9 11	—	—
24 "	"	1 16 10	—	—
18 "	"	1 15 0	—	—
12 "	"	1 9 8	—	—
9 "	"	1 8 9	—	—
6 "	"	1 4 4	—	—
Papier maché—				
Fuze Hole—				
Common	1000	—	0 5 10	0 6 3
General service	"	—	0 11 6	0 12 3
B. L. sockets	"	—	0 2 4	0 2 6
Plain	"	—	0 15 4	0 16 3
Naval { With loops { (Mark I)	"	—	4 9 10	4 15 3
{ (Mark II)	"	—	5 11 4	5 18 0
Loading hole, } 24 pounder and upwards	"	—	0 3 5	0 3 7
diaphragm } 18 " and down-	"	—		
Shrapnel } wards	"	—	0 2 4	0 2 6
Wedge { 9 inch and upwards	100	—	0 11 11	0 12 8
{ 8 " and downwards	"	—	0 9 11	0 10 7
Wagons, complete—				
Ambulance { Iron frames, con- verted from light supply	(see page 74)	each	124 17	0 137 5 0
Wood { equirota.. lock under	"	"	89 5 10	98 4 10
Ammunition and store, wood, Royal Artillery*	"	"	169 17	0 186 15 0
Ammunition (without limbers)—				
Wrought-iron, R.M.L.—				
40 pounder (Mark I) body	"	—	77 14	0 85 14
25 " { (Mark I) body	"	—	78 17	0 86 14
{ (Mark II) "	"	—	79 17	0 87 16
16 " { (Mark I) "	"	—	78 4	0 86 0
{ (Mark II) "	"	—	79 4	0 87 2
13 "	"	—	128 0	0 140 16
9 " { (Mark I) body	"	—	77 0	0 84 14
{ (Mark II) "	"	—	78 0	0 85 16
7 " Colonial	"	—	55 0	0 60 10

* With 2 grease boxes, canvas cover, 5 bale hoops, lashing rope, and ewingletre—

ORDNANCE.	Per	Rate.	
		No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wagons, complete, continued—		£ s. d.	£ s. d.
Ammunition (without limbers)—			
Wood, R.B.L.—			
40 pounder	each	52 0 0	57 4 0
20 "	"	52 6 0	57 10 7
12 "	"	51 15 0	56 18 6
9 "	"	51 16 0	56 19 7
6 " { Service	"	25 19 0	28 10 11
6 " { Special	"	55 17 0	61 8 8
Wood, S.B.—			
12 pounder	"	36 10 0	40 3 0
9 "	"	36 9 0	40 1 11
6 "	"	36 11 0	40 4 1
Howitzer { 32 pounder	"	37 5 0	40 19 6
Howitzer { 24 "	"	37 0 0	40 14 0
Howitzer { 12 "	"	37 4 0	40 18 5
Bakery, iron frames	"	168 2 10	178 10 10
Bread and meat, { Cranked body*	"	140 0 0	154 0 0
iron frames { Converted from heavy spring..	"	130 0 0	143 0 0
Deal, wood	"	40 15 0	44 16 6
Flanders, wood, lock under	"	68 0 0	74 16 0
Forge { wood, general service { equirotaal	"	88 0 0	96 16 0
Forge { wrought-iron (without lim- { lock under	"	105 14 0	116 5 5
Forge { bers), Royal Artillery { (Mark I)	"	109 0 0	119 18 0
Forge { (Mark II)†	"	155 10 0	171 1 0
General service—			
Iron frames, heavy spring†	"	123 0 0	135 6 0
Wood—			
Equirotaal†	"	60 0 0	66 0 0
{ (Mark II)	"	81 14 0	89 17 5
Lock { (Mark III)†	"	81 14 0	89 17 5
under { (Mark IV)†	"	87 14 0	96 9 5
{ (Mark IV) fitted for field hospital	"		
equipment (see page 74)	"	111 0 0	122 2 0
Siege, equirotaal	"	67 0 0	73 14 0
Light spring or surgery, wood } (see page 74) {	"	116 0 0	127 12 0
Pharmacy, wood	"	186 5 0	204 17 6
Platform, wood { Gun, 64 pounder 	"	70 16 10	76 17 2
Platform, wood { Gyns and stores, siege train	"	81 0 0	89 2 0
Platform, wood { Siege, R.B.L., 7 inch	"	65 0 0	71 10 0
Powder, wood	"	107 0 0	117 14 0
Sling, without { wood, service to 6 tons	"	76 15 0	84 8 6
limbers { wrought { Heavy, with brakes	"	268 0 0	294 16 0
limbers { iron { Light to 7 tons	"	154 3 0	169 11 4
Store, wrought-iron, without limbers, Royal			
Artillery	"	103 0 0	113 6 0
Washers, copper, vent—			
R.B.L. gun, 6 inch (Mark II)	"	0 2 3	0 2 9
R.M.L. guns, 16 inch, or 12·5 inch (Mark II)	"	0 3 0	0 3 8
Washers, Rocket, Boxer's, life-saving—			
India-rubber	"	0 0 1	0 0 1
Metal	"	0 0 2	0 0 2

* With 2 grease boxes, apron, cushion, and swingletree.

† With 2 grease boxes, canvas cover, 5 bale hoops, lashing rope and swingletree.

‡ With 2 grease boxes, canvas cover, 6 bale hoops, and swingletree.

§ Having wheels with wood naves, for wheels with malleable cast-iron naves, No. 1 B. S. rate, £7 6s. 0d., and to No. 2 B. S. rate, £8 0s. 7d.

|| With grease box and 5 swingletrees.

¶ With canvas cover, 4 bale hoops, 2 lashing ropes, anvil, anvil block, lantern box, field forge, and 2 tool chests with keys.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Washers, wrought-iron—		£ s. d.	£ s. d.
Drug—			
Drag, gun, up to 25 tons	each	0 6 9	0 7 5
{ Large, and gun to 5 tons	10	0 5 6	0 6 1
Plain { Medium	"	0 4 6	0 4 11
{ West India	"	0 4 4	0 4 9
Elevating eye—			
R.B.L. guns { 20 pounder	each	0 0 9	0 0 11
{ 12 "			
{ 9 "			
{ 6 "			
R.M.L. guns, 25, 16 and 9 pounder	"	0 0 9	0 0 11
For trunnions of 12·5 inch R.M.L. guns, 38 tons (mounting and dismounting)	"	2 14 6	3 6 6
Travelling—			
Drag—			
1st class	"	0 3 10	0 4 3
2nd "	"	0 4 3	0 4 8
3rd "	"	0 4 2	0 4 7
O.P. { 1st class	"	0 3 10	0 4 3
{ 2nd "	"	0 2 0	0 2 2
{ 3rd "	"	0 1 0	0 1 1
Barrow, China, and powder	"	0 1 0	0 1 1
Carriage { Gold Coast and mountain R.M.L. { 7 pr., and S.B. 4½ inch howitzer }	"	0 1 4	0 1 6
{ Naval { Gatling and R.M.L., 7 pr. { Wood, R.B.L. 12 pounder, and R.M.L. 9 pounder	"	0 1 6	0 1 8
Loop, siege, limber	"	0 4 9	0 5 3
Arm, spare wheel, 2nd class	"	0 1 0	0 1 1
Plain { Cart, duck	"	0 0 10	0 0 11
{ Wagon, ambulance and pharmacy	"	0 1 6	0 1 8
Transporting, axletree—			
Drug, platform, iron	"	0 4 6	0 4 11
Plain—			
Platform, wood	10	0 11 6	0 12 8
{ 9 pounder, { Thick	"	1 13 0	1 16 4
boat, wood { Thin also boat, 9			
pounder, iron	"	0 10 6	0 11 7
Slide, R.M.L. { Iron—			
{ 9 and 8 inch	"	0 11 0	0 12 2
{ 7 inch, and carriage, trans- porting, 9 to 7 inch, 64 pounder, also wood, 32 pounder and upwards	"	0 10 0	0 11 0
Trunnion, R.M.L. gun, 6·6 inch, 70 cwt., with one fixing screw	"	1 18 4	2 6 8
Wedges—			
Oak, 18 inch, for moving 35 ton guns and upwards	each	0 4 8	0 5 0
Elm, 7 inch long, with grummet	"	0 3 6	0 3 10
With moveable handles, { 64 pounder	"	14 3 6	16 4 0
R.B.L. { 40 "	"	13 5 0	15 3 0
Wheels, cast-iron—			
Gear, lifting, spur and bevel pinion, carriage, iron, small port, R.M.L., 10 inch, 36 and 13 teeth	"	0 18 6	1 0 4
Gear, loading, spur, carriages, iron, Moncrieff, R.M.L., 9 inch (Mark II), 58 teeth	"		
Gear, retaining, spur, shaft, main, platform, iron, Moncrieff, R.M.L., 9 inch (Mark II)—			
Left, 58 teeth	"		
Right, 58 teeth	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, cast-iron, continued—			
Gear, running in and out—			
Sprocket, front, slide, iron, R.M.L.—		£ s. d.	£ s. d.
12 inch, 25 ton, "Belleisle" type	each	0 7 1	0 7 10
11 inch, "Téméraire" type	"	0 10 9	0 11 10
10 " " " " " " " " " " " "	"	0 6 2	0 6 9
9 inch { Service, 8 inch, and "Lord Clyde" ..	"	0 5 4	0 5 10
{ "Sultan" type	"	0 6 0	0 6 7
Turret { 12 inch, 35 tons	"		
{ 12 inch, 25 { "Glatton"	"		
{ tons { "Monarch" type	"		
{ 10 inch, "Rupert"	"		
{ 9 inch, "Wyvern"	"		
Spur and pawl, slide, { Service, 8 inch, and	"		
iron, R.M.L. 9 inch { "Lord Clyde" ..	"	1 2 9	1 5 0
{ "Sultan" type ..	"	1 3 5	1 5 9
Gear, traversing—			
Bevel, 2nd motion, platform, iron, R.M.L.—			
11 inch dwarf, "C," side, also 10 inch "C,"			
central or side, and 9 inch "C," side,			
35 teeth	"	0 14 10	0 16 4
10 inch, casemate, side (Mark II), to work			
within length, 27 teeth	"	0 17 4	0 19 1
9 inch { Casemate, to work within length,			
{ 19 teeth	"	0 9 1	0 10 0
{ Dwarf { "C," central, 27 teeth ..	"	0 17 8	0 19 5
{ "A," rear { 32 " ..	"	1 13 5	1 16 9
{ 48 " ..	"	1 9 9	1 12 9
Bevel and spur, 2nd motion, platforms, iron,			
R.M.L.—			
11 inch, casemate, side, 19 and 13 teeth ..	"	1 8 6	1 11 4
10 inch, case- { (Mark I), and small port, 27			
mate, side { and 10 teeth	"	1 8 4	1 11 2
{ (Mark II), 27 and 13 teeth ..	"	1 8 4	1 11 2
10 inch dwarf, "D," side, 35 and 12 teeth ..	"	1 11 10	1 15 0
9 inch dwarf, "D," side, 27 and 12 teeth ..	"	1 7 8	1 10 5
Bevel, axles for trucks, platform, iron, Mon-			
crieff, R.M.L., 7 inch (Mark I)—			
Front, 18 teeth	"	0 12 11	0 14 3
Rear, 26 " " " " " " " " " " " "	"	0 15 9	0 17 4
Bevel, Mon- { R.B.L. 7 inch, front or rear 25			
crieff, plat- { teeth	"	0 18 1	0 19 11
form, iron { R.M.L. 7 inch { Front, 31 teeth	"	0 16 8	0 18 4
{ (Mark II) { Rear, 40 " " "	"	0 19 1	1 1 0
Bevel, shaft—			
3rd motion, platform, iron, R.M.L.—			
11 or 12 inch, 25 tons, casemate, to work			
within length—			
Double plate carriage, 30 teeth	}		
Single " " " " " " " " " " " "			
10 inch, casemate, special, to work within			
length, 27 teeth	"		
Cross, platform, iron, R.M.L.—			
11 or 12 inch, 25 tons—			
Casemate { To work { Double plate car-	}		
{ within { riage, 17 teeth			
{ length { Single plate car-			
{ Side, 17 teeth	}		
{ Rear, 17 " " " " " " " " " " " "			
Dwarf "A," rear, 22 teeth	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, cast-iron, continued—		£ s. d.	£ s. d.
Gear, traversing—			
Bevel, shaft—			
Cross, platform, iron, R.M.L.—			
10 inch—			
Casemate—			
Small port, 18 teeth	each		
To work { (Mark I), 18 teeth	"		
within { (Mark II) { Left, 27 teeth	"		
length { II) { Right, 27 teeth	"		
Special, 24 teeth	"		
Side, 18 teeth	"		
Rear, 18 teeth	"		
(Mark II) { Left, 27 teeth	"		
{ Right, 27 teeth	"		
Dwarf—			
"A" { Side, 24 teeth	"		
{ Rear, 24 teeth	"		
"D," side { Left, 30 teeth	"		
{ Right, 30 teeth	"		
9 inch—			
Casemate { To work within length, 18	"		
{ teeth	"		
Side, 18 teeth	"		
Rear, 18	"		
Dwarf { "A," rear, 38 teeth	"		
{ "D," side { 32 teeth	"		
{ 38	"		
Longitudinal platform, iron, R.M.L.—			
11 or 12 inch, 25 ton, dwarf "C," central			
35 teeth	"		
9 inch, casemate, to work within length,			
19 teeth	"		
7 inch, Moncrieff, { Long, front, 30 teeth ..	"		
(Mark I) { Short, rear, 30 teeth ..	"		
Traversing, platform, R.M.L.—			
12.5 inch—			
Casemate { Small port, 18 teeth ..	"		
{ 7 feet recoil, 18 ..	"		
{ 6 .. 18 ..	"		
Dwarf { "C" { 28 teeth	"		
{ 27	"		
{ "D," 23 teeth	"		
12 inch, 35 tons, dwarf "C," 28 teeth ..	"		
Bevel, spindle, pinion, platform, iron, R.M.L.,			
10 inch—			
Casemate, Mark I, to work within length,			
19 teeth	"	0 12 10	0 14 1
Dwarf "A," side, 27 teeth	"	0 13 9	0 15 2
Spur, 2nd motion, platform, iron, R.M.L.—			
12.5 inch { Casemate, 60 teeth	"	1 8 6	1 11 4
{ Dwarf, "C" and "D," also 12 inch,	"		
35 tons, "C," 62 teeth	"	1 8 6	1 11 4
Small port, 70 teeth	"	2 4 0	2 8 5
11 or 12 inch 25 ton—			
Dwarf, "A," rear, 46 and 14 teeth	"	1 7 8	1 10 5
Casemate { Side, to { Single plate carriage,	"		
{ work { 36 teeth	"	0 19 5	1 1 4
{ within { Double plate carriage,	"		
{ length { 28 teeth	"	0 17 8	0 19 5
{ Side and rear, 46 and 13 teeth ..	"	1 16 10	2 0 6

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, cast-iron, continued—		£ s. d.	£ s. d.
Gear, traversing—			
Spur, 2nd motion, platform, iron, R.M.L.— 10 inch—			
Casemate { (Mark I), rear, 46 and 12 teeth	each	1 16 9	2 0 5
To work within { (Mark I), 23 teeth	"	0 15 3	0 16 9
length .. { Special, 20 and 15 teeth ..	"	1 9 10	1 12 10
Dwarf, "A," rear, 46 and 12 teeth ..	"	1 7 0	1 9 8
Spur, clutch, platform, iron, R.M.L.—			
11 or 12 inch, 25 tons, dwarf "C" side, 19 teeth			
10 inch, dwarf "C" { Central, 23 teeth ..	"		
{ Side, 23 teeth ..	"		
9 " " " { Central, 23 teeth ..	"		
{ Side, 23 teeth ..	"		
Spur, shaft—			
Bollard, platform, iron, R.M.L.— 11 inch—			
Casemate, side, to work within length, case-			
mate, rear, also dwarf, "A," rear, and			
10 inch, dwarf "D," side, 62 teeth ..	"	1 8 7	1 11 5
Dwarf "C" { Central, 19 teeth ..	"	0 12 5	0 13 8
{ Side, 62 teeth	"	1 8 7	1 11 5
10 inch—			
Casemate—			
Side, and side to { (Mark II) 65 teeth ..	"	1 7 8	1 10 5
work within { (Mark I), also small	"		
length .. { port, 65 teeth ..	"	1 7 8	1 10 5
Special, to work within length, 62 teeth	"	1 9 0	1 11 11
Rear, also dwarf "A" rear, 46 teeth ..	"	1 1 1	1 3 2
Dwarf "A" and "C," side, and 9 inch			
"C" central and side, 62 teeth ..	"	1 8 6	1 11 4
{ Casemate, side, and side to work			
9 inch { within length, also casemate, rear,	"	1 8 6	1 11 4
62 teeth	"	1 7 8	1 10 5
{ Dwarf, "D," side, 65 teeth ..	"		
Clutch pinion, platform, iron, R.M.L.—			
12·5 inch—			
Casemate { Small port, 36 teeth ..	"		
{ 7 feet recoil, " " ..	"		
{ " " " " " " ..	"		
Dwarf { "C," 36 teeth	"		
{ "D," " " " " " " ..	"		
12 inch, 35 tons, dwarf "C," 36 teeth			
Longitudinal, platform, iron, R.M.L.—			
11 or 12 inch, 25 tons, { Central, 32 teeth ..	"		
dwarf "C" .. { Side, 27 teeth ..	"		
10 inch, dwarf "C" { Central, 23 teeth ..	"		
{ Side, 23 teeth ..	"		
9 inch { Casemate, to work within length,	"		
21 teeth .. { Central, 23 teeth ..	"		
{ Dwarf "C" { Side, 23 teeth ..	"		
Wheel, sprocket, platform, iron, R.M.L.—			
12·5 inch—			
Casemate { Small port, 25 teeth ..	"		
{ 7 feet recoil, 30 " " ..	"		
{ " " " " 30 " " ..	"		
Dwarf { "C," 30 teeth	"		
{ "D," 30 " " " " ..	"		
12 inch, 35 tons, dwarf "C," 30 teeth			

(V.S.)

2 E

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, cast-iron, continued—		£ s. d.	£ s. d.
Gear, traversing—			
Spur, platform, iron, Moncrieff, R.M.L. { 9 inch (Mark II) { Front, 53 teeth ..	each	1 7 4	1 10 1
Intermediate, 20 teeth ..	"	0 10 8	0 11 9
Rear, with clutch, 53 teeth ..	"	2 5 11	2 10 6
7 inch (Mark I), 58 teeth ..	"	0 16 6	0 18 2
Spur, spindle, platform, iron, R.M.L.—			
Second motion { 11 or 12 inch, 25 tons, dwarf "C," central, 46 teeth ..	"	1 15 7	1 19 2
10 inch, dwarf "C," central, 62 teeth ..	"	1 8 6	1 11 4
Gudgeon, casemate, to { 10 inch (Mark I), 23 teeth ..	"	1 5 3	1 7 9
work within length { 9 inch, 21 teeth ..	"	0 19 5	1 1 4
Gear, training—			
Bevel, slide, iron, R.M.L. { "Hercules" ..	"	2 8 7	2 13 5
10 inch { "Sultan" type ..	"	2 8 7	2 13 5
Spur, slide, iron, R.M.L. 64 { (Mark IV) ..	"	0 15 7	0 17 2
pounder .. { (Mark V and VI) ..	"	1 1 3	1 3 5
Gear, winch, serpen- { 7 inch, 6½ ton and 90 cwt. tine, cogged slide, { 64 pounder (Mark III, IV, iron, R.M.L. .. { and V) ..	"	1 14 3	1 17 8
	"	1 8 0	1 10 10
Wheels, wrought-iron—			
Gear, elevating—			
Spur, carriage, iron, R.M.L.—			
Second motion { 12½ inch, small port, 37 teeth ..	"		
{ 12½ inch, 37 teeth ..	"		
{ 12 inch, 35 tons, 37 teeth ..	"		
Third motion { 12½ inch, small port, 47 teeth ..	"		
{ 12½ inch, 37 teeth ..	"		
{ 12 inch, 35 tons, 37 teeth ..	"		
Gear, retaining—			
Pawl, platform, iron, Moncrieff, R.M.L.—			
Pinion, spindle, rack retaining, 7 inch (Mark I)	"		
Shaft { Main, 9 inch (Mark II) ..	"		
{ Retaining, 9 inch (Mark II) ..	"		
Spindle, clutch pinion, 7 inch (Mark II) ..	"		
Spur, shaft, main, platform, iron, Moncrieff, R.M.L.—			
7 inch (Mark II) { Right, 40 teeth ..	"		
{ Left, 40 teeth ..	"		
Gear, running in and out—			
Sprocket, rear, slide, iron, turret, R.M.L.—			
12 inch, 35 tons ..	"		
12 inch, 25 tons { "Glatton" ..	"		
{ "Monarch" type ..	"		
10 inch ..	"		
Spur, slide, iron, R.M.L.—			
11 inch, "Téméraire" { Large ..	"	3 1 8	3 7
{ Small ..	"	2 6 7	2 11
Gear, training, spur, slide, iron, R.M.L.—			
11 inch "Téméraire" type ..	"	3 3 5	3 9
Additional—			
10 inch "Sultan" type, and "Téméraire" ..	"	1 2 0	1 4
9 inch { "Audacious," upper deck ..	"	1 2 0	1 4
{ "Lord Clyde" type ..	"	1 2 0	1 4
{ "Sultan" type, and "Raleigh" ..	"	1 0 8	1 2

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, wrought-iron, continued—		<i>£ s. d.</i>	<i>£ s. d.</i>
Gear, traversing—			
Chain, endless, platform, iron, R.M.L.—			
12½ inch—			
Casemate { Small port	each		
7 feet recoil			
6 " " " " " " " " " "			
Dwarf { "C" " " " " " " " " "			
"D" " " " " " " " " "			
12 inch, 35 tons, dwarf "C"			
Sprocket, platform, iron, R.M.L.—			
12½ inch—			
Casemate { Small port	"		
7 feet recoil			
6 " " " " " " " " " "			
Dwarf { "C" " " " " " " " " "			
"D" " " " " " " " " "			
12 inch, 35 tons, dwarf "C"			
Hand—			
Elevating, carriage, iron—			
Garrison—			
12½ inch, small port	"	3 4 8	3 11 2
R.M.L. { 12½ " " " " " " " " " "	"	3 4 8	3 11 2
12 " " 35 tons			
Moncrieff—			
R.B.L., 7 inch	"		
9 inch (Mark II)	"		
R.M.L. { 7 " (Mark I)	"		
" " (Mark II)			
¾ pr., 58 cwt.	"		
Naval—			
R.B.L. 20 pounder—			
Gun vessel	"	1 19 0	2 3 0
Upper deck, also wood, for gun vessel ..	"	1 9 8	1 12 8
Turret, R.M.L., 9 inch	"	4 13 9	5 3 2
Loading, carriage, iron, Moncrieff, R.M.L.,			
9 inch (Mark II)	"		
Large, with spindle, socket and key, wagon, sling,			
iron, heavy	"	3 10 6	3 17 7
Wheels, metal—			
Bevel, gear, lifting, carriage, iron, garrison, small			
port, R.M.L., 10 inch—			
31 teeth	"		
And pinion, 12 and 28 teeth	"		
Bevel, gear, training, slide, iron, R.M.L.—			
12 inch, 25 tons "Belleisle" type	"	10 6 2	11 6 9
11 inch, "Téméraire" type	"	3 2 0	3 8 2
"Audacious," upper deck	"	4 9 2	4 18 1
9 inch { Service	"	4 9 2	4 18 1
"Sultan" { Revolving, also "Shannon"			
type { side and revolving		4 9 2	4 18 1
Side		4 9 2	4 18 1
8 inch	"	4 9 2	4 18 1
Hand, elevating—			
Bed, R.M.L.—			
Iron, 8 inch howitzer, and carriage, iron siege,			
8 inch howitzer, and 64 pounder gun ..	"	0 19 6	1 1 5
Steel, 6.6 or 6.3 inch howitzer, also carriage, iron,			
field, 25 pounder, and siege 6.6 or 6.3 inch			
howitzer and 40 pounder	"	0 12 10	0 14 1

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, metal, continued—			
Hand, elevating—		£ s. d.	£ s. d.
Carriages, iron—			
Field—			
R.M.L.—			
25 pounder (see Bed, 6·6 or 6·3 inch how- itzer)			
16 or 9 pounder	each	0 10 11	0 12 0
7 pounder, Colonial	"	0 10 2	0 11 2
Gatling, 0·45 inch	"	0 10 8	0 11 9
Garrison, R.M.L.—			
Double plate—			
Small port { 12·5 inch	}	1 15 0	1 18 6
10 "			
11 or 12 inch, 25 tons			
10 inch { (Mark I)			
(Mark II) low	"	1 1 8	1 3 10
9 inch	"	1 9 0	1 11 11
Single plate, 11 or 12 inch, 25 tons ..	"	1 1 8	1 3 10
Mountain, for coin, R.M.L., 7 pounder—			
200 lbs., also naval, travelling	"	0 7 0	0 7 8
150 "	"	0 5 0	0 5 6
Also traversing, naval, 0·45 inch Gatling ..	"	0 8 6	0 9 4
Siege, R.M.L.—			
64 pounder and howitzer 8 inch (see Bed, 8 inch howitzer).			
40 pounder and howitzer 6·6 or 6·3 inch (see Bed, 6·6 or 6·3 inch howitzer).			
Carriage, { Field, R.M.L. 13 pounder	}	"	"
steel { Naval, travelling, R.M.L. 9 pounder ..			
Hand, screw, adjusting clutch lever, gear traversing platform, iron, R.M.L., 12·5 inch—			
Casemate { Small port	}	"	"
7 feet recoil			
Dwarf { "C"	}	"	"
"D"			
Hand—			
Training, slide, iron, gun vessel, R.B.L. 20 pounder	"	1 15 6	1 19 1
Traversing, carriages, wood, travelling, R.B.L.—			
40 pounder	"	1 3 2	1 5 6
20 "	"	1 1 0	1 3 1
12 "	"	0 11 6	0 12 8
Mitre—			
Gear, training and traversing, slide, wrought- iron, R.M.L. 9 inch, "Sultan" type, and "Raleigh"—			
Axle, eccentric	"	1 8 6	1 11 4
Spindle	"	1 3 10	1 6 3
Traversing slide, wrought-iron, R.M.L.—			
7 inch, 90 cwt.	"	0 18 11	1 0 10
64 pounder (Mark I to VI)	"	0 16 9	0 19 5
Spur, gear, elevating, carriage, iron, garrison, small port, R.M.L., 12·5 inch, 56 teeth	"		
Worm, gear elevating, carriages, iron, garrison—			
Moncrieff—			
R.B.L., 7 inch	"		
{ 9 inch (Mark II)	}	"	"
R.M.L. { 7 " { (Mark I)			
{ (Mark II)			
{ 4½ por., 58 cwt.	"		

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, metal, continued—		£ s. d.	£ s. d.
Worm, gear elevating, carriages, iron, garrison—			
Sliding, R.M.L.—			
With friction cone, and feathers—			
Cast-iron, 11 or 12 inch, 25 tons—			
Double plate { Left	each		
or Single plate { Right	"		
Wrought-iron, 10 inch—			
Small port { Left.. .. .	"		
{ Right	"		
(Mark I) { Left	"		
{ Right	"		
(Mark II) low { Left	"		
{ Right	"		
With feathers, 9 inch { Left	"		
{ Right.. .. .	"		
Worm, screw, gear, following-up, carriage, iron,			
garrison, small port, R.M.L., 12·5 inch—			
Left	"		
Right	"		
Wheels, travelling—			
1st class—			
Metal nave, carriage, iron, siege—	diam. tire.		
Also transporting, beds, R.M.L.	ft. in. in.		
8 inch, 6·6 and 6·3 inch howit-			
zers	5 0 6	16 14 6	17 12 11
R.M.L. 6·6 inch gun	6 0 6	20 18 0	22 19 10
Wood nave—			
Carriage, wood, siege	5 0 6	9 18 0	10 17 10
Cart, sling	5 6 6	11 18 0	13 1 10
Wagon, sling, wood, service	7 0 6	16 3 0	17 15 4
Wrought-iron, nave, wagon, sling,			
iron, light	7 0 6	24 0 0	26 8 0
2nd class—			
Metal, nave—			
Field—			
(Mark III), also limber, iron,			
siege, and wagon, ammu-			
nition, and store, R.A.,			
hind.	5 0 3	9 14 0	10 13 5
Field, R.M.L.—			
13 pounder	5 0 3	9 8 9	10 0 5
9 " (light)	5 0 2½	9 12 6	10 11 9
Wagon, ammunition and store,			
R.A., fore	3 4 3	8 16 0	9 13 7
Wood nave—			
Carriage—			
And limber, mortar, 10 and			
8 inch, also cart, trench and			
wagon, siege, equirota	4 2 3	5 8 0	5 18 10
Devil, spider, and timber	6 0 3	9 13 6	10 12 10
Field—			
Heavy, also cart, watering			
box, limber, wood, siege,			
and limber, wood, wagon,			
sling, iron, heavy, and			
wood, service	5 0 3	5 10 6	6 1 7

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, travelling, continued—		£ s. d.	£ s. d.
2nd Class—			
Wood nave—			
Carriage—			
Field—			
Light, also cart, coal*,			
fatigue*, shot,* Gibraltar			
large, Flanders, wagon, diam. tire.			
hind*, and carriage, ft. in. in.			
timber, medium* .. 5 0 3	each	5 8 0	5 18 10
Timber, large 10 0 4	„	21 0 0	23 2 0
Carts—			
Coal, fatigue, Gibraltar large			
and shot (see Field, light,			
wood, nave).			
Gibraltar, small 4 8 3	„	5 6 6	5 17 2
Trench (see Carriages, mortar).			
Watering box (see Field, heavy,			
wood, nave).			
Limber, wood, siege, and limber			
wagon, sling (see Field, heavy			
wood nave).			
Limber, transporting, iron plat-			
forms, and R.B.L. 7 inch,			
siege equipment 3 0 4	„	4 6 6	4 15 2
Wagons—			
Ammunition and { Fore .. 3 4 2½	„	6 1 0	6 13 1
store, R.A.† { Hind .. 5 0 2½	„	6 19 0	7 12 11
Flanders—			
Fore { Lock under 3 6 2½	„	4 18 0	5 7 10
{ Old pattern 4 2 2½	„	5 5 0	5 15 6
Hind (see Field, light, wood			
nave).			
Platform—			
Fore, also cart, duck .. 4 0 4	„	5 17 0	6 8 8
Hind 5 0 4	„	6 9 0	7 1 11
Siege, equirotal (see Carriages,			
mortar).			
Wrought-iron nave—			
Cart, ammunition, small arm .. 5 0 2½	„	8 15 0	9 12 6
Cart, transport, spring, Cavalry			
and tip, wagons, bakery, bread			
and meat, and general service,			
heavy, spring, hind 5 0 2½	„	9 10 6	10 9 7
Limber iron, sling, wagon, light	„	9 12 0	10 11 2
Wagon, general service, spring,			
heavy, bakery, and bread and			
meat, fore 3 6 2½	„	8 12 6	9 9 9
3rd class—			
Malleable cast-iron naves—			
Carts—			
Forge, Maltese and water .. 5 0 3	„	7 8 6	8 3 4
Tip, general service, also wagon,			
general service, lock under,			
hind 4 8 2½	„	7 2 6	7 16 9

* Some of the wheels in use have 2½ inch tires.

† For future manufacture the wheels will have metal naves and 3 inch tires.

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, travelling, continued—		£ s. d.	£ s. d.
3rd class—			
Malleable cast-iron naves—			
Wagons—			
Ambulance, lock under, { Fore 3 0 2½	each	5 19 6	6 11 8
pharmacy, and light { Hind 4 8 2½	"	7 1 0	7 15 0
spring or surgery { Fore 3 4 2½	"	6 7 0	6 19 8
General service, lock under { Hind (see Cart, tip, general service).			
Royal Engineer—			
Fore { 3 4 3	"	6 6 7	6 19 8
Hind { (see page 522) { 4 8 3	"	7 2 6	7 16 9
Hind, with drum, for wire wagon { 4 8 3	"	8 11 6	9 8 8
Metal nave, carriage, field—			
Gatling, 0.45 inch 4 8 2	"	6 16 0	7 9 7
R.M.L. 7 pounder, Colonial .. 5 0 3	"	7 5 6	8 0 1
Wood nave—			
Cart—			
Forage, forge, medical store, Maltese, tip R.E. and water, also field, R.B.L. 6 pounder, special 5 0 3	"	4 16 6	5 6 2
Hand, also wagon, ambulance, and general service, equirota, carriages, timber, small, also field, R.B.L. 6 pounder service, and S.B. 3 pounder .. 4 2 3	"	4 8 6	4 17 4
Low, for heavy projectiles .. 4 2 5	"	5 15 0	6 6 6
Tip, general service, also wagon, general service, lock under, and wagon, powder, hind .. 4 8 2½	"	5 6 0	5 16 7
Field, R.B.L. 6 pounder—			
Special (see Cart, forage).			
Service and S.B. 3 pounder (see Cart, hand).			
Wagon, ambulance, and general service, equirota (see Cart, hand).			
Wagon, general service, lock under, also wagon, powder { Fore 3 4 2½	"	4 10 6	4 19 6
Hind (see Cart, tip, general service).			
Wrought iron naves—			
Cart, transport, spring, Cavalry 4 8 2½	"	7 3 0	7 17 4
Wagon, ambulance, converted from light supply { Fore 3 0 2	"	6 6 0	6 18 7
Hind 4 6 2	"	6 18 0	7 11 10
Naval—			
Metal nave, carriage—			
Iron { Gatling 3 6 2½	"	5 19 0	6 10 11
R.M.L. 7 pounder, 200 lbs., steel gun .. 3 0 2	"	5 10 6	6 1 7
Steel, R.M.L. 9 pounder .. 3 6 3	"	8 18 6	9 16 4
Wood nave, carriage, R.B.L. 12 or 9 pounder, and R.M.L. 9 pounder 3 6 3	"	4 13 6	5 2 10

ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, travelling, continued—		£ s. d.	£ s. d.	£ s. d.
Special—				
Metal nave—				
Carriage, iron, mountain, R.M.L.				
7 pounder, steel gun— diam. tire.				
200 lbs., also S.B. ft. in. in.				
4½ inch howitzer 8 0 2	each	—	5 9 6	6 0 5
150 lbs. 2 6 2	"	—	5 3 6	5 13 4
Carriage, steel, moun-				
tain, R.M.L. 7 poun-				
der steel gun, 400 lbs. 3 0 2½	"	—	5 14 6	6 3 11
Drug, gun, to 25 tons,				
hind 3 0 8	"	—	16 16 0	18 9 7
Wood nave—				
China pattern 3 0 1½	"	—	2 1 0	2 5 1
Iron projectile,				
road, 38 or				
35 ton .. 2 6 1½	"	—	—	—
Powder .. 2 6 1½	"	—	1 19 0	2 2 11
Carriage, R.M.L. 7 poun-				
der, 150 lbs., steel gun,				
Gold Coast 2 6 2	"	—	2 4 0	2 8 5
Cart, chaise, or market	"	—	4 10 0	4 19 0
Limber, transporting,				
platform, traversing,				
wood 2 4 3	"	—	2 1 0	2 5 1
Wagon, sling, iron,				
heavy, 12 tons .. 8 0 10	"	—	36 0 0	39 12 0
Windlasses, cast-iron, gear, loading, car-				
riage, wrought-iron, Moncrieff, R.M.L.,				
9 inch (Mark II)	"	—		
Windlasses, wood—				
Capstan, crab	"	—	2 14 6	3 0 0
Cart or wagon, wood, sling	"	—	24 7 0	26 15 8
Wagon, iron, sling, light	"	—	25 5 0	27 15 6
Wires, priming, for life saving appa-				
 ratus	"	—	0 1 3	0 1 4
Worms, wadhook—				
R.M.L.—				
7 inch, for jointed stave	"	—	0 19 2	1 1 1
6·6 or 6·3 inch howitzer	"	—	0 5 11	0 6 8
25, 16, 13, 9 and 7 pounder, 200 lbs.				
steel gun	"	—	0 4 3	0 4 8
7 pounder { 400 lbs.	"	—	0 5 2	0 5 8
150	"	—	0 4 2	0 4 7
Large	"	—	0 7 0	0 7 8
With socket { Medium	"	—	0 6 10	0 7 6
Small	"	—	0 6 2	0 6 9
S.B. with socket—				
Large, also R.M.L. ¾ pounder, ¾ pound-				
er, 58 cwt. and 40 pounder	"	0 2 6	—	—
Medium	"	0 1 6	—	—
Small	"	0 1 2	—	—
Worms, wrought-iron, shaft, longitudi-				
nal, gear, following-up, carriage, wrought-				
iron, garrison, small port, R.M.L., 12·5				
inch—				
Left	"			
Right	"			
Worsted, white, for cartridges	lb.	0 1 6	—	—

ORDNANCE.	Rate.		
	Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wrenches, wrought-iron—		£ s. d.	£ s. d.
Bracket, elevating, R.B.L. gun, 6 inch (Mark I)..	each	—	—
Breech action, in two parts, R.B.L. gun, 6 inch (Mark II) ..	"	3 12 8	4 8 8
Breech action and spindle (a) {	R.B.L. gun, 25 { 22½ cwt. ..	" 1 5 0	1 10 6
	pounder { 13½ " ..	" 1 5 0	1 10 6
	S.B.B.L. gun, 32 pounder, 42 cwt. ..	" 1 7 6	1 13 6
Cross handled, with bar, for wood platform ..	"	0 9 2	0 10 1
Forked, platform, wood ground, siege R.M.L. 8 inch, 6'6, or 6'3 inch howitzer ..	"	0 9 9	0 10 9
Fixing—			
Elevating rack—			
No. 1 (Mark IV), with clamp and tommy complete, for 7 inch R.M.L. guns and upwards, and index plates and muzzle dericks for 9 inch R.M.L. guns and upwards	"	6 2 2	7 0 11
No. 2 (Mark II), for 64 pounder and 40 pounder R.M.L. guns, and 8 inch, and 6'3 inch R.M.L. howitzers ..	"	0 9 4	0 10 9
No. 3 (Mark I), for 25 pounder R.M.L., and 20 pounder R.B.L. guns ..	"	0 9 4	0 10 9
Turret sights ..	"	3 7 0	3 15 9
Knock up { Carriage, top, overbank, siege, R.M.L. 25, 40, and 64 pounder ..	"	0 17 8	0 19 5
General service ..	"	0 11 6	0 12 8
Pintail, 13 and 10 inch mortar bed. ..	"	0 16 0	0 17 7
Sight {	And pin, friction tube ..	" 0 4 0	0 4 8
	Land service ..	" 0 1 9	0 2 0
Spindles (b) {	R.B.L. gun, 25 pounder { 22½ cwt. ..	" 0 17 8	1 1 6
	S.B.B.L. gun, 32 pounder, 42 cwt. ..	" 0 17 8	1 1 6
Transporting, axletree band for wood slides ..	"	1 0 2	1 5 11
Trunnion stud, R.M.L. gun, 16 inch* ..	"	0 2 8	0 2 11
	"	1 17 6	2 5 9

* Land service only.

TOOLS, ORDNANCE.

TOOLS, ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.

TOOLS FOR DEEPENING HOLES FOR LONG CENTRE
HIND SIGHTS FOR 12 INCH, 11 INCH, 10 INCH
AND 9 INCH R.M.L. GUNS.

	No. to a set		£ s. d.	£ s. d.	£ s. d.
Braces, ratchet, 20 inch	1	each	1 5 0	—	—
Drills—					
22½ inch	1	„	—	0 19 1	1 2 3
16 „	1	„	—	0 15 6	0 18 1
Guides, or jigs steel.. ..	1	„	—	1 0 2	1 3 6
Machines, drilling, with chains					
complete, foresight	1	„	—	3 9 5	4 1 1
Stamps, D	1	„	0 1 8	—	—

TOOLS FOR EXAMINING RIFLED ORDNANCE.

	No. to a set		£ s. d.	£ s. d.	£ s. d.
Bits, vent—					
Armstrong	1	each	—	0 3 2	0 3 7
23 inch	1	„	—	0 1 8	0 2 0
12 „	1	„	—	0 1 0	0 1 1
Blocks, wood, for No. 1 instrument					
taking impressions of vents—					
Rifled ordnance—					
Cast-iron converted—					
80 pounder		„	—	0 2 11	0 3 5
64 „		„	—	0 2 11	0 3 5
Wrought-iron—					
12½ inch		„	—	0 9 10	0 11 6
12 „		„	—	0 9 10	0 11 6
11 „		„	—	0 9 10	0 11 6
10 „		„	—	0 8 10	0 10 3
9 „		„	—	0 8 7	0 10 0
8 „		„	—	0 8 4	0 9 8
7 „		„	—	0 4 11	0 5 8
64 pounder { (Mark I)		„	—	0 4 11	0 5 8
{ (Mark II and					
{ III)		„	—	0 4 11	0 5 8
Braces, iron, armourers (see page					
108)		„	0 4 9	—	—
Brushes, gun, pliasaba, with					
staves—					
R.B.L.—					
7 inch	1	„	—	1 1 5	1 2 2
40 pounder	1	„	—	0 14 7	0 15 2
20 „	1	„	—	0 12 0	0 12 6
12 or 9 pounder	1	„	—	0 9 4	0 9 8
6 pounder	1	„	—	0 7 7	0 7 10

TOOLS, ORDNANCE.		Rate.	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Brushes, gun, piassaba, with staves, continued—	No. to a set.	£ s. d.		£ s. d.		£ s. d.
R.M.L.—						
16 inch, in two pieces ..	1	each	—	12 3 10	13 4 5	
12·5 inch	1	"	—	2 17 9	2 19 11	
12 inch { 35 ton ..	1	"	—	2 14 1	2 15 11	
25 "	1	"	—	2 6 7	2 7 8	
11 "	1	"	—	2 2 1	2 3 2	
10 "	1	"	—	1 17 3	1 18 4	
9 "	1	"	—	1 11 0	1 11 10	
8 "	1	"	—	1 5 11	1 6 8	
8 howitzer { 70 cwt. (see	1	"	—	1 4 5	1 5 0	
46 " (page	1	"	—	1 2 2	1 2 7	
211)	1	"	—	1 2 2	1 3 0	
7 "	1	"	—			
3½ pounder, and 64	1	"	—	0 17 4	0 17 11	
pounder	1	"	—	0 14 8	0 15 0	
6·3 inch howitzer ..	1	"	—	0 13 8	0 14 2	
40 pounder	1	"	—	0 12 0	0 12 6	
25 "	1	"	—	0 9 10	0 10 2	
16 "	1	"	—	0 8 9	0 9 1	
9 "	1	"	—	0 8 1	0 8 4	
7 "	1	"	—			
Compasses (see Compasses, wing, 10 inch, page 111)		pair	0 1 9	—	—	
Gauges, breech-screw, R.B.L. (in- terrupted screw)—						
12 inch, 43 ton		each	—	3 2 0	3 12 4	
6 " 80 cwt.		"	—	1 15 10	2 1 10	
Gauges, vent—						
24 inches long, ·22, ·25, ·275 and ·3 inch diameter	4	set	—	2 2 8	2 9 9	
12 inches long, ·22, ·25, ·275, and ·3 inch diameter	4	"	—	2 0 4	2 7 1	
4 inches long, ·15, ·16, ·175 and ·2 inch diameter		"	—	2 0 4	2 7 1	
Instruments taking impres- sions—						
Of bores of rifled { No. 1 1	each	—	25 6 9	29 11 3		
ordnance, " 2 1	"	—	23 3 10	27 1 2		
without plates { Special for 16" 80 ton 1	"	—	93 12 8	109 4 9		
Of vents No. 1	1	"	—	13 14 2	15 19 10	
Lamps, tin, with rod—						
Large	1	"	—	0 4 9	0 5 6	
Small	1	"	—	0 4 3	0 5 0	
Fans, No. 1 instrument, taking im- pressions of vents—						
A, Large	1	"	—	0 9 11	0 11 7	
B, Small, for 64 pounder R.M.L., and downwards	1	"	—	0 9 5	0 11 0	
C, for 80 and 64 pounder, con- verted	1	"	—	0 8 8	0 10 1	
Plates for instruments taking im- pressions of bores of rifled guns—						
16 inch	1	"	—	3 14 4	4 6 9	
12·5 inch	1	"	—	2 11 6	3 0 1	
12 inch	1	"	—	2 10 6	2 18 11	
11 "	1	"	—	2 10 6	2 18 11	
10 "	1	"	—	2 6 4	2 14 1	
9 "	1	"	—	2 5 4	2 12 10	
8 " or 8 inch howitzer ..	1	"	—	2 0 2	2 6 10	

TOOLS, ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plates for Instruments taking im- pressions of bores of rifled guns, No. to continued—		<i>£ s. d.</i>	<i>£ s. d.</i>	<i>£ s. d.</i>
7 inch 1 <i>a set</i>	each	—	1 16 6	2 2 7
80 pounder and 64 pounder con-				
verted 1	"	—	1 18 0	2 4 4
64 pounder or 6·3 inch howitzer..	"	—	2 0 2	2 6 10
40 pounder* 1	"	—	1 1 0	1 4 6
25, 20, or 16 pounder 1	"	—	1 5 0	1 9 2
12, 9, and 7 " 1	"	—	1 2 6	1 6 3
6 pounder* " 1	"	—	0 17 0	0 19 10
Pots, softening gutta percha .. 1	"	—	1 14 6	2 0 3
Prickers—				
Common, with pan 1	"	—	0 6 3	0 7 3
With blunted point.. .. . 1	"	—	0 5 8	0 6 7
Rimers, vent—				
22 inch 1	"	—	0 6 4	0 7 5
15 " 1	"	—	0 6 3	0 7 5
Scales, diagonal, brass, 12 inch (see page 99) 1	"	0 4 6	—	—
Scrapers, gun, vent, half round—				
24 inch 1	"	—	0 2 0	0 2 4
14 " 1	"	—	0 1 6	0 1 9
Straight edge, testing breech screws and vent pieces (see page 402) .. 1	"	—	0 13 6	0 15 6
Swords, old 1	"	—	0 0 10	—

TOOLS FOR EXAMINING SMOOTH BORE ORDNANCE.

	No. to a set.				
Bits, vent, 12 inch (see page 197)	1	each	—	0 1 0	0 1 1
Blocks, wood, for No. 1 instrument taking impressions of vents—					
Smooth bore ordnance—					
Gun—					
10 inch (and mortar) ..		"	—	0 3 4	0 3 11
8 " (") ..		"	—	0 2 11	0 3 5
68 pounder		"	—	0 3 4	0 3 11
32 "		"	—	0 2 11	0 3 5
24 "		"	—	0 2 11	0 3 5
18 "		"	—	0 2 11	0 3 5
Mortar, 13 inch		"	—	0 3 4	0 3 11
Braces, iron, armourers (see p. 108)	1	"	0 4 9	—	—
Brushes, gun, with staves—					
Hard, round—					
10 inch	1	"	1 12 6	—	—
68 pounder and 8 inch ..	1	"	1 2 0	—	—
56 pounder	1	"	0 18 0	—	—
42 pounder	1	"	0 14 9	—	—
32 "	1	"	0 12 0	—	—
24 "	1	"	0 11 0	—	—
18 "	1	"	0 10 6	—	—
12 "	1	"	0 10 0	—	—
9 "	1	"	0 9 0	—	—
6 "	1	"	0 7 6	—	—
3 "	1	"	0 4 6	—	—

* Part of the instrument.

Section V.

445

TOOLS, ORDNANCE.	No. to a set	Per	Rate.		
			Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Brushes, soft, or Turk's head—			£ s. d.	£ s. d.	£ s. d.
Large (see page 212).	1	each	0 2 9	—	—
Small	1	"	0 2 6	—	—
Drills, vent, 15 inch..	1	"	—	0 4 5	0 5 2
Gauges, vent (set of 4), short	4	set	—	2 0 4	2 7 1
Instruments, taking impressions of vents, No. 1 (see page 443)	1	each	—	13 14 2	15 19 10
Knives, cleaning ordnance (pairs)—					
10 inch	1 pair	"	—	0 7 8	0 8 7
8 " or 68 pounder	"	"	—	0 7 4	0 8 3
56 pounder	"	"	—	0 7 3	0 8 2
42 pounder	"	"	—	0 5 9	0 6 8
32 "	"	"	—	0 5 9	0 6 8
24 "	"	"	—	0 5 9	0 6 8
18 "	"	"	—	0 5 9	0 6 8
12 "	"	"	—	0 3 9	0 4 3
9 "	"	"	—	0 3 9	0 4 3
6 "	"	"	—	0 3 9	0 4 3
3 "	"	"	—	0 3 9	0 4 3
Lamps, tin, with rod, large	1	"	—	0 4 9	0 5 6
Pans, No. 1 instrument, taking im- pression of vents, A large	1	"	—	0 9 11	0 11 7
Pots, softening gutta percha	1	"	—	1 14 6	2 0 3
Prickers, with staves, common—					
With pan	1*	"	—	0 6 3	0 7 3
Without pan	1	"	—	0 5 8	0 6 7
Rimers, vent, 15 inch	1	"	—	0 6 3	0 7 3
Scales, diagonal, brass, 12 inch (see page 99)	1	"	0 4 6	—	—
Scrapers, with staves—					
Balloon { Large	1	"	—	0 16 11	0 19 9
Medium	1	"	—	0 16 8	0 19 5
Small	1	"	—	0 16 5	0 19 2
Fore, right	1	"	—	0 7 10	0 9 2
Half round	1	"	—	0 8 6	0 9 11
Scrapers, vent—					
Half round	1	"	—	0 2 0	0 2 4
Spring	1	"	—	0 2 0	0 2 4
Screws, for fixing knives, clean- ing ordnance	1	"	—	0 0 5	0 0 6
Searchers, spring—					
8 prong, 10 inch to 32 pounder ..	1	"	—	5 11 10	6 0 6
6 " 24 and 18 " ..	1	"	—	4 13 9	5 9 5
4 " 12 to 6 " ..	1	"	—	3 5 11	3 16 11
Springs for knives—					
10 inch, 8 inch, and 56 pounder ..	1	"	—	0 19 3	1 2 6
42 pounder and 32 pounder ..	1	"	—	0 19 0	1 2 2
24 " " 18 " ..	1	"	—	0 18 9	1 1 11
12 " " 9 " ..	1	"	—	0 18 6	1 1 8
6 " " " ..	1	"	—	0 18 3	1 1 4
3 " " " ..	1	"	—	0 18 0	1 1 0
Swords, old (see page 444)	1	"	—	0 0 10	—
Tongs, for grinding knives	1	"	—	0 8 3	0 9 7
Tool for grinding searcher points	1	"	—	0 8 11	0 10 5
Wrench, for knives	1	"	—	0 9 0	0 10 6

* For the 3 pounder the common pricker is used.

TOOLS, ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.

TOOLS, PAINTING AND LACQUERING ORDNANCE.

	No. to a set.		£ s. d.	£ s. d.	£ s. d.
Brushes, paint—					
Ground, 000	(see page 108) { 1	doz.	1 5 4	—	—
Unground, 000	{ 1	"	1 2 10	—	—
Sash tool, No. 8	{ 108	"	0 6 3	—	—
Brushes, gun—					
Pinsaba, for R.M.L. and R.B.L. guns (see Tools, examining, rifled ordnance).					
Hard, round.. ..					
Knives, cleaning, ordnance,					
pairs					
Lamp, tin, with rod..					
Scrapers—					
With staves					
Vent					
Screws, for fixing knives					
Springs, for knives					
Swords, old					
Wrench, for knives					
Sockets, spring, with stave, deal, for holding brushes—					
No. 1, for end of bore	1	each	—	0 16 11	0 19 9
" 2, for all S.B. guns, 40 pounder to 7 inch R.B.L., and 40 pounder to 10 inch R.M.L.	1	"	—	0 12 0	0 14 0
No. 2 A, 11 inch and upwards ..	1	"	—	1 0 0	1 3 4
" 3, 20 pounder and under R.B.L., and 25 pounder and under R.M.L.	1	"	—	0 10 5	0 12 2

TOOLS, FACING, B.L. SCREW GUNS.

7 INCH.

	letter				
Set, complete—					
With case, hinges, hasp, and padlock, with 2 keys	set	—	20 0 5	22 9 1	
Without case	"	—	17 19 10	20 4 7	
Blocks, breech, bush, iron—					
Cutting out, boring, facing, tapering, and angle facing	G	each	—	3 16 2	4 4 3
Screwing in, and rough boring ..	F 1	"	—	1 15 3	1 19 4
Blocks, vent piece, angle, facing ..	K	"	—	2 3 0	2 8 1
Guards, wood, for vent piece	O	"	—	0 6 5	0 7 2
Guides in—					
Breech screw	C	set of 2	—	1 5 9	1 8 2
Powder chamber	D 1	each	—	2 1 4	2 6 2
Handle to hold blocks in vent chamber	P	"	—	0 4 10	0 5 3
Knives, cutting out, iron bush—					
Thick iron	E 2	set of 2	—	0 19 9	1 3 0
Thin	E 1	"	—	0 19 9	1 3 0
Lever	B	each	—	1 2 3	1 5 0
Punches for pin, in spindle		"	—	0 1 3	0 1 5
Spanners for stop washer	M	"	—	0 6 10	0 7 8
Spindles	A	"	—	2 1 6	2 7 9
Washers, stop	J	set of 2	—	0 15 9	0 17 8

447

TOOLS, ORDNANCE.		Rate.					
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
10 POUNDER.							
Set, complete—	letter						
With case, hinges, hasp, and pad- lock, with 2 keys	set	—		£ 15 0 4	£ 16 15 8		
Without case	"	—		13 7 10	14 19 11		
Blocks, breech, bush, copper—							
Angle, facing G	each	—		1 8 9	1 13 2		
Cutting out D	"	—		1 2 9	1 5 5		
Finish boring { 4 91 inch diameter F 1	"	—		1 6 0	1 9 0		
{ 4 96 " " F 2	"	—		1 6 0	1 9 0		
Screwing in E	"	—		0 16 3	0 18 2		
Upsetting M	"	—		1 0 4	1 2 9		
Blocks, vent piece, ring, angle,							
facing H	"	—		2 3 9	2 9 0		
Collar for feed motion B	"	—		0 2 11	0 3 3		
Guides in—							
Breech screws A	"	—		0 6 3	0 7 0		
Powder chamber C	"	—		1 8 0	1 11 4		
Guides, wood, block, upsetting, two							
parts N	"	—		0 1 8	0 1 10		
Handle to hold blocks in vent							
chamber P	"	—		0 4 11	0 5 6		
Lever J	"	—		0 10 6	0 11 9		
Punches for—							
Knives, in block K	"	—		0 1 0	0 1 2		
Pin, in spindle L	"	—		0 1 0	0 1 2		
Spanners, for stop washer R	"	—		0 5 10	0 6 7		
Spindles I	"	—		0 16 9	0 18 2		
Washers—							
Feed O	"	—		0 2 7	0 2 10		
Stop Q	"	—		0 2 7	0 2 10		
20 POUNDER.							
Set complete—							
With case, hinges, hasp and pad- lock, with 2 keys	set	—		£ 11 18 10	£ 13 6 10		
Without case	"	—		10 12 3	11 17 8		
Blocks, breech, bush, copper—							
Angle facing K	each	—		1 2 0	1 4 7		
Finish boring { 3 875 diameter .. I 1	"	—		0 17 3	0 19 3		
{ 3 94 " " .. I 2	"	—		0 17 3	0 19 3		
Screwing in G	"	—		0 14 3	0 16 0		
Upsetting M	"	—		0 13 1	0 14 8		
Blocks, vent piece, ring, angle							
facing L	"	—		1 8 9	1 13 2		
Guard, wood, for vent piece .. P	"	—		0 1 9	0 2 0		
Guides in—							
Breech screw C	set of 2	—		0 8 11	0 10 0		
Powderchamber { 3 875 diameter .. D I	each	—		0 6 8	0 7 6		
{ 3 95 " " .. D 2	"	—		0 6 8	0 7 6		
Guides, wood, block, upsetting, 2							
parts Q	"	—		0 1 5	0 1 7		
Key, for fixing knives N	"	—		0 0 10	0 0 11		
Knives, breech, bush, copper—							
Cutting out F	"	—		0 9 0	0 10 0		
Facing J & J 1	"	—		0 18 0	1 0 0		
Rough boring H	"	—		0 9 0	0 10 0		
Lever B	"	—		0 9 9	0 10 11		
Punches, for pin, in spindle .. R	"	—		0 1 0	0 1 2		
Spanners, for stop washer .. O	"	—		0 5 10	0 6 7		
Spindles A	"	—		0 15 6	0 16 9		
Washers, stop E	set of 2	—		0 5 4	0 5 10		

TOOLS, ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
12 or 9 POUNDER.				
		£ s. d.	£ s. d.	£ s. d.
Set, complete— letter				
With case, hinges, hasp, and pad- lock, with 2 keys	—	set	11 1 7	12 7 8
Without case	—	"	9 14 8	10 18 2
Blocks, breech bush, copper—				
Angle facing I	each	—	0 16 0	0 17 10
Finish boring { 3·125 diameter .. F 1	"	—	0 13 9	0 15 5
{ 3·2 F 2	"	—	0 13 9	0 15 5
Screwing in D	"	—	0 11 6	0 13 0
Upsetting C	"	—	0 11 3	0 12 9
Blocks, vent piece, ring, angle				
facing J	"	—	1 4 11	1 8 0
Guards, wood, for vent piece .. S	"	—	0 1 6	0 1 9
Guldes in—				
Breech Screw M	set of 2	—	0 11 3	0 12 7
Powder chamber { 3·125 diameter N 1	each	—	0 5 7	0 6 2
{ 3·2 N 2	"	—	0 5 7	0 6 2
Guldes, wood, block, upsetting, 2				
parts R	"	—	0 2 4	0 2 7
Key, for fixing knives O	"	—	0 0 10	0 0 11
Knives, breech bush, copper—				
Cutting out K	"	—	0 8 11	0 10 0
Facing G & G 1	"	—	0 17 10	1 0 0
Rough boring E	"	—	0 8 11	0 10 0
Lever B	"	—	0 10 2	0 11 5
Punches, for pin in spindle .. P	"	—	0 1 0	0 1 2
Spanners, for stop washer .. Q	"	—	0 6 10	0 7 6
Spindles A	"	—	0 17 5	0 19 6
Washers, stop L	set of 2	—	0 5 1	0 5 10
6 POUNDER.				
Set, complete—				
With case, hinges, hasp, and pad- lock, with 2 keys	—	set	9 6 2	10 8 7
Without case	—	"	8 4 3	9 4 6
Blocks, breech bush, copper—				
Angle facing L	each	—	0 15 8	0 17 6
Finish boring K	"	—	0 12 6	0 14 0
Screwing in H	"	—	0 9 4	0 10 6
Upsetting I	"	—	0 10 8	0 12 0
Blocks, vent piece, ring, angle				
facing N	"	—	1 3 8	1 7 4
Guards, wood, for vent piece .. Q	"	—	0 1 5	0 1 7
Guldes in—				
Breech screw D	set of 2	—	0 9 8	0 10 10
Powder chamber E	each	—	0 4 10	0 5 4
Guldes, wood (block, upsetting),				
2 parts O	"	—	0 0 10	0 0 11
Key, for fixing knives F	"	—	0 0 11	0 1 0
Knives, breech bush, copper—				
Cutting out G	"	—	0 8 9	0 9 9
Facing M & M 1	"	—	0 17 6	0 19 6
Rough boring J	"	—	0 8 9	0 9 9
Lever B	"	—	0 11 6	0 13 0
Punches, for pin in spindle .. R	"	—	0 0 10	0 0 11
Spanners, for stop washer .. P	"	—	0 6 10	0 7 8
Spindles A	"	—	0 15 3	0 17 1
Washers, stop C	"	—	0 5 4	0 5 10

TOOLS, ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.

TOOLS, RECOPPER, R.B.L. (INTERRUPTED SCREW) GUNS.

6 INCH (MARK I).					£	s.	d.	£	s.	d.	£	s.	d.
Set, complete, with case, hinges, hasp, and padlock, with two keys	No. to	set	—		52	13	6	53	14	1			
Cases, complete, with hinges, hasp, a set. padlock, and two keys	1	each	—		6	3	6	7	4	1			
Blocks—													
Guide, with pinion shaft, wheel, and two spindles	1	"											
No. 1, with 2 knives	1	"											
No. 2, in 3 parts	1	"											
No. 3	1	"											
No. 4	1	"											
No. 5	1	"											
No. 6	1	"											
Drifts	1	"											
Knives, spare, for No. 1 block	2	"											
Pinions, with handle	1	"											
Spanners	1	"											
Spindles, block, No. 3, with lever	1	"											
Tommies	1	"											
6 INCH (MARK II).													
Set, complete, with case, hinges, hasp and padlock, with two keys	No. to	set	—		64	8	8	75	3	7			
Cases, complete, with hinges, hasp, a set. padlock, and two keys	1	each	—		6	3	6	7	4	1			
Blocks—													
Guide, with pinion shaft, wheel, and two spindles	1	"	—		20	14	9	24	3	10			
No. 1, with 2 knives	1	"	—		5	1	9	5	18	8			
No. 2, in 3 parts	1	"	—		4	6	5	5	0	10			
No. 3	1	"	—		5	16	0	6	15	4			
No. 4	1	"	—		4	15	10	5	11	10			
No. 5	1	"	—		4	15	10	5	11	10			
No. 6	1	"	—		4	17	4	5	13	7			
Drifts	1	"	—		1	0	0	1	3	4			
Knives, spare, for No. 1 block	2	"	—		0	10	9	0	12	7			
Pinions, with handle	1	"	—		3	9	6	4	1	1			
Spanners	1	"	—		0	18	2	1	1	3			
Spindles, block, No. 3, with lever	1	"	—		1	6	8	1	11	1			
Tommies	1	"	—		0	1	5	0	1	8			
25 POUNDER, 22½ CWT.													
Set, complete, with case, hinges, hasp, and padlock, with two keys	No. to	set	—		52	2	3	60	17	1			
Cases, complete, with hinges, hasp, a set. padlock, and two keys	1	each	—		6	3	6	7	4	1			
Blocks—													
Guide, with pinion shaft, wheel, and two spindles	1	"	—		16	7	0	19	1	6			
No. 1, with 2 knives	1	"	—		3	13	5	4	5	8			
No. 2, in 3 parts	1	"	—		2	17	3	3	6	10			
No. 3	1	"	—		4	16	1	5	12	1			
No. 4	1	"	—		3	14	7	4	7	0			
No. 5	1	"	—		3	14	7	4	7	0			
No. 6	1	"	—		3	16	7	4	9	4			
(V.S.)								2	F				

Section V.

TOOLS, ORDNANCE.		Per	Rate.			
			Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
25 POUNDER, 22½ CWT., contd.—	No. to a set.		£ s. d.	£ s. d.	£ s. d.	
Drifts	1	each	—	0 15 5	0 18 0	
Knives, spare, for No. 1 block ..	2	"	—	0 10 11	0 12 10	
Pinions, with handle	1	"	—	2 19 2	3 9 0	
Spanners	1	"	—	0 16 8	0 19 5	
Spindles, block, No. 3, with lever ..	1	"	—	1 4 9	1 8 10	
Tommies	1	"	—	0 1 5	0 1 8	
25 POUNDER, 13½ CWT.						
Set, complete, with case, hinges, hasp, and padlock, with two keys ..	No. to a set.	set	—	52 2 3	60 17 1	
Cases, complete, with hinges, hasp, padlock, and two keys	1	each	—	6 3 6	7 4 1	
Blocks—						
Guide, with pinion, shaft, wheel, and two spindles	1	"	—	16 7 0	19 1 6	
No. 1, with 2 knives	1	"	—	3 13 5	4 5 8	
No. 2, in 3 parts	1	"	—	2 17 3	3 6 10	
No. 3	1	"	—	4 16 1	5 12 1	
No. 4	1	"	—	3 14 7	4 7 0	
No. 5	1	"	—	3 14 7	4 7 0	
No. 6	1	"	—	3 16 7	4 9 4	
Drifts	1	"	—	0 15 5	0 18 0	
Knives, spare, for No. 1 block ..	2	"	—	0 10 11	0 12 10	
Pinions, with handle	1	"	—	2 19 2	3 9 0	
Spanners	1	"	—	0 16 8	0 19 5	
Spindles, block, No. 3, with lever ..	1	"	—	1 4 9	1 8 10	
Tommies	1	"	—	0 1 5	0 1 8	

TOOLS, REPAIRING ORDNANCE.

	No. to a set.				
Braces, ratchet, 9 inch (see page 108)	1	each	0 7 0	—	—
Drills, brace, ratchet, 9 inch set (viz., ¼, ⅜, ½, ⅞, 1, 1½, 2, 2½, 3, 3½, 4, 1 inch) (see page 112) ..	13	"	0 0 7½	—	—
Drifts, square, set (viz., ¼, ½, ¾, 1, 1½, 2, 2½, 3, 3½, 4, 1 inch)	7	"	—	—	—
Files—					
Fish backed—					
Bastard { 14 inch	1	"	—	—	—
{ 12 "	1	"	—	—	—
Smooth { 14 inch	1	"	—	—	—
{ 12 "	1	"	—	—	—
Round, taper, set (viz., ¼, ½, ¾, 1 inch)	3	set	—	—	—
Machine, hand, rifling, complete with two files—					
R.B.L. guns—					
7 inch	(see page 299)	each	—	3 7 9	3 15 10
40 pounder		"	—	2 19 1	3 6 1
20 "		"	—	2 15 8	3 12 4
12 or 9 pounder		"	—	2 14 7	3 1 2
6 pounder		"	—	2 14 7	3 1 2

TOOLS, ORDNANCE.		Per	Rate.		
			Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Machine, hand, rifling, complete with two files, <i>continued</i> —	No. to a set.		£ s. d.	£ s. d.	£ s. d.
R.M.L. guns—					
12½ inch	1	each	—	12 16 9	14 16 9
11 "	1	"	—	11 5 9	13 1 0
10 "	1	"	—	10 4 0	11 15 9
9 "	1	"	—	9 12 3	11 2 3
7 "	1	"	—	9 0 5	10 8 7
64 pounder or 80 pounder converted	1	"	—	6 13 10	7 10 0
Post, drill, for ratchet brace, 20 inches high, with chain	1	"	—	5 8 10	6 7 0
Rimer, drop, sight, socket	1	"	—	0 18 7	1 1 8
Set steel, for tightening sight sockets	1	"	—	0 6 1	0 7 1
Spanner, box, foresight, 64 pounder, 58 cwt.	1	"	—	0 3 3	0 3 10
Taps and dies, Whitworth, set complete ¼ inch to 1½ inch (see page 103)	1	"	20 0 0	—	—

TOOLS, SIGHTING SMOOTH BORE GUNS.

Battens, wood—					
Inside { Large	1	each	—	1 7 5	1 12 0
Small	1	"	—	1 5 11	1 10 3
Outside { Large	1	"	—	0 13 7	0 15 10
Small	1	"	—	0 10 4	0 12 1
Braces, iron—					
Armourers (see page 108)	1	"	0 4 9	—	—
Drilling, hand { Medium	1	"	—	0 15 9	0 18 5
Small	1	"	—	0 15 3	0 17 10
Case, wood, spirit level	1	"	—	0 18 6	1 1 7
Chisels—					
Hand, flat	2	set	—	0 3 7	0 4 2
Gravers	6	"	—	0 11 4	0 13 3
Drills, fixing screws—					
Carronade	3	each	—	0 3 10	0 4 6
Gun	3	"	—	0 3 10	0 4 6
Hammers, hand, small	1	"	—	0 2 6	0 2 10
Levels—					
Spirit { Angular	1	"	—	2 10 6	2 19 0
With bar	1	"	—	4 10 9	5 5 10
Steel, for battens	1	"	—	2 10 4	2 18 10
Wood, for trunnions { Large	1	"	—	1 5 7	1 9 10
Small	1	"	—	1 2 9	1 6 6
Machines, drilling, with chains, complete—					
Fore sight	1	"	—	3 9 5	4 1 0
Hind sight	1	"	—	9 18 10	11 12 0
Plummets—					
Brass	2	set	—	0 12 2	0 14 2
Lead	1	each	—	0 5 4	0 6 3
Punches, steel—					
Centre	1	"	—	0 3 6	0 4 1
Lead	1	"	—	0 2 8	0 3 1
Scribers	1	"	—	0 1 1	0 1 3
Sets, V, steel	1	"	—	0 14 1	0 16 5
Squares, T, steel	1	"	—	2 10 4	2 18 10
				2 F 2	

TOOLS, ORDNANCE.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
	No. to a set.				
Taps, fixing, screws—					
Carronade	3	each	—	£ s. d. 0 7 0	£ s. d. 0 8 2
Gun	3	"	—	0 7 0	0 8 2
Wrenches—					
Socket	1	"	—	0 15 3	0 17 9
Tap	1	"	—	0 11 2	0 13 0

TOOLS, SPECIAL, FOR B.L. SCREW GUNS, LAND SERVICE.

Chests, with lock and key—					
Complete	1	each	—	5 8 9½	5 12 1½
Empty	1	"	—	1 13 0	1 16 4
Braces, ratchet, 9 inch (see page 108)	1	"	0 7 0	—	—
Cans, lubricating, smiths (see page 109)	1	"	0 0 9½	—	—
Chisels, crosscut—					
18 inch	1	"	0 1 6	—	—
7 " (see page 109)	1	"	0 0 4½	—	—
Drifts, upsetting—					
7 inch to 40 pounder	1	"	0 1 1	—	—
20 pounder	1	"	0 1 0	—	—
12, 9 and 6 pounder	1	"	0 0 11	—	—
Drills, steel, ratchet, brace—					
No. 1	1	"	0 0 7½	—	—
" 2	1	"	0 0 7½	—	—
" 3	1	"	0 0 7½	—	—
" 4	1	"	0 0 7½	—	—
" 5	1	"	0 0 7½	—	—
" 6	1	"	0 0 7½	—	—
" 7	1	"	0 0 7½	—	—
" 8	1	"	0 0 7½	—	—
" 9	1	"	0 0 7½	—	—
" 10	1	"	0 0 7½	—	—
" 11	1	"	0 0 7½	—	—
Drivers, screw—					
Bent	1	"	0 2 6	—	—
5 inch	1	"	0 1 1	—	—
Files, bastard—					
Feather edge, 6 inch	1	doz.	0 4 3	—	—
Flat, taper { 10 " (see page 112) 6	6	"	0 5 3	—	—
{ 8 " 4	4	"	0 3 8	—	—
Half round { 10 " 4	4	"	0 5 3	—	—
{ 6 " 1	1	"	0 2 5½	—	—
{ 9 " 1	1	"	0 7 7	—	—
Knife .. { 8 " 1	1	"	0 6 4	—	—
{ 6 " 3	3	"	0 4 3	—	—
Parallel, 2 safe sides, 6 inch	1	"	0 3 8	—	—
Round { 12 inch (see page 113) 2	2	"	0 7 7	—	—
{ 8 " 2	2	"	0 3 8	—	—
{ 6 " 1	1	"	0 2 5½	—	—
{ 5 " 1	1	"	0 2 0	—	—
Safe edge or { 12 inch 1	1	"	0 8 9	—	—
hand { 10 " 1	1	"	0 6 4	—	—
Square { 10 inch 2	2	"	0 5 3	—	—
{ 8 " 1	1	"	0 3 8	—	—
Warding { 5 inch (see page 114) 2	2	"	0 2 0	—	—
{ 3½ " cut on one side (see page 114) 2	2	"	0 1 8	—	—

TOOLS, ORDNANCE.			Rate.			No. 1 Balance Sheet.	No. 2 Balance Sheet.
			Per	Contract.			
	No. to a set				£ s. d.	£ s. d.	£ s. d.
Files, second cut—							
Safe edge, 8 inch (see page 116) ..	1	doz.			0 4 9	—	—
Square taper, { 8 inch } (see page {	1	"			0 4 9	—	—
one safeside { 6 " } 115)	1	"			0 3 5	—	—
Files, smooth—							
Half round { 8 inch } ..	1	"			0 4 9	—	—
" { 6 " } ..	1	"			0 3 4	—	—
" { 4 " } ..	1	"			0 2 4½	—	—
Knife, 6 inch { (see page 117) {	3	"			0 5 5	—	—
" { 12 inch } ..	1	"			0 10 6	—	—
Safe edge { 10 " } ..	1	"			0 8 1	—	—
" { 8 " } ..	1	"			0 5 5	—	—
" { 4 " } (see page 118)	1	"			0 2 8	—	—
Hammers, handled, fitters, 8 oz. (see page 119)	1	each			0 0 8	—	—
Handles, file—							
Large..	3	"			0 0 1	—	—
Middling	3	"			0 0 1	—	—
Small..	3	"			0 0 1	—	—
Punches—							
Brass { 7 inch	1	"			0 1 4	—	—
" { 6 "	1	"			0 1 4	—	—
Copper, 5½ inch × ¾ inch	1	"			0 1 7	—	—
" Centre	1	"			0 0 11	—	—
" 13 inch	1	"			0 2 1	—	—
- Steel { 7 "	1	"			0 1 10	—	—
" { 6 "	1	"			0 1 10	—	—
" { 4 "	1	"			0 1 10	—	—
Spanners—							
Double-ended for sights	1	"			0 1 11	—	—
M'Mahon's, 9 inch (see page 128)..	1	"			0 3 2	—	—
Tommyes, steel—							
Forked	1	"			0 0 5½	—	—
Plain	1	"			0 0 3½	—	—

TOOLS, SPECIAL, FOR B.L. SCREW GUNS, SEA SERVICE.

Chests, with lock and keys—							
Complete	1	each			—	3 4 11	3 8 8
Empty	1	"			—	1 17 5	2 1 2
Cans, lubricating, smith's (see page 109)	1	"			0 0 9½	—	—
Chisels, cross cut, 18 inch} (see page {	2	"			0 1 6	—	—
Drivers, screw, bent } 452) {	1	"			0 2 6	—	—
Files—							
Bastard, knife, 6 inch (see page 113)	4	doz.			0 4 3	—	—
Second cut, one { 8 inch { (see {	1	"			0 4 9	—	—
safe side, square, } 6 " { page {	1	"			0 3 5	—	—
taper } 115)	1	"			0 5 5	—	—
Smooth knife, 6 inch (see page 117)	3	"			—	—	—
Handles, file—							
Middling	1	each			0 0 1	—	—
Small..	3	"			0 0 1	—	—
Punches, steel—							
13 inch	1	"			0 2 1	—	—
7 "	1	"			0 1 10	—	—
6 "	1	"			0 1 10	—	—
4 "	1	"			0 1 10	—	—
Wrenches, with pins for elevating patches	1	"			0 9 1	—	—

TOOLS, ORDNANCE.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.

TOOLS, VENTING, ORDNANCE.

Bars, iron, with spring and metal collar—	No. to a set.		£	s.	d.	£	s.	d.	£	s.	d.
Large, No. I	1	each	—			4	12	8	5	8	8
Small in 2 pieces, No. II ..	1	"	—			4	2	2	4	15	10
Blocks, wood—											
For No. 1 instrument, taking impressions of vents—											
Cast-iron, smooth bore ordnance—											
Guns—											
18 pounder	1	"	—			0	2	11	0	3	5
24 "	1	"	—			0	2	11	0	3	5
32 "	1	"	—			0	2	11	0	3	5
68 "	1	"	—			0	3	4	0	3	11
8 inch and mortar ..	1	"	—			0	2	11	0	3	5
10 "	1	"	—			0	3	4	0	3	11
Mortar, 13 inch	1	"	—			0	3	4	0	3	11
Wrought-iron rifled ordnance—											
Guns—											
64 pounder, Mark I ..	1	"	—			0	4	11	0	5	8
64 pounder, Mark II, III	1	"	—			0	4	11	0	5	8
7 inch	1	"	—			0	4	11	0	5	8
8 "	1	"	—			0	8	4	0	9	8
9 "	1	"	—			0	8	7	0	10	0
10 "	1	"	—			0	8	10	0	10	3
11 "	1	"	—			0	9	10	0	11	6
12 "	1	"	—			0	9	10	0	11	6
12.5 "	1	"	—			0	9	10	0	11	6
Cast-iron, { 64 pounder ..	1	"	—			0	2	11	0	3	5
converted { 80 " ..	1	"	—			0	2	11	0	3	5
For No. 2 instrument, taking impressions of vents—											
Guns { 25 pounder ..	1	"	—			0	7	8	0	8	11
{ 40 " ..	1	"	—			0	8	7	0	10	0
{ 64 " (Mark III)	1	"	—			0	8	10	0	10	3
Howitzers, { 6.3 inch ..	1	"	—			0	8	8	0	10	1
wrought- { 6.6 " ..	1	"	—			0	8	8	0	10	1
iron .. { 8 inch { 46 cwt.	1	"	—			0	8	10	0	10	3
{ 70 " ..	1	"	—			0	10	3	0	12	0
R.M.L. 16 pounder, 12 cwt. ..	1	"	—			0	6	3	0	7	3
Expanding pairs, con- { 64 pounder	1	"	—			5	18	10	6	18	7
verted guns .. { 80 " ..	1	"	—			5	18	10	6	18	7
Stop for vent, con- { 64 " ..	1	"	—			3	9	0	4	0	6
verted guns .. { 80 " ..	1	"	—			3	9	0	4	0	6
4 inch, for 2 inch rope, for											
cast-iron converted guns, { Double		"	0	10	6	—			—		
64 and 80 pounder .. } Treble		"	0	13	6	—			—		
Braces—											
Armourers (see page 108) ..	1	"	0	4	9	—			—		
Drilling, large	1	"	—			1	18	1	2	4	5
Ratchet { 20 inch	1	"	—			—			—		
{ 12 " (see page 108)	1	"	0	10	3	—			—		
Brushes, gun, soft, small—											
With stave { in 1 length ..	1	"	—			0	6	6	0	7	4
{ in 2 lengths ..	1	"	—			0	15	1	0	17	7
Burnishers, spare	3	set	—			0	16	2	0	18	10

TOOLS, ORDNANCE.		Per	Rate.		
			Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
	No. to		£ s. d.	£ s. d.	£ s. d.
Chests—					
For tools, venting, siege train & set.					
ordnance	1	each	—	8 14 6	10 3 7
For vents for ditto	1	"	—	4 5 0	4 19 2
Chisels—					
Hand, flat	5	set	—	0 8 11	0 10 4
" gouge	1	each	—	0 1 9	0 2 0
" gravers	3	set	—	0 5 8	0 6 10
Collars, cast-iron, for muzzles of ordnance—					
Guns, cast-iron—					
68 pounder and 8 inch gun, 8 inch mortar, and 8 inch wrought-iron gun	1	each	—	0 18 0	1 1 0
32 pounder	1	"	—	0 16 4	0 19 0
24 "	1	"	—	0 16 4	0 19 0
12 "	1	"	—	0 15 0	0 17 6
18 "	1	"	—	0 15 0	0 17 6
Guns, wrought-iron and steel—					
7 and 9 pounder	1	"	—	0 12 0	0 13 6
16 pounder	1	"	—	0 12 0	0 13 6
25 "	1	"	—	0 13 0	0 14 8
40 "	1	"	—	0 14 0	0 15 9
6½ " or 6½ inch howitzer	1	"	—	0 15 0	0 16 9
7 inch	1	"	—	0 15 0	0 16 9
9 "	1	"	—	0 18 0	1 0 3
10 " and 10 inch cast-iron gun and mortar	1	"	—	1 5 0	1 9 2
11 inch	1	"	—	1 3 0	1 5 9
12 "	1	"	—	1 5 0	1 8 0
12½ "	1	"	—	1 5 0	1 8 0
Howitzers, wrought-iron, 8 inch	1	"	—	0 16 0	0 18 0
Mortar, cast-iron, 13 inch	1	"	—	1 10 0	1 15 0
Collars, polystepped for muzzles of ordnance*					
No. 1, 9 inch to 13 inch for No. 1 bar	3	set	—	4 10 0	5 5 0
No. 2, 12 pounder to 68 pounder, S.B., and 6½ pounder to 8 inch R.M.L. for No. 1 bar	3	"	—	3 13 6	4 5 9
No. 3, 7 pounder to 8 inch, for No. 2 bar	3	"	—	3 0 0	3 9 0
Cutters, for metal heads—					
For No. 1 bar, ordnance, cast-iron, S.B.—					
12 pounder	1	each	—	0 14 1	0 16 5
18 "	1	"	—	0 14 1	0 16 5
24 "	2	"	—	0 14 1	0 16 5
32 "	7	"	—	0 14 1	0 16 5
68 "	1	"	—	0 14 1	0 16 5
8 inch and 8 inch mortar	1	"	—	0 14 1	0 16 5
10 " 10 "	1	"	—	0 14 1	0 16 5
13 inch mortar	1	"	—	0 14 1	0 16 5
For No. 1 bar, ordnance, wrought-iron, rifled—					
6½ pounder (Mark I, II, and III)	1	"	—	0 8 0	0 9 0
7 inch or 8 inch gun	1	"	—	0 7 0	0 8 1
9 " to 12½ inch gun	1	"	—	0 7 0	0 8 1

* To replace collars, cast-iron, when the latter are worn out.

TOOLS, ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Cutters, for metal heads—				
<i>For No. 2 bar, ordnance, wrought—No. to</i>				
<i>iron and steel, rifled—</i>				
7 pounder { 224 lb. and 200 lb. a set. 1	each	—	0 6 0	0 6 9
9 " " " " " 1	"	—	0 6 0	0 6 9
16 " " " " " 1	"	—	0 6 0	0 6 9
25 " " " " " 1	"	—	0 6 0	0 6 9
40 " " " " " 1	"	—	0 6 0	0 6 9
64 " " and 6'3 inch howitzer 1	"	—	0 8 0	0 9 0
8 inch howitzer " " 1	"	—	0 8 0	0 9 0
Cutter, rose, for 64 pounder and 80				
pounder converted guns .. 1	"	—	5 6 0	6 3 8
Cylinder guide for 64 pounder and				
80 pounder converted guns .. 1	"	—	4 5 0	4 19 2
Drifts, for taking out old vents—				
1/2 inch " " " " " 1	"	—	0 6 3	0 7 3
6 " " " " " 1	"	—	0 8 6	0 9 11
8 1/2 " " " " " 1	"	—	0 9 8	0 11 3
10 1/2 " " " " " 1	"	—	0 10 6	0 12 3
F " " " " " 1	"	—	0 9 10	0 11 3
F 1 " " " " " 1	"	—	0 10 6	0 12 3
F 2 " " " " " 1	"	—	0 10 9	0 12 6
F 3 " " " " " 1	"	—	0 11 10	0 13 9
F 4 " " " " " 1	"	—	0 13 6	0 15 9
F 5 " " " " " 1	"	—	0 17 1	0 19 10
Drills—				
1/2 inch " " " " " 1	"	—	0 7 9	0 9 0
Cone { 1 1/2 " " " " " 1	"	—	0 19 2	1 2 4
G " " " " " 1	"	—	1 16 10	2 2 11
G 1 " " " " " 1	"	—	2 3 3	2 10 5
For venting, drifting—				
1/2 inch " " " " " 1	"	—	0 8 8	0 10 1
4 " " " " " 1	"	—	0 8 11	0 10 5
10 " " " " " 1	"	—	0 12 0	0 14 0
E " " " " " 1	"	—	0 9 7	0 11 2
E 1 " " " " " 1	"	—	0 9 7	0 11 2
E 2 " " " " " 1	"	—	0 10 0	0 11 8
E 3 " " " " " 1	"	—	0 11 4	0 13 1
E 4 " " " " " 1	"	—	0 13 0	0 15 2
For venting, tapping—				
1/2 inch " " " " " 1	"	—	0 9 6	0 11 1
4 " " " " " 1	"	—	0 10 3	0 12 0
10 " " " " " 1	"	—	0 16 0	0 18 8
B " " " " " 1	"	—	0 10 3	0 12 0
B 1 " " " " " 1	"	—	0 10 9	0 12 6
B 2 " " " " " 1	"	—	0 11 7	0 13 6
B 3 " " " " " 1	"	—	0 13 0	0 15 2
B 4 " " " " " 1	"	—	0 15 0	0 17 6
Hollow { 1/2 inch " " " " " 1	"	—	0 15 8	0 18 0
1 1/2 " " " " " 1	"	—	1 3 9	1 7 8
A " " " " " 1	"	—	1 8 8	1 13 5
A 1 " " " " " 1	"	—	1 11 0	1 16 2
Drill posts, 29 inches high, complete,				
with wrench, tommy, clamp, 2 foot				
plates, and 2 lengths of chain (15				
feet each length) .. 1	"	—	8 1 5	9 8 1
Files, bastard (with handle), flat,				
safe edge, 14 inch .. 1	"	0 1 5	—	—

TOOLS, ORDNANCE.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Frames—		£ s. d.	£ s. d.	£ s. d.
Iron, complete, for cutting off ends No to				
of vents, with adjusting bars— a set.				
With extenders, long .. 1	set	—	9 2 6	10 12 11
Without extenders, short .. 1	"	—	6 2 0	7 2 4
Trunnion, with cross head complete,				
for converted guns (4 pieces) .. 1	each	—	6 3 2	7 3 8
Gauges, vent, 22 inch—				
Short 1	"	—	0 10 1	0 11 9
Long 1	"	—	0 10 7	0 12 4
Gyn, iron, triangle, 10 feet high, for				
converted guns 1	"	—	6 5 0	7 5 10
Hammers—				
Hand { Large 1	"	—		
Small 1	"	—		
Monkey, for converted guns .. 1	"	—	4 3 7	4 16 10
Heads, metal, for cutters—				
For No. 1 bar—				
Ordnance, cast-iron, S.B.—				
12 pounder 1	"	—	1 19 4	2 5 11
18 " 1	"	—	2 4 6	2 11 11
24 " 1	"	—	3 5 6	3 16 5
32 " 1	"	—	3 8 0	3 19 4
68 " 1	"	—	4 1 6	4 15 1
8 inch and mortar .. 1	"	—	3 16 0	4 8 8
10 " " " .. 1	"	—	4 2 6	4 16 3
13 " mortar .. 1	"	—	4 13 9	5 9 4
Ordnance, wrought-iron rifled—				
7 inch gun 1	"	—	1 15 0	1 19 2
8 " " 1	"	—	1 19 0	2 3 8
9 " " 1	"	—	2 3 0	2 5 9
10 " " 1	"	—	2 18 0	3 5 0
11 " " 1	"	—	3 0 0	3 7 2
12 " " 1	"	—	3 6 0	3 13 11
12.5 " " 1	"	—	3 10 0	3 18 4
For No. 2 bar—				
Ordnance, wrought-iron and steel—				
7 and 9 pounder 1	"	—	1 6 0	1 9 1
16 pounder 1	"	—	1 8 0	1 11 4
25 " 1	"	—	1 10 0	1 13 7
40 " 1	"	—	1 12 0	1 15 10
6.4 " and 6.3 inch howitzer .. 1	"	—	3 9 0	3 17 4
8 inch howitzer 1	"	—	1 19 0	2 3 8
Hooks, extracting, expanding block,				
converted guns 1	"	—	0 14 0	0 16 4
Instruments for taking impres-				
sions of vents with staves—				
Wood, No. 1 1	"	—	13 14 2	15 19 10
Iron, in 2 pieces, No. 2 .. 1	"	—	12 3 7	14 4 2
Levers, iron, for working bar—				
Large, set of 2 1	"	—	2 16 2	3 5 11
Small (Set of 2) 1	"	—	3 0 0	3 7 0
Machines, drilling, complete, with				
2 lengths of chain, 7 feet each				
length—				
Large 1	"	—	9 13 0	11 5 2
Small 1	"	—	7 4 10	8 8 11

TOOLS, ORDNANCE.		Per	Contract.	Rate.		
				No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Pans—	No. to			£ s. d.	£ s. d.	£ s. d.
For No. 1 instrument, taking impres-	a set.					
sions of vents—						
A, large	1	each	—	0 9 11	0 11 7	
B, small, for 64 pounder R.M.L.						
and downwards	1	"	—	0 9 5	0 11 0	
C, 64 pounder and 80 pounder						
converted	1	"	—	0 8 8	0 10 1	
For No. 2 instrument, taking impres-						
sions of vents, 25 pounder to 8						
inch howitzer		"	—	0 8 8	0 10 1	
Pieces, lengthening—						
For bar iron, No. 1, for 9 inch to						
12.5 inch R.M.L. guns		"	—	—	—	
For No. 1 instrument, taking impres-						
sions of vents for 9 inch to 12.5						
inch guns		"	—	3 2 6	3 12 11	
Rimers, cone—						
$\frac{1}{2}$ inch	1	"	—	0 10 4	0 12 1	
1 $\frac{1}{2}$ "	1	"	—	1 2 3	1 6 0	
H	1	"	—	1 10 0	1 15 0	
H 1 (Mark I)	1	"	—	1 19 5	2 6 0	
H 1 (Mark II)	1	"	—	2 0 0	2 6 8	
Rimers						
Mouth of vent	1	"	—	0 8 5	0 9 10	
Vent { Short	1	"	—	0 7 6	0 8 9	
Long	1	"	—	0 11 3	0 13 1	
Saw, with frame, 14 inch	1	"	0 9 0	—	—	
Sockets for ratchet		"	—	0 11 6	0 13 5	
Spanners—						
For nuts on frame	1	"	—	0 6 0	0 6 9	
For countersink of converted guns	1	"	—	0 6 7	0 7 8	
Stops, iron, for metal head for cut-						
ters, 40 pounder or 64 pounder	1	"	—	0 5 0	0 5 7	
Taps—						
New thread—						
Short						
$\frac{1}{4}$ inch, fine, set, 1, 2, and 3	1	"	—	1 13 6	1 19 1	
1 $\frac{1}{2}$ " set, 1, 2, and 3	1	"	—	5 2 9	5 19 10	
C 1	1	"	—	1 13 3	1 18 9	
C 2	1	"	—	1 19 3	2 5 9	
C 3	1	"	—	1 19 3	2 5 9	
C 4	1	"	—	1 19 3	2 5 9	
C 5	1	"	—	1 19 3	2 5 9	
Long { C 3	1	"	—	2 3 9	2 11 0	
C 4	1	"	—	2 3 9	2 11 0	
C 5	1	"	—	2 3 9	2 11 0	
Old thread { D 3	1	"	—	1 19 0	2 6 5	
D 4	1	"	—	1 19 9	2 6 5	
D 5	1	"	—	1 10 9	2 6 5	
Wedge, expanding, blocks, con-						
verted guns	1	"	—	3 11 6	4 3 5	
Wires, directing						
Small	1	"	—	0 2 6	0 2 11	
Large	1	"	—	0 2 9	0 3 2	

Section V.

459

TOOLS, ORDNANCE.					Rate.										
					Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.						
						£	s.	d.	£	s.	d.	£	s.	d.	
No. to a set.															
Wrenches for—															
Countersink, converted guns .. 1					each	£	—		0	9	2	0	10	8	
Frame, adjusting 1					”		—		0	6	10	0	8	0	
Socket { Large 1					”		—		0	10	0	0	11	8	
{ Small 1					”		—		0	8	0	0	9	0	
Taps 1					”		—		0	17	0	0	19	10	
Taps and vents { Large 1					”		—		1	4	0	1	8	0	
{ Small 1					”		—		0	11	9	0	13	0	
Vents 1					”		—		0	17	0	0	19	10	

Section VI.

BARRACK AND HOSPITAL STORES.

INCLUDING THOSE REQUIRED FOR MILITARY PRISONS, GARDEN TOOLS, EQUITATION AND DRILL ARTICLES, AND STORES FOR GYMNASIA AND RECREATION ROOMS.

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Adzes, coopers, handled—				
Metal, magazine } (see page 105) { ..	each	£ s. d.	£ s. d.	£ s. d.
Notching .. } ..	"	0 4 4	—	—
Alms dishes (see Communion Service).		0 2 0	—	—
Altars, moveable*	"	—	—	—
Aprons, fencing, leather (see Pads, body, apron).		—	—	—
Arms, wood, military stands—				
5 feet .. } (see Stands, page 491) { 100		—	11 1 9	11 15 1
2 „ 6 inches } ..	"	—	10 3 9	10 15 0
Awls, brad—				
Blades (see page 107)	doz.	0 0 3½	—	—
Handles (see page 121)	each	0 0 1	—	—
Axes—				
Felling, { Curved { Helved } (see {	"	0 3 6	—	—
4½ lbs. { helve { Unhelved } page 63) {	"	0 2 11	—	—
{ Straight { Helved } ..	"	0 2 11	—	—
{ helve { Unhelved } ..	"	0 2 4	—	—
Fire brigade, helved (see Engines, fire, parts of).		—	—	—
Pick, 6½ lbs., helved (see page 76) ..	"	0 1 11½	—	—
Pole, butchers { With handle	"	0 5 6	—	—
{ Handle for	"	0 0 8	—	—
Axles, stable barrow	"	0 2 8	—	—
Backgammon men—				
Sets, complete, in box (30 to a set) ..	set	0 2 8	—	—
Or draughtsmen, spare	each	0 0 0½	—	—
Backs, circular, chair	"	0 1 3	—	—
Bags—				
Bedding, { 3 sets } (see {	"	0 4 0	—	—
hospital { For 2 hair beds, and 2 } page {	"	0 5 1	—	—
{ hair bolsters .. } 63) {	"	0 0 3½	—	—
Canvas, { Common, 1 bushel } (see page {	"	0 0 2	—	—
sand { Model } 76) {	"	0 1 0	—	—
{ Tarred } ..	"	0 2 11	—	—
Clothes, military prison	"	0 10 0	—	—
Leather, letter, 1½ inches by 9 inches ..	"	0 0 4	—	—
Pudding, military prison	"	—	—	—

* Local provision.

Section VI.

461

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Balances, spring, butchers—				
336 lbs. x 1 lb.	each	£ s. d.	£ s. d.	£ s. d.
300 " " 1 "	"	0 14 9	—	—
200 " " 1 "	"	0 13 4	—	—
80 " " 1 "	"	0 8 3	—	—
40 " " 1 "	"	0 8 3	—	—
40 " " 1 "	"	0 8 0	—	—
Balls—				
Bagatelle } (see Tables).				
Billiard }				
Skittle { Large	"	0 15 0	—	—
{ Small 10 lbs.	"	0 10 0	—	—
Solitaire (33 to a set), in box	set	0 1 8	—	—
Wood, covered with leather, military stand, (see stands, page 491)	100	—	54 4 6	57 9 7
Barrels, rifled, B.L., sighted, Snider, with- out actions, rifle patt. /53, non-inter- changeable, iron (see page 23)	each	0 12 6	—	—
Barrows—				
Hand { Double } (see page 76) {	"	1 5 9	—	—
{ Single }	"	0 7 2	—	—
{ With legs (see page 132)	"	0 18 0	—	—
Truck or Sack { Large	"	—	3 8 6	3 15 4
{ Medium } (see page 133) {	"	—	2 6 3	2 10 10
{ Small }	"	—	2 2 4	2 6 7
Turf	"	2 19 6	—	—
Wheel { Stable	"	1 6 0	—	—
{ Long, open (see page 133)	"	1 19 6	—	—
Bars—				
Crow, fire engine, 4 feet 6 inches (see page 76)	"	0 2 10	—	—
Leaping, military stand (see stands, page 491)	"	—	0 11 6	0 12 2
Trapeze, ash, with ropes	"	0 12 0	—	—
Basins—				
{ Pudding, large	"	0 1 9	—	—
{ Small, for sores	"	0 0 3½	—	—
Earthenware { Soup, quart, barrack, hos- pital, recreation rooms, and military prison	"	0 0 2½	—	—
{ Wash-hand, 12½ inch, bar- rack and hospital	"	0 0 9	—	—
Iron, galvanized, 1½ inches diameter	"	0 2 4	—	—
Tin, wash-hand stand, hospital (see page 491)	"	0 2 1	—	—
Zinc { 14 inches, wash-hand	"	0 2 5½	—	—
{ 11 " , military prison	"	0 0 9½	—	—
Baskets—				
{ 1 dozen	"	0 5 6	—	—
{ 1 "	"	0 3 11	—	—
Bread { Military prison	"	0 3 6	—	—
{ 3 bushels	"	0 7 6	—	—
{ 1 "	"	0 2 3½	—	—
Clothes, hospital	"	0 3 7	—	—
Coal, 1 bushel	"	0 1 9	—	—
Common { 2 bushel } (see page 133) {	"	0 3 11	—	—
{ 1 "	"	0 2 3	—	—
Dirty linen, hospital	"	2 1 1	—	—
Flour, lined with tin	"	0 5 0	—	—
Hand, hospital, small	"	0 2 0½	—	—
Letter, desk	"	0 2 10	—	—
Mess, with poles	"	1 1 0	—	—
Ward, hospital	"	0 6 4	—	—
Waste paper	"	0 0 10½	—	—

BARRACK AND HOSPITAL STORES.		Rate.					
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.		
			£ s. d.	£ s. d.	£ s. d.		
Baths—							
Tin	Arm, with cover	each	0 4 0	—	—		
	Foot	"	0 3 10	—	—		
	Hip	"	0 10 0	—	—		
	Long, open, portable	"	2 16 0	—	—		
	Shower	"	0 10 3	—	—		
	Slipper	"	1 5 0	—	—		
	Wood, medicated	"	2 5 0	—	—		
Beams, iron, for scales, weighing—							
10 cwt.	(see page 133)	"	2 6 3	—	—		
5 "		"	1 19 0	—	—		
2½ "		"	1 9 6	—	—		
Bearers, hospital—							
Complete	(see page 63)	"	—	0 15 3	0 15 9½		
Parts of—							
Bottoms, canvas		"	0 4 6	—	—		
Pillows, filled		"	0 0 10	—	—		
Poles, wood, ash		"	0 2 6	—	—		
Slings, leather	New pattern, with transverse strap, hospital bearer, or stretcher, ambulance wagons	pair	—	0 4 2	0 4 6½		
	Old pattern	"	—	0 4 11	0 5 4½		
Beds—							
Hair, filled—							
Barrack	each	0 19 10	—	—	—		
Gentlemen cadets	"	1 7 3	—	—	—		
Hospital	In one piece	"	1 7 0	—	—		
	In three parts	"	1 7 1	—	—		
Water, hospital		"	8 0 0	—	—		
Bedsteads—							
Field service—		set of					
Boards (see page 64)	3	—	0 3 9	0 3 11½			
Trestles (see page 74)	pair	—	0 2 3	0 2 4½			
on—							
Barrack —							
Hall's	Complete	each	1 8 0	—	—		
pattern,	Spare parts {	Bolts, with					
			pinhole	doz.	0 0 10	—	—
			Pins	"	0 0 6	—	—
sliding	of	each	1 6 3	—	—		
McDonald's	Complete	Bolts, with pin-					
			hole	"	0 0 1½	—	—
			Pins	doz.	0 0 5	—	—
sliding	Spare parts {	of					
Turn up—							
With ¼ bolts and ¼ large and ¼ small nuts—							
Complete	each	1 10 0	—	—	—		
Parts of—							
Bodies or bottoms		"	0 16 0	—	—		
Feet or double legs		"	0 3 0	—	—		
Heads		"	0 6 6	—	—		
Legs, single		"	0 1 3	—	—		
Bolts, with nuts		doz.	0 0 7½	—	—		
Nuts { large		"	0 0 8	—	—		
{ small		"	0 0 4½	—	—		

BARRACK AND HOSPITAL STORES.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Bedsteads, continued—				
Iron—				
Barrack—				
Turn up—				
<i>With 4 bolts, and 4 large and 4 small pins—</i>				
Complete	each	1 10 0	—	—
Parts of—				
Bodies or bottoms	"	0 16 0	—	—
Feet or double legs	"	0 3 0	—	—
Heads	"	0 6 6	—	—
Legs, single	"	0 1 3	—	—
Bolts, with pinhole	doz.	0 1 4	—	—
Pins { Large	"	0 0 6	—	—
Small	"	0 0 5½	—	—
Hospital—				
Barnett's dropsy—				
Complete	each	3 17 6	—	—
Spare parts of—				
Cords, 11 yards (see page 470) ..	"	0 0 4½	—	—
Plugs for	"	0 2 6	—	—
Sackings	"	0 7 0	—	—
Gentlemen cadets—				
Complete	"	1 13 8	—	—
Spare parts of—				
Bolts, with pinhole	"	0 0 2	—	—
Cords, 19 yards (see page 470) ..	"	0 0 7	—	—
Pins { Large	doz.	0 0 6	—	—
Small	"	0 0 5½	—	—
Sackings (see page 487)	each	0 4 11	—	—
McDonald's—				
Without sackings and cords	"	1 2 0	—	—
Complete	"	1 7 6	—	—
Spare parts of—				
Catches for racks, right or left ..	"	0 0 9	—	—
Cords, 19 yards (see page 470) ..	"	0 0 7	—	—
Pins	doz.	0 0 5	—	—
Racks	each	0 4 0	—	—
Sackings (see page 487)	"	0 4 11	—	—
Regulation—				
Without sackings and cords	"	1 0 0	—	—
Complete	"	1 5 6	—	—
Parts of—				
Feet	"	0 3 6	—	—
Heads	"	0 6 0	—	—
Sides	"	0 3 0	—	—
Catches, right or left	"	0 0 9	—	—
Cords, 19 yards (see page 470) ..	"	0 0 7	—	—
Pins	doz.	0 0 5	—	—
Racks	each	0 4 0	—	—
Sackings (see page 487)	"	0 4 11	—	—
Wood, for lunatics, complete	"	1 10 0	—	—
Bellows, barrack and hospital	"	0 1 10½	—	—
Bellpulls—				
Cord, green, for	yard	0 1 1	—	—
Rings, brass, for	each	0 0 10	—	—
Bells, dumb, cast-iron, covered with leather—				
Bar, long or double handed—				
60 lbs.	"	0 6 9	—	—
50 "	"	0 6 0	—	—
35 "	"	0 5 0	—	—
34 "	"	0 4 11	—	—

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bells, dumb, cast-iron, covered with leather, continued—		£ s. d.	£ s. d.	£ s. d.
Bar, long or double handed—				
30 lbs.	each	0 4 9	—	—
28 „	„	0 4 8	—	—
26 „	„	0 4 6	—	—
40 lbs.	„	0 5 4	—	—
24 „	„	0 4 4	—	—
22 „	„	0 4 1	—	—
20 „	„	0 3 10	—	—
Short or single handed—				
50 lbs.	„	0 7 4	—	—
40 „	„	0 6 6	—	—
30 lbs.	„	0 5 9	—	—
23 „	„	0 5 6	—	—
26 „	„	0 5 3	—	—
24 „	„	0 4 11	—	—
22 „	„	0 4 7	—	—
20 „	„	0 4 4	—	—
18 „	„	0 4 0	—	—
16 „	„	0 3 6	—	—
14 „	„	0 3 3	—	—
12 „	„	0 3 0	—	—
10 „	„	0 2 10	—	—
Bells, hand, 7 lbs.	each	0 11 0	—	—
Belts and gloves, for restraining lunatics	set	0 14 0	—	—
Belts, gymnasia—				
No. 1	each	0 1 11	—	—
„ 2	„	0 1 11	—	—
„ 3	„	0 1 11	—	—
Belts, leather, restraint, military prison *	„	0 15 0	—	—
Biers, hospital, with folding legs—				
Iron	„	1 7 0	—	—
Wood	„	3 0 0	—	—
Binding, cocoo nut matting	yard	0 0 1½	—	—
Bins, meal, military prison	each	3 18 0	—	—
Blankets—				
Grey, general service (including field service), (see page 64).	„	0 4 11	—	—
White { Barrack	„	0 7 1	—	—
Hospital and Life Guards	„	0 10 0	—	—
Blocks, wood—				
Chopping	„	1 7 2	—	—
Cutting, oakum, military prison	„	—	2 13 3	2 17 6
Shot, military prison	100	—	6 19 3	7 7 3
Boards—				
Back riding	„	—	5 10 8	5 18 6
Backgammon and draught	each	0 5 2	—	—
Bed-head ticket	„	0 0 4	—	—
Black { Musketry instruction, 6 feet × 4 feet	„	0 19 9	—	—
School	„	0 10 0	—	—
Bread	„	—	0 3 2	0 3 4
Chcra	„	0 2 0	—	—
Cutting, 4 feet × 1 foot 6 inches × 3 inches	„	—	0 14 11	0 15 11
Diet scale	„	0 0 5½	—	—
Draught (see Backgammon).	„	—	—	—
Inventory	„	0 0 2½	—	—

* Has a handcuff at each side, and is fastened with a handcuff-shaped lock.

BARRACK AND HOSPITAL STORES.	Rate.					
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Boards, continued—			£	s. d.	£	s. d.
Inventory, with list.. .. .	each		0	0 2½	—	—
Knife, hospital	"		0	2 1	—	—
Marking, bagatelle table (see Tables).						
Notice { 40 inches × 25 inches	"		0	6 3	—	—
{ 33 " × 21 "	"		0	4 9	—	—
{ 22 " × 17½ "	"		0	2 10	—	—
Pastry, hospital	"		0	1 5	—	—
Scale, elm { 10 cwt. } (see page 135). { .. pair			1	5 0	—	—
{ 5 " }	"		0	18 0	—	—
{ 2½ " }	"		0	15 0	—	—
Solitaire	each		0	1 10½	—	—
Washing	"		0	2 0	—	—
Boilers—						
Cast-iron, with brass tap, 4 gallons	"		0	9 7	—	—
Recreation rooms, with tap { Coffee	"		0	10 11	—	—
{ Tea.. ..	"		0	7 10	—	—
Bolsters, hair, filled—						
Barrack	"		0	2 8	—	—
Gentlemen cadets	"		0	4 4	—	—
Hospital	"		0	4 4	—	—
Bolts, wrought-iron—						
Bedstead, with and without nuts (see Bedsteads, parts of).						
Mantlet	"		0	1 0	—	—
Practice posts, leaping bar (see Stands, page 491)	"		0	1 6	—	—
Bolts, wrought-iron, with nuts—						
Form { 10½ inches, with washers } (see						
Table						
{ 3 inches } Iron-						
work).						
Books, blotting, recreation room.. ..	"		0	1 10	—	—
Borers, bung, 3 inch (see page 108)	"		0	8 0	—	—
Bottoms, canvas, hospital, bearer (see Bearers, page 63).	"		0	4 6	—	—
Bowls—						
Iron, tinned, wood handle, ½ gallon	"		0	0 9	—	—
Wood, shaving	"		0	0 4	—	—
Boxes—						
Brush, housemaids, with tray	"		0	4 3	—	—
Candle, to contain { 2 lb. composite, sixes	"		0	1 0	—	—
{ 2 " dips, eights	"		0	2 2	—	—
Cast-iron, coal { 7 bushels	"		1	1 3	—	—
{ 4 "	"		0	13 10	—	—
{ 130 lb. (married soldiers)	"		0	6 10	—	—
Dice	"		0	0 5½	—	—
Fire, for tarring urine tubs	"		0	4 6	—	—
Games, with lock and key	"		0	12 6	—	—
Pewter { Pepper (see Casters).	"		0	1 9	—	—
{ Shaving, military prison.. ..	"					
Wood—						
Backgammon men	"		0	1 2	—	—
Chessmen	"		0	1 2	—	—
Cigars, with glass lids	"		0	17 0	—	—
Communion service (see Communion Service).						
Dominoes { Double nines	"		0	1 4	—	—
{ " sixes	"		0	1 0	—	—
Draughtsmen	"		0	1 1	—	—
Keys, military prison	"		0	13 6	—	—
Money, with 6 trays	"		3	3 0	—	—

(v.s.).

BARRACK AND HOSPITAL STORES.		Rate.							
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Boxes, continued—			£	s.	d.	£	s.	d.	
Wood—									
Salt	each	0	2	2	—	—	—	—	
Soap, military prison	"	0	0	8	—	—	—	—	
Solitaire	"	0	1	1	—	—	—	—	
Spitting, military prison.. .. .	"	0	0	6	—	—	—	—	
Tell-tale clock, with type	"	0	15	0	—	—	—	—	
Bridge bagatelle table (see Tables).									
Brooms—									
Bass, unhandled { Common	"	0	1	0	—	—	—	—	
{ Tropical climates		"	0	0	10½	—	—	—	
Birch or heath, handled	"	0	0	4	—	—	—	—	
Brushes—									
Bakers, hand, dough	"	0	1	8	—	—	—	—	
Baluster	"	0	1	11	—	—	—	—	
Blacklead { Round	"	0	0	2	—	—	—	—	
{ Stove		"	0	1	3½	—	—	—	
Button, military prison	"	0	0	5	—	—	—	—	
Clothes	"	0	1	9	—	—	—	—	
Flesh long, handled, hospital	"	0	2	6	—	—	—	—	
Flue, for Warren's ovens	"	0	2	11	—	—	—	—	
Flue, wire handled, 5 feet 6 inches	"	0	1	9	—	—	—	—	
Hair, hospital	"	0	0	11½	—	—	—	—	
Hand { Scrubbing.. .. .	"	0	1	5½	—	—	—	—	
{ Sweeping		"	0	1	8½	—	—	—	
Harness, soft.. .. .	"	—	—	—	—	—	—	—	
Hearth	"	0	1	5	—	—	—	—	
Long { Scrubbing (block and clamp)	(see Heads).								
{ Sweeping, unhandled									
Paint { Ground { 0	{ (see page 108)	doz.	0	19	4	—	—	—	
		"	1	5	4	—	—	—	
		"	0	1	7½	—	—	—	
		"	0	2	8	—	—	—	
		"	0	4	0	—	—	—	
{ Sash tool { " 4	{	"	0	6	3	—	—	—	
		"	0	0	3½	—	—	—	
		"	0	0	4	—	—	—	
Shaving, hospital	each	0	0	8½	—	—	—		
Shoe { Blacking or soft	"	0	0	8	—	—	—		
{ Shining or polish		"	0	1	2	—	—	—	
Tar, short (see page 137)	"	0	2	9	—	—	—	—	
Turks head, ceiling { Large	{ Middling	"	0	2	6	—	—	—	
		"	0	2	5	—	—	—	
		"	0	0	3	—	—	—	
Washing, laundry	"	0	2	4½	—	—	—		
Buckets—									
Iron, galvanized, 4 gallons, butchers	"	0	7	8	—	—	—	—	
Latrine (see Latrines).									
Leather, fire	"	—	0	3	1	0	3	3	
Wood, stable, watering	"	—	0	16	4	0	17	5	
Wood, well { 10 gallon	{	"	—	0	12	5	0	13	3
		"	—	0	9	10	0	10	6
		"	—	—	—	—	—	—	—
Bunting, for flags (see page 137).									
Burners, lamp or lantern—									
Candlestick, pattern	"	0	0	2½	—	—	—	—	
Double wick.. .. .	"	0	0	2½	—	—	—	—	
Exterior	"	0	0	3½	—	—	—	—	
Kerosine { With reservoir { No. 1	{ " 3	"	—	—	0	1	8	—	
		"	—	—	0	1	8	—	
		"	0	1	0	—	—	—	
		"	0	1	0	—	—	—	
		"	0	0	10½	—	—	—	
Paraffin, hanging and standing	"	0	0	2½	—	—	—	—	
Passage { Officers, double wick	"	0	0	2½	—	—	—	—	
{ Soldiers, single wick		"	0	0	2½	—	—	—	
Single wick	"	0	0	2	—	—	—	—	

BARRACK AND HOSPITAL STORES.				Rate.			
				Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Burrs, fire engine hose	lb.				£ s. d. 0 0 10	£ s. d. —	£ s. d. —
Candlesticks—							
Brass { Flat	each				0 2 1	—	—
Office	"				0 2 6	—	—
Iron { Galvanized	"				0 0 7½	—	—
Slides, spare, for	"				0 0 1½	—	—
Palmer's patent { Military prison	"				0 4 0	—	—
Springs, spare, for (see Springs).	"						
Canes, pithing, butchers	"				0 0 2½	—	—
Canisters, coffee or tea	"				0 1 9½	—	—
Cans, tin—							
Beer, 2 gallons	"				0 2 1	—	—
Gruel, milk, or beer, 3 gallons	"				0 2 7	—	—
Milk, 6 gallons, military prison	"				0 4 3	—	—
Oil { Feeding, 1 quart (see page 138)	"				0 0 7½	—	—
Lamp-lighting, 1 gallon	"				0 1 3	—	—
Paint, or kettles, camp, light, for musketry instruction (see page 68)	"				0 1 6	—	—
Soup or water, 3 gallons	"				0 2 4	—	—
Wash-hand, hospital (see page 491)	"				0 1 8½	—	—
Caps, leather—							
Knee { Black (see page 7)	"				0 0 8	—	—
Brown	"				0 1 9	—	—
Military stand (see Stands, page 491)	"				0 3 6	—	—
Cards, towsing, hair, long, 17 inches × 9 inches	pair				0 16 0	—	—
Carpet, Brussels, 27 inches wide—							
Chancel	yard				0 4 3*	—	—
Offices of general officers	"				0 4 0*	—	—
Carriages, gun, light, funeral	each				—	—	—
Carts, hand—							
Common	"				—	18 14 4	20 10 2
Watering	"				—	23 0 0	25 6 0
Cases—							
Axe, fireman's, leather, black, with belt (see Engines, fire, parts of).							
Bed, hair { Barrack	"				0 3 4	—	—
Hospital { In one piece	"				0 5 0	—	—
In three pieces	"				0 5 1	—	—
Bolster { Gentlemen cadets	"				0 1 2½	—	—
Hair or straw { Barrack	"				0 0 9	—	—
Hospital	"				0 1 1	—	—
Book, with wire door	"				7 17 6	—	—
Mattress, Gymnasia, 6 feet × 6 feet × 6 inches	"				0 16 0	—	—
Paillasse { Barrack	"				0 3 7	—	—
Hospital	"				0 5 1	—	—
Life Guards	"				0 3 10	—	—
Pillow { Coir	"				0 1 0	—	—
Hospital, hair { Large	"				0 0 7½	—	—
Small	"				0 0 6	—	—
Slip—							
Bed, hair { Barrack	"				0 3 6	—	—
Hospital, in three parts	"				0 4 1	—	—
Hospital, or paillasse	"				0 4 2	—	—
Bolster, hair { Barrack	"				0 0 11	—	—
Gentlemen cadets	"				0 1 0½	—	—
Hospital	"				0 1 0½	—	—

* These rates do not include the cost of making up, which is 3d. per yard.

2 G 2

BARRACK AND HOSPITAL STORES.	Rate.			No. 1 Balance Sheet.	No. 2 Balance Sheet.
	Per	Contract.			
Cases, continued—		£ s. d.	£ s. d.	£ s. d.	
Slip—					
Pillow, hair, hospital { Large	each	0 0 8½	—	—	
Small	"	0 0 6	—	—	
Wood, stadiometer	"	0 18 0	—	—	
Casters—					
Brass—					
Arm chair { Front leg	"	0 1 2	—	—	
Hind leg	"	0 0 11	—	—	
Mess table	"	0 2 4	—	—	
Pewter, pepper	"	0 1 3	—	—	
Catches for racks, hospital bedstead (see Bedsteads, parts of).					
Catties or coyas, unhandled (see page 139).	"	0 1 6	—	—	
Chains—					
Iron, restraint, military { Connecting	"	0 3 6	—	—	
prison { Leg	"	0 5 0	—	—	
Measuring, 50 yards, for musketry instruc- tion	"	0 10 6	—	—	
Iron, for scales, weighing—					
10 cwt.	set	1 1 0	—	—	
5 " } (see page 139)	"	0 18 0	—	—	
2½ "	"	0 14 0	—	—	
Stadiometer, 20 yards	each	0 5 1	—	—	
Well bucket, with swivel and shackle * ..	foot	—	—	—	
Chairs, arm—					
Altar, ecclesiastical †					
Easy, hospital, { Complete, without cover	each	2 16 0	—	—	
padded { Casters for (see Casters). Covers, check, for (see Covers).					
Night { Fyfes, complete	"	1 15 0	—	—	
{ Pails for (see Pails). Pans for (see Pans).					
Recreation room, wood†	"	0 10 3	—	—	
Chairs—					
Common, hair seat	"	1 4 9	—	—	
Office { Leather seats	"	1 3 2	—	—	
{ Oak, maroon leather seats	"	1 6 5	—	—	
Officers, or Windsor { Complete	"	0 3 6	—	—	
{ Backs, circular, for (see Backs).					
Chalk—					
Prepared, red and blue, boxes of 144 each (see page 96)	box	0 7 6	—	—	
White, common, musketry instruction (see page 139)	ton	0 10 0	—	—	
Chalice, communion (see Communion Service)					
Check, cotton, for dusters	yard	0 0 6½	—	—	
Chess—					
Boards (see Boards).					
Boxes, spare (see Boxes).					
Men—					
Complete in box	set	0 6 2	—	—	

* They are made of ordinary short link chain (see page 139) of different sizes and lengths, for wells of varying depths, the usual sizes are ¼" and ½", and the usual lengths are 20, 24, 50, 70, 80, 101, and 180 feet. Demands, vouchers, and store accounts will specify length and size.

† Local provision. Prices range from 30s. to 45s. each.

‡ Also described as "Chairs, arm, recreation room Windsor," at page 394 of the 1871 edition.

BARRACK AND HOSPITAL STORES.										Contract Rate.		
										£	s.	d.
Chess, continued—												
Men—												
Spare—												
Bishops	each	0	0	3	
Castles	"	0	0	2	
Kings	"	0	0	6	
Knights	"	0	0	4	
Pawns	"	0	0	1½	
Queens	"	0	0	6	
Chests—												
Money, cast iron, 22 in. × 30 in. × 22 in.	"	13	0	0	
Wood { Butchery implements (see page 66)	"	—			
Candle	"	—			
Chimneys, glass, lamp—												
Billiard	"	0	0	5½	
Hospital, ventilating	"	0	0	6	
Kerosine { No. 1	"	0	0	1½	
" 2	"	0	0	1½	
" 3	"	0	0	1½	
Moderator	"	0	0	3½	
Paraffin { Hanging, punkah	"	0	0	2½	
Standing	"	0	0	1½	
Wall	"	0	0	3	
Solar (military prison)	"	0	0	2	
Chisels—												
Ripping	"	0	0	6½	
Socket, 1 inch	"	0	0	10	
Choppers, meat, butchers ..										"	0	1 6
Clamps—												
Corner, table top { 6 feet					
4 "					
} (see Ironwork).												
For brushes, long, scrubbing (see Heads).												
Cleavers, butchers, 2 feet 9 inches, ordinary pattern ..										"	0	6 6
Clocks—												
Bracket, small, for recreation rooms	"	0	17	0	
Spring, dial, 8-day	"	2	13	0	
Tell-tale { Military prison, without box	"	8	1	8	
	Parts of { Dials, paper, for (see Dials).					
		Boxes, with type, for (see Boxes).				
Drivers, screw, forked, for (see Drivers)												
Clogs, laundry* ..										pair	0	5 8
Cloths—												
Altar, crimson, Utrecht velvet, with monogram and fringe†	each	12	10	0	
Communion linen, damask, with monogram	"	1	5	0	
Hair { Magazine (see page 140)	"	3	7	6	
	Sieve	yard	0	2	9	
Table, diaper, hospital, 8 feet × 4 feet 4 inches	each	0	4	3	
Wiping, butchers‡	"	0	0	3½	
Clubs, practice—												
Cavalry { No. 1 size	"	0	2	0	
	" 2 "	"	0	1	10	
	" 3 "	"	0	1	9	
Infantry { No. 1 size	"	0	1	1	
	" 2 "	"	0	0	11½	
	" 3 "	"	0	0	10	
Cocks, bib, driving, for beer—												
1 inch	"	0	7	0	
½ "	"	0	5	2	
¼ "	"	0	3	3	
↓ "	"	0	2	2	
} (see page 140) {												
Coltr fibre (see Yarn).												
Colanders, tin, 15 inches, wire bottom, hospital and military cooks ..										"	0	1 6

* Local provision.

† Dimensions vary to meet the different sizes of communion tables.

‡ One yard of cloth 36 inches wide is issued for this service.

BARRACK AND HOSPITAL STORES.						Contract Rate.			
							£	s.	d.
Combs—									
Horn, hair, 8 inches						each	0	0	3
Ivory, small tooth, 3¼ inches						"	0	1	2½
Communion service—									
In box complete—									
Brass						set	5	17	0
Electro-plated						"	7	7	6
Parts of—									
Box, wood, wainscot, for.. .. .						each	0	12	0
Chalice { Brass.. .. .						"	1	6	6
Electro-plated						"	1	9	6
Dish, alms { Brass						"	0	14	6
Electro-plated						"	0	19	6
Elagon, 3 pints { Brass						"	2	4	0
Electro-plated						"	2	18	0
Paten { Brass						"	1	0	0
Electro-plated						"	1	8	6
Compasses, for chalk, musketry instruction						"	0	3	6
Cordage, signal, halyard—									
Tarred (see page 141)						fm.	0	0	1½
White (see page 142)						"	0	0	2
Cordage—									
For stable lanterns .. } (see Cordage, tarred, hawser, {						"	0	0	1
Lapping furze on bars } 3 strand, 1 inch, page 141) {						"	0	0	1
Cords, bedstead—									
19 yards						each	0	0	7
11 "						"	0	0	4
Corkscrews, iron, folding, hospital						"	0	0	6
Corticline—									
Thick*						sq. yd	0	3	2
Thint†						"	0	2	3
Cotton, darning						lb.	0	1	7
Cotton waste, white (see page 142)						cwt.	1	14	6
Counterpanes, white—									
Royal Military Academy						each	0	13	6
Tufted, medical						"	0	7	6
Covers—									
Canvas, hydrant, hose reel						"	2	5	0
Earthenware, dripstone						"	0	1	3
Striped, easy chair						"	0	4	10
Wire, dish, for meat, hospital { Large, 24 inches						"	0	3	0
{ Small, 18 "						"	0	2	0
Crocks, dripstone, earthenware, with cover‡						"	0	8	0
Cues ..									
Bagatelle table } (see Tables).									
Billiard table									
Cupboard *§						"	—		
Cups —									
Earthenware { Tea, recreation room, and military prison						"	0	0	
{ Spitting, hospital.. .. .						"	0	0	
Pewter, egg, hospital, and recreation room						"	0	0	
Tin, drinking, 1 quart (see Pots).									
Curtains—									
Baize, for chapel schools, to separate chancel.									
Linen, striped { For Royal Military Academy						yard	0	1	1
{ Tester for.. .. .						each	0	6	
{ Valances for						"	0	2	
Cushions for outside of communion rails.						"	1	2	
Cutters, lead (see Swords, practice, lead cutting, page 492).									

* 3 feet wide for billiard rooms.

† 6 " " offices, and 3 feet wide for passages.

‡ To be charged for at local rates when locally obtained.

§ Issued to medical inspection and school rooms temporarily appropriated where there are no fixtures of the kind.

|| Local provision.

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Desks, moveable—		£ s. d.	£ s. d.	£ s. d.
Office { Double	each	13 12 6	—	—
Single	"	5 15 0	—	—
Wainscot, 5 feet	"	12 18 0	—	—
Reading	"	—	—	—
School, and Royal Military Academy	"	1 11 9	—	—
Schoolmasters { Deal	"	2 2 6	—	—
Oak	"	3 5 0	—	—
Dials, paper, tell-tale clock	set	0 10 0	—	—
Dibbles, garden	each	0 0 9	—	—
Dice, or cubes, ivory	"	0 0 3	—	—
Discs, for Bland's system of marking, with pole	"	0 12 11	—	—
Dishes—				
Earthenware { Recreation room	"	0 1 0½	—	—
Soap, round	"	0 0 6½	—	—
Iron, baking—				
Warren's apparatus	"	0 3 2	—	—
Galvanized { 21 inches × 11½ inches × 4½ inches	"	0 2 10	—	—
17 inches × 13 inches × 4½ inches	"	0 2 5	—	—
Deane's, 100 men	"	0 2 6	—	—
Tinned, Deane's oven { 200 men	"	0 2 9	—	—
50 "	"	0 2 6	—	—
Trivets, iron, for (see Trivets).	"	—	—	—
Tin—				
Oval messing, military prison, 12 inches × 9 inches	"	0 0 8½	—	—
Round, meat { 18 inches	"	0 1 6½	—	—
13½ "	"	0 0 9	—	—
Quart, 5½ inches	"	0 0 5½	—	—
Dogs, fire—				
Officers	"	0 1 10	—	—
Soldiers	"	0 1 3	—	—
Dominoes—				
Sets, complete, in box, double—				
Nines (55 to a set)	set	0 3 7	—	—
Sixes (28 ")	"	0 2 6	—	—
Boxes for (see Boxes).				
Single pieces	each	0 0 1	—	—
Dowels, iron, for table tops (see Ironwork).				
Drainers, wood, laundry	"	1 2 6	—	—
Draughts—				
Boards (see Boards).				
Boxes, spare (see Boxes).				
Men { Sets, complete, in box (24 to a set).	"	0 2 6	—	—
Or backgammon men, spare (see page 460).	"	—	—	—
Dredgers, tin, flour, hospital and military cooks	"	0 0 5½	—	—
Drill articles. (For detail, see Clause 192, Army Circulars, 1881).				
Drivers—				
Coopers, socket, gunmetal (see page 112)..	"	0 2 5	—	—
Cast steel, 1½ inch (see page 112)	"	0 1 4	—	—
Gunmetal, magazine, 6 inch (see page 112)	"	0 1 1½	—	—
Screw { Notched for forms and tables	"	0 2 0	—	—
Shifting, fire engine (see Engines, fire, parts of).	"	—	—	—
Tell-tale clock, forked	"	0 2 6	—	—
Drubbing (see page 143)	lb.	—	0 0 4½	0 0 5

BARRACK AND HOSPITAL STORES.										Contract Rate.			
										£	s.	d.	
Easels, for blackboards—													
Musketry instruction										each	0	18	6
Schools										"	0	8	4
Engines, fire, complete—													
Fowkes, No. 1*										"	75	0	0
Regulation* { No. 1										"	80	0	0
{ " 2										"	58	0	0
{ " 3										"	21	15	0
Steam, improved patent single cylinder (300 gallons) †										"	502	8	0
Appurtenances and parts of—													
Axes { Felling, 4½ lbs., for Fowke's No. 1 engine (see page 63)										"	0	3	6
{ Helved, fire brigade										"	0	2	4
Bars, iron, crow, 4 feet 6 inches (see page 76)										"	0	2	10
Buckets, leather, fire (see page 466)										"	0	7	8
Cases, axe, fireman's, leather, with belt										"	0	4	5
§ Drivers, screw { Common, 3½ inch, Nos. 1 and 2 engines										"	0	0	6
{ No. 1, 5 lbs.										"	0	2	3
{ " 2, 4 lbs. 14 ozs.										"	0	2	3
{ " 3, 2 lbs. 12 ozs.										"	0	2	0
Hammers, hand, riveting, 16 oz. (see page 120)										"	0	0	11
Handles { Fowke's, No. 1										"	0	7	4
{ Regulation { No. 1.. .. .										"	0	8	6
{ " 2.. .. .										"	0	6	3
{ " 3.. .. .										"	0	2	0
Lamps, fire brigade { Left†										"	0	18	0
{ Right†										"	0	18	0
Locks, pad, iron, single, small, with key (see page 149)										"	0	0	6½
§ Pipes, branch—													
No. 1 Fowke's and regulation { 4 feet										"	0	10	6
{ 15 inches										"	0	6	0
" 2 { 4 feet.. .. .										"	0	13	0
{ 15 inches										"	0	6	10
" 3, 30 inches										"	0	8	0
Pipes, hose—													
Canvas—													
With screws { 2½ inches water- { 40 feet lengths										"	1	16	8
way No. 1 .. { 20										"	0	18	4
{ 1½ inches water- { 40										"	1	8	0
way, No. 2 .. { 20										"	0	14	0
Without screws, { 2½ inches water- { 40 feet lengths										"	1	4	2
suitable for { way, No. 1 .. { 20										"	0	12	1
screws having { 1½ inches water- { 40										"	0	16	0
way, No. 2 .. { 20										"	0	8	0
Leather—													
With screws { 2½ inches waterway, { 40 feet lengths										"	4	7	11
No. 1 { 20										"	2	8	10
{ 1½ inches waterway, { 40										"	3	1	6
Nos. 2 and 3 .. { 20										"	1	15	9

* The articles marked § form part of the complete engine, are always supplied with it, and are included in the rate.

† Engines of this class are complete with pressure gauges, feed pump, feed from main pump, one copper suction strainer, four copper branch pipes (two long and two short), two supports for branch pipes, six gun metal nozzles, four lamps with reflectors, water bags for wheels, wrenches for engine and suction hose, wrench shifting, stoking irons, cans, oil and tallow, spare valve facings and gauge glasses, two tube brushes, pole and sway bars for horses. One Giffard's injector with tank fitted to engine; one improved lever brake fitted to engine; one span, set of boiler tubes; one hand pump with hose jet and check valve for charging the boiler with water after it has been blown out, and twelve 8 feet lengths of best strong india-rubber suction hose, with gun-metal swivel coupling screws bound in with copper wire; and two 40 feet lengths of best copper riveted leather delivery hose, with gun-metal swivel coupling screws, hand loops and straps.

‡ Only supplied where fire brigades have been established.

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Engines, fire, complete, continued—		£ s. d.	£ s. d.	£ s. d.
Appurtenances and parts of—				
§ Pipes, nose—				
No. 1 engine { $\frac{1}{8}$ inch	each	0 2 10	—	—
{ $\frac{1}{4}$ "	"	0 2 10	—	—
{ $\frac{3}{8}$ "	"	0 2 10	—	—
{ $\frac{1}{2}$ "	"	0 2 10	—	—
{ $\frac{5}{8}$ "	"	0 2 10	—	—
{ $\frac{3}{4}$ "	"	0 2 10	—	—
§ Pipes, spreading, { No. 1, $\frac{1}{8}$ inch ..	"	0 3 2	—	—
nose { .. 2, $\frac{1}{4}$ inch ..	"	0 3 2	—	—
{ .. 3, $\frac{3}{8}$ inch ..	"	0 3 2	—	—
Pipes, suction, with screws—				
3½ inches, Fowke's, 6 feet 10 inches				
to 7 feet	"	3 3 0	—	—
6 feet { 2½ inches waterway, No. 1 ..	"	2 2 0	—	—
6 inches { 2½ " .. 2 ..	"	1 16 9	—	—
to 7 feet { 1½ " .. 3 ..	"	1 9 2	—	—
Ropes, drag, light (see page 349) ..	pair	—	0 6 3	0 6 11
Screws, double junction—				
Hose, 3½ inches male and 2 inches				
female, 3½ inches female and 2 inches				
male waterways, reducing from 2½				
inches to 1½ inches	"	0 8 5	—	—
Suction—				
Fowke's, 3½ inches to 3½ inches ..	"	0 12 0	—	—
3½ inches male and 2½ inches female,				
and 3½ inches female and 2½ male				
waterways, reducing from 2½				
inches to 2½ inches	"	0 8 5	—	—
Spades, helved, common, O.P. (see				
page 79)	each	0 1 8½	—	—
Strainers, { Fowke's, 3½ inches ..	"	0 14 6	—	—
copper, for { No. 1 engine, 3½ inches ..	"	0 13 3	—	—
suction pipes { .. 2 " 2½ " ..	"	0 10 7	—	—
{ .. 3 " 2 " ..	"	0 7 6	—	—
§ Wrenches, for screwing hose and suction				
pipes—				
Double headed, Fowke's	"	0 1 3	—	—
No. 1 engine, 1½ lb... ..	"	0 0 11	—	—
" 2 " 1 "	"	0 0 10	—	—
" 3 " ½ "	"	0 0 9	—	—
Equestrian articles. (For detail see Clause				
192, Army Circulars, 1881.)				
Eye preservers (see Goggles).				
Feeders, earthen, hospital	"	0 0 8½	—	—
Fencing and Gymnasia articles. (For				
detail, see Clause 174, Army Circulars, 1880.)				
Fenders—				
Gentlemen cadets, Royal Military Academy	"	2 2 0	—	—
Kitchen	"	—	—	—
Quarters, 3 feet 3 inches	"	0 4 0	—	—
Officers { Ventilating { 3 feet 9 inches ..	"	0 5 6	—	—
{ stoves { 3 " 5 " ..	"	0 5 2	—	—
{ 3 " 3 " ..	"	0 5 0	—	—
Mess room, 4 feet	"	0 5 0	—	—
Serjeants, servants and married soldiers, 3				
feet 3 inches	"	0 2 7	—	—
Common, 4 feet 7 inches	"	0 7 2	—	—
Soldiers { Ventilating { 3 feet 9 inches ..	"	0 3 6	—	—
{ stoves { 3 " 5 " ..	"	0 3 4	—	—
{ 3 " 3 " ..	"	0 3 3	—	—
Ferrules, tops of practice posts (see Stands,				
page 401)	"	0 0 2	—	—

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Fiddles , oakum teasing, military prison ..	each	£ s. d. 0 1 6	£ s. d. — — —	£ s. d. — — —
Files —				
For documents (musketry instruction) ..	„	0 0 1	—	—
Saw, three- { Cross cut, 9 inch } (see page	doz.	0 5 9	—	—
square { Hand, 5½ inch } 115).	„	0 2 5½	—	—
Filters , stoneware, in wicker, 4 gallons—				
Complete	each	0 10 5	—	—
Sponges for (see page 89)	„	0 2 3	—	—
Flags (see Communion Service).				
Flags —				
Musketry instruction—				
Dark blue, 2½ feet	„	0 1 6½	—	—
Poles, 10 feet, for (see Poles).				
Red { 6 feet square	„	0 5 0	—	—
{ 4 feet x 3 feet	„	0 2 4½	—	—
{ And white, 2½ feet	„	0 1 6	—	—
White, 2½ feet	„	0 1 6	—	—
Standard, { 24 feet x 12 feet	(see page 144)	4 15 5	—	—
royal { 12 „ 6 „		2 0 11	—	—
{ 24 „ 12 „		2 7 8	—	—
Union .. { 21 „ 10½ „		1 15 0	—	—
{ 12 „ 6 „		0 13 0	—	—
{ 6 „ 3 „		0 4 10	—	—
Flannel , coarse, 24 inch* (see page 144) ..	yard	0 0 5½	—	—
Fells, fencing , complete	each	0 5 3	—	—
Parts of —				
Blades	„	0 2 7	—	—
Crosspieces	„	0 1 0	—	—
Grips	„	0 0 9	—	—
Founts for Lamps , kerosine—				
Large	„	0 1 9	—	—
Small	„	0 1 9	—	—
Forks —				
Agricultural, 3 pronged, handled ..	„	0 1 6½	—	—
Carving, buck handled	„	0 1 1	—	—
Dinner, black handled { Large	„	0 0 2½	—	—
{ Prisoners	„	0 0 4	—	—
Flesh	„	0 0 8½	—	—
Hay, handled	„	0 2 0	—	—
Stable { Unhandled, with ferrules and pins	„	0 0 7½	—	—
{ Handles for (see Handles).				
Toasting	„	0 1 4½	—	—
Forms, oak	„	2 17 6	—	—
Forms, soldiers, barrack —				
Ironwork for (see Ironwork).				
Tops, wood, for (see Tops).				
Frames —				
Wood { Dripstone	„	—	0 16 3	0 17 3
{ Fyfes, pail and pan (see Stools) ..	„	0 13 0	—	—
Funnels, tin —				
2 quarts } (see page 144) {	„	0 0 7	—	—
1 pint }	„	0 0 2½	—	—
Billiard table (see Table, billiard).				
Gambles, butchers —				
Iron	„	0 0 4½	—	—
Wood	„	0 0 4½	—	—
Gauges , stone breaking, military prison,				
iron—				
Frame	„	0 1 4	—	—
Hand	„	0 0 8	—	—

* For military prison rubbers.

BARRACK AND HOSPITAL STORES.						Contract Rate.		
						£	s.	d.
Gauntlets , leather, arm, fencing	each					0	2	4
Gimlets , nail, common (see page 118)	"					0	0	1½
Glasses —								
Looking, military prisons and hospital	"					0	2	6
Measuring (see Measures, glass).								
Tumbler, ½ pint (see Tumblers).								
Globes , glass—								
6 inch	"					0	0	6½
7 "	"					0	0	8
Flower pot pattern	"					0	1	6
Gas burners {	7 inch					0	0	7
	Half ground {					0	0	9
	8 "					0	0	10½
	9 "					0	1	0
	10 "					0	1	2½
Lamps {	Moon					0	1	2½
	Hospital ventilating							
	Moderator					0	1	6
	Kerosine					0	0	10
	Paraffin {					0	0	6
	Hanging and standing					0	0	9
	Standing							
Gloves , fencing—								
Left hand	"					0	3	3
Right "	"					0	1	9½
Glue , best town made (see page 144)	lb.					0	0	4
Goggles , or eye preservers, wire	pair					0	0	10
Goose-necks , copper, hydrant—								
No. 1	each					—		
" 2	"					—		
Graters , tin, bread	"					0	0	4½
Gratings , foot, wood, moveable	"					—		
Gridirons —								
Common, 12 inch	"					0	1	4
Fluted	"					0	1	8½
Guards —								
Fire {								
Hanging, small (according to size and description).								
With fender plate and top rail, 3 feet high × 3 feet 6 inches wide	"					1	4	0
Hand, fencing stick (see page 144)	"					0	3	7
Gymnasia and fencing articles. (For detail see Clause 174 Army Circulars, 1880.)								
Hair , horse, curled (see page 144)	lb.					0	0	11
Hammers —								
Claw, 20 ounces, small (see page 119)	each					0	1	1
Coal breaking	"					0	1	3
Hand {						0	2	0
Smiths, 3 lbs. (see page 119)	"					0	0	11
Riveting, 16 ounces	"					0	2	10
Sledge {						0	4	6
Farriers, 9½ lbs. (see page 120) {						0	5	0
Smiths, 14 lbs.	"					0	4	6
Stamping, ¾ inch letters {						0	2	9
W & D	"					0	1	6
H & P	"					0	0	11½
D	"					0	0	7
Stone breaking, unhandled {						0	1	10
6 lbs. (see page 144) {						0	1	11½
4 "	"					0	0	7
2 "	"					0	1	10
Tinmans, riveting, 16 ounces	"					0	1	11½
Upband, 7 lbs.	"					0	7	2
Hammocks , with clews	"					0	3	9
Handcuffs , common, with 2 keys	pair					0	3	9
Handles —								
Broom, birch or heath	each					0	0	2
Scrubbing or bass broom	"					0	0	1½
Brush {						0	0	1½
Sweeping	"					0	2	0
Turk's head, coiling*	"							

* Vary in length to suit height of ceiling.

BARRACK AND HOSPITAL STORES.		Rate.					
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
			£ s. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.
Handles, continued—							
Cattie or coyta (see page 143)	each	0 1 2	—	—	—	—
Fire engine (see Engines, fire, parts of).		0 0 6	—	—	—	—
Fork, stable, 4½ feet	"	0 0 6½	—	—	—	—
Hammers { Sledge (see page 121).	"	0 0 6½	—	—	—	—
{ 6 and 4 lb. (see page 121)	"	0 0 4½	—	—	—	—
{ Stone breaking { 2 lb. (see page 145)	"	0 0 2½	—	—	—	—
Hatchet, hand (see page 121).	"	0 0 4	—	—	—	—
Hoe { Dutch, 6 feet, also rakes	"	0 0 8½	—	—	—	—
{ Garden, 5 feet	"	0 0 6	—	—	—	—
{ West India, grubbing and mamootie	"	0 1 4½	—	—	—	—
Iron, galvanized, for coal tubs	pair	0 0 4	—	—	—	—
Mop { Common	each	0 0 1½	—	—	—	—
{ Magazine, with copper ferrule	"	—	0 0 9	0 0 9½	—	—
Peel { Drawing { 17½ feet	"	0 6 5	—	—	—	—
{ 14 " "	"	0 4 11	—	—	—	—
{ 12 " "	"	0 3 6	—	—	—	—
{ Setting { 17½ feet	"	0 5 1	—	—	—	—
{ 14 " "	"	0 3 6	—	—	—	—
{ 12 " "	"	0 2 6	—	—	—	—
Scythe (see Scythes)	"	0 0 7	—	—	—	—
Hangers, lamp—							
Kerosine	"	0 0 2½	—	—	—	—
Paraffin	"	0 0 2½	—	—	—	—
Hatchets, hand, 3 lbs. carpenters or bench—							
Handled	(see page 121) { ..	"	0 1 2	—	—	—	—
Unhandled	{ ..	"	0 0 10	—	—	—	—
Heads—							
Brush, long { Scrubbing { Blocks	"	0 0 2½	—	—	—	—
{ Sweeping { Clamps	"	0 1 9½	—	—	—	—
Military stand, wood	100	0 2 7	—	—	—	—
Mop, or thrums { Common	each	0 0 11½	—	—	—	—
with leathers { Parts of { Thrums	"	0 0 10	—	—	—	—
and nails { .. { Leathers and nails, iron	"	0 0 1½	—	—	—	—
{ Magazine	"	0 1 1	—	—	—	—
Helmets—							
Firemen's	"	0 18 0	—	—	—	—
Wire fencing, land service	"	0 11 9	—	—	—	—
Helves, mattock (see page 77)	"	0 0 7½	—	—	—	—
Hilts, iron, fencing stick	"	0 2 0	—	—	—	—
Hods, copper, coal weighing machines	"	1 2 0	—	—	—	—
Hoes, unhandled—							
Ceylon or mamootie { 4 lbs.	"	0 1 3	—	—	—	—
{ 3½ "	"	0 1 2	—	—	—	—
Grubbing, 3 lbs. 4½ inches	"	0 1 4½	—	—	—	—
Large, or garden, 8 "	"	0 0 9	—	—	—	—
Small or Dutch weeding	"	0 0 11	—	—	—	—
West India pattern { No. 1*	"	0 1 3	—	—	—	—
{ " 2*	"	0 1 6	—	—	—	—
{ " 3*	"	0 1 8	—	—	—	—
Holsters, leather, butchers knife, with strap	"	0 3 0	—	—	—	—
Hooks—							
Butchers—							
Breaking	"	0 0 1	—	—	—	—
Breast	"	0 1 6	—	—	—	—
Dressing, 2½ inches	"	0 0 10	—	—	—	—

* Local provision.

BARRACK AND HOSPITAL STORES.										Contract Rate.		
										£	s.	d.
Hooks, continued—												
Butchers—												
Dressing	{ 20 inches		each	0	0	6
	{ 15 "		"	0	0	4
	{ 12 "		"	0	0	2
Gamble	{ Tinned		"	0	0	1½
	{ Untinned		"	0	0	1
S.—												
Flat	Plain	{ 7 inches		"	0	0	1½
		{ 6 "		"	0	0	1
		{ 5 "		"	0	0	1
	Tinned	{ 7 inches		"	0	0	2
		{ 6 "		"	0	0	1½
Round	{ 3 "	{ 5 "		"	0	0	1½
		{ 6 "		"	0	0	1
Swivel	{ Tinned	{ 5 "		"	0	0	4½
		{ Untinned		"	0	0	4
Fire, with handles and ropes		{ 40 feet		"	3	0	0
		{ 25 "		"	2	10	0
		{ 20 "		"	2	5	0
Military stands, 1 and 2 (see Stands, page 491) ..										"	0	2 4
Pot, iron ..										doz.	0	2 6
Reaping, handled		{ Large	each	0	1	0½
		{ Small, mountain service		"	0	0	7
S for stable lanterns ..										"	0	0 1
Horses, wood, clothes, hospital ..										"	0	18 0
Horses, wood, sawing*												
Mose, engine, fire (see Engines, fire, part of).												
Infusers, tea, hospital ..										"	0	10 0
Inhalers, pewter—												
Without tubes ..										"	0	5 0
Tubes for (see Tubes).												
Ink, marking (see page 146). ..										gall.	0	3 6
Inkstands, pewter, recreation room—												
Complete ..										each	0	2 3
Parts of, glasses ..										doz.	0	1 5
Irons—												
Branding	{ ½ inch (figures and letters)		each	0	0	9
	{ ½ " { figures		"	0	0	8
	{ letters } (see page 146) {		"	0	0	7
Flat	{ Without stands		"	0	0	7 ½
	{ Stands for (see Stands).		"			
For loading heads, long scrubbing, when used for dry rubbing										"	0	0 8½
Leg, 22 lbs., military prisons ..										"	0	12 6
Turf	{ Cutting		"	0	14	0
	{ Edging		"	0	4	0
Ironwork sets—										No. to a set.		
For soldiers forms—												
6 feet ..										set	0	5 5
4 " ..										"	0	5 3
Parts of—												
Bolts, with nuts		{ 10½ inch, with washers		2	doz.	0	1	1
		{ 3 " " " "		1	"	0	0	9
Nuts (spare) for 3 inch and 10½ inch bolt ..										"	0	0 4½
Legs, for 6 feet and 4 feet ..										set	0	2 6
Stays for	{ 6 feet		2	"	0	2	8
	{ 4 " " " "		2	"	0	2	6

* On foreign stations only. Local provision.

BARRACK AND HOSPITAL STORES.										Contract Rate.		
										£	s.	d.
Ironwork, sets, continued—												
For soldiers' tables—												
For table tops, complete—												
6 feet	set	0	1	0½	
4	"	0	0	11	
Parts of—												
Bolts, with nuts, for 6 feet and 4 feet	2	doz.	0	4	0	
Nuts (spare)	"	0	0	4½	
Clamps, corner, for 6 feet and 4 feet	4	each	0	0	2	
Dowels, iron, for	{	6 feet	10	} doz.	0	0	6	
	{	4	8					
Trestles	each	0	4	1	
Jackets, canvas, restraint, military prison									
Jackets, leather, fencing—												
Half	"	0	5	5	
Whole	"	0	14	0	
Jacks, roasting, bottle, complete, for 1 to 16 lbz...									
Jugs—												
Earthenware, recreation room	{	Large	"	0	0	10½	
		Small	"	0	0	5½	
		Shipsshape	"	0	0	5½	
Tin, wash-hand stand, hospital (see page 491).												
Kettles, iron, tea—												
7 quarts	"	0	5	4	
4	"	0	3	6	
2	"	0	2	2½	
Kettles, tin—												
Cooking, nest of eight	set	0	14	3	
Fish	each	0	5	1	
Keys, for handcuffs (see page 147)									
Knives—												
Bread or dough	"	0	0	11	
Butchers—												
Cutting, 10 inches	"	0	1	3	
Dressing	"	0	0	7	
Flaying	{	Large, 6½ inches	"	0	0	8	
		Small	"	0	0	7	
Jointing	"	0	0	8	
Meat, large (see Knives, cutting, 10 inches).												
Siding (same as flaying).												
Sticking	"	0	0	7½	
Carving, buck handled	"	0	1	5	
Chaff-cutting	{	Curved	"	0	2	5	
		Straight	"	0	2	0	
Dinner, black handled	{	Large	"	0	0	4	
		Prisoners	"	0	0	3	
Laboratory, small (see page 123)									
Meat, 10 inches, regimental cooks (see Knives, butchers, cutting, 10 inch).									
Opening meat tins	"	0	0	6½	
Kriegspiel, or war game—												
Complete	"	6	11	6	
Parts of—												
Books of rules	"	0	1	6	
Maps, mounted and coloured	set	4	10	0	
Men, box of												

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Ladders, continued—				
Wood—				
Standing—				
50 feet	each	—	£ 6 7 3	£ 6 16 3
45 "	"	—	5 5 6	5 12 3
40 "	"	—	4 8 11	4 14 9
30 "	"	—	3 1 6	3 5 1
28 "	"	—	2 17 7	3 0 7
26 "	"	—	2 12 1	2 15 2
24 "	"	—	2 6 9	2 9 4
22 "	"	—	2 1 6	2 3 8
20 "	"	—	1 16 6	1 18 6
18 "	"	—	1 10 9	1 12 9
16 "	"	—	1 6 2	1 7 9
14 "	"	—	1 1 6	1 2 10
12 "	"	—	0 17 9	0 18 10
10 "	"	—	0 14 2	0 15 2
7 "	"	—	0 10 8	0 11 5
Step, with back and hinges*	"	—	—	—
Ladders, iron—				
Melting, 6 inch, pint (see page 123).	"	0 1 6	—	—
Tinned, soup	"	0 0 7	—	—
Lamp black (see paint, dry, and paint, ground, page 155).				
Lamps, complete—				
Agitable, hand	"	0 2 3	—	—
Argand, 2 lights, military prison ..	"	2 5 0	—	—
Bakers oven	"	0 2 6	—	—
Bulls eye, police (see Lanterns).				
Exterior—				
Gas	"	0 5 9	—	—
Oil { With top	"	0 3 5	—	—
Burners for (see Burners).				
Square (Plate 10 G. Fig. 2, R.E. pattern book)	"	0 11 0	—	—
Fire brigade (see Engines, fire, parts of).				
Gaslighters, with stick	"	0 4 0	—	—
Hand { Round, japanned, for lighting gas	"	0 0 10½	—	—
Small, field hospital (see page 68)	"	0 3 1	—	—
Kerosine { No. 1, hanging.. .. .	"	0 8 0	—	—
" 2,	"	0 7 3	—	—
" 3, wall	"	0 6 5	—	—
Magazine { Passage	"	0 16 11	—	—
Wall	"	0 9 9	—	—
Moderator	"	0 9 4	—	—
Spare parts of—				
Chimneys (see Chimneys).				
Globes (see Globes).				
Mops with handles, for cleaning chimneys (see Mops).				
Paraffin—				
Billiard table { With shades	"	0 13 6	—	—
Without shades	"	0 9 6	—	—
Hanging—				
Barrack and Hospital	"	0 3 6	—	—
Punkah	"	0 16 0	—	—

* Issued for storehouses where the shelves are over 8 feet high. They are usually obtained locally. Their height varies according to the requirements of the storehouse, and the price of a 6 ft. ladder may be taken as 1½s.

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Lamps, complete, continued—		£ s. d.	£ s. d.	£ s. d.
Paraffin—				
Hanging—				
Spare parts of { Burners (see Burners). { Globes (see Globes). { Reservoirs (see Reservoirs),				
Passage				
Standing	each	0 7 0	—	—
Spare parts of { Burners (see Burners). { Chimneys (see Chimneys). { Globes (see Globes).	"	0 2 9	—	—
Passage—				
Gas { (Mark I) { (Mark II)	"	0 7 6 0 3 5	—	—
Officers { Without Burners { Burners for (see Burners).	"	0 2 3	—	—
Soldiers { Without burners { Burners for (see Burners).	"	0 2 0	—	—
Solar, for walls, military prison	"	0 7 0	—	—
Lances, blunt, exercise—				
Complete	"	1 7 2	—	—
Spare parts of—				
Flags (see page 27)	"	—	0 1 3½	0 1 5½
Heads (or pad-plates, top), with lanquets*	"	0 6 0	—	—
Pads, leather	"	0 1 1	—	—
Shoes (or pad-plates, bottom), with lanquets*	"	0 2 6	—	—
Slings	"	0 0 7	—	—
Thongs	"	0 0 2½	—	—
Lanterns—				
Bulls eye, police (see page 148)	"	0 2 4	—	—
Copper, magazine (see page 148)	"	0 8 8	—	—
Tin, with plate glass sides	"	0 2 8	—	—
Latrines, dry earth, moveable parts of—				
Barrels, dry earth.†				
Scoops to handle dry earth	"	0 0 5½	—	—
Screens for sifting	"	1 0 5	—	—
Buckets, iron, galvanized, { Large‡ { Small§	"	0 3 6 0 3 3	—	—
Tanks, soil, iron, galvanized, 3 feet × 2 feet × 1 foot 10 inches	"	1 15 0	—	—
Covers for soil tubs	"	0 5 0	—	—
Goux's system { Moulds { For packing.. { Skeleton ..	"	0 8 0 0 5 0	—	—
{ Tubs, wood, for soil ..	"	0 16 0	—	—
{ Urinals, guide	"	0 1 0	—	—
Lead, white—				
Dry				
Ground } (see page 148 {	cwt.	1 1 8	—	—
	"	1 2 10	—	—
Legs—				
Iron, form, 6 and 4 feet (see Ironwork).				
Wood { Chair { Arm, recreation room..	each	0 0 8	—	—
{ Stool, sergeants	"	0 0 4	—	—
	"	0 0 6	—	—
Levels, spirit bagatelle tables (see Tables).				

* Pads not included.

† No established pattern. Any article fit to hold dry earth can be substituted.

‡ Diameter at top 17 inches × 13½ inches; diameter at bottom 10 inches × 9 inches; depth, 17½ inches.

§ Diameter at top 15 inches × 13 inches; diameter at bottom 8½ inches × 8½ inches; depth 15½ inches.

Section VI.

481

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Ladders for posts, Nos. 4, 5, and 6, military stands, with chains (see stands, page 491) ..	each	£ s. d. 0 1 2	—	—
Linen , striped, for chair covers ..	yard	0 0 7	—	—
Lines, clothes , hospital, 80 yards ..	each	—	—	—
Linoleum —				
Bordering, 6 inches wide ..	yd. run	0 0 7½	—	—
Plain { 6 feet wide	0 4 6	—	—
3	0 2 3	—	—
Loaders, iron (see Irons).				
Locks, iron , pad, with key, single, middling (see page 149) ..	each	0 0 8½	—	—
Locks, small arm , waster, musketry instruction	0 3 8	—	—
Logs, iron , horse, 2 lbs. (see page 82) ..	100	—	1 1 11	1 3 2
Machines —				
Chaff-cutting { Complete ..	each	7 12 6	—	—
Knives, for (see Knives).				
Spanners, for (see Spanners).				
Washing	8 10 0	—	—
Weighing —				
Platform, with { 20 cwt.	8 7 0	—	—
steel-yard and { 10	4 17 0	—	—
weights .. { 5	3 1 10	—	—
2	2 0 0	—	—
1	1 16 0	—	—
Without weights—				
Coal { With copper hod	3 1 0	—	—
Hod, copper, for (see Hods).	..	0 14 0	—	—
Flour { With tin scoop, 14 lbs.	3 7 8	—	—
Scoops, tin, for (see Scoops).	..	1 18 6	—	—
Man	0 18 1	—	—
28 lbs., with tin pan	0 15 0	—	—
14 lbs. { With copper pan	0 13 7	—	—
With enamelled pan (see page 149)	0 10 3	—	—
7 lbs., with copper pan	11 15 0	—	—
Winnowing, with six loose sieves	4 0 0	—	—
Wringing	0 0 5	—	—
Mallets , small, hospital, for driving cocks	—	—	—
Mangles —				
Baker's, 7 feet	18 0 0	—	—
Jeake's	14 0 0	—	—
Mantlets, iron —				
Complete	—	17 7 0	19 1 8
Bolts, iron, for (see Bolts).	..	—	—	—
Maps, mounted on rollers , and varnished—				
Recreation room—				
Africa	0 3 9	—	—
Asia	0 7 6	—	—
England and Wales	0 10 6	—	—
Europe	0 7 9	—	—
India	0 7 6	—	—
Ireland	0 10 6	—	—
North America	0 7 6	—	—
Palestine	0 3 9	—	—
Scotland	0 10 6	—	—
The World, (Mercator's projection)	0 16 0	—	—
Views of nature in ascending regions	0 4 6	—	—

(v.s.)

2 H

BARRACK AND HOSPITAL STORES.										Contract R
Maps, mounted on rollers, and varnished, continued—										
School—										
Africa	each	£ 0
America	{	North	"	0
		South..	"	0
Asia	"	0
Australasia	"	0
British Isles	"	0
England and Wales	"	0
Europe	"	0
India	"	0
Ireland	"	0
Palestine	"	0
Scotland	"	0
Eastern hemisphere (The World)	"	0
Western	"	0
Small	{	Africa	"	0
		Palestine..	"	0
Mashers, wood, vegetable, regimental cooks										0
Masks, wire, fencing, for foil practice										0
Matchets										0
Matting, cocoanut*										sq.yd. 0
Mats, coir, fibre—										
Door, close	{	3 feet x 2 feet	each	0
		Of any other size	sq.yd.	0
Passage, open, 4 feet x 2 feet 6 inches	each	0
Mattocks, 6 lbs, for soldiers gardens—										
Helved	"	0
Unhelved	"	0
Mattresses—										
Canvas, straw, 6 feet x 6 feet x 6 inches, gymnasias (see Cases).										
Coir, fibre, military prison										0
Measures—										
Copper, wine and spirit	{	4 gallons	"	1
		2 "	"	0
		1 "	"	0
		½ "	"	0
Glass, graduated, 4 ounces (see page 149)										0
Pewter—										
Beer	{	1 gallon	"	0
		½ "	"	0
Wine and spirit	{	1 quart	"	0
		1 pint	"	0
		½ "	"	0
		1 gill	"	0
		½ "	"	0
Tin—	{	2 gallons	"	0
		1 "	"	0
		½ "	"	0
		1 quart	"	0
Milk, or dippers	{	1 pint	"	0
		½ "	"	0
		1 gill	"	0
		½ "	"	0
Oil	{	1 gallon	"	0
		½ "	"	0
		1 quart	"	0
		1 pint	"	0
Wood, corn	{	2 bushel	(see page 149)	0
		1 "	"	0
		½ "	"	0
		1 peck	"	0
		½ "	"	0

* Supplied in widths of 36 inches and 45 inches.

BARRACK AND HOSPITAL STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Mills—					
Coffee { Large	each	£ s. d.	£ s. d.	£ s. d.	
Small	"	1 2 7	—	—	
Pepper { Large	"	0 3 0	—	—	
Small	"	1 3 9	—	—	
	"	0 11 9	—	—	
Models—					
Elementary (see page 150)	doz.	1 14 0	—	—	
Wood, Musketry Instruction	each	0 5 9	—	—	
Mops—					
Heads, with leather and nail (see Heads, mop)					
With handle, cleaning chimneys, moder-					
ator lamps	"	0 0 3½	—	—	
Moulds, for casting lead	"	0 1 9	—	—	
Mugs, earthenware—					
Drinking, 1 pint	"	0 0 2½	—	—	
Medicine, ½	"	0 0 1½	—	—	
Muskets, with spring bayonets—					
Complete	"	2 5 0	—	—	
Springs, spare for	"	0 1 3	—	—	
Nails—					
Copper, wrought, mop, No. 416, length 5½					
inches, weight per M., 81 lbs	lb.	0 1 2½	—	—	
Iron—					
Clasp, wrought, fine, 2 inches,					
No. 72	(see page 152)	cwt.	1 7 9	—	—
Clout, { Fine, No. 93		"	1 13 6	—	—
wrought { Middling, No. 94		"	1 5 3	—	—
{ Strong, No. 101		"	2 13 11	—	—
Rose head, wrought, 2½ inches,					
No. 124	"	0 19 11	—	—	
Napkins—					
Communion, linen, damask, with monogram	each	0 4 6	—	—	
Ophthalmia, linen	"	0 0 7½	—	—	
Nets, potato, middling	"	0 0 8½	—	—	
Netting, old or scuffling, for bakers ..	cwt.	0 16 0	—	—	
Nuts, bolt—					
Bedstead (see Bedsteads, parts of).					
Form					
Table top } (see Ironwork).					
Off-sets, iron, bakers—					
7 feet 2 inches	each	0 5 6	—	—	
6 " 2 "	"	0 5 0	—	—	
4 " 6 "	"	0 3 6	—	—	
4 "	"	0 3 0	—	—	
3 "	"	0 2 9	—	—	
Oil—					
Neatsfoot	(see page 154) {	gall.	0 3 5	—	—
Rangoon, machinery		"	0 1 8½	—	—
Osnaburgh, No. 1	yard	0 0 4	—	—	
Pads, fencing—					
Body apron	each	0 8 0	—	—	
Breast or plastron	"	0 3 8	—	—	
Leg	"	0 5 8	—	—	
Pails—					
Iron, galvanized—					
Bakers and butchers, 4 gallons (see					
Buckets, page 466).					
(Japaned outside) slop, with cover,					
hospital	"	0 2 11	—	—	
Tin, Fykes (see Stools)	"	0 9 6	—	—	
Wood, water, barrack	"	—	0 2 1	0 2 3	

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Paint (see page 155).		£ s. d.	£ s. d.	£ s. d.
Palllasses (see Cases).				
Fans — { Machine, weighing 14 lbs.	each	0 5 0	—	—
{ Pillar, groceries, 7 lbs.	0 6 0	—	—
{ Scale { 56 lbs.	0 18 0	—	—
{ { With iron { 28 "	0 16 0	—	—
{ { chains { 14 "	0 14 0	—	—
{ Warming	0 4 9	—	—
{ Bed	0 3 3	—	—
{ Fyfes pail (see stools)	0 2 3	—	—
{ Enamelled, machine, weighing, 14 lbs.	0 1 8	—	—
{ Iron— { 14 inches x 11½ inches	0 1 1½	—	—
{ { Frying { Oval { 10 " x 8 "	0 0 7	—	—
{ { { Round, 14 inches	0 1 4½	—	—
{ { { Officers	0 0 4	—	—
{ { { Soldiers	0 0 6	—	—
{ { { Ventilating stoves	0 0 4	—	—
{ { { 2 gallons	0 5 9	—	—
{ { { 1 "	0 4 2	—	—
{ { { 2 quarts	0 3 6	—	—
{ { { 1 "	0 2 10	—	—
Tin —				
{ Dust, with handles	0 3 6	—	—
{ Machine, weighing, 28 lbs.	0 2 6	—	—
{ Scales { Candle	pair	0 12 0	—	—
{ { Dough	each	0 2 6	—	—
Paper, glass, coarse (see page 156).	..	0 0 6	—	—
Patens (see Communion Service).	..			
Peels, oven —				
{ Iron, for baking dishes { 12 feet	each	0 2 11	—	—
{ { 10½ "	0 2 5½	—	—
{ { 17½ feet	0 9 6	—	—
{ { 14 "	0 6 6	—	—
{ { 12 "	0 5 6	—	—
{ { 10½ "	0 5 0	—	—
{ { 8 "	0 4 0	—	—
{ { 17½ feet	0 8 2	—	—
{ { 14 "	0 4 0	—	—
{ { 12 "	0 3 6	—	—
{ { 10½ "	0 2 6	—	—
{ { 8 "	0 2 0	—	—
Pegs, wood —				
{ Cavalry practice (see stands, page 491)	1000	—	0 14 11	0 15 10
{ Clothes { Large	each	0 0 1½	—	—
{ { Small	100	0 1 0	—	—
Percolators, hydrostatic or tea urns	each	0 15 0	—	—
Pickers, grass	0 0 8½	—	—
Pigeon-holes, office, moveable	—	—	—
Pillows, coir fibre, military prison	0 1 3	—	—
Pillows, hair, hospital —				
{ For bearers, filled (see Bearers, page 63).				
{ Large { Filled	0 2 11	—	—
{ { Cases for { Cases, slip, for } (see Cases).	..	—	—	—
{ { Filled	0 1 1	—	—
{ { Cases for { Cases, slip, for } (see Cases).	..	—	—	—
Pincers, carpenters (see page 124).	pair	0 1 3½	—	—
Pins —				
{ Four corner	each	0 12 6	—	—
{ Iron bedstead (see Bedsteads, parts of).				

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pins, continued—				
Skittle	each	£ s. d. 0 3 2	—	—
Wire or arrows, 12 inches long	"	0 0 1	—	—
Wood, rolling	"	0 0 7	—	—
Pipes, hose, fire engine (see Engines, Fire, parts of).				
Pipes, stand, for hydrant—				
3½ inches	"	4 0 0	—	—
2½ inches waterway, for screwing to Brigade gauge No. 1.. .. .	"	1 15 0	—	—
Portable, with double outlets { 1½ inches waterway, for screwing to War De- partment gauge Nos. 2 and 3.. .. .	"	1 9 8	—	—
Plastrons, fencing (see Pads, breast).				
Plates, dinner, earthenware, general service				
Pliers, gas, 2 hole (see page 125).	pair	0 0 2½	—	—
Plugs for dropay beds (see Bedsteads, parts of).				
Pointers, wood, for schools—				
6 feet	100	—	5 19 10	6 7 0
4 "	"	—	4 7 3	4 12 6
Pokers—				
Bakers, 6 feet	each	0 1 4½	—	—
For ventilating stoves	"	0 0 5½	—	—
Officers	"	0 1 0	—	—
Soldiers or kitchen	"	0 0 8	—	—
Poles, wood—				
Flag, musketry instruction, 10 feet ..	"	0 2 0	—	—
Hanging, with staple plate fixed ..	foot	0 0 5	—	—
Hospital bearer (see Bearers, page 63).				
Leaping, with iron fittings	"	0 0 5½	—	—
Scuffling, bakers	each	0 3 3	—	—
Vertical, with iron hooks, 18 feet long—				
3 inches diameter	foot	0 1 1	—	—
2½ "	"	0 0 11½	—	—
Pair, 1½ inch or 1¼ inch diameter ..	"	0 0 9	—	—
Porringers, pewter, blood, large ..	each	0 2 6	—	—
Portfolios, recreation room—				
18 inches x 12 inches	"	0 1 6½	—	—
14 " x 10 "	"	0 1 2	—	—
12 " x 9 "	"	0 1 0	—	—
Pots—				
Copper, { Large } (see page 157) { ..	"	0 6 9	—	—
watering { Small }	"	0 4 6	—	—
Butter, 3 ounces	"	0 0 3½	—	—
Chamber	"	0 0 9	—	—
Earthenware { Spitting, or cups, with lids (see Cups).				
Tea, small	"	0 0 6½	—	—
Gutta percha, chamber	"	0 5 6	—	—
Iron—				
10 gallons	"	0 8 0	—	—
Oval, with lids { 8 "	"	0 6 7	—	—
and fixed bails { 6 "	"	0 5 3	—	—
{ 4 "	"	0 3 9	—	—
{ 2 "	"	0 2 6	—	—
12 gallons	"	0 4 9	—	—
9 "	"	0 3 8	—	—
Round, with lids { 6 "	"	0 2 5	—	—
{ 3 "	"	0 1 10	—	—
{ 2 "	"	0 1 8	—	—

BARRACK AND HOSPITAL STORES.						Contract Rate.		
Pots, continued—						£ s. d.		
Pewter—								
Mustard	each	0	1	2
(See Measures).								
Tin—								
Coffee { Large, recreation room..	"	0	1	1
Small, hospital	"	0	1	9
Drinking, 1 pint, general service	"	0	0	2½
Tea, 3 pints	"	0	0	7½
Watering { Large	"	0	2	9
Small..	"	0	1	6
With handle, 1 quart	"	0	0	4
Fouches, butchers (see Holsters).								
Preservers, eye, stone breaking (see Goggles).								
Presses—								
For storing instruments, papers, &c., for garrison instructors	"	7	5	0
Office, moveable	"	—		
Pritchets, wood, butchers	"	0	2	0
Props, clothes.*	"	0	0	10
Racks, hospital, bedstead (see Bedsteads, parts of).								
Rakes—								
Iron—								
Bakers { 6 feet	"	0	1	9
4 "	"	0	1	4
Deane's steel boiler	"	0	0	11
Garden, unhandled { 15 inches..	"	0	0	11
10 "	"	0	0	7
Handles for (see Handles).								
Military cooks	"	0	1	2
Wood { Hay..	"	0	0	9
Riding school	"	1	4	3
Rasps, bread..	"	0	1	1
Reels—								
Hose, for hydrant	"	8	6	
Garden, complete, with line	"	0	1	
Refrigerators	"	7	10	
Reins, chain—†								
5 feet 2 inches } (see page 86) {	"	0	0	
5 " 9 " }	"	0	0	
Reservoirs—								
Billiard lamp, with burner‡ (see lamps).								
Kerosine lamps { No. 1	"	0	0	
3 "	"	0	0	
Paraffin hanging lamps	"	0		
Rests, tripod, with rings, musketry instruction..	"	0		
Rings, iron—								
Hand { Covered with leather	pair	0		
Plain	"	0		
Military, stand { 4 inch } (see Stands, page 191)	each	0		
5 "	"	0		
With ropes and iron hooks { 6 feet from floor, set of 12	set	4		
5 "	pair	0		
Rivets—								
Copper, engine hose	lb.	0		
Iron, galvanised, for coal tubs	"	0		
Rollers—								
Cast-iron—								
Hand, 10 cwt.	each			
Large, double { 2 horse	"			
1 "	"			

* Local purchase.

† In the 1879 edition the 5 feet 2 inch chain was termed "Old patter 5 feet 9 inch chain "Mark II."

‡ The lamp consists of the burner with reservoir.

BARRACK AND HOSPITAL STORES.	Rate.					
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
Rollers, continued—			<i>£ s. d.</i>	<i>£ s. d.</i>	<i>£ s. d.</i>	
Wrought-iron, with turntable and brake, 4 feet long and 3 feet diameter	each	—	—	—	—	
Rope, for lapping furze on bars (see Cordage, page 470).						
Ropes—						
Drag, light (see page 349)	pair	—	0 6 3	0 6 11		
For hanging stable lantern (see Cordage, page 470).						
For trapeze bar or rings, with dog hooks and eyes	0 7 6	—	—		
Head, with ring, butchers	each	0 4 0	—	—		
Knotted—						
3½ inches, 24 knots, 24½ feet long, whipped ends	foot	0 1 9½	—	—		
3½ inches, 19 knots, 18½ feet long, whipped ends	0 1 10	—	—		
3½ inches, 17 knots, 18½ feet long, with thimble and iron hook	0 1 9	—	—		
Plain—						
3½ inches, 18 feet long, with splice end, thimble and iron hook	0 1 4½	—	—		
3½ inches, 19 feet 4 inches long, whipped ends	0 1 6	—	—		
Vertical, 4½ inches	0 1 5	—	—		
Well bucket.*						
Rosaries, with iron hook	0 1 9½	—	—		
Rugs—						
Barrack	each	0 6 0	—	—		
Hearth, 6 feet x 2 feet 8 inches	0 19 7	—	—		
Hospital, surgical	0 13 4	—	—		
Life Guards	0 8 7	—	—		
Rulers, flat, musketry instruction, plain	0 0 7½	—	—		
Rules, bagatelle table (see Tables, bagatelle.)						
Sackings, bedstead, with brass eyelets	0 4 11	—	—		
Sackings, bedstead, hospital, with appliances	1 18 4	—	—		
Sacks, corn, commissariat, 160 lbs.	0 1 7	—	—		
Salt cellars, wood	0 0 3½	—	—		
Saucepans—						
Iron, tinned, with lids—						
9 quarts	0 2 9	—	—		
8	0 2 0	—	—		
6	0 1 10	—	—		
4	0 1 4½	—	—		
3	0 1 3½	—	—		
2	0 1 1	—	—		
1	0 0 10	—	—		
1 pint	0 0 6½	—	—		
Steamers for { 8 quarts (see Steamers). 4	0 1 9	—	—		
Tin, with lids { 1½ gallons 3 quarts	0 1 0	—	—		
Saucers, tea, recreation room	0 0 1½	—	—		
Saws—						
Cross-cut, 6½ feet, with handles (see Blades, page 107, and handles, page 121)	0 9 5	—	—		
Hand, 26 inch (see page 127)	0 2 0½	—	—		
Iron back { Butchers, 20 inches Tenon, 14 inches (see page 127)	0 2 7	—	—		
Zinc, bakers	0 2 0	—	—		
	..	0 1 5	—	—		

* Local purchase

BARRACK AND HOSPITAL STORES.						Contract Rate.	
Scabbards, sword, practice—						£	s. d.
Iron, cavalry and other mounted corps	each	—	—	—	—		
Leather, brass mounted, lead cutting	"	—	—	—	—		
Scales, weighing, without weights—							
Candle, to weigh 28 lbs., complete (see page 159)	"	1	0	6			
Dough, complete, 7 lbs.	"	0	7	6			
Forge (see page 159)	"	6	14	6			
Iron beams—							
Complete, without { 10 cwt. } (see page 159) {	"	4	12	3			
triangle .. { 5 " }	"	3	15	0			
2½ " }	"	2	18	6			
Spare, parts of—							
Beams, iron .. { 10 " } (see page 133) {	"	2	6	3			
5 " }	"	1	19	0			
2½ " }	"	1	9	6			
Boards, elm .. { 10 " } (see page 135) {	pair	1	5	0			
5 " }	"	0	18	0			
2½ " }	"	0	15	0			
Chains, iron .. { 10 " } (see page 139) {	set	1	1	0			
5 " }	"	0	18	0			
2½ " }	"	0	14	0			
Triangles, iron { 10 " } (see page 172) {	each	0	17	0			
5 " }	"	0	17	0			
And copper pans, complete { 56 lbs.	"	1	16	0			
28 "	"	1	8	0			
14 "	"	1	1	0			
Tin scoop, with beam chains, and copper pan, for flour—							
56 lbs. } (see page 159) {	"	1	16	0			
28 " }	"	1	1	0			
14 " }	"	0	17	6			
Scales, weighing—							
Pillar—							
For groceries, 7 lbs. without weights (see page 159)	"	1	5	6			
Money, with weights (½ a sovereign up to 1,000)	"	7	0	0			
Spring, butchers (see Balances).							
Scissors—							
Hair cutting, 7 inches	pair	0	1	0			
Lamp, with guard } (see page 159) {	"	0	1	0½			
Mat makers, 5 inches }	"	0	2	6			
Sconces, tin, candle, military prison						each	0 1 0
Scoops—							
Iron, for clearing drains	"	0	1	10			
Latrines (see Latrines).							
Tin, flour and meal { 2 quarts	"	0	0	11			
1 "	"	0	0	5½			
1 pint	"	0	0	4½			
½ "	"	0	0	3½			
Scales, flour { 56 lbs.	"	0	16	0			
28 "	"	0	11	0			
14 "	"	0	9	0			
Scrapers—							
Deck, triangular (see page 159)	"	0	1	1½			
Dough	"	0	1	3			
Screens—							
Bedside, folding*	"	1	10	0			
For sifting dry earth (see Latrines).							
Wrought-iron, fire, Aldershot pattern	"	26	5	0			
Screws—							
Double junction, fire engine hose (see Engines, fire, parts of).							
Elevating, socket, military stand	"	0	0	2			
Suction, fire engine hose (see Engines, fire, parts of).							
Eyes	lb.	0	0	5			

* A light wooden framework covered with American cloth, baize, or canvas.

BARRACK AND HOSPITAL STORES.	Rate.							
	Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.			
Screws, continued—			£	s.	d.	£	s.	d.
Hook to fix swings	lb.		0	0	5	—	—	—
Iron, flat { 1½ inch, No. 527 }	gross		0	0	9	—	—	—
head, { 1 " " 525 } (see page 161)	"		0	0	6½	—	—	—
middling { ½ " " 523 }	"		0	0	4½	—	—	—
Scuds or scudders, hog, commissariat ..	each		0	0	9	—	—	—
Seaming (see Netting).								
Scuttles, copper, coal	"		0	9	2	—	—	—
Scythes—								
Complete	"		0	3	7	—	—	—
Parts of—								
Blades	"		0	1	11½	—	—	—
Handles	"		0	0	3½	—	—	—
Holdfasts, staples, or hooks	"		0	0	0½	—	—	—
Rings, iron	"		0	0	1	—	—	—
Sneads	"		0	0	7	—	—	—
Wedges, iron (3 to a set)	set		0	0	1½	—	—	—
Stones for { Rag.	each		0	0	2½	—	—	—
{ Rub.	"		0	0	2½	—	—	—
Seats, garden, 7 feet long	"		1	15	0	—	—	—
Shades, tin, for lights, billiard table, 20 in.	"		0	4	0	—	—	—
Shapes or dishes, pudding—								
1 quart	"		0	0	9	—	—	—
1 pint	"		0	0	5	—	—	—
½ pint	"		0	0	4	—	—	—
Shears, garden, handled—								
Long	"		0	5	8	—	—	—
Short	"		0	4	3	—	—	—
Sheets—								
Barrack, *linen (Osnaburgh), 94 inches × 50 inches	"		0	2	0½	—	—	—
Hospital† { Cotton, 108 inches × 72 inches	"		0	3	3	—	—	—
{ Linen, white, 108 in. × 72 in. ...	"		0	5	3	—	—	—
Life Guards, linen (Osnaburgh), 108 inches × 54 inches	"		0	2	4	—	—	—
Gentlemen cadets, linen, 96 inches × 72 in.	"		0	4	2	—	—	—
Shoes, leather—								
Gymnasia	pair		0	5	0	—	—	—
Magazine, service (No. 7 to 11) (see p. 378)	100 pr.		—	—	—	42	12	1
Shot, solid, spherical—								
32 pounder } (see page 381) {	100		—	—	—	8	19	2
24 " }	"		—	—	—	7	7	4
Shovels—								
Coal-heavers	each		0	3	6	—	—	—
Coal { Flat	"		0	2	5½	—	—	—
{ Pan	"		0	2	9	—	—	—
{ Square, D handled	"		0	2	1½	—	—	—
{ Officers	"		0	1	6	—	—	—
Fire { Small, Deane's oven	"		0	1	1	—	—	—
{ Soldiers	"		0	1	4	—	—	—
{ Ventilating stoves	"		0	0	8	—	—	—
Stable, new pattern	"		0	1	6	—	—	—
Stoking { Large, short-handled	"		0	1	0	—	—	—
{ Small, long-handled	"		0	0	10½	—	—	—
Tin, dust	"		0	0	7	—	—	—
Universal pattern, helved (see page 79) ...	"		0	1	4½	—	—	—
Wood { Corn, or snow	"		0	4	5	—	—	—
{ Potato	"		0	2	6	—	—	—
Sickles (see page 72)	"		0	0	9	—	—	—
Sideboards, mess room, 8 feet	"		6	13	0	—	—	—

* Issued also for married soldiers' children in barracks.

† Issued also for married soldiers.

BARRACK AND HOSPITAL STORES.						Contract Rate.		
Sieves—						£	s.	d.
Bakers, 20 inches	{	Copper	each	0	4 0
		Hair	"	0	6 9
Iron, galvanized, for cinders		"	0	2 11
Iron wire {	8 mesh, 22 inches diameter	"	0	4 9
10 "	20 "	"	"	0	3 2
12 "	22 "	"	"	0	4 0
Skewers—								
With chains..	"	0	0 2
12 to a set	set	0	0 9
Skids for beer barrels	each	—	
Skittle—								
Balls (see Balls).								
Pins (see Pins).								
Slates, framed—								
14 inches x 10 inches	"	0	0 3½
12 " x 9 "	"	0	0 3
Mulhauser's writing	"	0	0 2½
Slides, fish, iron, tinned	"	0	0 9
Slides, iron, candlesticks (see Candlesticks).								
Slings, leather, hospital bearer (see Bearers, page 63).								
Smashers, potato	"	0	2 6
Snuffers—								
Gun-metal (see page 163)...	"	0	2 6
Iron, common	"	0	0 5
Sockets, iron, military stand—								
Elevating {	Middle					{	0	7 3
	With screw						0	6 3
Traversing {	17 deg.						0	11 0
	10 "						0	11 0
Solder, tinmans (see page 163).	lb.	0	0 6
Solitaire—								
Balls, 33 to a set (see Balls).								
Boards (see Boards).								
Boxes (see Boxes).								
Spades, helved—								
Old pattern (iron and steel) }	(see page 79)			{	0	1 8½
New pattern (all steel)							0	1 8
Spanners, chaff cutting machines—								
Large..	"	0	2 9
Small..	"	0	1 9
Splits, roasting, mess kitchen	"	0	5 3
Splittoons, iron, enamelled..	"	0	1 0
Sponges—								
Bath, 2 ounces	"	0	2 9
Water, ½ oz., general service (see page 89).	"	0	2 3
Spoons—								
Britannia metal, recreation room, tea or egg	"	0	0 2
German silver {	Salt	doz.	0	0 ½
	Table		0	6 11
	Tea		0	2 11
Horn, military prison	each	0	0 7½
Iron, tinned {	Gravy	"	0	0 6
	Small	"	0	0 1½
Ivory mustard	"	0	0 4½
Pewter medicine	"	0	0 8
Spreaders, wood, butchers	"	0	5 6
Springs, spare, Palmer's candlesticks	"	0	0 5½
Squeezers, wood, lemon	"	0	1 7
Stadiometers, Howlett's—								
Complete, with 20 yard chains, in case	"	2	5 3
Spare parts of—								
Chain (see Chain).								
Case (see Cases).								
Stakes, iron, farriers, pointing (see page 128)	"	0	0 8½

Section VI.

491

BARRACK AND HOSPITAL STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Stamps, marking—			£ s. d.	£ s. d.	£ s. d.
Copper	Inlaid, $\frac{1}{4}$ inch, figures, sets (0 to 8) (see page 164)	set	0 5 3	—	—
	WD, HP { Blankets and rugs, 2 inches.. ..	each	0 12 6	—	—
	{ Linen, $\frac{1}{4}$ inch	"	0 4 8	—	—
	{ Shirts, $\frac{1}{4}$ "	"	0 3 9	—	—
	D { Blankets, 2 inches	"	0 2 6	—	—
	{ Linen, $\frac{1}{4}$ inch	"	0 1 0	—	—
	{ Shirts, $\frac{1}{4}$ "	"	0 0 10	—	—
	{ " " " "	"	0 1 0	—	—
	{ " " " "	"	0 1 0	—	—
	{ " " " "	"	0 1 3	—	—
Steel	W \uparrow D for iron { $\frac{1}{8}$ inch (see page 164)	"	0 1 0	—	—
	{ $\frac{1}{4}$ "	"	0 1 3	—	—
	HP iron, $\frac{1}{4}$ inch	"	0 0 6	—	—
	D " " "	"	0 0 3	—	—
Condemned, clothing { Gunmetal, 2 in.		"	0 5 6	—	—
{ Steel, $\frac{1}{4}$ inch		"	0 1 4	—	—
{ Steel, $\frac{1}{8}$ inch		"	—	—	—
Standards, measuring height—					
Old Pattern*		"	3 5 0	—	—
Mark II†		"	1 7 0	—	—
Stands—					
Flat iron		"	0 0 11	—	—
Military practice posts—					
Complete—					
No. 1		"	3 4 0	—	—
" 2		"	3 14 0	—	—
" 3		"	3 9 4	—	—
" 4		"	3 1 4	—	—
" 5		"	3 3 0	—	—
" 6		"	2 19 4	—	—
" 7		"	2 11 9	—	—
" 8		"	2 9 4	—	—
" 9		"	2 2 0	—	—
" 10		"	2 2 0	—	—
Parts of—					
Arms, wood { 5 feet		100	—	11 1 9	11 15 1
{ 2 feet 6 inches		"	—	10 3 9	10 16 0
Balls, wood, covered with leather, No. 3		"	—	54 4 6	57 9 7
Bars, leaping, No. 9 and 10		each	—	0 11 6	0 12 2
Bolts, wrought-iron, leaping bar, No. 9 and 10		"	0 1 6	—	—
Caps, leather, No. 4, 5, and 6		"	0 3 6	—	—
Ferrules, post		"	0 0 2	—	—
Hooks, No. 1 and 2		"	0 2 4	—	—
Levers, post, with chains, No. 4, 5, and 6		"	0 1 2	—	—
Pegs, wood		1000	—	0 14 11	0 15 10
Rings, iron { 4 inch		each	0 0 11	—	—
{ 5 "		"	0 1 0	—	—
Sockets, { Elevating { Middle		"	0 7 3	—	—
iron { { With screws		"	0 6 3	—	—
{ Traversing { 17 deg.		"	0 11 0	—	—
{ { 10 "		"	0 11 0	—	—
Targets { Lance, No. 7, wood		"	0 16 6	—	—
{ Pistol, " 8, iron		"	0 12 6	—	—
Triangles, No. 1		"	0 5 6	—	—
Or gwantrees, for beer barrels		"	—	—	—

* Wainscot, polished, with brass scale, divided into tenths of an inch.

† Yellow deal, stained and varnished, with boxwood scale, divided into quarter inches.

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Stands, continued—		£ s. d.	£ s. d.	£ s. d.
Wash hand—				
Complete { General officers each		1 0 0	—	—
{ Other ranks "		0 18 3	—	—
Japanned, hospital, complete "		0 7 11	—	—
Parts of—				
Basins "		0 2 1	—	—
Cans "		0 1 8½	—	—
Jugs, tin "		0 1 4	—	—
Staples, iron, scythe (see Holdfasts).				
Staves, constables, military prison (see p.165)		0 1 6	—	—
Stays, iron, form—				
6 feet } (see Ironwork).				
4 " }				
Steamers, tin, potato—				
2 gallons "		0 1 3	—	—
1 " "		0 0 11½	—	—
Steels, butchers "		0 1 9	—	—
Steelyards—				
400 lbs. "		1 9 1	—	—
200 " "		0 14 2	—	—
100 " "		0 9 11	—	—
56 " "		0 7 3	—	—
Sticks—				
Fencing { Ash, plain (see page 165) "		0 0 2½	—	—
{ Guards, hand, for (see Guards).				
{ Hilt, iron, for (see Hilt).				
Hanging accoutrements "		—	0 2 9	0 2 11
Walking "		0 0 4½	—	—
Stones—				
Drip, without frame* "		0 3 10	—	—
Grind—				
Field service, in frame, 18 inches (see page 130) "		1 7 0	—	—
14 inches, complete, with frame, regimental cooks "		0 11 2	—	—
Yorkshire { 36 inches x 4 inches } (see		0 14 3	—	—
fine grit { 30 " 4 " } page {		0 7 8	—	—
24 " 4 " } 165)		0 4 8	—	—
Rag, scythe } (see page 489) }		0 0 2½	—	—
Rub " }		0 0 2½	—	—
Stools—				
Carding "		1 2 0	—	—
Cell, 3 legs "		0 1 6½	—	—
Close, Fyfe's { Frame, wood "		0 13 0	—	—
{ Pail, tin "		0 9 6	—	—
{ Pan, earthenware "		0 2 3	—	—
Deal, warders "		0 7 6	—	—
Gentlemen cadets "		0 10 3	—	—
Office desk "		0 13 3	—	—
Serjeants "		0 2 9	—	—
Strainers—				
Copper, fire engine (see Engines, fire, parts of).				
Hair, 15 inch "		0 2 5	—	—
Tin { Gravy "		0 1 0	—	—
{ Potato, bakers "		0 4 3	—	—
Straps, leather—				
Brown, bed, 84 inches x 1½ inch "		0 1 0	—	—
Butchers steel, or pouches "		0 0 9	—	—
Stretchers or bearers, hospital, complete (see page 63) "		—	0 15 3	0 15 8½

* Procurable only at Malta.

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Surplices , linen, chaplains (see page 165) ..	each	£ s. d. 1 5 2	£ s. d. — — —	£ s. d. — — —
Swords—				
Practice { Cavalry, and other mounted corps, with scabbard 0 10 0	—	—
Gymnasia, &c., Wilkinson's 0 9 0	—	—
Infantry 0 2 6	—	—
Lead cutting, with scabbard 0 16 0	—	—
Tabernacles , Roman Catholic Clergy 5 5 0	—	—
Tables—				
Bagatelle—				
Complete with appurtenances 15 0 0	—	—
.. { Old Pattern 19 0 0	—	—
.. { New Pattern 19 0 0	—	—
Parts of—				
Beds, N.P. table* 5 0 0	—	—
Cloths { New pattern, 1½ yard × 3½ yards 2 0 3	—	—
Old pattern, 1 yard × 4½ yards 1 13 7	—	—
Cups, ball, (9 to a set) ..	set	0 5 6	—	—
Appurtenances—	No. to a set.			
	N.P. O.P.			
	table. table.			
Balls ..	9 9	each 0 4 0	—	—
Boards, marking ..	1 1	.. 0 12 0	—	—
Bridges ..	— 1	.. 0 13 0	—	—
Covers, table, holland ..	1 —	.. 0 5 8	—	—
Cues ..	2 3	.. 0 1 10	—	—
Cups, chalk ..	1 —	.. 0 2 0	—	—
Levels, spirit ..	1 1	.. 0 5 10	—	—
Rules ..	1 1	.. 0 3 9	—	—
Wedges, adjusting ..	8 —	.. 0 0 1	—	—
Barrack , parts of—				
Tops (see Tops).				
Trestles (see Ironwork).				
Bedside , hospital { In material 0 3 9	—	—
Made up 0 4 4	—	—
Billiard—				
With appurtenances—†				
Home service 80 0 0	—	—
Foreign 82 15 0	—	—
Without appurtenances—†				
Home service 46 0 0	—	—
Foreign 48 0 0	—	—
Parts of—				
Cloths, 5 yards × 2 yards 5 0 0	—	—
Cushions — — —	—	—
Pockets 0 0 11	—	—
Appurtenances—	No. a set.			
Balls, billiard ..	3	set 1 13 0	—	—
Boards, marking ..	1	each 1 7 6	—	—
Brushes, cloth ..	1	.. 0 6 6	—	—
Covers, table, holland ..	1	.. 1 0 6	—	—
Cues, butt ..	1	.. 0 3 6	—	—
Cues { Billiard ..	12	.. 0 3 0	—	—
Half ..	1	.. 0 4 6	—	—
Long ..	1	.. 0 5 6	—	—
Funnels, tin ..	1	.. 0 1 4	—	—
Irons, billiard, with shoe ..	1	.. 0 9 6	—	—

* The bed consists of 3 slates, valued at £1 13s. 4d. each.

† The table-frame, pool-board, and pool-till are fastened with brass screws in the Foreign pattern, and glued only in the Home pattern.

BARRACK AND HOSPITAL STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tables, continued—			£ s. d.	£ s. d.	£ s. d.
Billiard—	No. to				
Appurtenances—	a set				
Pool { Balls 12	set	6	9	0	—
{ Baskets 1	each	0	3	0	—
{ Boards* { Home service 1	"	2	19	6	—
{ { Foreign " 1	"	3	7	0	—
{ Rules, framed 1	"	0	7	9	—
{ Tills* { Home service.. 1	"	2	0	6	—
{ { Foreign " 1	"	2	8	0	—
Pyramids { Balls 16	set	8	16	0	—
{ Rests 1	each	0	3	3	—
{ Rules, framed .. 1	"	0	7	9	—
{ Triangles 1	"	0	3	9	—
Racks to hold 18 cues, butts					
and rests 1	"	1	5	10	—
Rests { Cushion 1	"	0	3	3	—
{ Long 1	"	0	5	5	—
{ Short 1	"	0	3	3	—
Rules, framed, billiard .. 1	"	0	10	9	—
Warmers { Cushion 6	set	1	19	4	—
{ Pocket 3	"	0	14	9	—
Camp, folding { (Mark I) } (see page 73) { 100		—	92	1	6
with trestles { (Mark II) }	"	—	94	0	7
Communion, moveable†					
Deal, bakers	each	1	1	0	—
Deal, cell, military prison ..	"	0	7	9	—
Messroom‡ { 30 feet	"	27	5	0	—
{ 15 "	"	13	11	3	—
{ Parts of, casters, for legs (see					
Casters).					
Oak, large	"	6	10	6	—
Office, with drawers—					
Leather top { 5 feet 6 inches × 3 feet					
{ 9 inches	"	4	5	0	—
{ 5 feet × 3 feet	"	3	18	0	—
{ 5 " × 2½ "	"	3	15	0	—
Plain	"	2	19	0	—
Officers rooms	"	1	7	8	—
Rectangular, for recreation room, 6 feet	"	2	1	0	—
Round, 30 inches diameter ..	"	1	9	10	—
Tape§—					
Whited-brown, linen, ¾ inch ..	piece	0	0	6	—
White, twill, cotton { 1 inch ¶ ..	"	0	0	7	—
{ ½ " ¶	"	0	0	4	—
Tapes, chest, measuring recruits, and for					
gymnasia	each	0	0	5½	—
Tar, coal (25 gal. to a barrel), (see page 165)	barrel	0	3	6	—

* The table-frame, pool-board, and pool-till are fastened with brass screws in the Foreign pattern, and glued only in the Home pattern.

† Local provision; they vary in material and dimensions.

‡ A mess-room table extending to 15 feet has six legs, and is 4 feet 10 inches wide. It has two fixed leaves, each measuring 4 feet 10 inches × 2 feet 7 inches. The six leaves to make up 15 feet may vary in width, and charges for them are assessed at the rate of 1s. 7d. per superficial foot. A 30 feet table consists of two 15 feet tables attached at end.

§ For repair of bedding.

|| 24 yards in a piece.

¶ 9 " " "

BARRACK AND HOSPITAL STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Targets—	Per target		£ s. d.	£ s. d.	£ s. d.
Canvas, dummy (Mark I)—					
Complete	each	—	2 6 0	2 9 0	
Parts and appurtenances thereof—					
Discs, zinc, signalling, 20 inches *	1	—	0 3 9	0 4 0	
Lines, bracing, 17 yards ..	2	pair	0 3 7	0 3 9	
Poles, wood	2	—	0 14 8	0 15 7	
Shafts, wood, for discs, 10½ feet × 1½ inches × 1½ inches* ..	1	each	0 0 8	0 0 9	
Stretchers, iron	1	—	0 4 3	0 4 7	
Targets, canvas, 6 feet × 6 feet	1	—	0 19 1	1 0 4	
Mallets, wood, handled, tent (see page 69)	1	—	0 1 0	0 1 1	
Pins, tent, wood, large (see p. 70)	4	100	0 13 8	—	—
Runners, wood, tent, large, for bracing lines (see page 72) ..	4	—	0 2 8	—	—
Hematite, cast-iron, com- { (Mark I) ..	each	—	3 1 0	—	—
plete, 6 feet × 2 feet† { (Mark III) ..	—	—	3 19 0	—	—
Wrought-iron—					
Complete, 6 feet × 2 feet (Mark IV)† ..	—	—	9 7 0	—	—
And hematite cast-iron, parts of—					
Bolts, with nuts and washers (4 to a set)	set	—	0 1 6	—	—
Stays, 6 feet 1 inch long (2 to a set) ..	each	—	0 3 9	—	—
Military { Lance, No. 7, wood } (see Stands,	{ ..	—	0 16 6	—	—
stand { Pistol, No. 8, iron } page 491) { ..	{ ..	—	0 12 6	—	—
Testers, milk and cream, consisting of lacto-					
meter, thermometer, and cream test, com-					
plete, in case	set	—	0 9 6	—	—
Thermometers—					
Bakers { Oven or pyrometers } (see { ..	each	—	0 9 6	—	—
Yeast } page { ..	—	—	0 3 0	—	—
Common } 100) { ..	—	—	0 1 0½	—	—
Thread, packing—					
Large	lb.	—	0 0 6	—	—
Middling } (see page 167) {	—	—	0 0 6½	—	—
Small }	—	—	0 0 7	—	—
Ties, butchers	pair	—	0 2 9	—	—
Tins—					
Diet, for trays, dinner	each	—	0 0 3½	—	—
Dinner, mess, with lids, round, military prison	—	—	0 0 9½	—	—
Tongs, iron—					
Fire { Officers	—	—	0 2 7	—	—
{ Soldiers, O.P.	—	—	0 1 10	—	—
Ventilating stoves	—	—	0 1 4	—	—
Smiths, { Large or close, 3 lbs. } (see page { ..	{ ..	—	0 0 10½	—	—
forge { Small } 131) ..	{ ..	—	0 0 9	—	—
Steak, for hospital service	—	—	0 1 7½	—	—
Tools—					
Barrack and hospital service—					
Awls, brad { Blade (see page 107) ..	doz.	—	0 0 3½	—	—
{ Handle (see page 121) ..	each	—	0 0 1	—	—
Chisels, socket, handled, 1½ inch (see page 110)	—	—	0 1 0	—	—

* These replace the 15 inch and 24 inch signalling discs with shafts, which thus become obsolete, and the prices of which were for the 24 inch disc with shaft, each 6s. 10d. per No. 1 Balance Sheet, and 7s. 6d. per No. 2 Balance Sheet; and 15 inch disc with shaft, each 4s. 6d. per No. 1 Balance Sheet, and 4s. 11d. per No. 2 Balance Sheet.

† Consists of 1 plate, 2 stays, and 4 bolts, with nuts and washers.

BARRACK AND HOSPITAL STORES.		Rate.						
		Per	Contract.	No. 1 Balance Sheet,		No. 2 Balance Sheet.		
Tools, continued—			£	s.	d.	£	s.	d.
Barrack and hospital service—								
Dowels, turners, or wheelers 1½ inch (see page 111)	each		0	5	4	—	—	—
Drivers { Coopers, kneed (see page 112)	"		0	1	2½	—	—	—
{ Screw, 14 inches	"		0	1	4	—	—	—
Gimlets, nail, common (see page 118) ..	"		0	0	1½	—	—	—
Hammers, handled { Claw, 20 ounces, small (see page 119)	"		0	1	1	—	—	—
{ Uphand, 7 lbs. (see page 120)	"		0	2	4	—	—	—
{ Riveting, 16 ounces (see page 120)	"		0	0	11	—	—	—
Hatchets, hand, carpenters or bench, handled, 3 lbs. (see page 121) ..	"		0	1	2	—	—	—
Pincers, carpenters (see page 124) ..	pair		0	1	3½	—	—	—
Saws, hand, 26 inches (see page 127) ..	each		0	2	0½	—	—	—
Vices, standing, 36 lbs. (see page 131) ..	"		0	8	4	—	—	—
Gymnasia—								
Chisels, hand, cold, carpenters, &c., 8 inches × ½ inch (see page 110) ..	"		0	0	5	—	—	—
Files { Bastard, flat taper, 8 inch (see page 112)	doz.		0	3	8	—	—	—
{ Smooth, flat taper, 8 inch (see page 117)	"		0	4	9	—	—	—
Hammers, handled, riveting, 24 ounces (see page 120)	each		0	1	3	—	—	—
Punches, carpenters and wheelers, 7 inch, small (see page 126)	"		0	0	6	—	—	—
Scissors, laboratory, small, 7 inch (see page 159)	pair		0	0	7½	—	—	—
Vices, standing, 36 lbs. (see page 131) ..	each		0	8	4	—	—	—
Tools—								
Soldiers forms { 6 feet	"		0	2	6	—	—	—
{ 4	"		0	2	0	—	—	—
Soldiers tables, complete, with iron { 6 feet	"		0	7	7	—	—	—
dowels, clamps and bolts { 4 ..	"		0	5	9	—	—	—
Towels—								
Hand { Gentlemen cadets	"		0	1	9	—	—	—
{ Hospital	"		0	0	9	—	—	—
Round { Hospital	"		0	1	1½	—	—	—
{ Military prison	"		0	1	3½	—	—	—
Trapeziums, with 2 iron hooks	"		1	0	5	—	—	—
Traps—								
Mouse	"		0	0	11	—	—	—
Rat { Spring	"		0	0	10	—	—	—
{ Wire	"		0	2	10	—	—	—
Trays—								
Bed, hospital	"		0	5	9	—	—	—
Dinner, marine	"		0	4	6	—	—	—
Tin—								
Hot water, { With tins	"		0	12	8	—	—	—
20 diets { Without tins	"		0	9	8	—	—	—
{ Tins for (see Tins).								
{ Parts of, bottoms	"		0	5	9	—	—	—
Japanned, dressing	"		0	3	3	—	—	—
Small, recreation room	"		0	1	0	—	—	—
Wood { Coal	"		0	6	0	—	—	—
{ Medicine, military prison	"		0	15	0	—	—	—
Trundles—								
Iron, table top (see Ironwork, page 478).	pair		—			0	2	3
Wood bed boards, field service (see page 74)	pair		—			0	2	4

Section VI.

497

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Triangles—		£ s. d.	£ s. d.	£ s. d.
Iron { Punishment, military prisons .. each		2 5 0	—	—
Scale { 10 cwt. } (see page 172) .. "		0 17 0	—	—
" { 5 " } " .. "		0 17 0	—	—
Wood, practice posts (see Stands, page 491) .. "		0 5 6	—	—
Trivets, iron—				
Baking dish "		0 0 11	—	—
Pot "		0 1 9	—	—
Troughs, or pans, wrought-iron, port- able, for scalding barrels (see page 61) ..		0 9 2	—	—
Trowels, garden "		0 0 7½	—	—
Tubes, inhaler "		0 2 3	—	—
Tubs—				
Iron { Galvanized, coal "		0 4 8	—	—
Latrine, and wood (see Latrine Buckets). "		0 10 9	—	—
Wood { Oakum "		—	0 8 5	0 8 11
Oatmeal "		—	0 2 3½	0 2 5
Recreation room "		—	0 3 5	0 3 7
Urine "		—	0 6 4½	0 6 9
Washing { 12 gallons, or 22½ inches "		—	0 4 6½	0 4 19
" { 8 " 21½ " "		—	1 8 0	1
Yeast "		—	—	—
Tumblers, glass, ½ pint, hospital and recreation room "		0 0 5½	—	—
Turners, dowel "		0 5 0	—	—
Turpentine, spirits of (see page 172) ..	gall.	0 2 7	—	—
Twine, various (see page 172).				
Urinals—				
Earthen each		0 1 6	—	—
Pewter "		0 2 8	—	—
Vices, standing, 36 lbs. (see page 131) ..		0 8 4	—	—
Wadmilltilts—				
Large, 14½ feet x 12 feet } (see page { "		1 7 9	—	—
Small, 9 " 6 " } 173) { "		0 8 4	—	—
Warmers, pewter—				
Foot "		0 18 2	—	—
Stomach "		0 7 6	—	—
Wax, bees (see page 173) lb.		0 1 3½	—	—
Wedges, iron—				
Sawyers, wood { 12 inches } (see page { each		0 1 5	—	—
splitting { 10 " } 131) { "		0 1 2	—	—
" { 7 " } "		0 0 8	—	—
Seythe (3 to a set) (see page 489) set		0 0 1½	—	—
Weights—				
8 ounces each		0 0 7	—	—
4 " "		0 0 4	—	—
2 " "		0 0 2	—	—
Brass, flat { 1 " "		0 0 1½	—	—
" { ½ " "		0 0 1	—	—
" { ¼ " "		0 0 1	—	—
28 lbs. "		1 13 0	—	—
14 " "		0 17 0	—	—
Gunmetal, { 7 " } (see page 173) { "		0 9 0	—	—
bell shaped { 4 " "		0 5 3	—	—
" { 2 " "		0 2 7	—	—
" { 1 " "		0 1 4	—	—
56 " "		0 4 1	—	—
Iron, ring { 28 " "		0 2 5½	—	—
" { 14 " "		0 1 5	—	—
" { 7 " "		0 0 10	—	—

(v.s.)

2 I

BARRACK AND HOSPITAL STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Weights, continued—				
Iron, ring { 4 lbs.	each	£ s. d. 0 0 8	—	—
{ 2 "	"	0 0 4 ³ / ₄	—	—
{ 1 "	"	0 0 3 ¹ / ₂	—	—
{ ½ "	"	0 0 3	—	—
{ ¼ "	"	0 0 2 ¹ / ₂	—	—
Weighing machines—				
Man { 4 stone	"	0 5 9	—	—
{ 2 "	"	0 3 3	—	—
Coal { 50 lbs.	"	0 5 7	—	—
{ 40 "	"	0 3 2	—	—
{ 20 "	"	0 2 1	—	—
Wells, ink	"	0 0 2 ¹ / ₂	—	—
Wheels—				
Fire engine	"	2 0 0	—	—
Stable barrow, with axle	"	0 6 10	—	—
Whisks, egg	"	0 0 5	—	—
Whiting, fine, best, English, in lumps (see page 173)	cwt.	0 1 2 ¹ / ₂	—	—
Worsted, for flags—				
Black.. .. .	lb.	0 2 4 ¹ / ₂	—	—
Blue	"	0 2 5 ¹ / ₂	—	—
Red	"	0 2 8	—	—
Scarlet	"	0 2 7	—	—
White	"	0 2 1 ¹ / ₂	—	—
Yellow	"	0 2 5	—	—
Wrenches—				
Bed	each	0 1 2	—	—
Fire engine (see engine, fire, parts of)	"	0 1 9	—	—
Fixing target plates	"	—	0 1 5	0 1 7
Nipple, T-headed, interchangeable, B.L., with cramps, all Snider arms (see page 46)	"	—	—	—
Yarn, coir fibre	cwt.	1 1 6	—	—

Section VII.

1. APPARATUS, INSTRUMENTS AND STORES FOR
SUBMARINE MINING, ELECTRIC TELEGRAPHY
AND VISUAL SIGNALLING.

MINING, TELEGRAPHY AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Apparatus, circuit closing—		£ s. d.	£ s. d.	£ s. d.
With dome { For spherical circuit closer	each	—	—	—
{ For circuit closer (Mark II)	"	—	3 14 5	3 18 11
With envelope (for { (Mark II)	"	—	4 8 4	4 13 8
{ (Mark III)	"	—	4 15 11	5 1 8
{ (Mark IV)	"	—	—	—
Apparatus, cutting wet gun-cotton,				
submarine, mining	"	—	2 12 7	2 15 9
Apparatus, drying gun cotton (see page				
175)	"	—	8 12 6	9 2 10
Apparatus, earth boring, Marshall's ..	set	1 0 10	—	—
Apparatus, electric light—	No. to			
Gramme D—	a set			
Complete	each	646 10 0	—	—
Parts of—				
Carbons, 20 mm. .. metres 50	metre	0 4 10	—	—
Generators 1	each	360 0 0	—	—
Lamps, hand, inclined .. 2	"	21 0 0	—	—
Projectors, Mangin's .. 1	"	231 0 0	—	—
Wire, covered, B. 7, copper,				
double, 0.243 inch, about 4				
B.W.G. gutta-percha, and				
taped and tarred (see				
page 523) metres 100	foot	0 1 9	—	—
Boxes of accessories, con-				
taining 1	each	10 0 0	—	—
Brushes, spare 4	"	—	—	—
Clamps for trimming				
brushes 1	"	—	—	—
Connectors 6	"	—	—	—
File 1	"	—	—	—
Glasses, coloured, in wooden				
frame —	pair	0 6 0	—	—
Gutta percha, tissue —	lb.	0 8 3	—	—
Paper, emery —	quiere	0 0 10½	—	—
Pliers pair 1	pair	—	—	—
Spectacles, dark pairs 2	"	0 9 0	—	—
Tape, white —	piece	—	—	—
Turnscrew 1	each	—	—	—
Velocimeter 1	"	—	—	—

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Apparatus, electric light, continued—		£ s. d.	£ s. d.	£ s. d.
Siemens—				
Complete*	each	537 0 0	—	—
Parts of—	No. to			
Brushes, copper wire, for a set.	sets 8			
generator	set	0 5 0	—	—
Cans, oil, copper	each	0 2 6	—	—
Carbons, copper-plated, 18 inches long—				
$\frac{1}{4}$ inch diameter ft. run 200	foot	0 1 0 $\frac{1}{2}$	—	—
" " " " 200	"	0 0 9	—	—
Commutators, coupling, generators†	1	each	7 10 0	—
Counters, revolution or velocimeters	1	"	7 0 0	—
Ends, copper, with slots for connections	8	"	0 1 0	—
Focus observers, to mount on lamp—				
Double, on frame	1	"	8 0 0	—
Single	1	"	5 0 0	—
Generators, dynamo-electric, medium, each complete with brushes, pulley, terminal screws, lubricators, holding down bolts and nuts	2	"	112 0 0	—
Holders, carbon, spare .. set	1	set	0 15 0	—
Holophote or lantern, complete with fresnel lens, mounted on base, with horizontal and vertical motion	1	each	112 0 0	—
Hood, iron, for holophote ..	1	"	1 10 0	—
Lamps, electric, self-adjusting	2	"	30 0 0	—
Pulleys, loose, with striking gear	2	"	2 0 0	—
Reflectors { Parabolic, on stand	1	"	35 0 0	—
Spherical, small, to mount on lamp	1	"	10 0 0	—
Shunts, automatic	2	"	3 10 0	—
Spanners, double headed	4	"	0 1 9	—
Spectacles, dark	pairs 6	pair	0 9 0	—
Wires, covered—				
A. 6, copper, 4 B. W. G., india-rubber primed tape (see page 523) yds. 35	yard	0 0 10	—	—
C. 3, copper, 16 B. W. G. (19 strand) india-rubber with india-rubber primed tape (see page 523) , 250	mile	264 0 0	—	—

* Does not include the commutator or the articles required when generators are driven by belting.

† Used only for a pair of generators working coupled together.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Apparatus, electric light, continued—		£ s. d.	£ s. d.	£ s. d.
Siemens—				
Appurtenances*—	No. to a set.			
Laces, hide, for straps ..	6			
Punches, steel, for straps ..	2			
Shafting, intermediate, with 4 pulleys on cast-iron bed- plate, with holding down bolts and nuts	1			
Straps, driving, rubber and canvas—	set	31 1 0	—	—
4 in. wide, 28 in. long..	1			
3 " " 23 " " ..	1			
Templates, metal, for punch- ing—				
4 inch strap	1			
3 " " " " ..	1			
Apparatus, lime light, and hand signalling—				
Complete	each			
Parts of—				
Bags { Canvas, pressure ..	1	" 0 4 6	—	—
{ Mackintosh, gas ..	2	" 1 3 4	—	—
Bottles, copper, wash, with brass mouthpiece	1	" 0 5 3	—	—
{ Brass, .. 5 gallons ..	1	" —	—	—
{ spirits .. 1 quart ..	1	" —	0 6 4	0 6 9
Cases { Tin, to hold 38 lbs. of chlorate of potash and binocide of manganese	1	" —	0 10 5	0 11 1
Flasks, brass, for 4 lbs. of oxy- gen mixture, with measure	1	" —	0 14 8	0 15 8
Lamps { Hand, signal, bull's eye	2	" 0 5 10	—	—
{ Copper, lime light	1	" 5 17 6	—	—
Manganese, binocide of (see page 149) lbs. 6	lb.	0 0 2	—	—
Oil, Colza (see page 154) .. gals. 2	gall.	0 2 6	—	—
Oxygen mixture, binocide of manganese and chlorate of potash lbs. 12	lb.	0 0 4½	—	—
Pencils, lime light, 12 in a glass bottle doz. 1	doz.	0 1 9	—	—
Potash, chlorate of (see page 157) lbs. 6	lb.	0 0 7½	—	—
Retorts, copper	2 each	0 9 0	—	—
Retorts, iron, with brass mouthpiece	2	" 0 4 5	—	—
Scissors, lamp, with guard (see page 159) pair 1	pair	0 1 0½	—	—
Stands for lamp, lime light	1 each	—	—	—
Tubing, india-rubber, ¾ inch (see page 521) yds. 5	yard	0 0 8½	—	—
Wick for { Hand, signalling lamp (see page 173) lb. 1	lb.	0 0 10	—	—
{ Lime light, lamp	1	" 0 0 10	—	—
Wine, spirits of, methylated (see page 173) pints 6	gall.	0 3 1½	—	—

* Required when the generators are driven by belting.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Apparatus, paying out and winding up wire, with 2 sets of drums	set	£ s. d. 2 18 10	—	—
Apparatus, primer and relay, with en- velope, for buoyant and ground mines—				
(Mark I)	each	3 6 5	—	—
(Mark II)	"	—	2 18 8	3 2 2
(Mark III)	"	—	3 2 10	3 6 7
Apparatus, shutter, electro-firing and signalling, complete, with 7 indices ..	"	17 3 6	—	—
Apparatus, soldering, Fletcher's ..	"	0 5 6	—	—
Apparatus, hydraulic, for testing cases, plugs insulating, and base pieces, sub- marine mining	"	—	34 18 9	37 0 8
Parts of—				
Pumps, complete	"	—	19 11 10	20 15 4
Boxes for testing plugs, complete, with collar, ring and disc, hose and union, bolts and nuts	"	—	4 18 1	5 3 11
Boxes, test, universal pattern ..	"	—	6 18 1	7 6 4
Gauges, pressure, complete, with con- necting pipe	"	—	1 18 6	2 0 10
Hose with unions, for box testing, base pieces, and for testing cases ..	set	—	1 9 3	1 11 0
Unions, special, for testing cases ..	each	—	0 8 8	0 9 2
Boxes for testing base piece of circuit closer	"	—	3 16 2	4 0 9
Stop cocks for letting off air when testing base pieces	"	—	0 11 1	0 11 9
Apparatus, repairing, field telegraph, vices and blocks, pairs, complete, with cord	"	0 8 6	—	—
Apparatus, winding, submarine cables, complete—				
For steam power, on wooden frame, with indicator	"	88 0 0	—	—
Hand	"	18 0 0	—	—
Arms, intersectional firing, complete, with sights and telescopes—				
Converging stations	"	13 16 0	—	—
Firing stations	"	16 18 4	—	—
Arms for telegraph poles—				
24 inches	"	0 0 11	—	—
33	"	0 1 2	—	—
Axletrees, wrought-iron, travelling, 3rd class, for malleable cast-iron naves, wagons, Royal Engineers (except pontoons)—				
Fore	"	—	1 19 1	2 3 0
Hind	"	—	1 19 1	2 3 0
Bags, india-rubber, for gun-cotton—				
100 lbs.	"	0 15 0	—	—
50	"	0 9 4	—	—
25	"	0 6 11	—	—
5	"	0 0 10	—	—
Barrows, field, telegraph, for drums ..	"	—	12 14 0	13 19 5
Barrows, hand, with drum for wire ..	"	2 14 6	—	—
Bars, jumping, 4 feet, telegraph equip- ment	"	—	0 5 6	0 6 1
Bars, wagon, Royal Engineers—				
Shaft, prepared { Front	"	—	0 3 0	0 3 4
{ Hind	"	—	0 3 0	0 3 4
Splinter, spare	"	—	0 13 4	0 14 8

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Batteries, voltaic, or galvanic—		£ s. d.	£ s. d.	£ s. d.
Daniell's—				
Complete, in boxes of 10 cells each		1 0 0	—	—
For signalling, low resistance, single cells—				
Complete	0 4 0	—	—
Parts of—				
Cells { Cardboard 1	..	—	—	—
Glass 1	..	0 0 8	—	—
Connectors, brass 1	..	0 0 6	—	—
Plates { Copper, with insulated	..	—	—	—
lead 1	..	—	—	—
Zinc 1	..	—	—	—
Pots, porous, wound with copper				
wire 1	..	0 0 11	—	—
Rods, zinc 1	..	0 0 7½	—	—
Grove's, complete, in boxes of 10 cells, with				
12 spare porous cells	5 7 6	—	—
Le Clanché—				
Firing, single cell.	0 7 9	—	—
Parts of—				
Bands, india-rubber 2	..	—	—	—
Blocks, agglomerate 6	..	—	—	—
Cells, ebonite	—	—	—
Cups, wood 1	..	—	—	—
Plates, carbon	—	—	—
Firing, in boxes of 10 circular cells	7 0 0	—	—
Complete, in boxes of 10 cells, telegraph				
equipment	1 18 0	—	—
Complete, in boxes of 12 cells	—	6 8 2	6 15 10
Single cell—				
With wire resistance, for submarine				
mining purposes	0 3 0	—	—
Parts of—				
Cells { Glass 1	..	0 0 6	—	—
Porous 1	..	0 0 6	—	—
Plates, carbon, with binding				
screw, agglomerated blocks				
and india-rubber bands 1	..	0 1 11	—	—
Rods, zinc, with wire resist-				
ance 1	..	0 0 4	—	—
No. 3 size—				
Mark I	0 2 0	—	—
Parts of—				
Cells { Glass, No. 3 size	0 0 6	—	—
Porous, with carbon				
plates and binding				
screw	0 1 7½	—	—
Rods, zinc	0 0 2½	—	—
Mark II	—	—	—
Parts of—				
Bands, india-rubber	—	—	—
Blocks, agglomerate	—	—	—
Cells, glass, No. 3 size	—	—	—
Plates, carbon	—	—	—
Rods, zinc	—	—	—
Cells, testing, high resistance	0 2 6	—	—
Portable, in boxes, field service, Royal				
Engineer equipment*	3 0 0	—	—

* This, which is a modified Daniell's battery, and which in "List of Changes," § 2312, was mentioned under the name of "Battery, portable, Mathieson's," becomes obsolete, being superseded by the Le Clanché, 10 cell, battery, for telegraph equipment.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Batteries, voltaic, or galvanic, con- <i>tinued—</i>		£ s. d.	£ s. d.	£ s. d.
6 cell, testing, Royal Engineer equip- ment, and general service	each	1 4 0	—	—
Bells, alarm—				
Chattering { <i>Old pattern</i>	"	1 6 6	—	—
(Mark II)	"	1 2 6	—	—
Single stroke, with key	"	2 15 3	—	—
Belts, leather, buff, telescope, hand, draw, army signalling, and case, glass, binocular, Cavalry, Royal Artillery, and Royal En- gineers (see Belts, leather, pouch, buff, Royal Artillery, and dismounted men, Royal Engineers, rank and file, page 1)... ..	"	0 2 8	—	—
Belts, leather, waist, army signallers (see page 2)	"	0 2 0	—	—
Blocks, wood, to represent guncotton—				
One primer, 9 ounces, banded with paper..	100	—	0 19 8	1 0 10
3 discs, 9 ounces, banded together..	"	—	0 11 8	0 12 4
Bollers, Field's, for electric light, complete, with mountings—				
Gramme*	each	153 6 0	—	—
Siemen's†	"	153 6 0	—	—
Bolts and washers, galvanized iron—				
7½ inches	"	0 0 3	—	—
8½ "	"	0 0 3	—	—
9½ "	"	0 0 3	—	—
12½ "	"	0 0 3½	—	—
18 "	"	0 0 6	—	—
Bolts, iron, with nuts and washers, tele- graph posts—				
No. 10 large	"	0 0 6	—	—
No. 5 small	"	0 0 6	—	—
Books, signalling—				
Army and navy signal	"	—	—	—
Field message and memorandum book, with carbonic paper, Army Book 153‡	"	0 2 0	—	—
Manual of Instruction	"	0 0 3	—	—
Message, Army Book 119‡	"	—	—	—
Bottles—				
Ink, recording instruments.. ..	"	0 0 2	—	—
Tin, oil, with screw top, 2 quarts (see page 136)	"	0 0 8½	—	—
Boxes, cast-iron, connecting, with bolts and nuts, complete—				
Multiple cable	"	—	0 5 10	0 6 2
Shore end, multiple cable	"	—	0 7 2	0 7 7
Single cable	"	—	0 4 5	0 4 8
T shaped, for electro-contact mines ..	"	—	0 9 3	0 9 10
Boxes, cast-iron, joint—				
Coffin, underground	"	0 15 1	—	—
Flush, with stone cover	"	1 3 9	—	—
Boxes, cast-iron, junction, with bolts and nuts complete—				
With disconnectors—				
For 1 single cable and 8 branches ..	"	—	7 18 8	8 8 2
For 1 single cable and 4 branches ..	"	—	—	—

* 4 feet diameter, and 6 feet 6 inches high.

† 3 feet 8½ inches diameter, and 8 feet high.

‡ Supplied from H.M. Stationery Office.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Boxes, cast-iron, junction, with bolts and nuts complete, continued—				
With disconnectors, for 1 single cable and 4 branches—				
Parts of—				
Plugs insulating, complete ..	each	—	0 5 9	0 6 1
Washers { India-rubber, insulating plug	"	—	—	—
Leather, { Dome	12	—	0 2 6	0 2 8
Insulating plug	"	—	0 0 6	0 0 6½
paraffined {	each	—	4 1 4	4 6 3
For 1 multiple cable and 7 single cables	each	1 5 3	—	—
Boxes, resistance, 1,000 ohms	"	—	—	—
Boxes, test, P.O. pattern, complete with single and double terminals	"	—	—	—
Boxes, testing, and jointing, field service	"	—	0 15 0	0 15 11
Fitted to contain—				
Cells, testing, high resistance ..	2			
Coil resistance, 100 ohms, with platinum wire bridge and key	1			
Cotton, waste, white lb. ½				
Galvanometer, detector, 3 coil ..	1			
Leather, chamois	1			
Plate powder, 1 box				
Platinum wire 3 cards of				
Pliers, bright, side cutting or nippers	1 pair			
Solution, india-rubber 1 box				
Tape, india-rubber 1 box				
Boxes, testing, electric, for sub-marine mining	"	—	0 11 1	0 11 9
Fitted to contain—				
Cells, testing, high resistance ..	2			
Earthplates	2			
Galvanometer detector, 3 coil, ..	1			
Leads, spare	2			
Boxes, tin—				
Borax, field telegraph doz.	—	2 1 2	2 4 1	
Grease, half-round, 3 lbs. (see page 203) ..	"	0 13 2	1 0 0	
Guncotton yarn	"	—	—	
Matches	each	0 1 4	0 1 5	
Resin, field telegraph doz.	—	2 11 8	2 15 5	
Spelter	"	1 7 6	1 9 2	
Tinder, with flint and steel, complete ..	each	0 0 9	—	
To hold 4 8-ounce coils of india-rubbertape	100	17 0 3	18 0 8	
Wick and scissors doz.	—	0 14 2	0 15 0	
Boxes, wood—				
For jointer's tools, submarine mining, empty	each	—	0 16 0	0 17 0
For spare parts of batteries	"	—	0 6 7	0 7 0
For tools at each station	"	—	1 4 0	1 5 5
Ink bottles, recording instruments ..	"	—	0 10 2	0 10 9
Skeleton, packing, for 12 cylinders, tin, priming, (Mark I) ..	"	—	0 2 6	0 2 8
charge (dry guncotton) (Mark II) ..	"	—	0 4 4	0 4 7
for submarine mines				
Sulphate of copper	"	—	0 3 7	0 3 10
Tin-lined, to contain stores for station ..	"	—	5 16 10	6 3 10
Brackets, iron, galvanized—				
For insulators { For walls { Double bridge	"	0 1 5	—	—
Single	"	0 0 5½	—	—
Terminal	"	0 0 5	—	—
Tubular	"	0 0 4	—	—
Or bent shanks for insulators	"	0 0 3	—	—

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Brass, sheet, Engineer equipment, No. 19		£ s. d.	£ s. d.	£ s. d.
W.G. (see page 137)	lb.	0 0 7½	—	—
Brushes—				
Watchmakers, Royal Engineers telegraph equipment	each	0 0 7½	—	—
Whalebone, for cleaning battery plates	0 2 0	—	—
Buckets, tar, with handle and chain	0 17 6	—	—
Buoys, cork, marking, for submarine mining—				
Large { (Mark I)	6 0 0	—	—
{ (Mark II)	—	—	—
Small	—	1 4 5	1 5 11
Cables, electric—				
Multiple—				
Armoured—				
G 1, 4 core, 20 B.W.G. (4 strand), india-rubber covered core, sub- marine mining	knot	202 0 0	—	—
G 2, 4 core, 22 B.W.G. (7 strand), gutta-percha covered core, sub- marine mining	220 0 0	—	—
G 3, 7 core, 20 B.W.G. (4 strand), india-rubber covered core, sub- marine mining	357 0 0	—	—
H 1, 7 core, 23 B.W.G. (7 strand), shore end, gutta-percha covered core	..	376 0 0	—	—
Unarmoured—				
D 4, 4 core, 20 B.W.G. (4 strand), india-rubber covered core	137 10 0	—	—
Single—				
Armoured for mines—				
E 1, 20 B.W.G. (4 strand), india- rubber covered core	75 10 0	—	—
E 2, 20 B.W.G. (½ strand), india- rubber covered core	74 0 0	—	—
E 3, 20 B.W.G. (½ strand), india- rubber covered core	83 0 0	—	—
F 3, 20 B.W.G. (4 strand), gutta- percha covered core	78 0 0	—	—
F 4, 22 B.W.G. (7 strand), gutta- percha covered core	85 0 0	—	—
F 5, 22 B.W.G. (7 strand), gutta- percha covered core	85 0 0	—	—
Armoured for circuit closers (submarine mining)—				
E 4, 20 B.W.G. (4 strand), india- rubber covered core	127 0 0	—	—
F 2, 20 B.W.G. (4 strand), gutta- percha covered core	95 0 0	—	—
Unarmoured, telegraph—				
D 5, 0·0197 inch diameter, 7 strand (1 tinned soft steel), india-rubber, taped and paraffined, covered out- side with hemp braiding (C Troop)*	mile	30 0 0	—	—
D 3, 20 B.W.G. (½ strand), india- rubber, with two servings of hemp, and covered with pitch and tar	33 10 0	—	—
D 2, 23 B.W.G. (½ strand), india- rubber, and braid (mountain tele- graph equipment)	22 10 0	—	—

* The cable shown for "C Troop" in 1879 edition is now shown as D 1 at page 547.

507

* Including long link.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Circuit closer (see Apparatus).		£ s. d.	£ s. d.	£ s. d.
Clamps , for guncotton bags, with screws ..	each	0 0 9	—	—
Clay , China	lb.	0 0 1	—	—
Climbers , iron pole, with 4 straps..	each	0 6 3	—	—
Clips —				
Or bands for { Air line	pair	—	0 1 6	0 1 8
{ Intermediate, telegraph				
{ jointing poles (2 to a set)	set	—	0 5 3	0 5 9
Iron , with nuts, complete, strap, winding				
gear	each	—	0 1 6	0 1 8
Clocks , office wagon, in leather case				
telegraph equipment	„	1 19 6	—	—
Clutches , winding gear, wagon wire tele-				
graph—				
Inside { Near	„	—	0 2 0	0 2 2
{ Off	„	—	0 2 0	0 2 2
Outside { Near	„	—	0 4 0	0 4 5
{ Off	„	—	0 4 0	0 4 5
Coils , resistance, complete—				
10,000 ohms, in wood case, and arranged				
for Wheatstone's bridge.. .. .	„	9 1 9	—	—
1,000 ohms, circuit closer	„	—	—	—
100 ohms, with platinum wire bridge, form-				
ing a thermo-galvanometer, in wooden				
case	„	4 10 6	—	—
100 ohms, with platinum wire bridge and				
key, in wooden case*	„	5 13 9	—	—
Collars or bands , primer, base, of all sub-				
marine mines—				
India-rubber { Thick	100	0 15 5	—	—
{ Thin	„	0 13 4	—	—
Leather	each	0 0 3	—	—
Composition , anti-fouling, for iron and				
wood, No. 2A,	gall.	1 1 0	—	—
Condensers , one-third, microfarad..	each	4 7 6	—	—
Connectors , ebonite, telegraph equip-				
ment	„	0 4 10	—	—
Cotton , repairing flags, visual signalling—				
Blue	reel	0 0 1	—	—
White	„	0 0 1	—	—
Covers , canvas, wagon, Royal Engineers—				
Air line	each	—	2 18 6	3 4 4
Wire, telegraph	„	—	1 1 8	1 3 10
Covers , leather, Morse recorder	„	0 16 0	—	—
Covers , tarpaulin—†				
27 feet x 22 feet, for double steam hoists ..	„	8 16 0	—	—
18 „ x 12 „, for Brotherhood engines ..	„	3 6 0	—	—
Shaped to fit 9 horse power engines ..	„	4 6 0	—	—
Crabs , hand, with friction brake, 2 warping				
drums, with handles—				
To lift 1 ton	„	5 7 0	—	—
„ ½ „	„	4 0 0	—	—
Cranes —				
Hand, 6 ton	„	156 10 0	—	—
Whip, 2 „	„	60 0 0	—	—

* This will serve for both field service and submarine mining.

† Not required for 3 horse power engines.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.			Rate.			
			Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cylinders, copper, tinned—				£ s. d.	£ s. d.	£ s. d.
Letter on base.	External height and diameter.	To hold.				
* A,	1'85" × 3'125"	Washers, india- rubber, plug insu- lating .. 50	100	—	2 4 10	2 7 6
* B,	0'725" × 7'82"	Tape, india-rubber, 8 oz. coils.. 1	"	—	13 2 2	13 17 11
* C,	0'67" × 3'225"	Tape, india-rubber, 1 oz. coils.. 1	"	—	1 5 9	1 7 4
* D,	3'05" × 5'08"	Tubing, india-rubber, ½ inch, or ⅞ inch, yards .. 2½	"	—	7 6 7	7 15 5
* E,	4'2" × 5'08"	Tubing, india-rubber, 0'35 inch, ⅓ inch, or 0'4 inch, yards 2½	"	—	7 6 7	7 15 5
* F,	4'975" × 6'05"	Tubing, india-rubber, ½ inch, yards .. 2½	"	—		
* G,	3'34" × 2'2"	Tubing, india-rubber, 3 inch lengths (jointers tools) 7	"	—	11 16 4	12 10 6
			"	—	1 8 11	1 10 8
Cylinders, tin—						
No. on base.	External height and diameter.	To hold.				
† 80,	2'125" × 1'95"	Washers, leather, for plugs.. 10	"	—	0 15 6	0 16 7
† 47,	8'35" × 4'1"	Detonators, electric (No. 12), low ten- sion, submarine 25	"	—	3 15 5	3 19 4
† 48,	3'45" × 2'875"	Solution, india- rubber, 8 oz. tin 1	"	—	2 0 1	2 2 5
* 51,	7'15" × 2'12"	Primers, guncotton, 2 oz. (dry) 5	"	—	1 3 2	1 4 5
† 55,	3'18" × 2'875"	Tallow, 8 oz. 1	"	—	1 13 6	1 15 7
* 60,	8'85" × 3'375"	Priming charges (dry guncotton), for submarine mines .. 1	"	—	1 16 0	1 18 0
† 68,	5'5" × 4'775"	Fuzes, electric (No. 16), discon- necting submarine 25	"	—	4 12 4	4 17 10
Derricks, iron, for mooring boat, with tubu- lar mast and gaffs			each	20 0 0	—	—
Desks, field, portable, with waterproof cover, Royal Engineer telegraph equipment ..			"	—	1 1 9	1 3 1
Detonators, electric—						
No. 12, low tension, submarine			1000	—	45 8 10	48 0 5
No. 18, drill			"	—	46 5 8	49 1 2
Disconnectors—						
Electro-contact mines, complete—						
Single			100	—	52 2 5	55 5 0
Multiple (see Boxes, cast-iron, junction).						
Drivers, screw, 8 inch			each	—	—	—

* Closed with tape band. When empty to be accounted for by letters or Nos. stamped on base.

† Closed with soldered tin band. When empty to be accounted for as un-serviceable "of sorts."

‡ Not closed with band. When empty to be accounted for by Nos. stamped on base.

§ Future supplies of these stores will be obtained from the Admiralty.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Per	Rate.					
		Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
		£ s. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.	
Drums—							
Iron, on stand—							
With two handles and friction brake—							
$\frac{1}{2}$ knot single cable	each	9 14 0	—	—	—	—	
$\frac{1}{2}$ „ multiple cable	„	30 0 0	—	—	—	—	
No. 1, for insulated wire, mountain telegraph equipment	„	0 16 0	—	—	—	—	
No. 2, for paying out bare wire ..	„	0 18 0	—	—	—	—	
No. 3, for winding up „ „ ..	„	1 1 0	—	—	—	—	
Wood—							
1 knot single cable	„	—	15 3 4	16 1 6	—	—	
1 „ multiple cable	„	—	13 1 9	24 9 5	—	—	
With terminal, for wire wagon, Royal Engineers	„	—	3 5 6	3 9 5	—	—	
Ebonite—							
Bar, 1 inch	lb.	0 4 3	—	—	—	—	
$\frac{1}{2}$ inch thick	„	0 4 3	—	—	—	—	
Sheet { $\frac{1}{8}$ „ „	„	0 4 0	—	—	—	—	
$\frac{1}{16}$ „ „	„	0 4 0	—	—	—	—	
$\frac{3}{16}$ „ „	„	—	—	—	—	—	
$\frac{1}{2}$ „ „	„	0 12 6	—	—	—	—	
Engines, steam—							
9 horse power, nominal, for electric light apparatus	each	220 0 0	—	—	—	—	
3 horse power, nominal, on wheels ..	„	190 0 0	—	—	—	—	
Brotherhood 14 horse power, indicated, 3-cylinder, for electric light	„	180 0 0	—	—	—	—	
Hoisting, double cylinder, 6 horse power, nominal	„	220 0 0	—	—	—	—	
Exploders, dynamo-electric, quantity—							
O.P. for submarine mining service only ..	„	25 0 0	—	—	—	—	
Siege and submarine mining services ..	„	16 18 0	—	—	—	—	
Extractors, for apparatus of all mines ..	„	—	1 8 0	1 9 8	—	—	
Parts of—							
Bridge, with central hole	„	—	0 8 6	0 9 0	—	—	
Collar, threaded, two-handled	„	—	0 5 4	0 5 8	—	—	
Cross-head, with central threaded pillar	„	—	0 13 2	0 13 11	—	—	
Washer, iron	„	—	0 1 0	0 1 1	—	—	
Felloes, wheel, ash, finished and painted,							
3rd class wagons, Royal Engineers—							
Hind, 4 feet 8 inches	„	—	0 2 9	0 3 0	—	—	
Fore, 3 „ 4 „	„	—	0 2 0	0 2 2	—	—	
Fenders, rope, for electro-contact mines ..	„	1 0 0	—	—	—	—	
Fittings for test tables (general and cable)—							
Complete	set	—	—	—	—	—	
No. to a set							
Parts of—							
Bridges, platinum wire (G) .. 1	each	0 12 0	—	—	—	—	
Discs, insulated, for terminals, with 2 binding screws, and 1 insulated plug (G 3, C 16) .. 19	„	0 4 6	—	—	—	—	
Keys, reversing (C) 1	„	3 0 0	—	—	—	—	
Plates, { 9 plate, with 8 bind- ing screws 1	„	1 3 6	—	—	—	—	
commu- { 15 terminals, with tator { screws, brass, bind- (G) { ing, connecting .. 1	„	—	1 12 2	1 14 1	—	—	
Plates, insulating, square, with binding screw, and 3 spring plugs (G) 12	„	0 6 0	—	—	—	—	

Section VII.

511

MINING, TELEGRAPH AND SIGNALLING STORES, &c.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Fittings for test tables (general and cable), <i>continued</i> —			£ s. d.	£ s. d.	£ s. d.
Parts of—					
No. to					
9-plate, with binding a set.					
Plugs, solid	{ screw (G 12, C 6) 18	each	0 1 2½	—	—
{ With ebonite heads (G 12, C 6) .. 18		"	0 0 10	—	—
Screws, brass, binding, connecting (G) .. 100		"	0 0 6	—	—
Terminals, double (G) .. 12		"	0 1 2	—	—
Flags —					
Visual signalling—					
{ 4 feet x 4 feet { Dark blue.. ..		"	0 4 1	—	—
{ White, with blue stripe		"	0 4 1	—	—
{ 2 feet 6 inches x 2 feet { Dark blue		"	0 2 1	—	—
{ White, with blue stripe		"	0 2 1	—	—
{ 6 inches { Signal, army and navy		"	0 4 0	—	—
{ Dark blue { (Mark I)		"	0 2 2	—	—
{ (Mark II)		"	0 2 0	—	—
{ 3 feet x 3 feet { White, with blue stripe { (Mark I)		"	0 2 3	—	—
{ (Mark II)		"	0 2 1½	—	—
{ 2 feet x 2 feet { Dark blue { (Mark I)		"	0 0 10	—	—
{ (Mark II)		"	0 1 7	—	—
{ White (Mark I)		"	0 0 8	—	—
{ White, with blue stripe (Mark II)		"	0 1 8	—	—
Commercial code, with pendants complete (38 to a set)		"	—	—	—
{ Flags, 5 feet x 7 feet		"	—	—	—
{ Pendants, 3 feet 3 inches x 17 feet		"	—	—	—
Naval vocabulary, with pendants complete (42 to a set)		"	—	—	—
{ Flags 7 feet x 10 feet		"	—	—	—
{ Pendants, triangular, equilateral		"	—	—	—
Naval, numeral, complete (22 to a set)		"	—	—	—
{ Flags, 7 feet x 10 feet		"	—	—	—
{ Pendants { Large, 28, 5 ft. 9 in. x 20 feet		"	—	—	—
{ Small, 28, 4 ft. x 17 ft.		"	—	—	—
Standards, { 24 feet x 12 feet } (see page {		"	4 15 5	—	—
{ 12 " x 6 " } 144 {		"	2 0 11	—	—
{ 24 feet x 12 feet } (see page {		"	2 7 8	—	—
{ 21 " x 10½ " } 144 {		"	1 15 0	—	—
{ 12 " x 6 " }		"	0 13 1	—	—
{ 6 " x 3 " }		"	0 4 10	—	—
Flaps, leather, with six straps, complete, for carriage of coils of bare wire		"	—	1 2 3	1 4 6
Funnels, ebonite, 5 inch, for filling cells of batteries		"	0 1 0	—	—
Futchells, oak, in the rough, Royal Engineers office and wire wagon		"	—	0 2 10	0 3 1
Fuzes, electric, No. 16, disconnecting, submarine		1000	—	40 3 2	42 13 10

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Galvanometers—		£ s. d.	£ s. d.	£ s. d.
Astatic, 1,000 ohms, complete (in leather case, with magnet and strap)	each	2 8 0	—	—
Detector { Common, 100 ohms	"	1 8 11	—	—
{ 3 coil, 2·10 and 1,000 ohms, with insulated plug	"	2 10 0	—	—
{ Quantity and intensity	"	1 4 6	—	—
Differential, Royal Engineer telegraph equipment.. ..	"	7 15 10	—	—
Reflecting—				
With box of shunts complete	"	13 8 9	—	—
Parts of, shunts, box of	"	3 10 0	—	—
Tangent	"	4 13 0	—	—
Glasses, field, binocular (see page 97) ..	"	1 3 0	—	—
Grapnels, iron (creeper), 16lbs., submarine	"	1 0 0	—	—
Guards—				
For insulators, { Hook	"	0 0 3	—	—
{ galvanized iron { Hoop	"	0 0 3½	—	—
Hand, leather { Telegraph equipment	"	—	0 1 4	0 1 6
{ gauntlets " with	pair	0 9 6	—	—
Guncotton, dry—				
Charges, priming, land service, submarine mining, 2 lbs. 4 ozs.*	lb.	—	—	—
Yarn { No. 1	"	—	—	—
{ " 4	"	—	—	—
Guncotton, wet—				
Discs, 3½ in. × 2 in. { 9 ozs.	"	—	0 1 6½	0 1 8
{ 8 "	"	—	0 1 6½	0 1 8
Slabs { 6½ in. × 6½ in. × 1½ in. 2½ lbs. ..	"	—	0 1 5½	0 1 7½
{ 4½ " × 4½ " × 1½ " 1½ "	"	0 2 0	—	—
{ 1½ " × 1½ " × 1½ " ½ "	"	0 2 0	—	—
Yarn, No 1.	"	—	0 2 7½	0 2 10½
Gutta-percha, sheet, for joints—				
2 feet × ½ inch	"	0 5 10	—	—
Tissue	"	0 8 3	—	—
Guys, white line, with hooks, 15 feet 8 inches, for telegraph equipment	each	—	0 5 10	0 6 4
Hooks, iron—				
Slip, for lowering submarine mines	"	—	1 3 10	1 5 3
S. telegraph equipment	100	—	0 5 10	0 6 5
Horns, fog, brass, with strings	each	0 1 5½	—	—
India-rubber, sheet, ¼ inch thick	lb.	0 3 8	—	—
Ink for instruments, telegraph, Morse, recording, in ¼ lb. bottles	bottle	0 2 0	—	—
Instructions, printed, for instruments, Morse, recording, with indicator, universal pattern	100	—	2 14 10	2 18 1
Instruments, telegraph—				
Alphabetical, complete { Siemens	each	—	—	—
{ Wheatstone	"	16 0 0	—	—
Morse, { With in- { Submarine mi-	"	17 10 0	—	—
recording, { dicator { ning	"	15 0 0	—	—
complete { { Universal pattern	"	30 0 0	—	—
{ With relay	"	2 19 7	—	—
{ Common	"	—	—	—
Sounder, complete { Post Office pattern..	"	—	—	—
{ Poney	"	1 15 0	—	—

* Consisting of 3 discs, 9 oz., banded together; and 1 primer, 9 oz., banded with paper.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Insulators, with bolts, complete—		£ s. d.	£ s. d.	£ s. d.
Ebonite { Hanging, with hook	each	0 1 9	—	—
{ With shank and nut	"	0 1 5	—	—
Siemens, with iron hood, complete—				
Stretching, No. 8	"	0 2 4	—	—
Intermediate, No. 7	"	0 1 3½	—	—
Stoneware, double shed { Long line, No. 8	"	0 0 9½	—	—
{ Shortline, No. 11	"	0 0 8½	—	—
White enamelled { Double shed	"	0 0 8½	—	—
{ Single	"	0 0 5½	—	—
Wood, for pole, telegraph equipment ..	"	—	—	—
Insulators, white porcelain—				
Single, with shackle and bolt	"	0 0 9½	—	—
Double { With shackles and bolts	"	0 1 7	—	—
{ With shackles, bolts, and saddle	"	0 2 2½	—	—
Insulators—				
Major Mallock's pattern	"	—	—	—
Indo-European, small, complete, with brackets, saddles, and bolts for iron poles	"	—	—	—
Jackets, wood—				
Circuit closer	"	—	4 11 2	4 16 8
Electro-contact mine	"	—	11 2 2	11 15 6
Jumpers, steel pointed, with extracting bar (see page 531)	"	—	0 6 6	0 7 2
Keys—				
Double current, Post Office pattern ..	"	3 0 0	—	—
For flush box	"	0 0 8	—	—
Firing, electric, land service	"	0 15 0	—	—
Push, for bells	"	0 2 6	—	—
Retardation, firing	"	1 4 0	—	—
Knives, clasp, with marline spike (see page 123)	"	0 1 1	—	—
Lacquer, for brass work, ¼ pint bottles ..	bottle	0 0 10½	—	—
Ladders, field telegraph, ash, 17 feet, in two lengths	each	—	1 14 4	1 17 8
Lamps, copper, tinned, spirit	"	0 2 8	—	—
Lathes, foot, engineers, double geared, 6 feet bed and 6 inch centre, with 12 assorted tools for brass, iron or wood ..	"	16 0 0	—	—
Leads, fair, on wooden frame, for wind- ing apparatus	"	3 15 0	—	—
Leads, sounding, 4½ lbs.	"	—	0 1 9	0 1 11
Lenses, spare, lime light	"	0 15 6	—	—
Levers, for opening wire coils—				
2 feet 6 inches	"	0 0 9	—	—
1 foot 8	"	0 0 6	—	—
Lines, white, 12 lbs. per dozen, sounding, fathoms 20	"	—	0 1 4	0 1 7
Magnets—				
Astatic galvanometer	"	0 1 6	—	—
Horse-shoe form, 3 lbs. weight	"	0 9 9	—	—
Manganese-binoxide—				
Granular, for oxygen mixture* (see page 149)	lb.	0 0 2	—	—
And carbon †	"	0 0 3½	—	—

* For lime light lamp.

† Mixture for Le Clanché battery.

(V.S.)

2 K

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Measures—		£ s. d.	£ s. d.	£ s. d.
Glass, graduated, 10 oz.	each	0 2 0	—	—
Gutta-percha { Quart	"	0 3 0	—	—
{ Pint	"	0 1 9	—	—
Moulds, cast-iron, for dummy gun cotton—				
Whole slabs	"	—	0 3 6½	0 3 9
Half "	"	—	0 3 4½	0 3 7
Mountings, brass, telescope, Royal En- gineers	set	0 0 9	—	—
Muslin, repairing flags, visual signalling—				
Blue	yard	0 1 1	—	—
White	"	0 0 11	—	—
Oil—				
For instruments, in pint earthenware bottles	gal.	0 10 0	—	—
Gallipoli	"	0 3 8	—	—
Mineral, for lubricating 3 cylinder engines	"	0 1 9½	—	—
Fanniers—				
Army signalling, empty	each	1 0 6	—	—
Leather, with straps, for carriage of drums, for insulated wire	"	—	1 17 0	2 0 8
Paper, carbon, 8½ inches × 4 inches ..	100 sheets	0 7 0	—	—
Paper, green, for Morse recording instru- ments, ½ inch*	roll	0 0 5	—	—
Paramu, block—				
Black } (see page 156) {	lb.	0 1 0	—	—
White }	"	0 1 0	—	—
Pickets, iron, for guys—				
Heavy	each	—	0 1 2	0 1 3
Light	"	—	0 1 1	0 1 2
Pieces, jointing, steel tube, telegraph poles	"	—	—	—
Pins, lynch, wrought-iron, travelling, 3rd class (see page 322)	10	—	0 7 6	0 8 4
Pipes, earth, iron, Royal Engineers, 3 feet × 1 inch	100	—	19 18 8	21 2 7
Pipes, hose, india-rubber, ½ inch, under- ground crossing, single unarmoured electric telegraph cable (C Troop)	yard	0 0 11	—	—
Pivots, iron, spare, for clutch lever, wagon, wire telegraph	each	—	0 2 7	0 2 10
Plates, battery, spare—				
Daniell's { 10-cell copper and zinc, con- nected, in pairs	pair	0 0 3½	—	—
Groves' { Platinum	each	0 4 6	—	—
{ Zinc	"	—	—	—
Test	set	0 8 10	—	—
Carbon	each	0 0 9	—	—
Le Clanché—				
Field service { Carbon	"	—	—	—
{ Zinc	"	0 0 6	—	—
Firing { Carbon	"	0 2 2	—	—
{ Zinc	"	0 1 3½	—	—
Cells, testing, high { Carbon	"	0 1 0	—	—
resistance { Zinc	"	0 1 0	—	—
Plates, earth, copper, telegraph equip- ment	"	0 4 6	—	—

* Supplied from Stationery Office.

Section VII.

515

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plugs, insulating, with wires—				
Gunmetal, complete *	each	£ s. d. —	£ s. d. 0 3 9	£ s. d. 0 4 0
Parts of—				
Case, with gland and gland nut	—	0 2 4	0 2 6
Washers, indiarubber (2 per plug)	0 0 2	—	—
Wires, insulated (2 per plug)	—	0 0 7½	0 0 8
Iron, complete †	—	0 4 9	0 5 0
Parts of—				
Case, with gland and gland nut	—	0 3 4	0 3 6
Washers, indiarubber (2 per plug)	0 0 2	—	—
Wires, insulated (2 per plug)	—	0 0 7½	0 0 8
Poles, flag, visual signalling—				
Ash { 6 feet 7 inches	100	—	13 17 6	14 14 2
4 „ 6 „	—	8 8 7	8 18 8
Fir { 5 feet 6 inches { (Mark I)	—	5 11 6	5 18 2
3 „ 6 „ { (Mark II)	—	5 11 6	5 18 2
3 „ 6 „ { (Mark I) ..	each	0 0 4½	—	—
3 „ 6 „ { (Mark II) ..	100	—	3 11 7	3 15 11
Poles, telegraph equipment—				
Fir { 15 feet, in two pieces	each	—	0 5 0	0 5 6
13 „ intermediate	—	0 4 2	0 4 7
Extra for crossings	—	0 2 2	0 2 5
Iron, telescopic, in two pieces, field service	0 9 9	—	—
Iron, consisting of a conical wrought-iron tube, 13 feet long, with hole at top, to receive a ½ inch insulator bolt, a lower parallel tube, with a bolt run through 9 inches from top, and complete with wedges	—	—	—
Protectors, lightning, or dischargers—				
With one line plate	0 11 3	—	—
„ two line plates	0 16 11	—	—
„ cover	0 13 5	—	—
Pulleys, with clutch, winding gear, wagon, wire, telegraph—				
Near	—	0 7 5	0 8 2
Off	—	0 7 5	0 8 2
Hammers, post-hole, weldless, steel tube 3 ft. by 2½ in. by ⅞ in. thick, painted and fitted with hexagon gun-metal collars, including driving bars, with spanners, welded on one end	100	—	4 5 4	4 10 9
Rectifiers, gun-cotton primer	—	—	—
Relays, polarized, Siemens, for telegraph equipment	each	4 0 0	—	—
Rheotomes, for testing groups of electro-contact mines	—	—	—
Ribbon, silk, green, for covering coils, ½ inch	yard	0 0 2½	—	—
Rings, iron, with 3 screws, telegraph poles	each	0 2 6	—	—
Rods, complete—				
Contact, bamboo (set of 4), with iron shears, leather cap, saw, and hook	set	2 14 3	—	—
Stay, iron, galvanized, for posts	each	0 1 6	—	—
Roofs, iron, galvanized, for telegraph posts	0 0 2½	—	—

* For apparatus, circuit closing, for circuit closers only.

† For submarine mining purposes, except apparatus circuit closing for circuit closers, and for outrigger torpedoes and cases, countermining, naval.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Rope, galvanized, steel—		£ s. d.	£ s. d.	£ s. d.
2 inch, Bessemer's, in 100 fathom coils ..	coil	5 0 0	—	—
2 „ in 113 fathom coils	cwt.	1 15 0	—	—
3 „ „ „ „ „ „	„	1 13 0	—	—
Saddles, iron, galvanized, for tops of poles	each	0 0 5	—	—
Saws, with pruning hook	„	0 5 0	—	—
Screws, iron, galvanized—				
Coach, 3½ inch	doz.	0 0 8½	—	—
Insulator, 2½ inch	„	0 0 6½	—	—
With washers { 3 inch	gross	0 15 0	—	—
{ 2½ „	„	0 15 0	—	—
Seats, waterproof, signallers..	each	0 0 11½	—	—
Sextants, large, double, with 5 inch station pointer	„	24 10 0	—	—
Shackles, iron, with bolts, galvanized, for chain attachment—				
½ inch	100	—	5 17 1	6 4 1
¾ „	„	—	10 3 0	10 15 2
1 „	„	—	14 3 1	15 0 1
Shafts, wood, wagon, Royal Engineers—				
Framed	pair	—	2 5 0	2 9 6
Prepared { Near	each	—	0 9 1	0 10 0
{ Off	„	—	0 9 1	0 10 0
Sheaves, cable winding apparatus ..	each	0 12 6	—	—
Shoes, drag, wrought-iron, with chains, 3rd class, wagons, Royal Engineers—				
Air line and wire	„	—	0 16 9	0 18 5
Forge, and general service	„	—	0 18 0	0 19 10
Office	„	—	0 18 1	0 19 11
Sinkers, iron—				
Mushroom { 11½ cwt.*	„	2 4 1†	—	—
{ 8½ „ *	„	1 12 4†	—	—
{ 7 „	„	1 7 5†	—	—
{ 5 „	„	0 19 7†	—	—
{ 1½ „ *	„	0 6 11†	—	—
Oblong { 6 cwt.*	„	1 3 6†	—	—
{ 3 „	„	0 11 9†	—	—
{ 2 „	„	0 7 10†	—	—
{ ½ „ for small marking buoys (see Weight, iron ring, 56 lbs., page 173)	„	0 4 1	—	—
Soles, steel, drag shoe (see page 392).	„	—	0 2 6	0 2 9
Solution, india-rubber—				
½ lb. tins	lb.	0 1 2½	—	—
Spanners—				
A, for Mark I and II, electro-contact mines	each	—	1 11 5	1 13 3
Parts of --				
Lever, loose	„	—	0 3 1	0 3 3
Spanner, box	„	—	1 8 4	1 10 0
B, for buoyant and ground mines, and naval countermines	„	—	1 14 6	1 16 7
C, for apparatus of all mines	„	—	0 12 4	0 13 1
D, for dome of circuit closer	„	—	0 19 10	1 1 0

* In the edition of 1879 these sinkers were shewn by their weights in water: the mushroom 11½ cwt. was shewn as 10 cwt.; the 8½ cwt. as 7 cwt., the 6 cwt. (oblong), as 5 cwt. and the 1½ cwt. as 1½ cwt. In the present edition the weights of all sinkers are their weights in air.

† Based on the average rate of 3s. 11d. per cwt.

Section VII.

517

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spanners, continued—		£ s. d.	£ s. d.	£ s. d.
E, for nut of insulating plug	each	—	0 4 9	0 5 0
F, for nuts of pillars of Mark I apparatus for circuit closers, and for electro-contact mines	"	—	0 1 8	0 1 9
G, for nuts of spindles and pillars of appa- ratus for circuit closers and all mines and naval countermines	"	—	0 4 0	0 4 3
H, for nuts of circuit closers and electro- contact jackets, and for jointers tools ..	"	—	0 5 4	0 5 8
I, for insulating plugs { (Mark I)	"	—	0 3 3	0 3 5
{ (Mark II)	"	—	0 3 6	0 3 9
J, for nuts of electric light generators ..	"	—	0 3 7	0 3 10
K, for nuts of Mark III electro-contact mines	"	—	0 4 4	0 4 7
M, for box, testing apparatus	"	—	—	—
Clip winding gear	"	—	0 0 10	0 0 11
Spikes—				
Bracket, for insulators	"	0 0 2	—	—
Iron, galvanized { 8 inch	"	0 0 2½	—	—
{ 5 "	"	0 0 2	—	—
Spindles, for drum, wire wagon, Royal Engineer telegraph equipment	"	—	0 5 9	0 6 4
Speons, iron, Spanish, handled	"	0 4 9	—	—
Spokes for wheels, oak, finished and painted, 3rd class wagons, Royal Engineer—				
Hind, 4 feet 8 inches	"	—	0 2 5	0 2 8
Fore, 3 " 4 "	"	—	0 1 9	0 1 11
Springs, complete, with all fittings, for Royal Engineer wagons—				
Pattern A { Air line, forge, general ser-	set	—	7 12 6	8 7
vice, and wire		—	8 15 3	9 12 9
Office		—	6 3 2	6 15 6
Pattern B	each	0 2 5½	—	—
Stands, telescope, tripod, in two parts ..				
Staples, iron—				
Galvanized { No. 16 B.W.G.	lb.	0 0 5½	—	—
{ " 8 "	"	0 0 5½	—	—
{ " 4 "	"	0 0 5½	—	—
For supporting wire, telegraph, equipment	10	—	0 6 0	0 6 7
Tinned, for fixing wires in testing room, 650=1 lb.	lb.	0 0 7½	—	—
Stay tighteners, 4 feet, to stretch—				
¾ inch steel wire rope	each	0 8 0	—	—
1½ " " "	"	0 8 0	—	—
2½ " " "	"	0 10 0	—	—
Sticks, crook, for raising wire, telegraph equipment	"	—	0 6 10	0 7 6
Straps, india-rubber, for winding gear, telegraph equipment	"	—	0 6 8	0 7 4
Straps, leather—				
Battery, Voltaic, portable, Royal Engi- neer equipment*	set	0 2 9	—	—
Binocular glass, case (see page 100) ..	each	0 1 6	—	—
Galvanometer	"	0 0 6	—	—
Telescope { Long	"	0 0 10	—	—
{ Short, Royal Engineers	"	0 0 4	—	—

* A set consists of two straps, 37½ inches × 1 inch, connected by a rounded strap 15 inches long.

Section VII.

	Rate.					
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.		
Swingladders, No. 3, general service (see page 411) each		£ s. d. —	£ s. d. 0 7 11	£ s. d. 0 8 9		
Switches—						
Tine and earth reverser "		0 8 7	—	—		
Post Office pattern and tumbler "		1 4 3	—	—		
2-line and bell "		0 10 5	—	—		
4 way.. .. . "		0 9 10	—	—		
Syringes, ebonite, 8 ounce capacity, for filling or emptying cells of batteries "		0 6 10	—	—		
Tachometers, engine, steam, Brotherhood "		8 0 0	—	—		
Tanks, for storing gun cotton "		—	—	—		
Tape, india-rubber, $\frac{1}{4}$ inch, with tape inserted—						
In 8 ounce coils lb.		0 6 5	—	—		
In 1 " "		0 6 5	—	—		
Tape, white—						
1 inch telegraph equipment yard		0 0 1 $\frac{1}{2}$	—	—		
$\frac{1}{2}$ " "		0 0 1	—	—		
$\frac{1}{4}$ " repairing flags, visual signalling .. piece		0 0 3	—	—		
Tarpaulins, for engines (see Covers, page 508).						
Telephones, ebonite, Bell pair		8 0 0	—	—		
Telescopes, hand, draw, army signalling—						
With case and strap, Infantry each		0 19 7	—	—		
With case for belt, Cavalry, Royal Artillery, and Royal Engineers "		—	—	—		
Terminals, brass—						
For telegraph equipment batteries and wire drums "		—	0 1 11	0 2 1		
For test box, P.O. pattern—						
Double "		—	—	—		
Single "		—	—	—		
Wagon, office, telegraph "		—	0 2 9	0 3 0		
Thimbles, iron, $5\frac{1}{2}$ oz., for 2 inch wire rope—						
Galvanized 100		0 11 0	—	—		
Ungalvanized "		0 8 3	—	—		
Tools for repairing electrical and other instruments—						
Complete, in leather holdall set		0 13 9	—	—		
Parts of—	No. to					
Bottles, glass, for oil, with screw cap 1	each	0 0 4	—	—		
Cases, boxwood—						
For files 1	"	0 0 9	—	—		
For springs and pins 1	"	0 0 6	—	—		
Drivers, { 3 inch { Broad .. 1	"	0 0 5	—	—		
screw { 2 $\frac{1}{2}$ inch, small .. 1	"	0 0 5	—	—		
Files, Lancashire, smooth, 4 inch—						
Flat, 1 safe edge 1	"	0 0 2	—	—		
3 square 1	"	0 0 2 $\frac{1}{2}$	—	—		
Round 1	"	0 0 2	—	—		
Square 1	"	0 0 2 $\frac{1}{2}$	—	—		
Hammers, small 1	"	0 0 8	—	—		
Handles, file, small 2	"	0 0 6	—	—		
Holdalls, leather lined 1	"	0 3 0	—	—		
Pins, adjusting 2	"	0 0 2	—	—		
Pliers, 5 inch, { Round nose .. 1	pair	0 1 8	—	—		
{ Side cutting .. 1	"	0 2 3	—	—		
(see page 125)						

Section VII.

519

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools for repairing electrical and other instruments, continued—				
Parts of—				
Springs, helical.. .. 2	each	0 0 4½	—	—
Tweezers 1	pair	0 0 6	—	—
Tools and material for jointers, sub- marine mining, in box, complete	set	—	—	—
Parts of—				
	In belt.	In box.		
Belts, canvas, for jointers tools, with copper bottle for soldering solution, and copper bottle for naphtha 2	each	—	0 15 6	0 16 5
Bottles, copper, for—				
Soldering solution .. 1	—	—	0 7 8	0 8 2
Naphtha 1	—	—	0 5 9	0 6 1
Box, lead, with screw top, for soldering solution .. 1	—	—	1 7 6	1 9 2
Box, tin, with screw top, for naphtha 1	2	—	0 13 6	0 14 4
Cloth, emery sheet ½	—	quire	0 0 10½	—
(see page 140)				
Cordage, tarred, spun yarn, in 5 feet lengths, 2 strands (see page 141) lb. —	1	cwt.	1 17 9	—
Cotton waste oz. ½	—	—	1 14 6	—
(see page 142)				
Earth-plate and lead .. —	1*	set	—	—
File, rough, half round, 8 inch (see page 114) .. —	1	doz.	0 3 8	—
Handle, file, middling (see page 121) —	1	each	0 0 1	—
Instrument, sounder .. —	1*	—	—	—
Iron, soldering, tinmans (see page 123) —	1	—	0 2 4½	—
Lead, spare* —	1	—	—	—
Naphtha (see page 153) oz. ½	—	gall.	0 3 3	—
Pliers, bright, side cut- ting (see page 125) pair 1	—	pair	0 2 3	—
Sal-ammoniac .. oz. —	4	lb.	0 0 5½	—
(see page 159)				
Scissors, curved .. pair 1	—	pair	0 1 1	—
(see page 127)				
Shackles, iron, ½ inch .. —	4*	each	—	1 1 8
Sheath, leather, for scis- sors, curved (see page 128) 1	—	—	0 0 2	—
Solder, tinmans (see page 163) lb. ½	—	lb.	0 0 6	—
Solution, india-rubber, in tin cylinders (see solu- tion, page 516, and cylin- ders, page 509) .. ozs. 8	—	—	—	—
Solution, soldering (chlor- ide of zinc) ozs... .. 4	—	oz.	0 0 3	—

* For use with junction boxes only. To be crossed out or not, according to the packing.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools and material for jointers, sub- marine mining, in box, <i>contd.</i>—		£ s. d.	£ s. d.	£ s. d.
Parts of—				
Spanners, double headed,* In belt. In box. (see spanner H, page 517) 1 —		—	—	—
Spanner, McMahon, 15 inch (see page 128) ..	each	0 5 2	—	—
Tape, india-rubber, in cop- per tinned cylinders, containing 1 ounce each (see tape, page 518, and cylinders, page 509) ozs.† 1 { 2† 6*		—	—	—
Tallow, in tin cylinders (see tallow, page 165 and cylinders, page 509) ozs. — 8		—	—	—
Tubing, india-rubber, 8 inch lengths, in copper tinned cylinder, containing 7 lengths † (see tubing, page 521, also cylinders, page 509)—				
1/2 inch .. lengths 7 14)		—	—	—
1/2 " .. " 7 7)		—	—	—
Tubing, india-rubber " 1/2 inch, for emptying sol- dering solution, in 5 inch lengths — 1	length	0 0 2	—	—
Twine, in 2 feet 6 inches lengths 12 24	"	—	—	—
Tools, grafting, telegraph post holes ..	each	0 4 3	—	—
Tools, jointers, telegraph —				
Complete in box	set	1 8 0	—	—
Parts of—				
Acid, muriatic (see page 132) .. ozs. 4	lb.	0 0 0 1/2	—	—
Bottles { Gutta-percha, for acid 1	each	0 1 0	—	—
Tin, spirits of wine, 1 1/2				
pint 2	"	0 1 1 1/2	—	—
Boxes, wood 1	"	0 15 0	—	—
Brushes, pencil, camel hair .. 2	"	0 0 1	—	—
Cloth, emery, middling (see page 140) sheets 1	quire	0 0 10 1/2	—	—
Compound, Chatterton's .. lbs. 1	lb.	0 4 9	—	—
Files, bastard, safe { 8 inch } 1	doz.	0 4 3	—	—
edge, or hand { 6 " } 1	"	0 3 0	—	—
(see page 113)				
Funnels, gutta-percha, small .. 1	each	0 0 11	—	—
Furnaces, iron, galvanized, small 1	"	0 12 0	—	—
Gutta-percha, sheet, 17 B.W.G. lbs. 4	lb.	0 5 0	—	—
Hammers, handled, riveting, } 4 oz. (see page 120) }	each	0 0 8	—	—
Irons { Smoothing .. 2	"	0 1 1 1/2	—	—
Soldering, small .. 2	"	0 1 1 1/2	—	—

* For use with "mines and circuit closers" only. To be crossed out or not according to the packing.

† These articles, while in store, will be kept in hermetically sealed cylinders.

‡ For use with junction boxes only. To be crossed out or not, according to the packing.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, jointers, telegraph, continued—		£ s. d.	£ s. d.	£ s. d.
Parts of—				
Knives { Paring 1	each	0 0 5	—	—
Knives { Shoemakers 1	„	0 0 5	—	—
Lamps, copper tinned, spirit (see page 518) 2	„	0 2 8	—	—
Pliers, side cutting { Large .. . 1	pair	0 3 3	—	—
Pliers, side cutting { Small .. . 1	„	0 2 6	—	—
Scissors, jointing 1	„	0 0 11	—	—
Solder, tinmans (see page 163) .. lbs. 1	lb.	0 0 6	—	—
Vices, jointers 1	each	0 10 3	—	—
Wick, cotton, lamp, common or ball (see page 173) ozs. 1	lb.	0 0 10	—	—
Wine, spirits of, methylated (see page 173) pints 3	gall.	0 3 1½	—	—
Wire, copper, uncovered, for binding, 32 B.W.G. N. 3 (see page 522) lbs. 1	lb.	0 1 8	—	—
Trays, ebonite, 10 inches × 12 inches × 3 inches	each	0 8 3	—	—
Trucks, railway, narrow gauge, for sub- marine mining purposes	„	—	29 2 0	31 12 4
Tubing, india-rubber—				
½ inch yard		0 1 1	—	—
¾ „ „		0 0 9½	—	—
1 „ „		0 0 8½	—	—
1½ „ „		0 0 7	—	—
2 „ „		0 0 6	—	—
For field and naval cable, ½ inch. „		0 0 8½	—	—
Varnish—				
For composition, anti-fouling, No. 2A—				
No. 1 gall.		0 8 0	—	—
„ 2 „		0 8 0	—	—
Sealing wax „		1 5 0	—	—
Vices, draw, with drum, ratchet and key ..	each	0 14 2	—	—
Vulcanite, for telegraph equipment—				
⅛ inch thick } (see Ebonite, page 510).				
⅜ „ „ }				
Wagons—				
Telegraph, office, complete*	„	—	144 7 11	158 16 9
Wire, telegraph, complete— (Mark II)	„	—	130 0 0	143 0 0
Fitted with connections for using the wheels as “carths” (Mark II) † ..	„	—	134 0 0	147 8 0
Air line	„	—	110 0 0	121 0 0
Washers, india-rubber, for—				
Ebonite connector 12		0 0 8	—	—
Plug, insulating	„	—	—	—
Washers, leather, paraffined, for—				
Apparatus—				
Circuit closing—				
With dome (for circuit closer) ..	„	—	0 2 6	0 2 8
With envelope, Mark II, for electro- contact mine, and apparatus for primer and relay, Mark I ..	„	—	0 2 6	0 2 8

* With 2 grease boxes, linch pin (spare), 4 ties (spare), 1 washer (spare), and swingletree.

† With 2 grease boxes, canvas cover, linch pin (spare), 4 ties (spare), 1 washer (spare), spanner, and swingletree.

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Washers, leather, paraffined for, <i>contd.</i>—		£ s. d.	£ s. d.	£ s. d.
Apparatus—				
Circuit closing—				
With envelope, Mark III, for electro- contact mine, and apparatus for primer and relay, Mark II... ..	each	—	0 2 6	0 2 8
With envelope, Mark IV, for electro- contact mine... ..	"	—	0 5 3	0 5 7
Firing, for mechanical mine	"	—	0 5 3	0 5 7
Primer and relay (Mark III)	"	—	0 2 6	0 2 8
Bolt, large, of boxes, cast-iron, connecting, and junction	"	—	0 2 9	0 2 11
Insulating plug and single disconnectors ..	"	—	0 0 8	0 0 9
Insulating plug of multiple disconnecting box	100	—	2 5 4	2 8 1
Upper opening of electro-contact mine, Mark III	12	—	0 2 11	0 3 1
9 inch opening of Mark III electro-con- tact mine, and Mark II ground and buoyant mines	"	—	0 6 4	0 6 9
Washers, wrought-iron, travelling, 3rd class (see page 430)	each	—	0 4 2	0 4 7
Watches, in German silver cases, with strap and key	"	4 18 6	—	—
Wheels—				
Cypher, signalling	"	0 2 9	—	—
Travelling, malleable cast-iron nave, 3rd class, with 8 inch tire, Royal Engineer wagons—				
Fore, 3 feet 4 inches diameter	"	—	6 6 7	6 19 8
Hind, 4 " 8 " "	"	—	7 2 6	7 16 9
Hind, 4 " 8 " " with drum for wire wagon	"	—	8 11 6	9 8 8
With stand, for coiling telegraph message paper	"	—	—	—
Wick, cotton, railway lamp, 1 inch × $\frac{1}{16}$ inch	yard	0 0 2½	—	—
Winches, steam, to lift 2 tons	each	70 0 0	—	—
Wires, bare or uncovered—				
N 1, copper, 15 B.W.G. 0·072 inch diameter	mile	3 11 0	—	—
" 2, copper, 2½ B.W.G. 0·025 inch diameter	lb.	0 1 4½	—	—
" 3, copper, 32 B.W.G. 0·010 inch diameter	"	0 1 8	—	—
" 7, compound copper and steel	mile	7 5 0	—	—
" 8, steel, galvanized, 16 B.W.G. 0·065 inch diameter	"	0 15 6	—	—
" 9, iron, galvanized, 16 B.W.G. 0·065 inch diameter	"	0 12 0	—	—
" 10, iron, galvanized, 11 B.W.G. 0·120 inch diameter	"	22 0 0	—	—
" 11, iron, galvanized, 3 strand, 18 B.W.G.	"	1 2 6	—	—
" 12, iridio-platinum, 0·003 inch diameter, 1·55 grains weight per yard	oz.	4 15 0	—	—
" 13, iridio-platinum, 0·0014 inch diameter, 0·15 grain weight per yard	dwt.	0 11 10	—	—
" 14, soft steel, galvanized, 15 B.W.G. ..	mile	0 19 8	—	—
" 15, iron, galvanized, 8 B.W.G.	"	2 8 0	—	—
Iron, galvanized, 16 B.W.G. (3 strand) ..	"	1 15 4	—	—
Wires, covered—				
A 1, copper, 0·011 inch gauge, silk	lb.	1 0 0	—	—
" 2, " 35 B.W.G.	"	0 8 9	—	—
" 3, " 30 " "	"	0 6 1	—	—

Section VII.

523

MINING, TELEGRAPH AND SIGNALLING STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	Balance Sheet. No. 2.
Wires, covered, continued—				
A 4, copper 24 B.W.G., silk	lb.	£ s. d. 0 3 10	£ s. d. —	£ s. d. —
„ 5, „ 20 „ „ and var- nished	„	0 4 6	—	—
„ 6, copper, 4 B.W.G., india-rubber primed tape	yard	0 0 10	—	—
B 1, copper, 20 B.W.G. to 15 B.W.G., gutta-percha	mile	3 17 6	—	—
„ 2, copper, 20 B.W.G. to 14 B.W.G., gutta-percha	„	4 5 6	—	—
„ 3, copper, 20 B.W.G. (3 strand) to 4 B.W.G., gutta-percha	„	24 0 0	—	—
„ 4, copper, 18 B.W.G. to 7 B.W.G., gutta-percha	„	12 15 0	—	—
„ 5, copper, 16 B.W.G. to 8 B.W.G., gutta- percha	„	13 12 9	—	—
„ 6, copper, 18 B.W.G. to 7 B.W.G., gutta- percha, taped and tarred	„	14 15 0	—	—
„ 7, copper, double, 0.243 inch, about 4 B.W.G., gutta-percha, and taped and tarred	foot	0 1 9	—	—
C 1, copper, 26 B.W.G. (3 strand) to 8 B.W.G., india-rubber, with india-rubber primed tape	mile	9 16 8	—	—
„ 2, copper, 20 B.W.G. (3 strand), to 1/4 inch, india-rubber, with india-rubber primed tape	„	31 13 4	—	—
„ 3, copper, 16 B.W.G. (19 strand), india- rubber, with india-rubber primed tape ..	„	264 0 0	—	—
„ 4, copper tinned, 0.019 inch diameter, (3 strand) india-rubber, light, Royal Engineer equipment (70 lbs. per statute mile)	„	9 10 0	—	—
Wrenches, drum, hind wheel, wire wagon	each	—	0 2 8	0 2 11
Zinc, granulated	lb.	0 0 5	—	—

2. DIVING APPARATUS AND STORES.

DIVING APPARATUS AND STORES.						Contract Rate.		
						set	£	s. d.
Apparatus, diving, for two divers, with air-pump, complete ..						175	0	0
Apparatus, diving, parts of:—								
						No. to a set.		
Bands, wrist, with tape ends					6	..	0	3 4
Belts { Canvas, divers, shot, 30 lbs.					2	each	0	14 0
Leather, divers, with sheath for knife					2	..	0	9 6
Books, instruction, for divers					3	..	0	1 6
Boots, divers, lead soles				pairs	2	pair	2	10 0
Boxes, tin { For spare articles for helmet					1	each	0	0 6
For valve piston					1	..	0	1 0
Cans, tin { Oil, feeding					2	..	0	1 0
.. .. .					2	..	0	3 6
Canvas, prepared, for repairing dress				yards	3	yard	0	6 6
Brass, for air delivery pipe					1	each	0	2 0
Cape { Iron, protecting crank ends					2	..	0	10 0
Woollen					2	..	0	1 6
Chests, wood { Helmet					2	..	2	10 0
Oil cans					1	..	—	—
Store					2	..	1	14 0
Cramps, screw, for fly wheel					1	..	0	7 6
Crinoline, on shackle, for body					2	..	0	12 6
Cutters, for washers					1	..	0	5 0
Drawers, woollen				pairs	8	pair	0	4 6
Dresses, divers { Canvas overall					2	each	0	15 0
Waterproof { Intermediate					1	..	6	6 0
Large					1	..	—	—
Ordinary					1	..	—	—
Drivers, screw { 6 inch					1	..	0	1 3
2½					1	..	0	4 3
Expanders, cuff					2	..	0	2 6
Fearnought					—	yard	0	2 11
Flannel				yards	20	..	0	2 0
Frames, screw, helmet					2	each	1	0 0
Frocks, woollen					8	..	0	9 10
Gauges, pressure					—	..	—	—
Gimlets, spike, ½ inch (see page 118)					—	..	0	0 4½
Glasses, helmet, spare { Bull's eye					2	..	0	4 6
Oral					4	..	0	4 6
Gloves, india-rubber					—	pair	—	—
Guernseys					—	each	—	—
Hammers, handled, for divers					—	..	0	7 6
Handles, winch, air-pump					2	..	0	7 6
Helmets, diving, complete					2	..	20	10 0
Joints, union { Double, connecting, male and female					2	..	0	7 6
Single, spare					4	..	0	6 0
Knives, diving					2	..	1	0 6
Ladders { Iron					1	..	1	10 0
Rope, 20 feet					—	..	0	11 0
Lanyards				lb.	4	lb.	0	0 6
Lines { Ladder, 60 feet					—	each	0	10 0
Life, 80 feet					2	..	1	0 0
Neckerchiefs, cotton					2	..	0	1 0
Nozzles, overflow					1	..	0	3 6
Nuts { Handle, spare					1	..	0	1 0
Helmet					2½	..	0	0 6
Oral, eyeglass					—	..	0	0 8

DIVING APPARATUS AND STORES.				Contract Rate.		
				No. to a set.		£ s. d.
Apparatus, diving, parts of, continued—						
Pads, helmet..	2	each	0 10 0
Pipes, air, diving, inlaid with wire	{ 45 feet	6	2 }	15 18 0
	{ 30 "	—	2 }	
Pumps, air, complete, for two divers, in wooden case	1	each	70 0 0
Rings, india-rubber, wrist, vulcanized	6	doz.	0 4 0
Screws { Eye for securing pump case to stage	4	each	0 1 0
{ Helmet or breastplate, spare	12	"	0 0 6
Solution, india-rubber, for dresses, $\frac{1}{2}$ lb. tins	2	lb.	0 1 2 $\frac{1}{2}$
{ Double ended	3	each	0 3 0
{ Nut, helmet	2	"	0 3 6
Spanners { Oval eye glass	2	"	0 2 0
{ Single	1	"	0 1 0
{ Socket	1	"	0 3 0
Springs, helmet { Inlet, small	4	"	0 0 6
{ Outlet, large	6	"	0 0 6
Stockings, woollen { Common	pairs	8	pair	0 2 4
{ Large, overall	"	4	"	0 5 0
Tape, white { 2 inch	yards	12	12yds	0 1 6
{ 1 "	"	12	"	0 1 3
Urinals, improved	2	each	0 14 0
{ Inlet	1	"	0 2 6
{ Bottom { Outlet	1	"	0 2 6
{ Spring	2	"	0 2 6
Valves { Piston	1	"	0 2 6
{ Top { Inlet	1	"	0 2 6
{ Outlet	1	"	0 2 6
{ Bulls eye	2	"	0 1 6
Washers, leather { Joint of air pipe	24	doz.	0 0 6
{ Neck ring	2	each	0 4 0
Weights, lead, metal mountings { Front	4	"	1 5 0
{ Back
Wheels, fly, diving pump	1	"	1 10 0
Worsted, extra quality and strength { White	lb.	1	lb.	0 3 6
{ Grey	"	1	"	0 3 6
{ Red	"	1	"	0 3 6

3. MINERS' TOOLS AND STORES, AND ENGINEER EQUIPMENT.

PLATELAYERS' TOOLS.

MINERS' TOOLS AND STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
MINERS TOOLS AND STORES AND ENGINEER EQUIPMENT.				
Apparatus, cutting, wet guncotton, Royal		£ s. d.	£ s. d.	£ s. d.
Engineer equipment—				
Complete	each	—		
Parts of—				
Blocks, wood { Bottom piece	—		
Top piece, (2 to a set)	—		
Bolts, iron (4 to a set)	—		
Thumbscrews, brass (4 to a set)	—		
Washers, brass (4 to a set)	—		
Attachments, packsaddle, for carriage,				
of single reel, with iron screws and clips,				
complete	each	—	—	—
Augers, screw, bull-nosed, 2 inch (see				
page 18)	0 3 5	—	—
Axes, pick, miners, 3 lbs., unhalved	0 1 1	—	—
Axletrees, wrought-iron, travelling, 3rd				
class—				
For malleable cast-iron naves, wagons,				
Royal Engineers { Fore } (see page 502) {	—	1 19 1	2 3 0
(except pontoon) { Hind }	—	1 19 1	2 3 0
For wood nave, cart, tip, Royal Engineers				
(see page 187)	—	1 7 6	1 10 3
Bars, boring, steel—				
3 inch hole { 7 feet	0 9 6	—	—
2 .. 6 inches	0 3 8	—	—
1½ inch hole { 5 feet 6 inches	0 5 5	—	—
2 .. 6	0 2 7	—	—
Bars, pinching, miners—				
4 feet 6 inches	—	—	—
3 .. 6	—	—	—
3 .. 0	—	—	—
2 .. 6	—	—	—
Bars, splinter, spare wagon, Royal				
Engineers (see page 502)	—	0 13 4	0 14 8
Bars, tamping, copper ends—				
3 inch hole { 7 feet	—	—	—
4	—	—	—
1½	0 10 0	—	—
3	—	—	—
1	0 7 0	—	—
Bars, wrought-iron, with steel ends—				
Boring—				
3 inch hole { 7 feet	0 5 4	—	—
5	0 4 6	—	—
4	—	—	—
3	—	—	—
2 .. 6 inches	—	—	—
2 .. 0	—	—	—
1 .. 6	—	—	—

Section VII.

527

MINERS' TOOLS AND STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Bars, wrought-iron, with steel ends, <i>continued—</i>		£ s. d.	£ s. d.	£ s. d.
Boring—				
7 feet each	0 3 11	—	—	
5 " "	0 2 10	—	—	
4 " "	—	—	—	
1½ inch hole { 3 " 6 inches "	—	—	—	
3 " 0 " "	0 1 6	—	—	
2 " 6 " "	—	—	—	
2 " 0 " "	—	—	—	
3 " 6 " "	0 1 2	—	—	
3 " 0 " "	—	—	—	
1 inch hole { 2 " 6 " "	—	—	—	
2 " 0 " "	—	—	—	
1 " 0 " "	—	—	—	
Jumping—				
3 inch hole { 7 feet "	0 5 6	—	—	
4 " "	0 4 4	—	—	
1½ " " { 7 " "	0 4 6	—	—	
5 " 6 inches "	0 3 8	—	—	
1½ " " { 4 " "	0 3 6	—	—	
Bellows, ventilating "	1 7 0	—	—	
Bits, for bars, boring, miners—				
3 inch holes "	—	—	—	
1½ " " "	—	—	—	
1 " " "	—	—	—	
Blocks, wood, anvil, 1½ cwt., Royal Engineer equipment "	—	0 16 6	0 18 1	
Blowers, Root's—				
Hand power "	8 0 0	—	—	
Steam power "	138 0 0	—	—	
Blowers, rotary, for Royal Engineer equipment "	11 10 9	—	—	
Boards, tool, miners, with straps—				
No. 1 "	—	—	—	
" 2 "	—	—	—	
" 3 "	—	—	—	
Set of 3 "	—	—	—	
Bolts, wrought-iron, with nuts, tire wheels, 3rd class, with collar (see page 201) 100	—	0 10 0	0 11 0	
Boxes, tin—				
Candle—				
Round { Large doz.	—	0 19 6	1 0 8	
Small "	—	0 10 6	0 11 2	
Square { Large "	—	1 10 3	1 12 1	
Small "	—	1 1 3	1 2 6	
Grease, half round, 3 lbs. (see page 203) "	—	0 18 2	1 0 0	
Safety fuze "	—	1 7 0	1 8 7	
Sal-ammoniac "	—	2 9 0	2 12 0	
Tinder, with flint and steel (see page 505) each	0 0 9	—	—	
Boxes, wood—				
Colour, wainscot, complete, Royal Engineers "	—	—	—	
For packing guncotton "	—	—	—	
Screws and nails, Royal Engineer equipment 100	—	9 13 9	10 5 5	
Wallet, near side, packsaddle, demolition equipment. each	—	0 7 11	0 8 9	

MINERS' TOOLS AND STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Brushes—		£ s. d.	£ s. d.	£ s. d.
Marine glue	each	0 2 1	—	—
Solution, india-rubber	„	0 1 1½	—	—
Buckets, canvas, miners—				
Tarred	„	0 3 8	—	—
White	„	0 6 6	—	—
Buckles—				
Covered, ½ inch	„	—	—	—
Iron, roller, tinned, ½ inch.. .. .	„	—	—	—
Candlesticks, miners	„	0 0 6	—	—
Cans, tin, oil—				
Feeding, ½ pint	100	—	2 5 2	2 7 11
2 gallons	each	0 4 4	—	—
Caps, leather, knee, with straps, miners	pair	0 5 0	—	—
Carriers, iron, for spare axletree, Royal Engineer equipment	each	—	0 2 6	0 2 9
Carts, tip—				
General service, complete (see page 237) ..	„	—	45 10 4	49 16 11
Royal Engineers, complete *	„	—	38 0 0	41 16 0
Cases, leather—				
Auger, screw, bull-nosed, 2 inch, and handle	„	0 4 2	—	—
Feeding cans	„	0 0 8	—	—
For tin case, liquid soldering material ..	„	—	—	—
Shoeing tools, or farriers	„	0 7 8	—	—
Tomahawk, with strap, Royal Engineer equipment.. .. .	„	0 0 9	—	—
Cases, wood, mining—				
Branch gallery (4 feet × 2 feet clear) ..	„	—	0 8 8	0 9 2
Common gallery (5 feet 6 inches × 2 feet clear)	„	—	0 8 10	0 9 4
Great gallery (6 feet 6 inches × 6 feet 6 inches clear)	„	—	1 13 8	1 15 8
Magazine (3 feet 8 inches × 3 feet clear) ..	„	—	0 12 4	0 13 1
Shaft gallery (4 feet × 2 feet clear) ..	„	—	0 6 4	0 6 9
Chests, packsaddle, Clarkson's material, Royal Engineers, field service	„	—	5 10 6	5 17 10
Chests, wood—				
Instruments and drawing materials ..	„	—	1 19 7	2 2 0
Office wagon, general { No. 1, fitted with drawers	„	—	4 9 3	4 18 2
service, Royal En- { „ 2, fitted with gineers, field, com- straps	„	—	6 0 3	6 12 3
pany, or field, park { „ 3, not fitted with straps ..	„	—	4 17 4	5 7 1
Packsaddle, Royal { Store	„	2 6 0	—	—
Engineers, miners { Tool { No. 1	„	2 11 3	—	—
Tool, miners, empty	„	2 11 6	—	—
Collars, for lamp roof, Royal Engineer office wagon	„	—	—	—
Composition, waterproof, miners .. cwt.	3 5 4	—	—	—
Covers, canvas, complete—				
Cart, tip, Royal Engineers	each	—	2 5 0	2 9 6
Wagons, Royal Engineers, forge and general service (see page 249)	„	—	2 18 6	3 4 4
Covers, canvas, waterproof, for leather rack, Royal Engineers	„	—	0 10 0	0 11 0
Covers, for lamp, roof, office wagon	„	—	—	—
Crutches, mining, great gallery	„	0 11 10	—	—

* With grease box, canvas cover, and 4 bale hoops.

MINERS' TOOLS AND STORES, &c.			Rate.			
			Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Cylinders, tin—				£ s. d.	£ s. d.	£ s. d.
No. on base.	External height and diameter.	To hold.				
† 9,	1.575" × 6.05"	Fuzes, electric (No. 1), high tension, Abel, land service 25	100	—	1 13 7	1 15 9
† 22,	6.475" × 6.05"	Fuzes, electric (No. 14), low tension, land service 25	"	—	1 13 6	1 15 5
† 25,	7.3" × 3.1"	Detonators (No. 8), for safety fuze 25	"	—	3 9 7	3 14 0
† 32,	5.3" × 4.775"	Detonators, electric (No. 5), high tension, Abel, land service .. 25	"	—	0 14 5	0 15 7
† 47,	8.35" × 4.1"	Detonators, electric (No. 13), low tension, land service (see page 256) 25	"	—	3 15 5	3 19 4
* 52,	7.05" × 1.55"	Primers, guncotton, 1 oz. (dry) 5	"	—	1 1 3	1 2 4
* 64,	3.5" × 2.775"	Guncotton yarn (No. 1, damp) oz. 2	"	—	1 13 8	1 15 6
Detonators—						
Electric {	No. 5, high tension, Abel, land service	1000	—	20 6 8	21 13 8	
	No. 13, low tension, land service	"	—	46 16 10	49 19 8	
	No. 8, for safety fuze	"	—	20 6 5	21 10 11	
Drags or worms, mining—						
7 feet..	each	0 1 9	—	—	
4 "	"	0 1 4	—	—	
4 " ..	Royal Engineer equipment ..	"	—	—	—	
3 "	"	0 1 3	—	—	
Ebonite, sheet—						
22 W. G.	lb.	—	—	—	
½ inch (see page 510)	"	0 4 3	—	—	
Ends, copper, for tamping bars, 1½ in. hole		each	0 1 6	—	—	
Exploders, dynamo-electric, tension—						
Field service, light	"	17 2 4	—	—	
Siege and field service, heavy	"	20 3 8	—	—	
Forges, packsaddle, mountain and Royal Engineers, complete		"	—	21 15 0	23 18 6	
Frames, wood, mining—						
Blinded gallery (5 feet 8 inches × 3 feet clear)	"	—	1 1 7	1 2 11	
Branch gallery (3 feet 6 inches × 2 feet clear)	"	—	0 4 5	0 4 8	
Common gallery (4 feet 10 inches × 2 feet clear)	"	—	0 5 8	0 6 0	
False (3 feet 4 inches × 1 foot 6 inches clear)	"	—	0 2 10	0 3 0	
Magazine (2 feet 11 inches × 4 feet 9 inches outside dimensions)	"	—	0 8 0	0 8 6	
Passage magazine (7 feet 8 inches × 2 feet clear)	"	—	—	—	
Shaft (4 feet × 2 feet clear)	"	—	0 5 9.	0 6 1	
Shaft, top (4 feet × 2 feet clear)	"	—	0 12 4	0 13 1	

* Closed with tape band. When empty to be accounted for by Nos. stamped on base.

† Soldered tin band. When empty to be accounted for as unserviceable, "of sorts."

(V.S.)

MINERS' TOOLS AND STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Futchells, oak, in the rough, for R.E. wagon, forge, and general service	each	£ s. d.	£ s. d.	£ s. d.
Fuze, instantaneous (see page 144) ..	fm.	0 0 9½	—	—
Fuzes, electric—				
No 1, high tension, Abel	1,000	—	18 0 0	19 1 7
„ 14, low tension, land service	„	—	23 19 6	25 8 3
Gads, mining—				
6 inch	each	0 1 5	—	—
5 „	„	0 1 2	—	—
4 „	„	0 0 9	—	—
Girths, web—				
(7 feet) for packsaddle chests, Royal Engineer, field service	„	—	0 3 8	0 4 0
Special, for Royal Engineer panniers and flaps	„	—	0 1 9	0 1 11
Guncotton, wet—				
Primers—				
3½" × 2", 9 ozs., with 2 perforations ..	lb.	—	0 1 6½	0 1 8
1½" × 2", 1 „ „ 1 „ ..	„	0 2 0	—	—
1½" × 1½", 2 „ „ 1 „ ..	„	—	0 2 4½	0 2 7½
1½" × 1½", 1 „ „ 1 „ ..	„	0 2 0	—	—
1½" × 1½", 1 „ „ 1 „ ..	„	—	0 2 1	0 2 3½
Slabs—				
6½" × 6½" × 1½", 2½ lbs (see page 512) ..	„	—	0 1 5½	0 1 7½
6½" × 6½" × 1½", 2 „ with 3 perforations	„	—	0 1 5½	0 1 7½
6½" × 6½" × 1½", 1½ lb., with 3 perforations	„	—	0 1 9½	0 2 2½
6½" × 3" × 1½" (half slabs), 1 lb., with 1 perforation	„	—	0 1 5½	0 1 7½
4½" × 4½" × 1½", 1½ lbs. } (see page 512) {	„	0 2 0	—	—
1½" × 1½" × 1½", ½ lb. }	„	0 2 0	—	—
Guncotton, dry, Primers—				
1½" × 1½", 2 oz. with 1 perforation ..	„	—	—	—
1½" × 1½" 1 „ „ 1 „ ..	„	—	—	—
Hammers, miners—				
Handled { Boring, 7 lb.	each	0 4 6	—	—
{ 5 lb.	„	0 2 3	—	—
{ Loading { 4 „	„	0 1 11	—	—
{ 3 „	„	0 1 7	—	—
{ Sledge, 14 lb.	„	0 4 7	—	—
Unhandled { Boring, 7 lb.	„	0 2 6	—	—
{ 5 lb.	„	0 2 1	—	—
{ Loading { 4 „	„	0 1 9	—	—
{ 3 „	„	0 1 5	—	—
{ Sledge, 14 lb.	„	0 4 0	—	—
Handles, auger, screw, bull-nosed, 2 inch, (see page 19)	„	0 0 2½	—	—
Helves—				
Pickaxe, miners, 3 lbs.	„	—	—	—
Shovel { Long } (see page 78) {	„	0 0 8	—	—
{ Short }	„	0 0 7½	—	—
Holdalls, leather, miners, Royal Engineer service—				
Store	„	0 3 7	—	—
Tool	„	0 3 7	—	—
Hoops, bale, wood—	No. to a set			
Fitted { Cart tip, R.E.	4 set	—	0 13 1	0 14 5
{ Wagon, R.E. forge and } 5 „	„	—	0 16 4	0 18 0
{ general service }	„	—	—	—
11½ feet (see page 283)	each	0 1 11	—	—

Section VII.

531

MINERS' TOOLS AND STORES, &c.		Rate.					
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
			£ s. d.	£ s. d.	£ s. d.	£ s. d.	£ s. d.
Horns, powder, miners	each		0 2 6	—	—	—	—
Hose—							
For blowers, 1½ inch	yard		0 7 0	—	—	—	—
{ 1½ inch	"		0 0 2½	—	—	—	—
{ Calico { 1 "	"		0 0 1½	—	—	—	—
{ ¾ "	"		0 0 1	—	—	—	—
{ Ord's mining	"		—	0 0 9	0 0 10	—	—
Joints, tube, flexible, miners	each		0 2 6	—	—	—	—
Jumpers, steel-pointed, with extracting bar, for Royal Engineer equipment	"		—	0 6 6	0 7	—	—
Ladders, rope—							
50 feet	"		1 6 0	—	—	—	—
30 "	"		1 3 5	—	—	—	—
20 "	"		0 11 0	—	—	—	—
Lamps—							
Railway office wagon	"		1 5 0	—	—	—	—
Reading, for office wagon	"		0 11 0	—	—	—	—
Roof, Royal Engineer, office wagon	"		0 17 0	—	—	—	—
Tin, mining	"		0 1 5	—	—	—	—
Models, wood, magazine—*							
Rectangular	set		0 6 0	—	—	—	—
Shallow	"		0 17 6	—	—	—	—
Needles, priming, copper—							
7 feet	each		0 9 6	—	—	—	—
4 "	"		0 4 9	—	—	—	—
3 "	"		0 3 8	—	—	—	—
Picks, push, miners	"		0 2 6	—	—	—	—
Pins, wrought-iron—							
Linch, travelling, 3rd class (see page 322)	10		—	0 7 6	0 8 4	—	—
Shaft, with keys and chains, framed wagon, general service, Royal Engineers	each		—	0 1 9	0 1 11	—	—
Plates, stencil, with brush, in box, containing stencils for Royal Engineer draughtsmen's office	box		1 8 4	—	—	—	—
Pots, tin, for solution	each		—	0 0 10	0 0 11	—	—
Racks, leather, intrrenching tools, Royal Engineer (see page 92)	pair		—	3 11 8	3 18 10	—	—
Reels, wood, for wire demolition equipment	each		—	1 3 2	1 5 6	—	—
Ropes, lashing, wagon (see page 350)	10		—	0 9 9	0 10 9	—	—
Sacks, coal, bound with leather, for pack-saddles, general service and Royal Engineer equipment	each		0 5 0	—	—	—	—
Sappers, steam—							
6 horse power	"		—	—	—	—	—
8 "	"		—	—	—	—	—
Scoops or scrapers, mining—							
7 feet	"		0 2 9	—	—	—	—
3 inch hole { 4 "	"		0 2 5	—	—	—	—
{ 3 "	"		0 2 0	—	—	—	—
{ 7 "	"		0 1 8	—	—	—	—
1½ inch hole { 4 "	"		0 1 5	—	—	—	—
{ 3 "	"		0 1 2	—	—	—	—
1 inch hole, 4 "	"		0 1 0	—	—	—	—
Shafts, wood—							
Cart, tip, Royal Engineers (see Shafts, cart, page 362)	Near..		—	1 3 0	1 5 4	—	—
	Off ..		—	2 7 0	2 11 8	—	—

* One-sixth in size of those given at page 529 for frames.

MINERS' TOOLS AND STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Shafts, wood, continued—		£ s. d.	£ s. d.	£ s. d.
Framed wagon, Royal Engineers (see page 516)	pair	—	2 5 0	2 9 6
Sheeting, 5 feet x 11 inches x 2 inches ..	each	—	—	—
Shoes, drag, wrought-iron, with chains,				
3rd class, wagons, Royal Engineers—				
Air line, and wire	"	—	0 16 9	0 18 5
Forge, and general service	(see page 516)	—	0 18 0	0 19 10
Office	"	—	0 18 1	0 19 11
Shovels, helved, miners—				
Long	"	0 1 5½	—	—
Short	"	0 1 3½	—	—
Soles, steel, drag shoe, 3rd class (see page 392)	"	—	0 2 6	0 2 9
Springs, complete, with all fittings, for Royal Engineer wagons—				
Pattern A—				
Air line, forge, general service, and wire	(see page 517)	set	7 12 6	8 7 9
Office	"	—	8 15 3	9 12 9
Pattern B	"	—	6 3 2	6 15 6
Straps, leather, or girths, packsaddle, demolition equipment (2 to a set) ..	"	—	0 4 3	0 4 8
Swingletrees, No. 3, general service (see page 411)	each	—	0 7 11	0 8 9
Terminals, brass, wagon, office, telegraph (see page 518)	"	—	0 2 9	0 3 0
Tomahawks, handled, with hammer head, and claw	"	0 3 6	—	—
Trucks, miners	"	—	1 18 9	2 2 8
Tubes, tin, ventilating—				
3 feet long	piece	0 1 3	—	—
2 " 3 inches long	"	0 0 6	—	—
Valises, for reels, packsaddles, demolition equipment, sets of 2	set	—	1 8 11	1 11 10
Wagons—				
Forge, Royal Engineer, { (Mark I)	each	—	88 0 0	96 16 0
complete*	"	—	90 0 0	99 0 0
General service, Royal Engineer, complete†	"	—	124 12 5	137 1 8
Office	"	—	98 12 5	106 1 2
Complete (Mark I)	"	—	133 12 0	146 19 2
Without internal fittings, complete, suitable for office, telegraph office and printing office (Mark II)	"	—	129 0 0	141 18 0
Timber, with sliding perch, complete ..	"	—	68 0 0	74 10 0
Wallets, packsaddle, demolition equipment—				
Near	"	—	4 16 10	5 6 6
Off	"	—	4 8 0	4 16 10
Washers, wrought-iron, travelling, 3rd class (see page 430)	"	—	0 4 2	0 4 7
Wedges, iron, miners, 8 inches	"	—	—	—

* With 2 grease boxes, canvas cover, 5 bale hoops, lynch pin, tie and washer (spare), and swingletree.

† With 2 grease boxes, canvas cover, 5 bale hoops, lynch pin, 4 ties, washer (spare), and swingletree.

MINERS' TOOLS AND STORES, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wheels, travelling—		£ s. d.	£ s. d.	£ s. d.
Malleable cast-iron nave, 3rd class—				
With 3 inch tire, Royal Engineer				
wagons—				
Fore, 3 ft. 4 in. diameter	each	—	6 6 7	6 19 8
Hind, 4 „ „ „	„	—	7 2 6	7 16 9
Hind, 4 „ „ „	„	—	—	—
with drum for wire	(see page 522) ..	—	—	—
wagon	„	—	8 11 6	9 8 8
With 2½ inch tire, cart, tip, general				
service, also wagon, general service,				
look under, hind, 4 feet 8 inches dia-				
meter (see page 438)	„	—	7 2 6	7 16 9
Wood nave, 3rd class, 5 feet diameter,				
3 inch tire, cart, tip, Royal Engineer,				
(see page 439)	„	—	4 16 6	5 6 2
Wire, brass, priming, No. 16 B.W.G.				
(lengths of 20 feet)	„	—	—	—
TOOLS, PLATELAYERS.				
Bars, crow—				
With chisel and pointed end, 5 feet 7 inches	each	0 10 6	—	—
With claw, 5 feet 5½ inches	„	0 10 6	—	—
Bars, twisting, for destroying	„	1 10 6	—	—
Beaters, helved	„	0 5 11	—	—
Braces, ratchet, platelayers	„	1 3 10	—	—
Chisels, cold	„	0 1 3	—	—
Clips, lifting	„	0 6 0	—	—
Cramps, ratchet brace	„	0 3 2	—	—
Cutters, plug	„	0 6 6	—	—
Drills, ratchet brace	„	0 0 10	—	—
Gauges—				
Common, 4 feet 8½ inches	„	0 16 0	—	—
T-line, 4 feet 8½ inches	„	0 6 6	—	—
1 foot 6 inch railway	„	0 6 0	—	—
Hammers, handled—				
Chiselling, hand	„	0 2 3	—	—
Keying	„	0 5 0	—	—
Sledge	„	0 5 6	—	—
Irons, expansion	„	0 0 1	—	—
Jimcrows—				
Large	„	6 15 0	—	—
Small, for trench railway	„	6 5 0	—	—
Levels, spirit, masons rule, boxwood, 12				
inches (see page 123)	„	0 1 10½	—	—
Levers, long	„	1 9 6	—	—
Sets, claw	„	0 2 0	—	—
Sets, cold, with iron handles—				
Large, 15 inches long	„	0 4 0	—	—
Small, 23 „ „	„	0 4 0	—	—
Spanners—				
Box, complete, with handle	„	0 10 0	—	—
Jimcrow	„	0 3 0	—	—
Straight, 2 feet 10 inches	„	0 3 0	—	—
With bent ends, 2 feet 9 inches	„	0 3 0	—	—
Straight edges, with two sights	„	0 9 9	—	—

4. PHOTOGRAPHIC IMPLEMENTS, MATERIALS, AND STORES FOR A FIELD PHOTOGRAPHIC OFFICE WAGON.

PHOTOGRAPHIC IMPLEMENTS, MATERIALS, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wagon, photograph, office, complete...	each	£ s. d. —	£ s. d. 174 17 11	£ s. d. 192 7 8
Boxes, tin, grease, half round, 3 lb. (see page 203)	doz.	—	0 18 2	1 0 0
Swingletrees, No. 3, general service (see page 411)	each	—	0 7 11	0 8 9
CONTENTS OF WAGON.				
No. or quantity in wagon.				
Acid—				
Acetic, glacial lbs.	2	lb.	0 3 0	—
Citric ounces	8	"	0 5 0	—
Formic "	4	"	0 2 6	—
Nitric, pure, half strength .. lbs.	4	"	0 0 10	—
Pyrogallie ounces	8	ounce	0 3 0	—
Tannic "	2	"	0 0 6	—
Alcohol—				
60 o.p. methylated pints	4	pint	0 0 7½	—
'820 pure "	3	"	0 5 6	—
Alum, best lbs.	8	lb.	0 0 8	—
Ammonia, liquid, '880 .. ounces	24	ounce	0 0 1	—
Ammonium—				
Bromide "	4	"	0 0 6	—
Chloride "	8	"	0 0 0½	—
Iodide "	4	"	0 1 0	—
Sulphide lb.	1	lb.	0 1 0	—
Argentometer "	3	each	0 2 6	—
Bags, water, 2 gallons	3	"	0 17 6	—
Baths, air-tight, 10 inches x 12 inches—				
Ebonite "	1	"	1 0 6	—
Glass "	2	"	2 2 0	—
Black, lamp (Newman's water-colours in cakes)	6	cake	0 2 0	—
Bottles—				
Dropping, 4 oz.	6	each	0 2 0	—
W.M., stoppered { 8 ounces, square .. 18	"	"	0 2 0	—
{ 1 quart 4			0 2 0	—
Winchester quarts, common (see page 136)	4	"	0 0 4	—
Boxes—				
Draining, { For 12 inch x 10 inch plates 1	"	"	0 12 0	—
open both { For 7½ inch x 5 inch plates 1			0 6 6	—
ends { For 12 inch x 10 inch plates 1	"	"	0 18 6	—
With parti- { For 7½ inch x 5 inch plates 1			0 8 6	—
tions for { plates 1	"	"	1 5 0	—
field { plates 1			0 2 0	—
Scales and weights, 1 to 1,000 grains	1	"	1 5 0	—
Zinc, air-tight, for paper	1	"	0 2 0	—

PHOTOGRAPHIC IMPLEMENTS, MATERIALS, &c.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
	No. or quantity in wagon.		£ s. d.	£ s. d.	£ s. d.
Brushes—					
Badger hair, in case	2	each	0 2 6	—	—
Sable, hair, writing, with sticks ..	6	"	0 2 0	—	—
Cadmium—					
Bromide ounces	2	ounce	0 1 0	—	—
Iodide "	2	"	0 1 0	—	—
Calico, white, swansdown .. yards	2	yard	0 2 0	—	—
Cameras—					
For 12 inch × 10 inch plates ..	2	each	13 9 6	—	—
For 7½ " 5 " ..	1	"	7 2 0	—	—
Camera-stands, Paget's pattern ..	3	"	2 15 0	—	—
Cases, leather—					
For camera	1	"	1 8 0	—	—
For dark slides	1	"	1 4 0	—	—
For lenses	1	"	0 12 6	—	—
Chalk lb.	1	lb.	0 0 8	—	—
Clips—					
American	60	each	0 0 1	—	—
For water pipes	4	"	0 1 0	—	—
Cloths—					
Focussing	2	"	0 7 0	—	—
Glass, clean	12	"	0 1 3	—	—
Collodion—					
Thomas' pints	10	pint	0 7 6	—	—
" plain lbs.	10	lb.	0 5 0	—	—
Copying-front	1	each	12 15 0	—	—
Corks, assorted doz.	4	doz.	0 1 0	—	—
Cotton wool lb.	1	lb.	0 4 6	—	—
Cupboards for negatives ..	1	each	—	—	—
Cups, developing—					
Ebonite nests of 3	2	"	0 3 6	—	—
Glass 3	2	"	0 1 3	—	—
Diamonds, glaziers (see page 111)..	1	"	0 6 2	—	—
Dippers, ebonite	6	"	0 2 10	—	—
Dishes—					
Berlin porcelain	4	"	0 6 6	—	—
Electro-plated	1	"	1 10 0	—	—
Flat, 15 inches × 12 inches ..	6	"	0 5 0	—	—
Double backs for dry plate box—					
12 inches × 10 inches	2	"	2 7 6	—	—
7½ " 5 "	3	"	1 6 0	—	—
Driver, screw, 9 inch (see page 112)..	1	"	0 0 11	—	—
Emery powder (see page 157) ounce	1	lb.	0 0 1½	—	—
Ether, sulphuric, anhydrated lbs.	2	"	0 2 6	—	—
Filter, Lipscombe's	1	each	1 5 0	—	—
Frames, printing—					
12 inches × 10 inches	8	"	0 14 6	—	—
7½ " 5 "	8	"	0 5 6	—	—
Funnels—					
Ebonite, 6 in nest set	1	set	0 10 6	—	—
Glass, 4 ounce	2	each	0 0 6	—	—
Gelatine—					
Coignet's, gold medal .. lbs.	2	lb.	0 4 9	—	—
Nelson's, No. 1	3	"	0 5 0	—	—
Glycerine (in bottle).. .. ounces	8	"	0 2 0	—	—
Gold, chloride, in dram bottles ..	1½	ounce	3 4 0	—	—
Gum arabic (see page 144) .. lb.	1	lb.	0 0 9½	—	—
Hammers, handled, claw, 20 ounce (see page 119) ..	1	each	0 1 1	—	—

PHOTOGRAPHIC IMPLEMENTS, MATERIALS, &c.		Rate.					
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.	
	No. or quantity in wagon.			£	s. d.	£	s. d.
Handkerchiefs, silk	4	each		0	4 6	—	—
Iodine, resublimed	ounce 1	ounce		0	2 6	—	—
Iron, sulphate, of, pure ..	lbs. 16	lb.		0	0 4	—	—
Kaolin	1	"		0	0 6	—	—
Lenses—							
Rapid rectilinear, 12 inches × 10 inches	2	each		11	0 0	—	—
Dallmeyer's 7½ inches × 5 inches	1	"		5	10 0	—	—
Stereo, 3 inch focus	2	"		4	0 0	—	—
Wide angle, 12 inches × 10 inches	1	"		7	10 0	—	—
Dallmeyer's 7½ inches × 5 inches	1	"		4	10 0	—	—
Levels, spirit, circular	1	"		0	3 0	—	—
Lime, chloride of (see page 148)	ounce 1	cwt.		0	10 6	—	—
Litmus	books 6	book		0	0 2	—	—
Measures, glass, graduated—							
10 ounce	3	each		0	2 6	—	—
4 "	1	"		0	1 9	—	—
2 "	1	"		0	1 3	—	—
Minim	2	"		0	1 0	—	—
Mercury, bichloride	lb. 1	lb.		0	4 6	—	—
Oil, palm	ounces 2	"		0	1 6	—	—
Paper—							
Albuminized	ream 1	ream		6	0 0	—	—
Blotting	quires 4	quire		0	2 0	—	—
Filter, 7½ inches, Swedish ..	sheets 200	200		0	1 6	—	—
Tissue	quire 1	quire		0	0 6	—	—
Yellow	" 1	"		0	2 0	—	—
Plates—							
Crown glass, thick, polished—							
12 inch × 10 inch	doz. 12	doz.		0	16 8	—	—
7½ " 5 "	6	"		0	4 0	—	—
Gelatine bromide, Edward's—							
12 inch × 10 inch	4	"		1	5 0	—	—
7½ " 5 "	12	"		0	7 6	—	—
Plateholders, pneumatic, with holder	4	each		0	5 6	—	—
Potash—							
Permanganate	ounces 2	ounce		0	0 1½	—	—
Silicate of	lb. 1	lb.		0	2 8	—	—
Oxalate of	" 12	"		0	2 6	—	—
Potassium—							
Bromide (see page 157) ..	ounces 8	"		0	2 6	—	—
Cyanide	lbs. 8	"		0	5 0	—	—
Iodide (see page 157) ..	ounces 4	ounce		0	2 0	—	—
Ferrocyanide	" 8	"		0	0 2	—	—
Pourers, collodion	2	each		0	3 6	—	—
Pyroxylin (in water) ..	ounces 8	ounce		0	2 3	—	—
Reels, glass	6	each		0	0 4	—	—
Rollers, sponge, gelatinized ..	8	"		0	7 6	—	—
Scissors	pairs 1	pair		0	1 6	—	—
Silver, nitrate, re-crystallized	lbs. 10	lb.		3	2 6	—	—
Slits	1	each		1	3 6	—	—
Soda—							
Acetate	1	lb.		0	0 9	—	—
Carbonate	ounces 2	ounce		0	0 2	—	—
Hyposulphite	cwt. 1	cwt.		0	13 6	—	—
Sponges, flat	2	each		0	2 0	—	—
Still, copper, with condenser, &c.	1	"		3	5 0	—	—

Section VII.

587

PHOTOGRAPHIC IMPLEMENTS, MATERIALS, &c.						Rate.									
						Per		Contract.		No. 1 Balance Sheet.		No. 2 Balance Sheet.			
						No. or quantity in wagon.				£ s. d.		£ s. d.		£ s. d.	
Tammy, yellow yards						2	yard	£ 0 1 10		—		—		—	
Tannin ounces						2	ounce	0 0 8		—		—		—	
Tents, box, Abney's pattern complete with legs						1	each	9 10 0		—		—		—	
Towels, diaper						6	"	0 1 0		—		—		—	
Trays, ebonite—															
14 inch x 12 inch						1	"	0 9 9		—		—		—	
18½ " 11½ "						1	"	0 9 0		—		—		—	
18 " 11 "						1	"	0 8 3		—		—		—	
Tripoli (see page 172) lbs.						8	lb.	0 3 0		—		—		—	
Tubing, india-rubber feet						30	foot	0 0 2½		—		—		—	
Varnish, Thomas's pints						10	pint	0 10 0		—		—		—	
Wax, bees (see page 173) lb.						½	lb.	0 1 3½		—		—		—	

5 LITHOGRAPHIC IMPLEMENTS, MATERIALS AND STORES FOR A FIELD LITHOGRAPHIC OFFICE WAGON.

LITHOGRAPHIC IMPLEMENTS, MATERIALS, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wagon, lithograph office, complete*..	each	£ s. d. —	£ s. d. 146 17 11	£ s. d. 161 11 9
Boxes, tin, grease, half round, 3 lbs. (see page 203)	doz.	—	0 18 2	1 0 0
Swingletrees, No. 3, general service (see page 411)	each	—	0 7 11	0 8 9
CONTENTS OF WAGON.				
Acid †—	No. or quantity in wagon.			
Hydrochloric ounces	24 {	btl. 24oz.	0 2 9	—
Nitric "	24	"	0 3 6	—
Phosphoric "	24	"	0 4 0	—
Sulphuric "	24	"	0 3 0	—
Antimony (see page 132) .. lbs.	6	lb.	0 2 1	—
Boards—				
Glaze "	6	each	0 0 6	—
Mill, thickest lb.	25	lb.	0 0 3½	—
Bottles, glass, spirits of wine,				
1 quart "	8	each	0 0 2	—
Bottles, tin, for oil—				
1 quart }	(see {	"	0 0 4	—
1 pint }	page {	"	0 0 3	—
With screw top, 2 quarts	136) {	"	0 0 8½	—
Buckets, leather, cavalry N.P. (see page 64)	1	"	0 11 6	—
Canisters, tin, to contain glass bottle for spirits of wine ..	8	"	0 0 9	—
Cans, tin—				
Oil feeding ¼ pint (see page 138) ..	1	"	0 0 4	—
Oil, lamp-lighting, 1 gallon (see page 467)	2	"	0 1 3	—
Tallow, 5 lbs.	1	"	0 1 0	—
Canvas, screen yards	20	yard	0 0 6	—
Casks, water, 5 gallons, with brass tap (see page 240) ..	1	"	—	0 9 6
Cloths—				
Sponge, cotton (see page 140) ..	6	doz.	0 1 2	—
Stone lbs.	6	lb.	0 1 0	—
Cotton waste, coloured (see page 142)	6	cwt.	1 4 8	—
Driver, screw, 9 inch (see page 112)	1	each	0 0 11	—
Erasers, with sheath	2	"	0 1 9	—

* With 2 grease boxes, linch pin (spare), 4 ties (spare), washer (spare), and swingletree.

† In stoppered bottles.

Section VII.

539

LITHOGRAPHIC IMPLEMENTS, MATERIALS, &c.			Rate.									
			Per	Contract.	No. 1 Balance Sheet.			No. 2 Balance Sheet.				
				£	s.	d.	£	s.	d.	£	s.	d.
Galls , bruised (see Nutgalls, page 153)	No. or quantity in wagon.	lbs.	1	lb.	0	1	6	—	—	—	—	—
Gum arabic (see page 144) ..	oz.	10		„	0	0	9½	—	—	—	—	—
Handles , leather, for rollers..	pairs	2		pair	0	1	6	—	—	—	—	—
Ink —												
Black, lithographic, printing, in tins	lbs.	3		lb.	0	5	0	—	—	—	—	—
Lithographic, Abney's, writing, bottles	12			bottle	0	2	0	—	—	—	—	—
Writing, transfer (sticks) ..	lb.	¼		lb.	0	18	0	—	—	—	—	—
Instruments , drawing, in case, Royal Engineers (see page 97)	set	1		set	1	4	6	—	—	—	—	—
Kettle , copper (3 pints)	1			each	0	15	0	—	—	—	—	—
Knives —												
Palette—												
12 inch } (see page 123) {	1			„	0	1	8½	—	—	—	—	—
9 „ }	1			„	0	0	11	—	—	—	—	—
Paper.. .. .	1			„	0	2	9	—	—	—	—	—
Lamps —												
Office { Hand	1			„	0	4	6	—	—	—	—	—
Roof	2			„	0	5	0	—	—	—	—	—
Spirit	2			„	0	6	0	—	—	—	—	—
Lead —												
Black (see page 143)	lb.	1		cwt.	0	19	6	—	—	—	—	—
Pig („ 143, market rates)	lbs.	28			—	—	—	—	—	—	—	—
Mullers , zinc, 3½ inches diameter..	2			each	0	10	0	—	—	—	—	—
Oil *—												
Colza	{ gall.	2		gall.	0	2	6	—	—	—	—	—
Neatsfoot } (see page 154)..	{ quart	1		„	0	3	5	—	—	—	—	—
Olive	{ pints	3		„	0	3	0	—	—	—	—	—
Paper —												
Blotting	ream	1		ream	1	3	0	—	—	—	—	—
Double foolscap { Blue	5			„	0	12	6	—	—	—	—	—
White	3			„	0	16	0	—	—	—	—	—
Glass, coarse (see page 156) sheets	12			quire	0	0	6	—	—	—	—	—
Papyrotype, 18 inches × 12 inches	150			sheet	0	0	2	—	—	—	—	—
Pens —												
Magnum bonum	box	1		box	0	1	6	—	—	—	—	—
Mapping	doz.	1		doz.	0	2	6	—	—	—	—	—
Nibs	box	1		box	0	1	6	—	—	—	—	—
Penholders	6			each	0	0	1	—	—	—	—	—
Planes , smoothing, double iron (see page 125)	1			„	0	2	3½	—	—	—	—	—
Plates , zinc, 18 inch × 12 inch, No. 11 gauge	20			„	0	3	3	—	—	—	—	—
Potash —												
Bichromate } (see page 157) {	lb.	4		lb.	0	0	9	—	—	—	—	—
Caustic	2			„	0	1	8	—	—	—	—	—
Pots , iron, melting (see page 125)	1			each	0	1	1	—	—	—	—	—
Presses , lithographic, im- proved, with side lever motion, &c.	1			„	10	10	0	—	—	—	—	—
Rollers	2			„	0	11	0	—	—	—	—	—
Rulers , parallel, rolling, 12 inch (see page 98)	1			„	0	7	0	—	—	—	—	—

* In tin bottles.

LITHOGRAPHIC IMPLEMENTS, MATERIALS, &c.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
	No. or quantity in wagon.		£ s. d.	£ s. d.	£ s.
Sand, silver, graining .. bushel	1	bush.	0 17 6	—	—
Saucers, ink	2	each	0 0 6	—	—
Scrapers, boxwood, 12½ inch ..	2	„	0 2 9	—	—
Sieves, 120-hole	1	„	0 7 6	—	—
Sponges, water, ¼ oz., general service (see page 89) .. doz.	1	„	0 2 3	—	—
Stone—					
Pumice (see page 165) .. lb.	10	cwt.	0 13 3	—	—
Snake	5	lb.	0 0 9	—	—
Tallow (see page 165)	5	cwt.	2 1 3	—	—
Tinfoil, stout, in sheets, 22 inches × 16 inches doz.	12	each	0 1 0	—	—
Turpentine, (see page 172) .. quarts	2	gall.	0 2 7	—	—
Tympans, leather, spare, for press, prepared	4	each	0 4 0	—	—
Varnish, middle, lithographic quarts	1	quart	0 4 6	—	—
Wick—					
Round, 1 inch for } (see roof lamp } page { ball	1	lb.	0 1 4	—	—
Flat, ½ inch for } 178) { yards	2	yard.	0 0 0½	—	—
office lamp					
Wine, spirit of, methylated (see page 178) gall.	2	gall.	0 3 1½	—	—

6. PRINTING IMPLEMENTS, MATERIALS AND STORE FOR A FIELD PRINTING OFFICE WAGON.

PRINTING IMPLEMENTS, MATERIALS, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wagon, printing office, complete* ..	each	—	£ s. d. 146 17 11	£ s. d. 161 11 9
Boxes, tin, grease, half round, 8 lbs. (see page 208)	doz.	—	0 18 2	1 0 0
Swingletrees, No. 3, general service (see page 411)	each	—	0 7 11	0 8 9
CONTENTS OF PRINTING WAGON.				
	For each wagon.			
Aprons, linen, black	3	„	0 1 6	—
Balls, inking	3	„	0 4 0	—
Bearers, type high.	1 yard	yard	0 1 0	—
Blankets, printer's, post folio ..	4	each	0 3 9	—
Blocks, saw	1	„	0 3 0	—
Boards, wetting, 15 inch x 10 inch ..	2	„	0 2 0	—
Bedkins	6	„	0 0 8	—
Bottles, tin, for oil—				
2 quarts } (see page 136) {	1	„	0 0 6	—
1 „ }	2	„	0 0 4	—
Brayers	1	„	0 0 6	—
Brushes—				
Hand, scrubbing (see page 466) ..	1	„	0 1 5½	—
Ley	1	„	0 4 6	—
Pick	1	„	0 1 0	—
Cans, tin, oil, feeding, ½ pint (see page 138)	1	„	0 0 4	—
Cards, white, for field slates, 8½ in. x 6 in.	500	„	—	—
Cases—				
Double, with sliding lids	6	„	0 10 0	—
Lined for { Ink balls	1	„	0 10 0	—
Roller	1	„	0 8 0	—
Casks, water, 5 gallons, with brass tap (see page 240)	1	„	—	0 9 6
Chases, iron, job—				
Foolscap folio	2	„	0 3 9	—
Quarto	2	„	0 3 0	—
Cloths, sponge, cotton (see page 140)	12	doz.	0 1 2	—
Composition, roller, "Acme" lbs. 12	12	lb.	0 0 10	—
Cord, page	1	ball	0 0 6	—
Frames, roller, 12 inch	1	each	0 3 6	—
Furniture, wooden (in yard lengths)—				
Broad	12	doz.	0 3 0	—
Double { Broad	12	„	0 4 6	—
Narrow	12	„	0 3 9	—
Narrow	12	„	0 2 9	—
Galleys, wood—				
19 inch x 9 inch	1	each	0 3 0	—
14 „ 10 „	2	„	0 2 4	—

* With 2 grease boxes, linch pin (spare), 4 ties (spare), washer (spare), and swingletree.

PRINTING IMPLEMENTS, MATERIALS, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
	For each wagon.		£ s. d.	£ s. d.
Girthing, press, 1 inch .. yds. 6	yard	0 0 6	—	—
Gum arabic, dry (see page 144) lb. 1	lb.	0 0 9½	—	—
Hammers, sheeps foot, iron .. 1	each	0 1 6	—	—
Ink printing (in tins) .. lbs. 5	lb.	0 3 0	—	—
Irons, imposing surface, 18 inch × 12 inch 1	each	1 10 0	—	—
Knives—				
Palette, 9 inch (see page 123) .. 1	„	0 0 11	—	—
Paper 1	„	0 2 6	—	—
Lamps, roof 2	„	0 5 0	—	—
Leads, 4to pica—				
36 ems lbs. 11	lb.	0 0 6	—	—
33 „ „ 5	„	0 0 6	—	—
30 „ „ 5	„	0 0 6	—	—
18 „ „ 5	„	0 0 6	—	—
Levels, spirit, masons, 12 inch (see page 123) 1	each	0 1 10½	—	—
Mallets 1	„	0 2 0	—	—
Moulds, brass, for making rollers .. 1	„	0 18 0	—	—
Needles, packing, common, 2 inch (see page 124) 12	100	0 13 3	—	—
Oil—				
Colza } (see page { galls. 2	gall.	0 2 6	—	—
Olive } 154) { quart 1	„	0 3 0	—	—
Paper, foolscap, double—				
Blue reams 6	ream	0 12 0	—	—
White „ 2	„	0 10 0	—	—
Parchment, demy folio, for tympan .. 4	each	0 1 4	—	—
Pins, mixed ounces 3	ounce	0 0 1½	—	—
Planers 1	each	0 1 0	—	—
Potash, American (see page 157) lbs. 4	cwt.	1 7 5	—	—
Pots—				
Glue, double iron, ½ gallon .. 1	each	0 3 6	—	—
Iron, for mixing ley .. 1	„	0 6 6	—	—
Presses, Albion, post folio .. 1	„	15 0 0	—	—
Quads—				
Brevier lbs. 7	lb.	0 1 0	—	—
Pica „ 10	„	0 0 8	—	—
Long Primer „ 20	„	0 0 9	—	—
Queen's arms, No. 34 2	each	0 3 6	—	—
Quoins, wood, of sizes 250	250	0 2 0	—	—
Quotations—				
2 × 4 pica ems lbs. 5	lb.	0 0 6	—	—
3 × 4 „ 5	„	0 0 6	—	—
4 × 4 „ 5	„	0 0 6	—	—
Reglets—				
Nonpareil (yard lengths) .. 24	doz.	0 0 10	—	—
Pica („ „) .. 12	„	0 1 0	—	—
Rollers (12 inch) 2	each	0 6 6	—	—
Rules—				
Bar, spring, 24 inches long, 8-to pica 24	„	0 0 4	—	—
Brass, setting { 36 ems 2	„	0 0 4½	—	—
33 „ 2	„	0 0 4½	—	—
30 „ 2	„	0 0 4½	—	—
18 „ 2	„	0 0 4½	—	—
Saws, dovetail, brass back, 9 inch (see page 127) 1	„	0 2 1½	—	—
Scissors, lamp trimming (see page 159) pairs 1	pair	0 1 0½	—	—

Section VII.

543

PRINTING IMPLEMENTS, MATERIALS, &c.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Shears , bow, 10 inch.. .. pairs 1 ^{For each wagon.} pair 0 4 6			—	—
Sponges , water, $\frac{1}{2}$ oz., general service (see page 89) 2 each 0 2 3			—	—
Sticks —				
Composing, iron { 10 inch 2 „ 0 8 4			—	—
8 „ 1 „ 0 6 8			—	—
Shooting, gunmetal.. .. 1 „ 0 3 0			—	—
Side, wood { 10 inch 8 „ 0 0 8			—	—
8 „ 8 „ 0 0 8			—	—
6 „ 8 „ 0 0 8			—	—
Side, wood yards 1 „ 0 0 3			—	—
Tables , inking, iron (without pedestal), complete 1 „ 1 8 0			—	—
Thread , whited-brown (see page 91) lb. 1 lb. 0 1 9			—	—
Turpentine (see page 172) .. quarts 1 gall. 0 2 7			—	—
Twine , packing (see page 172) lbs. 1 lb. 0 0 7½			—	—
Type —				
Brevier, roman, caps, lower case, figures, and shilling marks lbs. 27 „ 0 1 9			—	—
Great Primer, caps, lower case, and figures „ 15 „ 0 1 2			—	—
Long Primer, complete fount .. 120 „ 0 1 6			—	—
„ „ italics „ 14 „ 0 1 3			—	—
Wick , round, 1 inch, for roof lamp (see page 173) .. yards 6 lb. 0 1 4			—	—

7. PONTOON EQUIPMENT AND STORES.

PONTOON EQUIPMENT AND STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Anchors, pontoon—		£ s. d.	£ s. d.	£ s. d.
122 lbs. iron-stocked Admiralty pattern ..	cwt.	1 6 0	—	—
112 „	„	1 6 0	—	—
56 „	„	1 10 8	—	—
Axletrees, wrought-iron, travelling, 3rd class, for malleable cast-iron naves, wagon pontoon—				
Fore	each	—	2 0 4	2 4 4
Hind	„	—	2 0 4	2 4 4
Bags, canvas, for marine glue, Royal Engineer equipment	„	0 4 0	—	—
Bailers, tin, pontoon	dos.	—	2 12 6	2 17 9
Bars, wagon, Royal Engineers—				
Shaft, prepared { Fore	each	—	0 3 0	0 3 4
{ Hind	„	—	0 3 0	0 3 4
Splinter, spare	„	—	0 13 4	0 14 8
Battens, boat, pontoon—				
“A”	100	—	7 7 11	8 2 9
“B”	„	—	11 19 7	13 3 7
Baulks, pontoon—				
(Mark II)	each	—	1 9 1	1 12 0
Shore end { Inside	„	—	0 12 8	0 13 11
{ Outside	„	—	0 19 2	1 1 1
Baulks, barrel, pier, 14 feet x 4 in. x 3 in.	12	12 18 0	—	—
Beams, saddle, pontoon	each	—	2 1 1	2 5 2
Seats, Berthon's, collapsible, 9 feet, with 4 thole pins, and 3 leather straps, and with 2 oars or paddles, and 1 seat	„	13 0 0	—	—
Parts of—				
Oars or paddles	„	0 3 6	—	—
Seats or thwarts	„	0 4 0	—	—
Superstructure for, as Infantry pontoons, parts of—				
Pickets, transom, landing,	„	—	0 1 11	0 2 1
Planks, composite, 8 feet x 18 inches x $\frac{1}{2}$ inch	„	—	2 11 4	2 16 6
Saddles or trestles	„	—	1 6 4	1 9 0
Straps, leather, 4 feet 6 inches	10	—	0 9 6	0 10 5
Transoms, landing	each	—	0 7 1	0 7 10
Stores for, as Infantry pontoons—				
Anchors, common, galvanized, 14 lbs.	„	0 7 0	—	—
Cables, $1\frac{1}{2}$ inch, white Italian hemp, 20 fathoms	„	—	0 8 8	0 9 6
Guys, wire, copper, for saddles—				
Long, with stirrups	„	—	0 4 10	0 5 4
Short, with thongs	„	—	0 3 11	0 4 4
Belts, iron, $\frac{1}{2}$ inch, slotted, with split key, for saddle beam	„	—	0 1 6	0 1 8
Bottles—				
Glass, pint, with ground stoppers, and glass cap, for muriatic acid	„	—	—	—
Tin, naphtha, 1 gallon, with screw top ..	„	—	—	—
Boxes—				
Tin, grease, half round, 3 lbs. (see page 203)	12	—	0 18 2	1 0 0
Wood, augers and saws	each	—	0 14 9	0 15 8
Braces, barrel, pier, $1\frac{1}{2}$ inch rope, 3 fathoms long	24	2 1 0	—	—

PONTOON EQUIPMENT AND STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Brushes—				
For india-rubber solution .. } (see page 528)	each	£ s. d. 0 1 1½	—	—
For marine glue }	"	0 2 1	—	—
Buoys, pontoon, for anchor—				
Tin doz.		—	5 5 0	5 15 6
Sheet iron "		—	5 10 0	6 1 0
Buoys, Carte's life-saving, 26 in. (see p. 187)	each	0 7 8	—	—
Cables, pontoon, 30 fathoms, 3 inch tarred rope	"	—	1 10 9	1 13 10
Canvas, for pontoons, 30 inches wide	yard	0 0 6	—	—
Carriers, iron, for spare axletree, Royal Engineer service (see page 528)	each	—	0 2 6	0 2 9
Cases, for india-rubber solution	"	—	0 0 6½	0 0 7
Casks, water, 108 gals.	"	1 5 9	—	—
Chests, pontoon, 10 feet x 12 inches x 1½ inches	"	—	0 11 0	0 12 1
Chests, wood, office wagon, general service, Royal Engineer pontoon troop—				
No. 1, stationery "	"	—	3 8 0	3 14 10
" 2, " "	"	—	3 8 0	3 14 10
" 3, arms "	"	—	3 15 7	4 3 2
" 4, troop books "	"	—	3 6 4	3 13 0
Futchells, oak, in the rough, wagon, pontoon	"	—	0 3 5	0 3 9
Grapnels, escalading, five-armed, with rings, 3 lbs. 6 ounces	"	0 2 9	—	—
Grummets, barrel, pier, raft	"	—	0 0 11	0 1 0
Gunnels, barrel, pier, raft, 21 feet x 4 inches x 3 inches	"	—	1 17 1	2 0 9
Hooks, boat—				
Pontoon { 11 feet 7½ inches (Mark I)	"	—	0 4 6	0 4 11
with { 11 " 7½ " graduated in	"	—	—	—
stave { feet (Mark II)	"	—	0 4 10	0 5 4
Short, 6 feet "	"	—	0 5 10	0 6 5
Superstructure "	"	—	—	—
Irons, flat, for smoothing canvas in pontoons, Royal Engineer equipment (see page 477)	"	0 0 7	—	—
Jacks, lifting—				
Common, Royal Engineer service	"	—	1 2 0	1 4 2
General service (Mark III) (see page 286)	"	—	1 7 11	1 10 3
Hydraulic, Taugye's, to lift 7½ tons (see page 147)	"	6 10 0	—	—
Keys, steel, for plugs of pontoon	"	—	0 4 3	0 4 8
Lashings—				
Oar, pontoon	10	—	0 3 5	0 3 9
Rack, pontoon (see Sticks, rack, with lashing).				
Transom, barrel, { 1 inch rope, 16 feet long	each	—	0 0 6	0 0 7
pier, raft .. { 1 " " 6 " "	8	0 6 2	—	—
Lines, pontoon—				
Breast or buoy, 1½ inch, 60 feet	each	—	0 3 2	0 3 6
Light, 1½ inch, 6 feet { Breast	"	—	0 2 4	0 2 7
{ Buoy	"	—	0 1 7	0 1 9
Oars, pontoon	"	—	0 12 9	0 14 0
Outriggers, barrel, pier, raft, 11 feet 5 inches x 4½ inches x 3 inches	2	—	1 5 6	1 8 0
Pins, lynch, wrought-iron, travelling, 3rd class (see page 322)	10	—	0 7 6	0 8 4
Plugs, metal, pontoon—				
Boat	100	—	8 9 6	9 6 5
Cylinder	"	—	3 17 7	4 5 4

(V.S.)

2 M

PONTOON EQUIPMENT AND STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Pontoons, boat—		£ s. d.	£ s. d.	£ s. d.
21 feet 1 inch × 5 feet 1 inch × 2 feet 6½ inches, with 10 rowlocks.. ..	each	—	65 10 0	72 1 0
(Mark I) modified	"	—	68 0 0	74 16 0
Pots, tin, for india-rubber solution (see page 531)	"	—	0 0 10	0 0 11
Ribands, pontoon	"	—	1 4 11	1 7 5
Ribs, boat, pontoon—				
A pattern	100	—	4 13 9	5 3 2
B "	"	—	3 10 10	3 17 11
Rivets, copper, for sockets of pontoons ..	"	—	0 3 2	0 3 6
Rowlocks, iron, boat, pontoon—				
O.P. with attachment chain	each	—	0 3 11	0 4 4
N.P. with attachment cords	"	—	0 3 11	0 4 4
Saddles, pontoon	"	—	1 15 7	1 19 2
Shafts, wood, framed, wagon, Royal Engineer (see page 516)	pair	—	2 5 0	2 9 6
Shoes, drag, wrought-iron, with chain, wagon, pontoon	each	—	0 17 5	0 19 2
Sides, pontoon (in the rough)	"	—	0 10 4	0 11 4
Slings, barrel, pier, 2½ inch rope, 6 fathoms long	4	2 16 9	—	—
Sockets, metal, for pontoon—				
Boat	100	—	18 3 6	19 19 10
Cylinder	"	—	4 12 10	5 2 1
Springs, complete, with all fittings for Royal Engineer wagons—				
Pattern A, pontoon	set	—	7 1 3	7 15 5
" B (see page 517)	"	—	6 3 2	6 15 6
Sticks, rack, with lashing, pontoon ..	100	—	7 18 4	8 14 2
Swingletrees, general service, No. 3 (see page 411)	each	—	0 7 11	0 8 9
Transoms, shore, pontoon	"	—	2 3 8	2 8 0
Trestles, bridging, Aldershot pattern—				
Complete	"	—	22 10 11	24 16 0
Parts of—				
Blocks, iron, 5 inch (1 double and 1 single, with 10 fathoms of 2 inch rope, form a set)	2 set	—	2 8 6	2 13 4
Blocks, wood, clamping	2 each	—	0 4 9	0 5 3
Chains, with shackles	2	—	0 13 11	0 15 4
Legs { Long	2	—	1 1 8	1 3 10
{ Short	2	—	0 18 6	1 0 4
Screws, clamping	2	—	0 7 5	0 8 2
Shoes, clamping	2	—	1 7 5	1 10 2
Transoms	1	—	8 6 7	9 3 3
Wagons, pontoon, complete*—				
(Mark II)	"	—	82 18 0	91 3 10
(Mark III)	"	—	84 18 0	92 19 0
Washers, wrought-iron, travelling, drag, 3rd class (see page 430)	"	—	0 1 2	0 1 7
Wheels, travelling, malleable cast-iron naves, 3rd class, with 3 inch tires, Royal Engineer wagons—				
Fore } (see page 522) {	"	—	6 6 7	6 19 8
Hind }	"	—	7 2 6	7 16 9

* With 2 grease boxes, linch pin (spare), 4 ties (spare), washer (spare) and swingletree.

8.—NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Apparatus—		£ s. d.	£ s. d.	£ s. d.
Circuit closing, mercurial	each	—	—	—
Circuit breaking, soluble	"	—	—	—
Bags, india-rubber, waterproof, for hand charges of guncotton	"	0 0 9	—	—
Batteries, voltaic, or galvanic—				
<i>1 cell, boat, outrigger tor-</i> <i>pedo, in wooden case, com-</i> <i>plete (Mark I)*</i>	"	—	4 14 4	5 0 0
Le Clanché { <i>3 cell, boat service, complete</i> <i>(Mark III)</i>	"	—	5 16 7	6 3 7
<i>Ship, firing, 6 cell, in wooden</i> <i>case, complete (Mark II) ..</i>	"	—	15 17 1	16 16 1
<i>10 cell, naval (Mark II) ..</i>	"	—	6 8 11	6 16 8
<i>Naval, test, Menotti, single element, with</i> <i>galvanometer, complete, in leather case,</i> <i>with cover, magnet, and strap</i>	"	—	4 18 10	5 4 9
<i>Ship, box, torpedo service, for iron-clad</i> <i>ships (to be issued in pairs)</i>	pair	13 7 9	—	—
<i>Ship, test, torpedo service</i>	each	1 11 6	—	—
Bottles, glass—				
<i>To contain 2 ounces of priming composition</i> <i>20 ounces methylated spirits of wine, with</i> <i>stopper</i>	100 each	— 0 0 10½	3 19 2	4 3 11
Bottles, stone, ½ pint, for soldering solution	"	0 0 2	—	—
Boxes, wood, for boat batteries, to hold 4..	"	—	1 14 9	1 16 10
Brushes, hoghair, small, in tin socket (see page 211)	"	0 0 1½	—	—
Bungs, vulcanized india-rubber, for tin cases	"	0 0 2½	—	—
Cables, electric, single, unarmoured tele- graph D 1,22 B.W.G.(7 strand)india-rubber, covered outside with hemp braiding, naval service	mile	36 5 0	—	—
Caps, percussion, service (see page 215). ..	100,000	—	15 6 7	16 5 0
Cards, with platinum silver wire for test coil	100	—	0 6 10	0 7 8
Cartridges, pistol, instantaneous fuze ..	1000	—	1 5 7	1 7 1
Cases, iron—				
<i>Complete, outrigger torpedo, 100 lbs., with</i> <i>base plug</i>	each	—	5 12 2	5 18 11
<i>Incomplete, outrigger torpedo, 100 lbs. ..</i>	"	—	4 10 5	4 15 10
<i>Countermining, naval, buoyant, for 500 lbs.</i> <i>of guncotton, with screw collar, and cap—</i> <i>Empty, with india-rubber washer,</i> <i>but without envelope, mouthpiece,</i> <i>leather washers, and wood fittings..</i>	"	—	12 3 10	12 5 8
<i>Filled, with envelope mouthpiece,</i> <i>indiarubber and leather washers and</i> <i>wood fittings.. .. .</i>	"	—	65 4 1	69 2 3

* This becomes obsolete, being superseded by the 3 cell battery (Mark III).

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Per	Contract.	Rate.		
			No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Cases, iron, continued—			<i>£ s. d.</i>	<i>£ s. d.</i>	<i>£ s. d.</i>
Count running, naval, buoyant, for 500 lbs.					
of guncotton, with screw collar, and cap—					
Parts of—					
Envelopes for primers	each	—	1 12 1	1 14 0	
Mouthpieces	"	—	0 10 11	0 11 7	
Washers { Leather paraffined, } Envelope ..	"	—	0 0 3	0 0 3½	
{ for } Mouthpiece ..	"	—	0 0 3	0 0 3½	
India-rubber for man-	"	—			
hole, spare	"	—	0 4 3	0 4 6	
Wood fittings—					
Bottom pieces .. (6 per set).	set	—	0 7 3½	0 7 9	
Side pieces .. (6 ")	"	—	0 10 1	0 10 8	
{ Cant pieces (2 ")	"	—	0 2 9	0 2 11	
{ Connecting } (1 ")	"	—	0 0 6	0 0 7	
pieces					
Top { Cross bearer, } (2 ")	"	—	0 4 3	0 4 6	
{ with 2 metal } plates					
Middle pieces (2 ")	"	—	0 1 7½	0 1 9	
Cases, tin—					
{ Dry, 2½ lbs. naval } Empty ..	100	—	4 7 2	4 12 5	
{ service } Filled					
{ (with felt } ..	"	—	42 12 6	45 3 8	
wad) ..					
Guncotton { Wet, 16½ lbs. } (Mark II)	"	—	283 10 9	300 11 0	
{ naval service, } (Mark III)	"	—	305 14 2	324 1 0	
filled ..					
To hold gunpowder { 1 lb.* ..	"	—	2 5 0	2 7 6	
{ 5 lbs.† ..	"	—	4 11 10	4 16 8	
{ 10 " † ..	"	—	7 2 1	7 10 7	
With lid, and glass bottle containing 2					
ounces of priming composition ..	"	—	15 13 4	16 12 2	
With lid for glass bottle for priming com-					
position	"	—	6 7 0	6 15 2	
Cells, Le Clanché, for batteries—					
3 cell boat service, 10 cell naval, or 12 cell					
turret ship	each	0 7 9	—	—	
Chests, wood, naval torpedo stores and					
electric, for—					
Armoured vessels	"	—	5 8 6	5 15 0	
Unarmoured vessels	"	—	2 15 3	2 18 7	
Cells, test, for ship's battery	"	—	2 0 3	2 2 8	
Composition, anti-fouling, for iron and					
wood, No. 2A (see page 508)	gall.	1 1 0	—	—	
Composition, priming, for drill tubes ..	lb.	—	0 9 2	0 9 8	
Connections, gunmetal, bolt and slot, for					
electric firing gear	100	—	19 12 6	20 16 1	
Copper, sulphate of (see page 140).	cwt.	1 5 0	—	—	
Covers, canvas, naval service—					
For reels	each	—	0 9 1	0 9 8	
For insulated wire—					
Large, for ironclad ships	"	0 10 0	—	—	
Small, for wooden ships	"	—	—	—	

* For torpedo service, ironclad ships.

† For instructional purposes only.

‡ For contents see § 3582 List of Changes.

Section VII.

549

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	No. 1 Balance Sheet.	No. 2 Balance Sheet.	
Cylinders, copper, tinned—			£ s. d.	£ s. d.	
Letter External height on base. and diameter.	To hold				
* A 1'85" × 3'125"	Washers, india-rubber, plug, insulating (see page 509)	50	100	2 4 10	2 7 6
* B 0'725' × 7'82"	Tape, india-rubber, 8 oz. (see page 509) coils	1	"	13 2 2	13 17 11
* E 4'2" × 5'08"	Tubing, india-rubber, 35 inch, 1/2 inch, or 1/4 inch (see page 509) yards	2 1/2	"	7 6 7	7 15 5
* H 1'55" × 18'2"	Washers, india-rubber, manhole, case, coun- termining, naval . .	6	each	0 12 11	0 13 8
Cylinders, tin—					
No. on External height base. and diameter.	To hold.				
† 18 2'25" × 5'08"	Fuze, safety, repacked fathoms	8	100	2 0 2	2 2 7
* 21 1'12" × 3'1"	Discs, paper, for tubes, electric	5000	"	0 16 4	0 17 4
† 34 10'85" × 3'1"	Tubes, electric (No. 10), low tension, naval service	25	"	5 4 4	5 10 6
† 41 0'8" × 6'573"	Washers, leather enve- lope, case, counter- mining, naval	6	"	8 0 4	8 9 3
† 42 7'8" × 4'1"	Detonators, electric (No. 9), low tension, naval service	25	"	4 8 2	4 13 9
† 43 11'6" × 5'08"	Tubes, electric (No. 11), low tension, naval, for drill purposes . .	25	"	6 1 10	6 9 3
* 44 1'4" × 4'425"	Cards, with platinum silver wire, for test coil	50	"	1 18 0	2 0 4
† 45 0'8" × 7'7"	Washers, leather, mouth piece, case, counter- mining, naval	6	"	11 19 4	12 12 8
* 61 0'28" × 4'925"	{ Keys, firing, electric, Washers, india- rubber { Boat, bat- tery, firing, keys	8	"	2 13 0	2 16 3
* 62 0'35" × 3'36"		8	"	2 1 2	2 4 1
* 65 0'7" × 3'58"	Cartridges, pistol, in- stantaneous fuze . .	25	"	3 13 2	3 17 7
† 67 5'4" × 4'5"	Detonators (No. 15) for instantaneous fuze	25	"	3 18 0	4 2 10
† 69 1'82" × 3'1"	Washers, india-rubber, plugs, insulating . .	20	"	1 19 8	2 1 9
Detonators—					
Electric, No. 9, low tension, naval service	1000	45 12 9	48 11 9	
No. 15, for instantaneous fuze	"	18 18 7	20 2 10	

* Closed with tape band. When empty to be accounted for by Letters or Nos. stamped on base.

† Closed with soldered tin band. When empty to be accounted for as unserviceable, "of sorts."

‡ Not closed with band.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Discs, paper, for tubes, electric, drill, No. 11	5000	—	0 0 7	0 0 8
Drivers, screw, 8 inch	each	—	—	—
Extractors for apparatus of all mines (see page 510)	"	—	1 8 0	1 9 8
Parts of—				
Bridge, with central hole	"	—	0 8 6	0 9 0
Collar, threaded, two- handled.. .. .	(see page 510)	—	0 5 4	0 5 8
Cross-head, with central threaded pillar..	"	—	0 13 2	0 13 11
Washer, iron ..	"	—	0 1 0	0 1 1
Fuze, instantaneous (see page 144)	fm.	0 0 9½	—	—
Grappnels, exploding, naval, with chain, without cases, tin, guncotton, dry, 2½ lb...	each	—	0 16 2	0 17 2
Guncotton—				
Dry, in cases, tin, 2½ lb., naval service ..	lb.	—	—	—
Wet { In cases, iron, countermining ..	"	—	—	—
{ In cases, tin, 16½ lb., naval service..	"	—	0 1 6½	0 1 8
Jars, stone—				
For 10 lbs. of sulphate of copper, or sal- ammoniac (see page 147)	each	0 0 8	—	—
To contain 4 ounces of shellac	"	—	—	—
Irons, tinmans, soldering (see page 128)	"	0 2 4½	—	—
Keys, firing, electric, naval, in box, com- plete	"	—	7 17 3	8 6 8
Luting, common (see page 299)	100 lbs.	—	4 5 6	4 11 0
Mouthpieces for cases, tin, guncotton, dry, 2½ lbs., naval service	100	—	9 4 7	9 15 8
Pistols, gunmetal, instantaneous fuze—				
M.L. (Mark I)	each	1 18 0	—	—
B.L. { Mark II	"	2 0 6	—	—
{ Mark III*	"	2 0 6	—	—
Parts of—				
Extractors, Mark II and III..	"	—	—	—
Hammers, Mark II and III ..	"	—	—	—
Screws—				
Breech block, Mark II and III ..	"	—	—	—
Breech block bush, Mark II and III	"	—	—	—
Hammer, Mark II and III ..	"	—	—	—
Locking bolt, Mark II and III ..	"	—	—	—
Plate, Mark II	"	—	—	—
Side spring { Mark II	"	—	—	—
{ Mark III	"	—	—	—
Stock, with eye, Mark II and III..	"	—	—	—
Trigger, Mark II and III ..	"	—	—	—
{ Main, Mark II and III ..	"	—	—	—
{ Locking bolt, Mark II and III	"	—	—	—
Springs { Side { Mark II	"	—	—	—
{ Mark III	"	—	—	—
{ Trigger, Mark II and III..	"	—	—	—
Stocks	"	—	—	—
Plugs—				
Insulating, with wires, iron, complete† (see page 515)	"	—	0 4 9	0 5 0
Parts of—				
Cases, with gland and { (see page 515)	"	—	0 3 4	0 3 6
gland nut	"	—	—	—

* Converted from Mark I.

† For outrigger torpedoes and cases, countermining, naval.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Plugs, continued—		£ s. d.	£ s. d.	£ s. d.
Insulating, with wires, iron, parts of—				
Washers, india - rubber { (see page 515)	each	0 0 2	—	—
(2 per plug)				
Wires, insulated	"	—	0 0 7½	0 0 8
For instantaneous fuze, for outrigger torpedoes	100	—	19 15 0	20 18 8
Points, gunmetal	"	—	1 6 4	1 7 11
Reels, brass, for wire, platinum silver, to hold 60 yards	"	—	4 0 0	4 4 10
Reels, for cable, electric, naval service, 1,000 yards..	each	—	4 11 10	4 16 7
Sal-ammoniac (see page 159)	lb.	0 0 5½	—	—
Screws, brass, binding, connecting, wire	100	—	8 11 10	9 2 2
Shellac for tubes, electric, No. 11 (in 4 oz. jars), (see page 162)	lb.	0 1 1½	—	—
Solder, tinmans (see page 163)	"	0 0 6	—	—
Solution, soldering (chloride of zinc), in ½ pint stone bottles	bottle	0 0 6	—	—
Spanners—				
For mouthpiece, for cases, tin, guncotton, dry, 2½ lbs., naval service	each	—	0 2 2	0 2 4
B, for naval countermines (see page 516)	"	—	1 14 6	1 16 7
H,	"	—	0 5 4	0 5 8
E, for nut of insulating plug { (see page 517)	"	—	0 4 9	0 5 0
I, for insulat- { (Mark I)	"	—	0 3 3	0 3 5
ing plugs { (Mark II)	"	—	0 3 6	0 3 9
L, for envelope for primer, naval countermines	"	—	0 2 5	0 2 7
McMahon's, 15 inch (see page 128)	"	0 5 2	—	—
Tape—				
India-rubber, ½ inch, with tape inserted, in 8 oz. coils (see page 518)	lb.	0 6 5	—	—
White, ½ inch (see page 518)	piece	0 0 3	—	—
Tubes, electric—				
No. 10, low tension, naval service (see page 422)	1000	—	34 10 8	36 11 4
No. 11, low tension, naval, for drill purposes (see page 422)	"	—	119 19 8	127 8 0
Tubing, india-rubber, for cable, 0.35 inch (see page 521)	yard	0 0 8½	—	—
Wads, felt, for cases, tin, guncotton, dry, 2½ lbs., naval service	100	—	1 15 3	1 17 4
Washers, india-rubber fabric, for—				
Batteries, 3. cell, boat service	"	—	0 5 3	0 5 7
Keys, firing, electric, naval.. ..	"	—	0 5 11	0 6 3
Wax, sealing, red (see page 173)	lb.	0 2 3	—	—
Wine, spirit of, methylated (see page 173) ..	gall.	0 3 1½	—	—
Wires—				
Copper, uncovered—				
No. 16 B.W.G.	lb.	0 0 9	—	—
" 28 " for connections	"	0 1 0½	—	—
Iron, galvanized—				
13 B.W.G.	"	—	—	—
Soft, 18 B.W.G.	"	—	—	—

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Wires, continued—			£ s. d.	£ s. d.	£ s. d.
Platinum silver, 0.21 grain weight and 237 ohms resistance per yard, for gun and drill tubes, and for testing purposes*		yard	0 0 1	—	—
TORPEDOES, WHITEHEAD.					
Torpedoes—					
16 inch	{ Complete, without charge, de- tonators, or primers	each			
	{ Fore-parts	"			
	{ After-parts	"			
14 inch, Royal Laboratory—					
(Mark I)	{ Complete, without charge, detonators, or primers	"	—	301 4 6	319 6 0
	{ Fore-parts	"			
	{ Centre-parts	"			
	{ After-parts	"			
(Mark I*)	{ Complete, without charge, detonators, or primers	"	—	301 4 6	319 6 0
	{ Fore-parts	"			
	{ Centre-parts	"			
	{ After-parts	"			
(Mark II)	{ Complete, without charge, detonators, or primers	"	—	301 4 6	319 6 0
	{ Fore-parts	"			
	{ Centre-parts	"			
	{ After-parts	"			
14 inch, Fiume—					
N.P.	{ Complete, without charge, deton- ators, or primers	"			
	{ Fore-parts	"			
	{ Centre-parts	"			
	{ After-parts	"			
O.P.	{ Complete, without charge, deton- ators, or primers	"			
	{ Fore-parts	"			
	{ Centre-parts	"			
	{ After-parts	"			
Carriages, torpedo, complete—					
Wrought-iron—					
16 inch (Mark I)		"	—	148 10 0	163 7 0
(Mark II)		"	—	158 0 0	173 16 0
14 inch { (Mark III)		"	—	250 0 0	275 0 0
(Mark IV)					
(Mark V)		"	—	193 0 0	212 6 0
Steel, 14 inch { (Mark VI)		"	—	243 0 0	267 6 0
(Mark VII)					
Parts of—					
Axles, steel, for metal rollers	{ With nuts (Mark III)	"	—	0 1 6	0 1 8
	{ With collars and pins (Mark V)	"	—	0 4 9	0 5 3
	{ With nuts and pins (Mark VI)	"	—	0 5 11	0 6 6
Bolts, wrought-iron, clip plate (Mark III)		12	—	0 4 3	0 4 8
Flaps, metal, with { (Mark I and II) ..	each	"	—	1 1 0	1 3 1
pins and keys { (Mark IV) ..					
Keys, wrought-iron, cap- { (Mark I to III)	"	"	—	0 2 7	0 2 10
square, with chains { (Mark IV) ..					
		"	—	0 1 1	0 1 2

* 4½d. per 60 yards to be added when wound on reels.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Carriages, torpedo, complete, continued—			£ s. d.	£ s. d.	£ s. d.
Parts of—					
Pawls, steel	Bar, pivoting, with pin and split key (Mark IV)	each	—	0 15 11	0 17 6
	With bolt and nut (Mark III) ..	"	—	0 9 1	0 10 0
Pins, linch	Steel (Mark I)	"	—	0 0 11	0 1 0
	Wrought-iron, and shackle, with split key (Mark II) ..	"	—	0 5 9	0 6 4
Plates, wrought-iron, clip, with bolts (Mark V)	"	—	0 16 9	0 18 5
	Steel, with screws (Mark IV) ..	"	—	0 7 3	0 8 0
Pointers	Wrought-iron, rear, with bracket, complete (Mark I and II)	"	—	1 15 6	1 19 1
	(Mark III)	"	—	0 3 6	0 3 10
Rollers, metal	(Mark V)	"	—	0 8 10	0 9 8
	(Mark VI)	"	—	0 8 5	0 9 8
Springs, steel	Bolt holding (Mark VI)	"	—	0 2 8	0 2 11
	Bar pivoting (Mark IV)	"	—	0 1 1	0 1 2
Studs, screw, wrought- iron, pointer, with collars and nuts	With screw (Mark III)	"	—	0 3 1	0 3 5
	(Mark V)	"	—	0 4 5	0 4 10
Washers, wrought- iron, plain	(Mark VI)	"	—	0 4 6	0 4 11
	(Mark I)	"	—	0 0 11	0 1 0
Cradle	(Mark II)	"	—	0 3 8	0 4 0
	Keys, steel, door, with chains (Mark I to VI)	"	—	0 1 2	0 1 3
Sights, steel (Mark I { Front to IV) { Rear	Pointers, steel, with screws (Mark VI)	"	—	0 9 9	0 10 9
	"	—	0 12 1	0 13 4
Screws, wrought-iron, pointer, with collar (Mark I)	"	—	0 14 0	0 15 5
	Studs, screw, (Mark II wrought-iron, to IV) ..	"	—	0 1 7	0 1 9
Gear, safety (Mark V)	pointer, with collar and nut (Mark V) ..	"	—	0 4 5	0 4 10
	Screws, wrought-iron, thumb, with chain ..	"	—	0 1 9	0 1 11
Handles, wrought- iron, with T bolt, lever, and spring complete (Mark I)	Spindles, metal ..	"	—	0 11 2	0 12 3
	Springs, steel, { Rod ..	"	—	0 2 7	0 2 10
Levers, steel, rod, starting (Mark II to VI)	spiral .. { Spindle ..	"	—	0 3 7	0 3 11
	"	—	1 15 0	1 18 6
Gear, starting	Screws, (Mark II and III) 12 ..	"	—	0 14 5	0 15 10
	Thumb, with chain (Mark IV to VI) ..	each	—	0 1 10	0 2 0
Spirals, spiral, lan- yard (Mark I) ..	socket, tripper ..	"	—	0 2 9	0 3 0
	"	—	0 1 11	0 2 1

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Carriages, torpedo, complete, continued—				
Parts of—				
Gear, starting { Springs, steel, tripper { With bolt and nut (Mark II and III) .. (Mark IV to VI) .	each	—	0 3 1	0 3 5
Gear training { Pointers, steel, with screws (Mark V) { Springs, steel, pointer, with screws ..	"	—	0 1 6	0 1 3
Guides, metal, { Overhead (Mark training, torpedo, I), in pieces, 6.. 14 inch .. Deck ..	"	—	0 3 2	0 3 6
Slides, wrought-iron, torpedo, complete—	"	—	0 3 7	0 3 11
14 inch { (Mark I)	"	—	81 0 0	89 2 0
Overhead (Mark II) ..	"	—		
Parts of—				
Pads, elastic (Mark I)	"	—	44 0 0	48 8 0
Pins, wrought-iron (Mark I) { Compressor bar, with keys .. Linch, axletree, trans- porting ..	"	—	55 0 0	60 10 0
Pointers, steel, with screws (Mark II) ..	"	—		
Rings, india-rubber, buffer (Mark II) ..	"	—	0 1 10	0 2 0
Spindles, wrought-iron, { (Mark I)	"	—	0 0 11	0 1 0
buffer, with keys .. { (Mark II)	"	—	0 4 6	0 4 11
	"	—	0 6 6	0 7 1
	"	—		
	"	—	0 5 11	0 6 6
	"	—	0 5 5	0 6 0
	"	—		
TORPEDOES, WHITEHEAD, STORES.				
Apparatus, buoyancy—				
Royal Laboratory { (Mark I and I*)	"	—		
Fume { N.P.	"	—		
O.P.	"	—		
Royal La- { (Mark I and I*)	"	—		
boratory { (Mark II)	"	—		
Chests for { Fume { N.P.	"	—		
O.P.	"	—		
Directions for use of { Royal Laboratory ..	"	—		
Drawings of, Royal { Fume	"	—		
Laboratory { (Mark I and I*)	"	—		
(Mark II)	"	—		
Spare gear—				
Detonators, dummy	"	—		
Disks, india-rubber	"	—		
Eyebolts, gun- { Royal Laboratory	"	—		
metal .. { Fume { N.P.	"	—		
O.P.	"	—		
Nuts, blank, Fume	"	—		
Plugs, screwed, Royal Laboratory	"	—		
Screws { Brass, for hydro- { R	"	—		
static valve { 3/4 inch	"	—		
Iron, M, for oval flange	"	—		
Springs, brass, spiral, { Long	"	—		
for air inlet valve { Short	"	—		
Valves, air stop { Royal Laboratory	"	—		
Fume	"	—		

Section VII.

555

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Apparatus, buoyancy, continued—		£ s. d.	£ s. d.	£ s. d.
Spare gear—				
Washers, leather, for—				
Air stop valve, and plug, screwed,				
Royal Laboratory	each	—		
Ball valve box	"	—		
Cam cover	"	—		
Hydrostatic valve door	"	—		
Nut, blank, Fiume	"	—		
Oval, flange	"	—		
Packing cam	"	—		
Plug in spring case	"	—		
Union nut	"	—		
Valve cover	"	—		
Tools—				
Gauges for—				
Hole in charge head, } (Mark I and				
marked B, Royal } I*)	"	—		
Laboratory } (Mark II)	"	—		
Position of stop valve in } (Mark I and				
air chamber, marked } I*)	"	—		
A, Royal Laboratory } (Mark II)	"	—		
Handles, for opening blow-out valve—				
Royal Laboratory } (Mark I and I*)				
} (Mark II)	"	—		
Fiume { N.P.	"	—		
{ O.P.	"	—		
Spanners—				
$\frac{1}{8}$ inch and $\frac{3}{8}$ inch	"	—		
$\frac{1}{4}$ inch	"	—		
$\frac{3}{8}$ " Fiume	"	—		
Box	"	—		
Pin { Cover of air stop valve	"	—		
{ Double ended	"	—		
{ Single	"	—		
Taps, $\frac{3}{8}$ inch, 24 threads, Royal Laboratory	"	—		
Blocks, cast-iron, for blocking propellers—				
16 inch (double screws) { Right hand	"	—	1 4 2	1 5 7
{ Left hand	"	—	1 4 2	1 5 7
14 inch, Royal { (Mark I { Right hand	"	—	0 18 8	0 19 9
{ and I*) { Left hand	"	—	0 18 8	0 19 9
Laboratory { (Mark { Right hand	"	—	1 0 6	1 1 9
{ II) { Left hand	"	—	1 0 6	1 1 9
Blocks, wood, for locking propellers for				
adjustment of torpedoes, 14 inch, Royal				
Laboratory (Mark I and I*)	"	—	0 14 8	0 15 7
Molds, extracting primer	"	—	0 1 3	0 1 4
Boxes, wood, transporting torpedoes, 14				
inch—				
Long { Royal Laboratory, and Fiume				
{ O. P.	"	—	6 4 3	6 11 8
{ Fiume, N. P.	"	—	6 4 3	6 11 8
Short { Royal Laboratory, and Fiume				
{ O. P.	"	—	2 0 7	2 3 0
{ Fiume, N.P.	"	—	2 0 7	2 3 0
Cases, copper, wet gun cotton charge—				
16 inch	"	—	2 7 0	2 9 10
14 inch { Royal Labo- { (Mark I and I*)	"	—	1 15 3	1 17 4
{ ratory { (Mark II)	"	—	1 15 3	1 17 4
{ Fiume { N.P.	"	—	1 16 3	1 18 5
{ O.P.	"	—	1 16 3	1 18 5

† Not closed with band. When empty to be accounted for by Nos. stamped on base.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
		£ s. d.	£ s. d.	£ s. d.
Detonators , 34 to 38 grains each	100	—	2 1 9	2 4 3
Discs , millboard, for adjustment of charges, guncotton, 14 inch—				
Royal Labora- { (Mark I and I*)	"	—	0 3 8	0 3 11
tory .. { (Mark II)	"	—	0 3 8	0 3 11
Fiume { O.P.	"	—	0 3 8	0 3 11
N.P.	"	—	0 3 8	0 3 11
Drivers , screw, primer	"	—	0 4 4	0 4 7
Lights , Holmest†—				
Nozzles, complete, with 4 screws and 1 leather washer—				
16 inch, and 14 inch Royal Laboratory	"	—	15 6 4	16 4 8
14 " Fiume { N.P.	"	—	15 6 4	16 4 8
O.P.	"	—	15 6 4	16 4 8
Parts of—	No. to a set.			
Screws, iron, $\frac{1}{4}$ inch. 12	set	—	0 2 5	0 2 7
Washers, { 16 inch, 14 inch leather, { Royal Labora- paraffined { tory, and 14 inch	6	—	0 0 3	0 0 3
Fiume, O.P.	"	—	0 0 3	0 0 3
14 inch Fiume,	6	—	0 0 3	0 0 3
N.P.	2	—	0 13 0	0 13 9
Spanners, claw, nozzle	"	—		
Primers , gun cotton, dry, 6 oz., in copper case, complete	each	—	0 6 6	0 6 11
Primer	"	—	0 1 5	0 1 6
Case, copper	"	—	0 5 1	0 5 5
Wax , bees (see page 173)	lb.	0 1 3½	—	—
Screw Plates and Taps , 16 inch, and Royal Laboratory 14 inch—				
Complete in box	each	—	6 14 0	7 2 0
Parts of—				
Boxes, wood, for screw plates and taps	"	—	0 18 9	0 19 11
Plates, screw—				
$\frac{1}{8}$ inch, 18 threads, and $\frac{9}{16}$ inch, 28 threads, per inch	"	—	0 12 2	0 12 11
$\frac{1}{4}$ inch, 24 and 32 threads per inch	"	—	0 12 2	0 12 11
$\frac{3}{8}$ " 24 " 36 "	"	—	0 11 6	0 12 3
$\frac{1}{2}$ inch and $\frac{3}{4}$ inch, 36 threads per inch	"	—	0 11 6	0 12 3
0.149 inch, 36 threads, and 0.125 inch, 40 threads per inch	"	—	0 10 8	0 11 4
M. and R., 48 threads per inch ..	"	—	0 10 8	0 11 4
S., 56 threads, and U., 72 threads per inch	"	—	0 10 8	0 11 4
Taps, screw—				
$\frac{1}{8}$ inch, 18 threads per inch	"	—	0 2 6	0 2 8
$\frac{9}{16}$ " 28 " "	"	—	0 2 6	0 2 8
$\frac{1}{4}$ " 24 " "	"	—	0 2 6	0 2 8
$\frac{1}{4}$ " 32 " "	"	—	0 2 6	0 2 8
$\frac{3}{8}$ " 24 " "	"	—	0 2 6	0 2 8
$\frac{3}{8}$ " 36 " "	"	—	0 2 6	0 2 8
$\frac{1}{2}$ " 36 " "	"	—	0 1 9	0 1 10
$\frac{1}{2}$ " 36 " "	"	—	0 1 9	0 1 10
0.149 inch, 36 threads per inch ..	"	—	0 1 0	0 1 1
0.125 " 40 " "	"	—	0 1 0	0 1 1

† The lights are supplied by Admiralty; the nozzles complete and their parts, and spanners, by War Department.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Screw Plates and Taps, 16 inch and Royal Laboratory 14 inch, continued—				
Parts of—				
Taps, screw—				
M. inch 48 threads per inch .. each	—	0 1 0	0 1 1	
R. " 48 " " " " " "	—	0 1 0	0 1 1	
S. " 56 " " " " " "	—	0 1 0	0 1 1	
U. " 72 " " " " " "	—	0 1 0	0 1 1	
Wrenches, tap	—	0 9 0	0 9 6	
Screw Taps, Dies and Hobs, 14 inch Fiume—				
Complete in box	—	8 17 8	9 8 4	
Parts of—				
Boxes, wood, for screw taps, dies and hobs	—	1 2 8	1 4 0	
Dies—				
$\frac{3}{8}$ inch, 28 threads per inch .. "	—	0 6 7	0 7 0	
$\frac{1}{2}$ " 28 " " " " " "	—	0 6 7	0 7 0	
$\frac{3}{4}$ " 32 " " " " " "	—	0 6 7	0 7 0	
$1\frac{1}{8}$ " 36 " " " " " "	—	0 6 7	0 7 0	
$1\frac{3}{8}$ " 40 " " " " " "	—	0 6 7	0 7 0	
$1\frac{5}{8}$ " 48 " " " " " "	—	0 6 7	0 7 0	
$2\frac{1}{8}$ " 48 " " " " " "	—	0 6 7	0 7 0	
Hobs—				
$\frac{3}{8}$ inch, 28 " " " " " "	—	0 2 7	0 2 9	
$\frac{1}{2}$ " 28 " " " " " "	—	0 2 7	0 2 9	
$\frac{3}{4}$ " 32 " " " " " "	—	0 2 7	0 2 9	
$1\frac{1}{8}$ " 36 " " " " " "	—	0 2 7	0 2 9	
$1\frac{3}{8}$ " 40 " " " " " "	—	0 2 7	0 2 9	
$1\frac{5}{8}$ " 48 " " " " " "	—	0 2 7	0 2 9	
$2\frac{1}{8}$ " 48 " " " " " "	—	0 2 7	0 2 9	
Stocks, for dies	—	2 0 4	2 2 9	
Taps, screw—				
$\frac{3}{8}$ inch, 28 " " " " " "	—	0 2 7	0 2 9	
$\frac{1}{2}$ " 28 " " " " " "	—	0 2 7	0 2 9	
$\frac{3}{4}$ " 32 " " " " " "	—	0 2 7	0 2 9	
$1\frac{1}{8}$ " 36 " " " " " "	—	0 2 7	0 2 9	
$1\frac{3}{8}$ " 40 " " " " " "	—	0 2 4	0 2 6	
$1\frac{5}{8}$ " 48 " " " " " "	—	0 2 4	0 2 6	
$2\frac{1}{8}$ " 48 " " " " " "	—	0 2 4	0 2 6	
Wrenches, tap	—	0 5 4	0 5 8	
TORPEDOES, WHITEHEAD, 16 INCH.				
Chests, tool, empty, to hold 1 complete set of tools and spare gear	—	3 0 0	3 3 7	
Tools—	No. per set.			
Drivers, screw—				
Bent, small, for removing screw- plug in lubricator, when the torpedo is in the carriage .. 1	"	—	0 12 5	0 13 2
Large, for engine bed .. 1	"	—	0 12 0	0 12 9
Medium, for connections .. 1	"	—	0 8 7	0 9 1
Small, for firing gear .. 1	"	—	0 3 6	0 3 9
Handles—				
For depth regulator .. 1	"	—	0 15 0	0 15 11
Screw, for doors .. 4	"	—	0 2 4	0 2 6
Lever—				
Bent, small, for disengaging mitre wheels in double screw torpedo .. 1	"	—	0 11 4	0 12 0
Cocking 3	"	—	0 12 2	0 12 11

Section VII.

559

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, continued—		No. per set.		£ s. d.	£ s. d.
Pliers—					
Bright, side cutting, or nippers..	1	each	—	0 4 2	0 4 5
For regulating valve	3	"	—	0 15 3	0 16 2
Spanners—					
Air pipes, engine room ..	1	"	—	0 9 6	0 10 1
Cocking pistol	1	"	—	0 7 4	0 7 9
End nut, screw shaft ..	1	"	—	0 5 6	0 5 10
For High pressure cylinder					
cover	1	"	—	1 7 8	1 9 4
Spring box, in pistol ..	1	"	—	0 4 0	0 4 3
Trunnion cap nuts and					
rudder gear	1	"	—	0 4 8	0 4 11
Box, for Connecting screws, rudder					
gear	1	"	—	0 5 1	0 5 5
Regulating valve	3	"	—	0 16 6	0 17 6
Small nuts	1	"	—	0 6 5	0 6 10
Claw, for Nut at rear end of large					
tube	1	"	—	0 6 10	0 7 3
Pistol and harpoon head	1	"	—	0 14 3	0 15 1
Screwing on pistol ..	1	"	—	0 4 4	0 4 7
Stuffing box, small tube	1	"	—	0 9 11	0 10 6
Pin, for Nut in end of spring,					
balance chamber ..	1	"	—	0 8 10	0 9 4
Pistol	1	"	—	0 5 5	0 5 9
Spring box, { Doublescrew					
tail end { torpedo ..	1	"	—	0 6 7	0 7 0
Single screw					
torpedo ..	1	"	—	0 6 7	0 7 0
Stuffing box, starting lever	1	"	—	0 6 0	0 6 4
Pin, bent, for stuffing box, air					
vessel, small end	1	"	—	0 7 11	0 8 5
Wrenches, { Inlet valve, air vessel					
for .. { Screw plug, balance					
chamber	1	"	—	0 8 6	0 9 0
Spare gear—					
Arrows, iron, for point of torpedoes	1	"	—	2 2 9	2 5 4
Caps, brass, for—					
Non-return valve to air chamber	1	"	—	0 1 10	0 1 11
Regulator	1	"	—	0 1 10	0 1 11
Counters, complete—					
Double screw torpedo	1	"	—	2 12 4	2 13 6
Single	1	"	—	2 12 4	2 15 6
Discs, India-rubber*	18	"	0 0 9	—	—
Gauges, brass, for regulator ..	1	"	—	1 3 0	1 4 5
Hooks { Iron, for wire	6	"	—	0 0 2	0 0 2
{ Steel, clip, for wire	6	"	—	0 0 7	0 0 7 1/4
Levers, brass, starting, for engines	1	"	—	0 5 6	0 5 10
Nozzles, brass, for—					
Charging air chambers	1	"	—	0 6 8	0 7 1
Discharging air chambers ..	1	"	—	0 6 8	0 7 1
Pawls, steel, for counter ..	1	"	—	0 6 7	0 7 0
Rings—					
Gutta percha, for pack-					
ing-tubes through air					
chamber { Large 6		"	—	0 0 2	0 0 2
{ Small 6		"	—	0 0 2	0 0 2
India-rubber, for* { Packing-tubes					
{ through air					
chamber { Large 18		"	0 0 1	—	—
{ Small 18		"	0 0 0 1/4	—	—
{ Watertight					
joints to large					
discs { Large 9		"	0 1 0	—	—
{ Small 9		"	0 1 0	—	—

* These are not to be put in the chest, but are to be carried separately and packed in water.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spare gear, continued—	No. per set.		£ s. d.	£ s. d.	£ s. d.
Screws—					
Brass, for india-rubber discs ..	12	each	—	0 0 1	0 0 1
{ Firing gear (of 5 sizes, total 16 per set), sets ..	1	"	—	0 0 10	0 0 11
{ Flat					
{ Fixing engines { headed	1	"	—	0 0 6	0 0 6½
{ Round					
{ headed	2	"	—	0 0 6	0 0 6½
{ Outside { Large ..	6	"	—	0 0 3	0 0 3
{ joints { Small ..	6	"	—	0 0 2	0 0 2
{ ½ inch *	12	"	—		
{ Pointed, for connecting rod of sinking-gear ..	6	"	—	0 0 5	0 0 5½
{ Rocking lever, with nuts, single screw	6	"	—	0 0 6	0 0 6½
{ torpedo ..	2	"	—	0 0 2	0 0 2
{ Thrust-block, single screw torpedo ..	2	"	—		
Springs—					
Brass, flat, for small pawl of cocking-gear ..	1	"	—	0 0 10	0 0 11
{ Pistol ..	2	"	—	0 0 3	0 0 3
{ Regulator ..	1	"	—	0 1 10	0 1 11
{ Spring { Doublescrew	2	"	—	0 1 4	0 1 5
{ box, tail { torpedo ..	2	"	—	0 1 3	0 1 4
{ Single screw					
{ torpedo ..	12	"	—	0 3 11	0 4 2
Studs, iron, with nuts for large discs	12	each	—	0 1 5	0 1 6
Tubes, tin, small, for oiling engine..	1	each	—		
Washers, leather, for—					
Buffer at tail end of spring box..	6	"	—	0 0 1	0 0 1
Joints of pipes { Large ..	8	12	—	0 0 6	0 0 6½
{ Small ..	4	"	—	0 0 6	0 0 6½
TORPEDOES, WHITEHEAD, 14 INCH, ROYAL LABORATORY (MARK I).					
Chests, tool, empty to hold one complete set of tools and spare gear..		each	—	4 2 6	4 7 5
Tools—	No. per set.				
Clamps for joints ..	2	"	—	1 0 9	1 2 0
Drivers, screw—					
{ For removing screw-plug in lubricator when torpedo is in the car- riage ..	3	"	—	0 9 3	0 9 10
{ Small, double-ended, for adjusting screws in balance chamber ..	1	"	—	0 5 11	0 6 3
{ Large, for joints ..	1	"	—	0 9 8	0 10 3
{ Medium { For connections ..	2	"	—	0 7 6	0 7 11
{ Round, for screws in mitre wheels ..	1	"	—	0 4 0	0 4 3
{ Small, for firing gear ..	1	"	—	0 2 3	0 2 5

* For 16 inch torpedoes that have been repaired.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
	No. per set.				
Tools, continued—					
Handles { For depth regulator ..	3	each	—	0 9 1	0 9 8
{ Screwed, for doors ..	4	"	—	0 4 8	0 4 11
Lever—					
Bent, small, for disengaging mitre wheels	1	"	—	0 11 4	0 12 0
Cocking, stopping gear in tail ..	3	"	—	0 9 0	0 9 6
Pliers—					
Bright, side cutting, or nippers ..	1	"	—	0 4 2	0 4 5
For regulator valve	3	"	—	0 10 3	0 10 10
Spanners—					
Box—					
Bent, for weight in balance chamber	1	"	—	0 7 6	0 7 11
For { Connecting screws, rudder gear	1	"	—	0 6 7	0 7 0
{ Regulator valve	3	"	—	0 10 7	0 11 3
{ Small nuts for doors ..	1	"	—	0 6 4	0 6 9
Short, for disc in balance chamber	1	"	—	0 6 2	0 6 6
Claw, for—					
Charge head	1	"	—	0 10 11	0 11 6
Nut at rear end of large tube ..	1	"	—	0 7 0	0 7 5
Point of pistol	1	"	—	0 6 0	0 6 4
Screwing on pistol and arrow head	3	"	—	0 12 4	0 13 1
Servo motor	1	"	—	0 5 6	0 5 10
Crow-foot for fixing engine and servo motor connections ..	1	"	—	0 5 10	0 6 2
For { Air pipes, engine room ..	2	"	—	0 6 8	0 7 1
{ Clamps for joints	2	"	—	0 3 8	0 3 11
{ Cocking pistol	3	"	—	0 7 2	0 7 7
{ Cylinder cover	1	"	—	0 2 10	0 3 0
{ End nuts, screw shaft ..	1	"	—	0 5 8	0 6 0
{ Regulator valve	1	"	—	0 6 3	0 6 7
{ Rudder gear and engine valve cover	1	"	—	0 4 9	0 5 0
{ Spring box, in pistol ..	1	"	—	0 4 0	0 4 3
Pin, for { Nut in end of tube and spring in balance chamber	1	"	—	0 8 11	0 9 5
{ Pistol	1	"	—	0 6 8	0 7 1
{ Spring box, tail end ..	1	"	—	0 6 11	0 7 4
{ Stuffing box of starting lever	1	"	—	0 6 0	0 6 4
Tommyes, for striker in pistol ..	3	"	—	0 1 4	0 1 5
Tube, iron, for clamping tail end ..	1	"	—	0 17 9	0 18 10
Wires, hooked, pointed, for general use	2	"	—	0 0 9	0 0 10
Wrenches, for inlet valve to air ves- sel, and screw plug in balance chamber	3	"	—	0 11 6	0 12 2
Spare Gear—					
Arrows, iron, for point of torpedoes	1	"	—	2 2 2	2 4 8
Asbestos packing for servo-motor .. lb.	1	lb.	0 2 0	—	—
Caps, brass, for—					
Non-return valve to air vessel ..	1	each	—	0 1 9	0 1 10
Regulator valve	1	"	—	0 1 9	0 1 10
Counters, complete	1	"	—	2 13 1	2 16
(V.S.)				2 N	

NAVAL. ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
				£ s. d.	£ s. d.
Spare Gear, continued—		No. per set.			
Discs, india-rubber*..	36	each	0 0 6	—	—
Gauges, brass, for regulator valve..	1	"	—	1 3 1	1 4 6
Hooks, steel clip, for wire ..	6	"	—	0 0 3	0 0 3
Levers, iron, starting, for engine ..	1	"	—	0 9 4	0 9 11
Nozzles, brass, for—					
Charging air vessel ..	1	"	—	0 6 7	0 7 0
Discharging air vessel ..	1	"	—	0 6 7	0 7 0
Pawls, steel, for counter ..	2	"	—	0 5 7	0 5 11
Pins, screwed, for wheel of counter	3	"	—	0 0 5	0 0 5½
Plug, screwed, for balance chamber	1	"	—	0 0 10	0 0 11
Rings, india-rubber, for { Large ..	18	"	0 0 6	—	—
watertight joints* { Small ..	18	"	0 0 6	—	—
Screws—					
Brass, { Disc in balance chamber,	6	"	—	0 0 0½	0 0 0½
for { ¼ inch.. ..	6	"	—	—	—
India-rubber discs, ⅝ inch	12	12	—	0 0 10	0 0 11
Iron—					
Brackets to firing wires,	6	each	—	0 0 1	0 0 1
of sorts	6	each	—	—	—
Connecting wires of	12	12	—	0 1 3	0 1 4
firing gear, of sorts..	12	12	—	—	—
For { Firing gear, of sizes, sets	1	set	—	0 0 10	0 0 11
Fixing valve, ⅜ inch ..	6	each	—	0 0 2	0 0 2
Oil feed, ½ inch ..	6	"	—	0 0 4	0 0 4
Outside joints { ⅝ inch	24	12	—	0 2 7	0 2 9
{ ⅜ inch	12	"	—	0 1 11	0 2 0
Pointed, for connecting { Large	3	each	—	0 0 5	0 0 5½
rods	3	"	—	0 0 5	0 0 5½
Small	3	"	—	—	—
Shearing, for pistol ..	12	"	—	0 1 8	0 1 9
Steel—					
Bracket on tail gear,	6	"	—	0 0 4	0 0 4
⅝ inch	6	"	—	—	—
Oil feed connections,	6	"	—	0 0 3	0 0 3
0·149 inch	6	"	—	—	—
For { Pawl, steel, for counters	2	"	—	0 0 3	0 0 3
Brass, flat ..	3	"	—	0 0 2	0 0 2
Steel, for lever	3	"	—	—	—
Spring { to spring	3	"	—	—	—
box, tail	3	"	—	—	—
end	3	"	—	0 0 2	0 0 2
Tail gear ⅝ inch ..	6	"	—	0 0 2	0 0 2
Pointed, { Fixing propellers..	12	"	—	0 0 5	0 0 5½
for { Pinion, ¼ inch ..	6	"	—	0 0 3	0 0 3
Springs—					
Brass, flat, for small pawl of cock-	3	"	—	0 0 9	0 0 10
ing gear.. ..	3	"	—	—	—
Steel, flat, to lever of spring box,	3	"	—	0 0 11	0 1 0
tail end	3	"	—	—	—
Steel, spiral, for—					
Non-return valve to air vessel	6	"	—	0 1 7	0 1 8
Pistol	1	"	—	0 0 3	0 0 3
Regulator valve { Large ..	1	"	—	0 13 0	0 13 9
{ Small ..	1	"	—	0 12 10	0 13 7
Spring box, tail end ..	1	"	—	0 2 1	0 2 3
Studs, iron, with nuts, for large discs	12	"	—	0 0 4	0 0 4

* These are not to be put in the chest, but are to be carried separately and packed in water.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spare Gear—					
Washers, leather, paraffined—	No. per set.		£ s. d.	£ s. d.	£ s. d.
Buffer at tail end of spring box	6	6	—	0 0 4	0 0 4
Cap to starting lever	6	"	—	0 0 3	0 0 3
Plug, screwed—	6	"	—	0 0 2	0 0 2
Oil feed ..	6	"	—	0 0 3	0 0 3
Of balance chamber ..	6	"	—	0 0 5	0 0 5½
Joints of { Large	12	12	—	0 0 4	0 0 4
{ Small	12	"	—		
Pistol and arrow head ..	6	6	—	0 0 5	0 0 5½
Oval for oil feed ..	12	12	—	0 0 6	0 0 6½
TORPEDOES, WHITEHEAD, 14 INCH, ROYAL LABORATORY (MARK I*).					
Chests, tool, empty, to hold one complete set of tools and spare gear	No. per set. each		—	4 4 6	4 9 7
Tools—					
Clamps for joints	2	"	—	1 0 9	1 2 0
Drivers, screw—					
Large, for joints	1	"	—	0 9 8	0 10 3
Medium { for connections ..	2	"	—	0 7 6	0 7 11
{ round, for screws in mitre wheels ..	1	"	—	0 4 0	0 4 3
Pin, for { Plug and valve box in oil feed ..	3	"	—	0 6 11	0 7 4
{ Small spring box in base of pistol ..	1	"	—	0 5 6	0 5 10
Small, for firing gear	1	"	—	0 2 3	0 2 5
Handles { For depth regulator ..	3	"	—	0 9 1	0 9 8
{ Screwed, for doors ..	4	"	—	0 4 8	0 4 11
Lever—					
Bent, small, for disengaging mitre wheels	1	"	—	0 11 4	0 12 0
Cocking, stopping gear in tail ..	3	"	—	0 9 0	0 9 6
Pliers—					
Bright, side cutting, or nippers..	1	"	—	0 3 2	0 3 4
For general use	1	"	—	0 11 8	0 12 4
Spanners—					
Box—					
Bent, for weight in balance chamber	1	"	—	0 7 6	0 7 11
For { Regulator valve ..	3	"	—	0 10 7	0 11 3
{ Small nuts for doors ..	1	"	—	0 6 4	0 6 9
Short, for disc in balance chamber	1	"	—	0 6 2	0 6 6
Claw, for—					
Charge head	1	"	—	0 10 11	0 11 7
Nut at rear end of large tube..	1	"	—	0 7 0	0 7 5
Point of pistol	1	"	—	0 6 0	0 6 4
Screwing on pistol and arrow head	3	"	—	0 12 4	0 13 1
Servo-motor	1	"	—	0 5 6	0 5 10
Crow foot, for fixing engine and servo-motor connections ..	1	"	—	0 5 10	0 6 2

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, continued—		No. per set.		£ s. d.	£ s. d.
Spanners—					
Air pipes, engine room ..	2	each	—	0 6 8	0 7 1
Clamps for joints ..	2	"	—	0 3 8	0 3 11
Cocking pistol ..	3	"	—	0 7 2	0 7 7
Cylinder cover ..	1	"	—	0 2 10	0 3 0
End nuts, screw shaft ..	1	"	—	0 5 8	0 6 0
For { Nuts on frame of weight, balance chamber ..	2	"	—	0 5 9	0 6 1
Regulator valve ..	1	"	—	0 6 3	0 6 8
Rudder gear and engine valve cover ..	1	"	—	0 4 9	0 5 0
Spring box in pistol ..	1	"	—	0 4 0	0 4 3
Pin, for { Nut in end of tube and spring in end of balance chamber ..	1	"	—	0 8 11	0 9 5
Pistol ..	1	"	—	0 6 8	0 7 1
Spring box, tail end	1	"	—	0 6 11	0 7 4
Stuffing box of start- ing lever ..	1	"	—	0 6 0	0 6 4
Tommies for striker in pistol ..	3	"	—	0 1 4	0 1 5
Tube, iron, for clamping tail end ..	1	"	—	0 17 9	0 18 10
Wires, hooked, pointed, for general use ..	2	"	—	0 0 9	0 0 10
Wrenches, for inlet valve to air vessel, and screw plug in balance chamber ..	3	"	—	0 11 6	0 12 2
Spare Gear—					
Arrow heads, iron, for point of tor- pedoes ..	1	"	—	2 2 2	2 4 8
Asbestos packing for servo-motor, lb.	1	lb.	0 2 0	—	—
Caps, brass, for—					
Non-return valve to air vessel ..	1	each	—	0 1 9	0 1 10
Regulator valve ..	1	"	—	0 1 9	0 1 10
Counters, complete ..	1	"	—	2 13 1	2 16 3
Discs, india-rubber* ..	36	"	0 0 6	—	—
Hook, steel, clip, for wire ..	6	"	—	0 0 3	0 0 3
Lever, iron, starting, for engine ..	1	"	—	0 9 4	0 9 11
Nozzles, brass, for—					
Charging air vessels ..	1	"	—	0 6 7	0 7 0
Discharging air vessels ..	1	"	—	0 6 7	0 7 0
Pawls, steel, for counter ..	2	"	—	0 5 7	0 5 11
Pins, screwed, for wheel of counter	3	"	—	0 0 5	0 0 5½
Plugs—					
Brass, for oil feed ..	2	"	—	0 1 7	0 1 8
Screw, for balance chamber ..	1	"	—	0 0 10	0 0 11
Rings, india-rubber, for watertight joints*—					
Large ..	18	"	0 0 6	—	—
Small ..	18	"	0 0 6	—	—
Screws—					
Brass, { Disc in balance chamber, for { ¼ inch ..	6	"	—	0 0 0½	0 0 0½
India-rubber discs ..	12	12	—	0 0 10	0 0 11
Iron, for—					
Brackets for firing wires, of sorts	6	each	—	0 0 1	0 0 1
Connecting wires of firing gear, of sorts ..	12	12	—	0 1 3	0 1 4

* These are not to be put in the chest, but are to be carried separately and packed in water.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spare Gear, continued—					
Scrows—	No. per set.				
Iron, for—					
Firing gear, of sizes .. sets	1	set	—	0 0 10	0 0 11
Fixing valve, $\frac{1}{8}$ inch ..	6	each	—	0 0 2	0 0 2
Outside joints $\left\{ \begin{array}{l} \frac{1}{8} \text{ inch} \\ \frac{1}{4} \text{ inch} \end{array} \right.$..	24 12	12 "	— —	0 2 7 0 1 11	0 2 9 0 2 0
Spring, steel, flat, for starting lever, $\frac{1}{8}$ inch ..	4	"	—	0 2 0	0 2 1
Iron, shearing, for pistol..	12	"	—	0 1 8	0 1 9
Steel—					
Bracket on tail gear, $\frac{1}{8}$ inch ..	6	each	—	0 0 4	0 0 4
Oil feed connections, 0.149 inch ..	6	"	—	0 0 3	0 0 3
For Pawl, steel, for counters	2	"	—	0 0 3	0 0 3
Spring $\left\{ \begin{array}{l} \text{Brass, flat} \\ \text{Steel, for lever} \end{array} \right.$..	3	"	—	0 0 2	0 0 2
to spring box, tail end ..	3	"	—	0 0 2	0 0 2
Tail gear, $\frac{1}{8}$ inch ..	6	"	—	0 0 2	0 0 2
Long, for steadying weight ..	3	"	—	0 1 0	0 1 1
Pointed, for $\left\{ \begin{array}{l} \text{Fixing pro-} \\ \text{pellers} \end{array} \right.$..	12	"	—	0 0 5	0 0 5½
Pinion, $\frac{1}{4}$ inch	6	"	—	0 0 3	0 0 3
Springs—					
Brass, flat, for small pawl of cock- ing gear..	3	"	—	0 0 9	0 0 10
Steel, flat, $\left\{ \begin{array}{l} \text{Lever of spring box,} \\ \text{tail end} \end{array} \right.$..	3	"	—	0 0 11	0 1 0
for Starting lever ..	2	"	—	0 2 4	0 2 6
Trigger of pistol ..	1	"	—	0 2 3	0 2 5
Non-return valve to air vessel..	6	"	—	0 1 7	0 1 8
Steel, spiral, $\left\{ \begin{array}{l} \text{Pistol} \left\{ \begin{array}{l} \text{Large} \\ \text{Small} \end{array} \right. \end{array} \right.$..	1 1	" "	— —	0 0 3½ 0 0 3	0 0 3½ 0 0 3
for Regulator valve ..	1	"	—	0 12 11	0 13 8
Spring box, tail end ..	1	"	—	0 2 1	0 2 3
Studs, iron, with nuts, for large discs	12	"	—	0 0 4	0 0 4
Washers, leather, paraffined—					
Buffer at tail end of spring box ..	6	6	—	0 0 4	0 0 4
Caps for air-inlet valve-box ..	12	12	—	0 0 4½	0 0 4½
Pistol and arrow head ..	6	6	—	0 0 5	0 0 5½
Plug, screwed, of balance chamber	6	6	—	0 0 3	0 0 3
For Valve box, oil feed	6	12	—	0 0 6	0 0 6½
Joints of $\left\{ \begin{array}{l} \text{Large} \\ \text{Small} \end{array} \right.$..	12 12	" "	— —	0 0 5 0 0 4	0 0 5½ 0 0 4
Servo-motor con- nections..	6	6	—	0 0 2½	0 0 2½
Stuffing box, start- ing lever ..	6	"	—	0 0 2½	0 0 2½
Tube $\left\{ \begin{array}{l} \text{Base of pis-} \\ \text{tol} \end{array} \right.$..	6	"	—	0 0 2½	0 0 2½
in $\left\{ \begin{array}{l} \text{Pistol trig-} \\ \text{gersocket} \end{array} \right.$..	6	"	—	0 0 2½	0 0 2½
Oval, for oil feed..	12	12	—	0 0 6	0 0 6½
Wax, bees .. in tin cylinder lb.	½	lb.	0 1 3½	—	—

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.						
		Per	Contract.	No. 1 Balance Sheet.		No. 2 Balance Sheet.		
			£	s.	d.	£	s.	d.
TORPEDOES, WHITEHEAD, 14 INCH, ROYAL LABORATORY, (MARK II).								
Chests, Tool, empty, to hold 1 complete set of tools and spare gear		each	—			4	7	3
Tools—								
	No. per set.							
Clamps for { Joints	2	..	—			1	1	11
{ Locking propellers ..	1	..	—			0	11	10
Drivers, screw—								
Large, for joints	1	..	—			0	9	6
Medium { For connections ..	2	..	—			0	8	2
{ Round, for screws in mitre wheels ..	1	..	—			0	4	2
Pin, for { Plug and valve box in oil feed	3	..	—			0	6	10
{ Small spring box in base of pistol ..	1	..	—			0	5	6
Small, for firing gear ..	1	..	—			0	3	3
Hammers, small, for general use ..	1	..	—			0	4	6
Handles { For depth regulator ..	3	..	—			0	7	6
{ Screwed, for doors ..	4	..	—			0	1	2
Lever—								
Bent, small, for disengaging mitre wheels	1	..	—			0	11	4
Cocking, stopping gear in tail ..	3	..	—			0	9	0
Pliers—								
Bright, side cutting or nippers ..	1	..	—			0	3	2
For general use	1	..	—			0	11	8
Punches, steel, for general use—								
Large	1	..	—			0	4	6
Small	1	..	—			0	3	1
Spanners—								
Box, for—								
Connecting horizontal rudders	1	..	—			0	6	2
Disc in balance chamber ..	1	..	—			0	7	11
Regulator valve and fixing engine	3	..	—			0	10	7
Small nuts for doors	1	..	—			0	7	9
Claw, for—								
Charge head	3	..	—			0	10	10½
Point of pistol	3	..	—			0	5	9
Propeller nuts	1	..	—			0	9	3½
Screwing on { Pistol and arrow head	3	..	—			0	10	0
{ Tail	1	..	—			0	11	11
Servo-motor	1	..	—			0	6	3
Crow foot for fixing engine and servo-motor connections ..	1	..	—			0	5	9
For—								
Adjusting { horizontal rudders	1	..	—			0	4	9
{ vertical rudders ..	1	..	—			0	2	11
Air pipes, engine room, and fixing frame to weight ..	1	..	—			0	8	7
Clamps for joints	2	..	—			0	3	8½
Cocking pistol	3	..	—			0	6	1
Connecting air pipe to inlet valve	1	..	—			0	7	10
Cylinder cover	1	..	—			1	1	4

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, continued—		£ s. d.	£ s. d.	£ s. d.
Spanners—	No. per set.			
For—				
Engine valve cover	1	each	—	0 3 1
Regulator valve	1	"	—	0 6 3
Spring box, in pistol	1	"	—	0 4 0
Stop and set screws on frame of weight in balance chamber	2	"	—	0 5 3
Pin, for—				
Nut, in end of tube and spring in balance chamber.. ..	1	"	—	0 8 10
Nut on spring box tube	1	"	—	0 4 8
Pistol	1	"	—	0 5 2
Stud, large wheel of counter ..	1	"	—	0 3 5
Stuffing box starting lever ..	1	"	—	0 5 11
Tommies for striker in pistol ..	3	"	—	0 1 4
Wires—				
Hooked, pointed, for general use	2	"	—	0 0 9
Screwed, for connecting disc ..	1	"	—	0 1 6½
Wrenches, for inlet valve to air vessel, and screw plug in balance chamber	3	"	—	0 11 4
Spare gear—				
Arrow-heads, iron, for point of torpedoes	1	"	—	1 12 2
Asbestos packing for servo-motor	lbs. ½	lb.	0 2 0	—
Bolts, for slide covers for engines	6	each	—	0 0 8½
Caps, brass, for—				
Non-return valve to air vessel ..	1	"	—	0 1 8
Regulator valve	1	"	—	0 6 3
Counter gear, complete .. sets	1	set	—	3 7 1
Discs, india-rubber*	36	each	—	0 0 3½
Hooks, steel clip, for wire	6	"	—	0 0 3
Keys, steel, for—				
Propellers	4	"	—	0 0 10½
Worm of counter.. ..	2	"	—	0 0 10½
Levers, iron, starting, for engine ..	1	"	—	0 9 9
Nozzles, brass, for—				
Charging air vessel	1	"	—	0 6 8
Discharging air vessel	1	"	—	0 6 7
Pawls, steel, for counter	2	"	—	0 5 11
Plugs—				
Brass, for oil feed	2	"	—	0 1 6
Screwed, for balance chamber ..	1	"	—	0 0 9
Rings, india-rubber, for watertight joints*—				
Large	18	"	—	0 0 7
Small	18	"	—	0 0 6
Screws—				
Brass, for india-rubber discs, ⅜ inch	12	12	—	0 0 11
Iron—				
For—				
Bracket to firing wires, of sorts	6	6	—	0 0 5
Connecting wires of firing gear, of sorts	12	12	—	0 1 6½

* These are not to be put in the chest, but are to be carried separately and packed in water.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.					Rate.			
					Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spare Gear, continued—						£ s. d.	£ s. d.	£ s. d.
Screws—								
Iron—								
For—								
Door of disc in balance	No. per							
chamber, $\frac{3}{8}$ inch..	set.							
..	6	6	—	—	—	0 0 10	0 0 11	
Firing gear, of sizes	sets	1	set	—	—	0 3 2	0 3 4	
Fixing—								
Valves, $\frac{7}{8}$ inch ..	12	12	—	—	—	0 1 11½	0 2 0½	
Weight in balance chamber,								
$\frac{7}{8}$ inch ..	2	each	—	—	—	0 0 10	0 0 11	
Outside joints, $\frac{3}{8}$ inch ..	36	"	—	—	—	0 0 2½	0 0 2½	
Spring, steel, flat, starting								
lever, $\frac{3}{8}$ inch ..	4	"	—	—	—	0 0 2	0 0 2	
Tail gear, $\frac{1}{8}$ inch ..	6	6	—	—	—	0 0 10	0 0 11	
Shearing, for pistol ..	12	12	—	—	—	0 1 7½	0 1 8½	
Steel—								
For—								
Fixing counter .. sets	1	set	—	—	—	0 1 2	0 1 3	
Locking-nut on propellershaft	6	6	—	—	—	0 1 1	0 1 2	
Spring, steel, flat, to lever of								
spring box, tail end ..	3	each	—	—	—	0 0 2	0 0 2	
Long, for steadying weight ..	3	"	—	—	—	0 1 0	0 1 1	
Pointed for—								
Connecting horizontal rud-								
ders ..	3	"	—	—	—	0 0 5	0 0 5½	
Mitre wheel, $\frac{1}{4}$ inch..	6	"	—	—	—	0 0 5	0 0 5½	
Springs, steel—								
Flat, for—								
Lever of spring box, tail end..	3	"	—	—	—	0 3 2	0 3 4	
Small pawl of cocking gear ..	3	"	—	—	—	0 0 9	0 0 10	
Starting lever ..	2	"	—	—	—	0 2 4	0 2 6	
Trigger of pistol ..	1	"	—	—	—	0 2 4	0 2 6	
Spiral, for—								
Non-return valve to air vessel	6	"	—	—	—	0 1 0	0 1 1	
Pistol { Large.. ..	1	"	—	—	—	0 0 3½	0 0 3½	
Small.. ..	2	"	—	—	—	0 0 3	0 0 3	
Regulator valve ..	2	"	—	—	—	0 7 3	0 7 8	
Spring box, tail end ..	1	"	—	—	—	0 1 3½	0 1 4½	
Studs—								
Brass, with nuts for disc in bal-								
ance chamber, $\frac{1}{4}$ inch ..	6	"	—	—	—	0 0 9½	0 0 10	
Iron, with nuts, for large discs,								
$\frac{1}{8}$ inch ..	12	"	—	—	—	0 0 4	0 0 4	
Washers, leather, paraffined, for—								
Buffer at tail end of								
spring box ..	6	6	—	—	—	0 0 3	0 0 3	
Caps for air-inlet								
valve-box ..	12	12	—	—	—	0 0 4½	0 0 4½	
Pistol and arrowhead	6	6	—	—	—	0 0 3	0 0 3	
Plug, screwed, of								
balance chamber ..	6	"	—	—	—	0 0 2½	0 0 2½	
Valve box, oil feed	6	"	—	—	—	0 0 2½	0 0 2½	
Joints of pipes—								
Large ..	12	12	—	—	—	0 0 4½	0 0 4½	
Small ..	12	"	—	—	—	0 0 4	0 0 4	
Servo-motor connec-								
tions ..	6	6	—	—	—	0 0 2	0 0 2	
Stuffing box, starting								
lever ..	6	"	—	—	—	0 0 2	0 0 2	

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spare Gear, continued—	No. per set.		£ s. d.	£ s. d.
Washers, leather, paraffined, for—				
Tube in—				
Base of pistol	in tin cylinder {	6	—	0 0 2½
Pistol trigger				
socket ..				
Wax, bees, in tin cylinder ..	lb. ½	lb.	0 1 3½	—
TORPEDOES, WHITEHEAD, 14 INCH, FIUME, N.P.				
Chests, tool, empty, to hold one complete set of tools and spare gear	each	—	4 10 5	4 15 10
Tools—				
Clamps, for—				
Holding { Buffer of steering engine	1	"	—	0 2 9
Piston of steering engine	1	"	—	0 2 5
Locking screws	1	"	—	0 14 6
Screwing up joints	2	"	—	1 3 7
Claws, for holding vertical steer- ing rod in engine-room, by slip- ping down over it when taking to pieces	1	"	—	0 3 6
Drivers, screw—				
Large, for connections	3	"	—	0 7 0
Medium, for connections	1	"	—	0 6 0
Small	1	"	—	0 4 0
T-headed, for oil box	1	"	—	0 2 7½
Eye-bolts for taking out regulator valve	1	"	—	0 2 2
Hammers, small, for general use ..	1	"	—	0 4 6
Keys, for holding engine open by preventing lever from shutting when taking to pieces	1	"	—	0 3 2½
Levers—				
Cocking	3	"	—	0 8 4
For clamps	2	"	—	0 7 7
Pliers, bright, side-cutting or nippers	1	"	—	0 3 2
Punches—				
Brass	1	"	—	0 1 8
For knocking out pins of steering engine	1	"	—	0 1 6½
Rods, screwed, for guide bracket of steering engine, vertical rod and trunk rod of balance chamber ..	1	"	—	0 2 3½
Set-screws	3	"	—	0 2 0
Spanners—				
Box for—				
Cover of chamber, &c., ⅞ inch	1	"	—	0 6 7
End cover of throttle valve box, ⅞ inch	1	"	—	0 10 1
Holding down studs, ⅞ inch ..	1	"	—	0 7 1
Nuts on hydrostatic valve ring	1	"	—	0 6 6
Pointed screws in tail, and ver- tical rod in engine room ..	1	"	—	0 5 3
Screwing up { Bed plate of engine, ½ inch	1	"	—	0 6 7
Pipe joints from air vessel to engine, ⅝ in.	1	"	—	0 6 3

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.		Rate.			
		Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, continued—					
Spanners—	No. per set.				
Box for—					
Square-headed screws, connec- tions of piston rod to crank brasses	1	each	—	0 7 8	0 8 2
Claw and pin, for cover and stuff- ing box of steering engine ..	1	"	—	0 4 9	0 5 0
Claw—					
For—					
Buffer nut of steering engine	1	"	—	0 2 7	0 2 9
Pistol.. .. .	1	"	—	0 3 8	0 3 11
Screwing up rudder nuts ..	3	"	—	0 2 7	0 2 9
To screw—					
On { Head	3	"	—	0 16 0	0 17 0
{ Pistol.. .. .	3	"	—	0 6 4	0 6 9
Up { Tailparts { Large ..	1	"	—	0 12 2	0 12 11
{ Small ..	1	"	—	0 7 8	0 8 2
{ Washers in pistol against which spring sets ..	1	"	—	0 6 5	0 6 10
Crowfoot, for holding down—					
Studs, steering engine, $\frac{1}{4}$ inch	1	"	—	0 4 3	0 4 6
Studs	1	"	—	0 5 8	0 6 0
For—					
Clamps, $\frac{1}{4}$ inch.. .. .	2	"	—	0 7 9	0 8 3
Engine pipes { $\frac{1}{8}$ and $\frac{1}{4}$ inch..	1	"	—	0 6 6	0 6 11
{ $\frac{1}{2}$ " $\frac{3}{4}$ " ..	1	"	—	0 8 8	0 9 2
Screwing up nuts of springs of hydrostatic valve, $\frac{1}{8}$ inch ..	2	"	—	0 3 3	0 3 5
Pin, for—					
Bevel wheel nuts	1	"	—	0 4 4	0 4 7
Cover of throttle valve box ..	1	"	—	0 4 9	0 5 0
Propeller nuts { Large.. ..	1	"	—	0 9 4	0 9 11
{ Small.. .. .	1	"	—	0 7 5	0 7 10
Trunk of door of balance chamber	1	"	—	0 5 6	0 5 10
Pin, to screw—					
Hydrostatic valve box into tube	1	"	—	0 6 11	0 7 4
Up washers in pistol against which spring sets	2	"	—	0 4 5	0 4 8
Plug and pin, for charging and regulator	3	"	—	0 10 1	0 10 8
T-headed screws, for cocking pistol	3	"	—	0 4 8	0 4 11
T-wrenches, to unscrew or screw up regulator tube	1	"	—	0 5 5	0 5 9
Tongs—					
For general use	1	"	—	0 8 10	0 9 4
Spring, for screws connecting rod caps of engine	1	"	—	0 4 7	0 4 10
Spare gear—					
Arms, for diving rudders	1	"	—	0 5 6	0 5 10
Arrow-heads, iron, for points of tor- pedoes	1	"	—	1 15 0	1 17 1
Caps, brass, for—					
Non-return valve to air chamber	1	"	—	0 2 6	0 2 8
Regulator spring box	1	"	—	0 3 3	0 3 5
Counters—					
Complete	1	"	—	1 13 7	1 15 7
Endless screw	1	"	—	0 4 5	0 4 7

Section VII.

571

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	No. per set.	Per	Rate.		
			Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
			£ s. d.	£ s. d.	£ s. d.
Spare gear, continued—					
Discs, india-rubber, for hydrostatic valve*	36	each	—	0 0 3	0 0 3
Flanges, blank, brass, for covering up ends of air-pipes when testing engines	1	"	—	0 2 1	0 2 3
Gauges, slide, blank.. .. .	1	"	—	0 9 4½	0 10 0
Levers, iron, starting, for engine ..	1	"	—	0 12 4	0 13 1
Nozzles, brass—					
Blowing off	1	"	—	0 8 7	0 9 1
Charging	1	"	—	1 8 2	1 9 10
Nuts, iron, for—					
Adjusting rudder.. .. .	8	"	—	0 0 10	0 0 11
Doors	2	"	—	0 0 4	0 0 4
Pawls, steel, for counter	2	"	—	0 5 9	0 6 1
Pins for arms for diving rudder ..	2	"	—	0 0 3½	0 0 3½
Rings, india-rubber,* for—					
Balance chamber door	18	"	0 0 6	—	—
Charge	18	"	0 0 6	—	—
Joints of engine bed plates for making buoyancy chamber watertight	18	"	0 0 7	—	—
Screws—					
Brass, for india-rubber discs ..	6	6	—	0 1 2	0 1 3
Iron—					
Pointed, for diving rod at tail end	3	each	—	0 0 6	0 0 6½
Set, for crown wheels, tail end ..	2	"	—	0 0 6	0 0 6½
For—					
Air pipes, engine room	1	"	—	0 1 8	0 1 9
Cylinder cover	6	"	—	0 0 7	0 0 7½
Outside joints	12	12	—	0 1 9	0 1 10
Rudder gear, top and bottom, of sorts	8	each	—	0 0 2	0 0 2
Safety wedge wire at junction of charge and balance chamber	3	"	—	0 0 2½	0 0 2½
Slide—					
Arms	3	"	—	0 0 4½	0 0 4½
Covers	6	"	—	0 0 3½	0 0 3½
Steel, square-headed, for connecting piston rod to crank brasses ..	6	"	—	0 0 4	0 0 4
Springs—					
Flat, bent, for firing wire, engine room	1	"	—	0 2 4	0 2 6
Spiral for—					
Heel of trigger.. .. .	1	"	—	0 0 3	0 0 3
Pistol	1	"	—	0 0 2	0 0 2
Regulator	1	"	—	0 6 4	0 6 9
Spring box, tail end	3	"	—	0 0 3	0 0 3
Steel, spiral, for steering-engine buffers	1	"	0 0 3	—	—
Studs, iron, with nuts, for—					
Door of charge chamber.. .. .	6	"	—	0 0 6½	0 0 7
Engine bed plate.. .. .	6	"	—	0 1 0	0 1 1
Joints of hydrostatic valve frame ..	6	"	—	0 0 7	0 0 7½
Securing bed plate to buoyancy chamber	6	"	—	0 0 11½	0 1 0

* These are not to be put in the chest, but are to be carried separately and packed in water.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spare gear, continued—				
Tubes, iron, for taking thrust of set.	No. per			
impulse	1	each	—	0 4 8
Washers—				
India-rubber,* for—				
Diving rod tube tight	9	9	—	0 1 6
Firing wire tube in bal-				
ance chamber tight	9	"	—	0 1 6
Joints of firing wire				
tube tight	9	"	—	0 1 6
Packing stern gland ..	18	18	—	0 2 0
Washers leather, paraffined,†				
for—				
Buffer at tail end of				
spring box	6	6	—	0 0 4
Covers of throttle valve				
box—				
Bottom cover ..	3	3	—	0 0 3
End cover	3	"	—	0 0 2
Starting valve cover	3	"	—	0 0 2
Flange of pipes leading				
from reservoir to en-	in tin			
gine	3	"	—	0 0 2½
Screw cap, non-return				
valve to air chamber..	6	6	—	0 0 4
Union joints of air				
pipes—				
Buoyancy chamber	3	3	—	0 0 3½
From air supply to				
steering engine..	3	"	—	0 0 3
Regulator to engine	3	"	—	0 0 4½
TORPEDOES, WHITEHEAD, 14				
INCH, FIUME, O.P.				
Chests, tool, empty, to hold one complete				
set of tools and spare gear.. ..	each	—	4 10 5	4 13 10
Tools—				
Stamp No. per				
Clamps for—	No. set.			
Hold- { Buffer of steering	28	1	"	—
ing { engine				0 2 9
{ Piston of steering	35	1	"	—
{ engine				0 2 5
Locking screws	1	"	—	0 14 6
Screwing up joints ..	13	2	"	—
Claws, for holding vertical				1 3 7
steering rod in engine room,				
by slipping down over it				
when taking to pieces ..	37	1	"	—
Drivers, screw—				0 3 6
Large, for connections ..	33	3	"	—
Medium, for connections..	34	1	"	—
Small	31	1	"	—
T-headed, for oil box ..	32	1	"	—
Eye-bolts for taking out regu-				0 2 8
lator valve.	40	1	"	—
				0 2 2

* These are not to be put in the chest, but are to be carried separately and packed in water.

† Washers supplied by Fiume are not paraffined. The rates quoted are for paraffined washers.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Tools, continued—				
Handles, box, for depth regu-	Stamp No.	No. per		
lators	11	3	each	
Keys, for holding engine open				
by preventing lever from				
shutting when taking to				
pieces	36	1	"	
Levers—				
Cocking	45	3	"	
For clamps	15	2	"	
Pliers, bright, side-cutting or				
nippers		1	"	
Punches—				
Brass	16	1	"	
For knocking out pins of				
steering engine.. ..	52	1	"	
Rods, screwed, for guide				
bracket of steering engine,				
vertical rod and trunk rod				
and trunk rod of balance				
chamber	39	1	"	
Set-screws	41	3	"	
Spanners—				
Box, for—				
Clutch screws in tail ..	48	1	"	
Cover of chamber, &c.,				
$\frac{3}{16}$ inch	7	1	"	
End cover of throttle				
valve box, $\frac{1}{16}$ inch ..	30	1	"	
Holding down studs, $\frac{5}{16}$				
inch	19	1	"	
Pointed screws in tail,				
and vertical rod in				
engine room	49	1	"	
Screwing	Bed plate of	engine, $\frac{1}{4}$	18	1
up	Pipe joints	from air	17	1
Claw and pin, for cover and				
stuffing box of steering				
engine	26	1	"	
Claw—				
For—				
Buffer nut of steering				
engine	27	1	"	
Pistol	3	1	"	
Screwing up rudder				
nuts	50		"	
To screw—				
On { Head	1		"	
Pistol	2	3	"	
Up { Bevel wheel of				
hydrostatic				
valve	12	1	"	
Tail { Large	42	1	"	
parts { Small	43	1	"	

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Per	Rate.		
		Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Spare Gear, continued—	No. per set.	£ s. d.	£ s. d.	£ s. d.
Washers—				
Washers, leather, paraffined,* for—				
Buffer at tail end of spring box	6	6	0 0 4	0 0 4
Covers of { Bottom cover .. 3	3	—	0 0 1	0 0 1
throttle { End cover.. .. 3	"	—	0 0 2	0 0 2
valve box { Starting valve cover 3	"	—	0 0 2	0 0 2
Flange of pipes leading from reservoir to engine .. 3	"	—	0 0 2½	0 0 2½
Screw cap, non-return valve to air chamber 6	6	—	0 0 4	0 0 4
Union { Buoyancy chamber .. 3	3	—	0 0 3½	0 0 3½
joints { From air supply to of air steering engine .. 3	each	—	0 0 1	0 0 1
pipes { Regulator to engine.. 3	3	—	0 0 4½	0 0 4½
TORPEDOES, HARVEY.				
Complete, with side and top levers and rope slings—				
Port each	—	14 5 6	15 2 8	
Starboard "	—	14 5 6	15 2 8	
Parts of and Stores for—				
Bolts, exploding, unloaded "	—	2 12 7	2 15 9	
Boxes, exploding bolt "	—	1 16 1	1 18 3	
Boxes—				
Packing, for detonators and primers .. 100	—	33 17 7	35 7 8	
Stores, for drill purposes each	—	1 16 1	1 18 3	
Brakes—				
Safety key line "	—	7 11 1	8 0 2	
Two rope "	—	29 13 2	31 8 0	
Buoys, cork, Harvey torpedo "	—	4 2 5	4 7 4	
Corks—				
Large, loading hole "	—	0 0 2	0 0 2	
Small, exploding bolt hole "	—	0 0 2	0 0 2	
Cramps, for exploding bolt, for putting bolt in or out of action "	—	0 14 10	0 15 4	
Cylinders, tin—				
No. on base. External height and diameter. To hold.				
† 20 2'3" × 3'375" Wax, bees, for exploding bolt (see page 556). lb. ‡	100	—	1 4 0	1 5 6
† 31 1'25" × 1'875" Detonators, exploding bolt ..	"	—	0 13 11	0 14 9
† 35 3'05" × 1'4" Primers gun cotton 1	"	—	1 16 4	1 18 8
‡ 36 2'075" × 2'18" Packing, hemp, exploding bolt yds. —	"	—	1 5 7	1 6 9
‡ 37 1'1" × 3'9" { Washers, { Exploding bolt 6 leather { Loading hole .. 5	"	—	1 11 0	1 12 10
‡ 38 1'35" × 2'18" Washers, leather, exploding bolt.. 12	"	—	1 5 2	1 7 8

* Washers supplied by Fiume are not paraffined. The rates quoted are for paraffined washers.

† Closed with soldered tin band. When empty to be accounted for as unserviceable, "of sorts."

‡ Not closed with band. When empty to be accounted for by Nos. stamped on base.

NAVAL, ELECTRIC, TORPEDO, AND OTHER STORES.	Rate.			
	Per	Contract.	No. 1 Balance Sheet.	No. 2 Balance Sheet.
Detonators—				
<i>Dummy</i>	1000	—	£ s. d. 0 13 5	£ s. d. 0 14 3
25 grains	"	—	11 9 5	12 3 2
Extractors, detonator	100	—	7 17 10	8 7 4
Guncotton, dry, primers for torpedoes, <i>Harvey, 2½ inch × 1⅛ inch, 1½ ounce, with</i> <i>perforation</i>	lb.	—	0 2 11½	0 3 2½
Handles, brake—				
<i>Safety key line</i>	each	—	0 8 6	0 9 0
<i>Tow rope</i>	"	—	0 11 10	0 12 7
Instructions, lithographed, exploding bolt..	doz.	—	0 14 7	0 15 6
Keys, safety, spare	each	—	0 2 6½	0 2 8
Levers, brake—				
<i>Safety key line</i>	"	—	0 14 6	0 15 4
<i>Tow rope</i>	"	—	1 5 9	1 7 4
Lines, safety, key, 1 inch rope, 125 fathoms	"	1 4 0	—	—
Needles, steel, for exploding bolt, spare ..	"	—	0 0 11	0 1 0
Packing, for gland of exploding bolt ..	"	—	0 0 2	0 0 2
Plugs, metal, screwed, for sockets, dummy <i>torpedo</i>	100	—	4 13 5	4 19 0
Primers, exploding bolt—				
<i>Dummy</i>	"	—	2 5 3	2 8 0
<i>Guncotton</i>	"	—	14 3 4	15 0 4
Rope, galvanized iron, tow, 1½ inch, 116 <i>fathoms</i>	each	4 12 0	—	—
Screws, coach, brake—				
<i>Safety key line*</i>	"	—	—	—
<i>Tow rope*</i>	"	—	—	—
Sockets, brass, for dummy torpedo ..	"	—	0 4 2	0 4 5
Spanners—				
<i>Exploding bolt</i> { <i>Bottom of primer case..</i>	"	—	0 0 11	0 1 0
<i>Detonator holder</i>	"	—	0 5 8	0 6 0
<i>Packing gland..</i>	"	—	0 2 10	0 3 0
<i>Top of case for bolt</i>	"	—	0 3 0	0 3 2
<i>Loading hole cap</i>	"	—	0 1 2	0 1 3
Springs, spiral, for exploding bolt—				
<i>Large</i>	"	—	0 1 2	0 1 3
<i>Small</i>	"	—	0 1 2	0 1 3
Straps, leather, brake—				
<i>Safety key line</i>	"	—	0 2 8	0 2 10
<i>Tow rope</i>	"	—	0 12 3	0 13 0
Washers, leather, in tin cylinders, <i>sealed—</i>				
<i>Exploding bolt</i>	dos.	—	0 0 10	0 0 11
<i>Loading hole caps</i>	"	—	0 1 3	0 1 4
Wax, bees (see page 173).	lb.	0 1 3½	—	—
Wire—				
<i>Brass, No. 13 W.G.</i>	"	0 0 6½	—	—
<i>Shearing, for bolts ..</i>	each	—	0 0 2	0 0 2

* Supplied by Admiralty.

LONDON :
PRINTED FOR HER MAJESTY'S STATIONERY OFFICE,
BY HARRISON AND SONS, ST. MARTIN'S LANE,
PRINTERS IN ORDINARY TO HER MAJESTY.
[Wt. 8009 6000 8 | 82 2829.]

MILITARY BOOKS, published by Authority—continued.

BASHFORTH CHRONOGRAPH: Report on Experiments with. (1870.) Price 1s.

Do. Final do. do. (1878-80.) Price 2s. 3d.

TEXT BOOK ON THE THEORY OF THE MOTION OF PROJECTILES: The History, Properties, Manufacture, and Proof of Gunpowder; The History of Small Arms. For the use of Officers sent to the Schools of Musketry. Revised, March, 1880. Price 2s. 3d. Interleaved, 3s.

Do. do. Addenda to. Translated from the Aide-Mémoire à l'usage des Officiers d'Artillerie. (Quatrième Edition.) 1881. Price 6d.

SCHOOL OF MUSKETRY AT HYTHE: Report on the Instruction carried on at, and of the Progress of Musketry Instruction in the Army during the Year ending 22nd April, 1881. Price 1s. Also,

REPORTS FOR THE YEARS 1859 to 1861. Price 1s. each.

REPORTS FOR THE YEARS 1862 to 1880. Price 2s. each.

THE GENERAL ORDERS, by His Royal Highness THE FIELD MARSHAL COMMANDING-IN-CHIEF, are published Monthly.

Index to Do., 1874 to 1881. Price 3d.

THE ARMY CIRCULARS are published Monthly.

Index to Do., 1867 to 1881. Price 5d.

OPHTHALMIC MANUAL. Manual of Instructions for Army Surgeons in testing the vision of Recruits, and in distinguishing the causes of defective visions in Soldiers. By Surgeon-General T. LONGMORE, C.B. Second Edition. 1875. Price 1s.

TRANSPORT OF SICK AND WOUNDED TROOPS: A Treatise on. By Surgeon-General T. LONGMORE, C.B., Honorary Surgeon to Her Majesty, &c. Illustrated by nearly 200 Woodcuts. Royal 8vo., cloth boards. Price 5s.

PRICED VOCABULARY of Stores used in Her Majesty's Service. War Office, Pall Mall, July, 1879. Crown 16mo. Price 3s.

AMMUNITION: Treatise on. 3rd Edition. Corrected to November, 1881. Price 6s. 6d.

AMMUNITION: Notes on. 5th Edition. Corrected to February, 1881. Price 2s. 6d. in cloth boards.

ORDNANCE IN THE BRITISH SERVICE: Treatise on the Construction and Manufacture of. 1879. Price 9s.

ORDNANCE IN THE BRITISH SERVICE: Abridged Treatise on the Construction and Manufacture of. Prepared in the Royal Gun Factory. July, 1877. Price 6s.

SEBASTOPOL, SIEGE OF: Journals of Proceedings connected with. In 4 vols., 4to., price 4l. 4s., including Maps and Plans. Or in separate volumes:—Engineer Operations, Major ELPHINSTONE, 1l. 6s. Engineer Operations, Sir H. JONES (with Maps), 2l. 10s. Artillery Operations, Sir R. DACKES, 10s.

ABYSSINIA, EXPEDITION TO: Record of. Compiled by Order of the Secretary of State for War, by Lieut.-Col. TREVENEN J. HOLLAND, C.B., Bombay Staff Corps, and Captain HENRY HOZIER, 3rd Dragoon Guards. In 2 vols. and case of Maps, cloth, 4l. 4s.; half morocco, 5l. 5s.

SANITARY STATE OF THE ARMY IN INDIA: Report of the Commissioners appointed to inquire into. With Abstract of Evidence, and of Reports received from Indian Military Stations. Royal 8vo., 606 pp., with Maps, &c. Price 6s.

ENGINEERING, FIELD: Elementary Manual of. 1880. Price 1s. 6d.

ENGINEERING, MILITARY: Instruction in. Compiled at the School of Military Engineering, Chatham.

Vol. I. (Part 1).—Field Defences. Third Edition. 1882. (In the press.)

Vol. I. (Part 2).—Attack of Fortresses. Second Edition. Price 1s. 6d.

Vol. I. (Part 3).—Military Bridges. Third Edition. 1877. Price 3s.

Vol. I. (Part 4).—Military Mining. Second Edition. 1878. Price 1s. 6d.

(Out of print.)

Vol. I. (Part 5).—Miscellaneous. Second Edition. 1878. Price 3s. 6d.

AIDE-MÉMOIRE, for the Use of Officers of Royal Engineers. Compiled by Colonel A. C. COOKE, C.B., R.E., with Contributions and Assistance from other Officers.

Vol. I. Formulae, Tables, Military Statistics, and Memoranda for the Field. 1878. Price 12s. 6d.

Vol. II. Containing information regarding Permanent Engineering Works. (In progress.)

WORKS

PREPARED IN THE

INTELLIGENCE BRANCH

OF THE

QUARTERMASTER-GENERAL'S DEPARTMENT, HORSE GUARDS.

ARMED STRENGTH OF AUSTRIA. By Captain W. S. Cooke,
22nd Foot. Part I. 10s. 6d.
— Part II. Price 11s. 6d.

ARMED STRENGTH OF DENMARK. By Captain W. S. Cooke,
22nd Regt. Price 3s.

ARMED STRENGTH OF FRANCE. By Major G. J. East,
57th Regt., D.A.Q.M.G. 1877. Price 7s. 6d.

ARMED STRENGTH OF THE GERMAN EMPIRE. Part I.
Organization and Administration. With Map. By Captain F. C. H. CLARKE,
R.A., D.A.Q.M.G. 1876. Price 8s. 6d.

ARMED STRENGTH OF ITALY. Translated from the German
by Lieutenant W. A. H. HARE, R.E. 1875. Price 5s. 6d.

ARMED STRENGTH OF THE NETHERLANDS. By Captain F.
C. H. CLARKE, R.A., D.A.Q.M.G. With Map. Price 4s.

ARMED STRENGTH OF RUSSIA. Translated from the German.
1873. Price 7s.

ARMED STRENGTH OF SWEDEN AND NORWAY. By Captain
W. S. COOKE, 22nd Regt., D.A.Q.M.G. With Map. Price 8s. 6d.

ARMED STRENGTH OF SWITZERLAND. By Major Frank S.
RUSSELL, 14th Hussars. 1880. Price 1s. 6d.

**ATTACK FORMATION FOR INFANTRY IN THE AUSTRIAN,
FRENCH, GERMAN, AND ITALIAN ARMIES:** Outline of. 1881.
Price 1s.

CAVALRY. Instructions for the Training, Employment, and
Leading of. By Major-General CARL VON SCHREIER. Compiled by
Captain VON VOLLAND-BOCKELBERG, 2nd Silesian Dragoons. Translated
by Captain C. W. BOWDLER BELL, 8th Hussars. (1881.) Price 3s. 6d.

CYPRUS. Compiled by Captain A. R. Saville, 18th Foot. 1878.
Price 2s. 6d.

DENGHIL-TÉPÉ: Siege and Assault of. General Skobeleff's Report.
Translated by Lieut. J. J. LEVERSON, R.E. 1881. Price 3s.

FRANCE: Military Reports, Addressed to the French War Minister
by Colonel Baron STOFFEL, French Military Attaché in Prussia, 1866-1870.
Translated by Lieut.-Col. HOME, C.B., R.E. Royal Svs. Price 8s.

FRANCO-GERMAN WAR, 1870-71. Authorised Translation from
the German Official Account by Major F. C. H. CLARKE, C.M.G., R.A.

FIRST PART:—History of the War to the Downfall of the Empire.

Vol. I:—Sections 1 to 5. From the Outbreak of Hostilities to the Battle of
Gravelotte. With case of Maps and Plans. Price 26s.

Vol. II:—Sections 6 to 9. From the Battle of Gravelotte to the Downfall
of the Empire. With case of Maps and Plans. Price 22s.

SECOND PART:—History of the War against the Republic.

Vol. I:—Secs. 10 to 13. From the Investment of Paris to the re-occupation
of Orleans by the Germans, with case of Maps and Plans. Price 24s.

Also separately, in paper covers:—

1st Section:—The Events in July. Plan. Price 3s.

2nd Section:—Events to the Eve of the Battles of Wûrth and Spicheren.

2nd edition, revised and corrected. 1877. 3 Plans. Price 3s.

3rd Section:—The Battles of Wûrth and Spicheren. 2nd edition, revised
and corrected. 1877. 2 Plans and 3 Sketches. Price 3s.

WORKS prepared in Intelligence Branch—continued.

Franco-German War, 1870-71—continued.

- 4th Section:—Advance of the Third Army to the Moselle, &c. Second Edition, revised and corrected. With 1 Plan and 7 Sketches. 4s.
- 5th Section:—Operations near Metz on 15th, 16th, and 17th August. Battle of Vionville—Mars-la-tour. 2nd edition, revised and corrected. 1881. 4 Plans and Sketches in the Text. Price 6s. 6d.
- 6th Section:—The Battle of Gravelotte—St. Privat. With 2 Plans and Sketches in Text. Price 5s.
- 7th Section:—Advance of Third Army and of the Army of the Moselle against the Army of Chalons. With 2 Plans, a general Map, and numerous Sketches. Price 6s.
- 8th Section:—The Battle of Sedan. With 2 Plans and 2 Sketches. Price 5s.
- 9th Section:—Proceedings on the German Coast and before the Fortresses in Alsace and Lorraine. Battle of Noisseville. General Review of the Franco-German War up to the commencement of September. With 3 Plans and 2 Sketches. Price 4s. 6d.
- 10th Section:—Investment of Paris. Capture of Toul and Strasbourg. Price 6s.
- 11th Section:—Events before Paris and at other Points of the Theatre of War in Western France until the end of October. (1878.) Price 5s. 3d.
- 12th Section:—Last Engagements with the French Army of the Rhine. Occurrences after the Fall of Strasbourg and Metz to the middle of November. (1878.) Price 4s. 6d.
- 13th Section:—Occurrences on the Theatre of War in Central France up to the re-occupation of Orleans by the Germans. (1880.) Price 6s.
- 14th Section:—Measures for the Investment of Paris up to the middle of December. (1880.) Price 4s.
- 15th Section:—Measures for protecting the Investment of Paris and Occurrences before the French Capital to the Commencement of the Year 1871. (1880.) Price 2s. 6d.
- 16th Section:—Proceedings of the Second Army from the Commencement of the Year 1871 until the Armistice. (1881.) Price 3s. 6d.
- FRENCH ARMY: Reforms in. Part I.—The Law of Recruiting.** Translated by Colonel HOME, C.B., R.E. Royal 8vo., 104 pp., stiff paper cover. Price 1s. 6d.
- **Part II.—General Organization.** Translated by Major C. B. BRACKENBURY, R.A. Price 2s.
- FRENCH ARMY, Re-organization of.** Speech of the Duke d'AUDIFFRET-PASQUIER. Price 1s.
- GERMANY: Campaign of 1866 in.** Compiled by the Department of Military History of the Prussian Staff. Translated into English by Colonel VON WRIGHT, Chief of the Staff VIII. Prussian Corps, and Captain HENRY M. HOZIER, Assistant Controller. Price 41 1s., in one vol., royal 8vo., cloth boards, with a Portfolio of Plans.
- PRUSSIAN ARTILLERY: Extracts from the Drill Regulations** for the, and from the Handbook for Prussian Artillery Officers. Translated by Major FAIRFAX ELLIS, R.A. 1878. Price 10s.
- PRUSSIAN INFANTRY: Elementary Tactics of the.** Translated from the German, by Captain E. BARING, R.A. Authorised Edition. Royal 8vo., 60 pp., with Plans. 2s.
- RUSSIA: Regulations respecting Military Service in.** Price 2s. 6d.
- STAFF-GENERAL: The Duties of.** By Major-General Bronsart VON SCHLENDORF. Translated from the German by Captain W. A. H. HAME, R.E. 1880. 2 Vols. Price 7s. 6d. each.
- STEPPE CAMPAIGNS: A Series of Lectures on.** Translated from the Russian. Price 2s.
- TACTICS: Précis of Modern.** Compiled by Colonel Robert Home, C.B., R.E. In royal 8vo., 44 pp., with 26 Plans. Cloth boards. (1882.) Price 8s. 6d.
- TRAINING OF TROOPS: for Service in the Field, and for the Conduct of Peace Manœuvres, Regulations for.** Translated from the German, by Captain E. BARING, R.A. Royal 8vo., 84 pp., with Plans. Price 2s.
- WAR GAME: Rules for the Conduct of.** Compiled by Captain E. BARING, R.A. The Box of Men, &c., can be had for £6 6s., and 15 Maps, mounted and coloured, for £6. Royal 8vo., with Plans. Price 2s.
- (Out of print.)
- ZULU WAR of 1879. Narrative of the Field Operations connected with.** 1881. Price 8s. 6d.
- Also separately.—Map of Zululand. Sheet 1. Price 1s.